

Daftar Pustaka

- Abrams, J., 1996. Beneficial actions of nitrates in cardiovascular disease. *Am. J. Cardiol.* 77: C31–C37. doi:10.1016/S0002-9149(96)00186-5
- Anderson, J.L., Karagounis, L.A., Califf, R.M., 1996. Metaanalysis of five reported studies on the relation of early coronary patency grades with mortality and outcomes after acute myocardial infarction. *Am. J. Cardiol.* 78: 1–8. doi:10.1016/S0002-9149(96)00217-2
- Apple, F.S., Henry, T.D., Berger, C.R., Landt, Y.A., 1995. Early Monitoring of Serum Cardiac Troponin I for Assessment of Coronary Reperfusion Following Thrombolytic Therapy. *Am. J. Clin. Pathol.* 105.
- Arso, I.A., Setianto, B.Y., Taufiq, N., Hartopo, A.B., 2014. In-hospital major cardiovascular events between STEMI receiving thrombolysis therapy and primary PCI. *Acta Med. Indones.* 46: 124–130.
- ASSENT-4 PCI Investigators, 2006. Primary versus tenecteplase-facilitated percutaneous coronary intervention in patients with ST-segment elevation acute myocardial infarction (ASSENT-4 PCI): randomised trial. *Lancet* 367: 569–578. doi:10.1016/S0140-6736(06)68147-6
- Badimon, L., Vilahur, G., 2014. Thrombosis formation on atherosclerotic lesions and plaque rupture. *J. Intern. Med.* 276: 618–632. doi:10.1111/joim.12296
- Bailey, K.R., Armstrong, P.W., Zheng, Y., Brass, N., Tyrell, B.D., Leung, R., Westerhout, C.M., Welsh, R.C., 2019. Pharmacoinvasive Strategy Versus Primary Percutaneous Coronary Intervention in ST-Elevation Myocardial Infarction in Clinical Practice Insights From the Vital Heart Response Registry. *Circ. Cardiovasc. Interv.* 12: 1–12. doi:10.1161/CIRCINTERVENTIONS.119.008059
- Baker, W.F., 2002. State-of-the-Art Review Thrombolytic Therapy. *Clin Appl Thromb.* 8: 291–314.
- Battershill, P.E., Benfield, P., Goa, K.L., Channer, K.S., Hospital, R.H., Gordon, M., Centre, B., York, N., Hunt, D., 1994. Streptokinase A Review of its Pharmacology and Therapeutic Efficacy in Acute Streptokinase. *Drugs & Aging* 4: 63–86.
- Borgia, F., Goodman, S.G., Halvorsen, S., Cantor, W.J., Piscione, F., May, M.R. Le, Ferna, F., Dimopoulos, K., Scheller, B., Sa, P.L., Armstrong, P.W., Mario, C. Di, 2010. Early routine percutaneous coronary intervention after fibrinolysis vs . standard therapy in ST-segment elevation myocardial infarction : a meta-analysis. *Eur. Heart J.* 31: 2156–2169. doi:10.1093/eurheartj/ehq204
- Brener, S.J., Mehran, R., Brodie, B.R., Guagliumi, G., Witzenbichler, B., Cristea, E., Xu, K., Lansky, A.J., Stone, G.W., Thrombolysis, P.C.I., Myocardial, I., 2011. Predictors and Implications of Coronary Infarct Artery Patency at Initial Angiography in Patients With Acute Myocardial Infarction (from the CADILLAC and HORIZONS-AMI Trials). *Am. J. Cardiol.* doi:10.1016/j.amjcard.2011.05.022
- Canty Jr, J.M., Duncker, D.J., 2011. Coronary Blood Flow and Myocardial Ischemia, in: Mann, D.L., Zipes, D.P., Libby, P., Bonow, R.O., Braunwald, E.

- (Ed.), Braunwald's Heart Disease A Textbook of Cardiovascular Medicine. Elsevier Saunders, Philadelphia, hal. 1029–56.
- Chung, W.Y., Han, M.J., Cho, Y.S., Kim, K. Il, Chang, H.J., Youn, T.J., Chae, I.H., Choi, D.J., Kim, C.H., Oh, B.H., Park, Y.B., Choi, Y.S., 2007. Effects of the early administration of heparin in patients with ST-elevation myocardial infarction treated by primary angioplasty. *Circ. J.* 71: 862–867. doi:10.1253/circj.71.862
- Dahlan, S., 2019. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan, 5 ed. Epidemiologi Indonesia, Jakarta.
- De Luca, G., Dirksen, M.T., Spaulding, C., Kelbaek, H., Schalij, M., Thuesen, L., van der Hoeven, B., Vink, M.A., Kaiser, C., Musto, C., Chechi, T., Spaziani, G., de la Llera, L.S.D., Pasceri, V., Di Lorenzo, E., Violini, R., Suryapranata, H., Stone, G.W., 2014. Impact of hypertension on clinical outcome in STEMI patients undergoing primary angioplasty with BMS or DES insights from the DESERT cooperation. *Int. J. Cardiol.* 50–54.
- Dehmer, G.J., Blankenship, J.C., Cilingiroglu, M., Dwyer, J.G., Feldman, D.N., Gardner, T.J., Grines, C.L., Singh, M., 2014. SCAI/ACC/AHA Expert consensus document: 2014 Update on Percutaneous Coronary Intervention Without On-Site Surgical Backup. *Catheter. Cardiovasc. Interv.* 84: 169–187. doi:10.1002/ccd.25371
- Dharma, S., Andriantoro, H., Purnawan, I., Dakota, I., Basalamah, F., Hartono, B., Rasmin, R., Isnanijah, H., Yamin, M., Wijaya, I.P., Pratama, V., Gunarto, T.B., Juwana, Y.B., Suling, F.R.W., Witjaksono, A.M.O., Lasanudin, H.F., Iskandarsyah, K., Priatna, H., Tedjasukmana, P., Wahyumandradi, U., Kosasih, A., Budhiarti, I.A., Pribadi, W., Wirianta, J., Lubiantoro, U., Pramesti, R., Widowati, D.R., Aminda, S.K., Basalamah, M.A., Rao, S. V., 2016. Characteristics, treatment and in-hospital outcomes of patients with STEMI in a metropolitan area of a developing country: an initial report of the extended Jakarta Acute Coronary Syndrome registry. *BMJ Open* 6: e012193. doi:10.1136/bmjopen-2016-012193
- Elakabawi, K., Huang, X., Shah, S.A., Ullah, H., Mintz, G.S., Yuan, Z., 2020. Predictors of suboptimal coronary blood flow after primary angioplasty and its implications on short-term outcomes in patients with acute anterior STEMI. *BMC Cardiovasc. Disord.* 0: 1–12.
- Fajar, J.K., Heriansyah, T., Rohman, M.S., 2018. The predictors of no reflow phenomenon after percutaneous coronary intervention in patients with ST elevation myocardial infarction: A meta-analysis. *Indian Heart J.* 70: S406–S418. doi:10.1016/j.ihj.2018.01.032
- Fernandez-avilés, F., Alonso, J.J., Castro-beiras, A., Vázquez, N., Blanco, J., Alonso-briales, J., López-mesa, J., 2004. Routine invasive strategy within 24 hours of thrombolysis versus ischaemia-guided conservative approach for acute myocardial infarction with ST-segment elevation (GRACIA-1): a randomised controlled trial. *Lancet* 364: 1045–1053.
- Fernandez-Aviles, F., Alonso, J.J., Pena, G., Blanco, J., Alonso-Briales, J., Lopez-Mesa, J., Fernandez-Vazquez, F., Moreu, J., Hernandez, R.A., Castro-Beiras, A., Gabriel, R., Gibson, C.M., Sanchez, P.L., 2007. Primary angioplasty vs .

- early routine post-fibrinolysis angioplasty for acute myocardial infarction with ST-segment elevation: the GRACIA-2 non-inferiority, randomized, controlled trial. *Eur. Heart J.* 28: 949–960. doi:10.1093/eurheartj/ehl461
- Fox, K.A.A., 2017. Management Principles in Myocardial Infarction, in: Morrow, D.A. (Ed.), *Myocardial Infarction A Companion to Braunwald's Heart Disease*. Elsevier, Missouri, hal. 139–153.
- Franchi, F., Angiolillo, D.J., 2015. Novel antiplatelet agents in acute coronary syndrome. *Nat. Rev. Cardiol.* 12: 30–47. doi:10.1038/nrcardio.2014.156
- Gemmill, J., Hogg, K., Burns, J., Rae, A., Dunn, F., Fears, R., Ferres, H., Standing, R., Greenwood, H., Pierce, D., et al, 1991. A comparison of the pharmacokinetic properties of streptokinase and anistreplase in acute myocardial infarction. *Br. J. Clin. Pharmacol.* 31: 143–147. doi:10.1111/j.1365-2125.1991.tb05502.x
- Gibson, C.M., Murphy, S., Menown, I.B.A., Sequeira, R.F., Greene, R., Van de Werf, F., Schweiger, M.J., Ghali, M., Frey, M.J., Ryan, K.A., Marble, S.J., Giugliano, R.P., Antman, E.M., Cannon, C.P., Braunwald, E., 1999. Determinants of coronary blood flow after thrombolytic administration. *J. Am. Coll. Cardiol.* 34: 1403–1412. doi:10.1016/s0735-1097(99)00397-6
- Gibson, C.M., Schömig, A., 2004. Coronary and Myocardial Angiography Angiographic Assessment of Both Epicardial and Myocardial Perfusion. *Circulation* 109: 3096–3105. doi:10.1161/01.CIR.0000134278.50359.CB
- GISSI, 1986. Effectiveness of Intravenous Thrombolytic Treatment in Acute Myocardial Infarction. *Lancet* 397–401.
- Goodwill, A.G., Dick, G.M., Kiel, A.M., Tune, J.D., 2018. Regulation of Coronary Blood Flow. *Compr Physiol* 7: 321–382. doi:10.1002/cphy.c160016.Regulation
- Helal, A.M., Shaheen, S.M., Elhammady, W.A., Ahmed, M.I., Abdel-hakim, A.S., Allam, L.E., 2018. Primary PCI versus pharmacoinvasive strategy for ST elevation myocardial infarction. *IJC Hear. Vasc.* 21: 87–93. doi:10.1016/j.ijcha.2018.10.006
- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., Bueno, H., Caforio, A.L., Crea, F., Goudevenos, J.A., Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M.J., Prescott, E., Roffi, M., Valmigli, M., Varenhorst, C., Vranckx, P., Widimsky, P., 2018a. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *Eur. Heart J.* 39: 119–177. doi:10.1093/eurheartj/ehx393
- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., Bueno, H., Caforio, A.L.P., Crea, F., Goudevenos, J.A., Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M.J., Prescott, E., Roffi, M., Valgimigli, M., Varenhorst, C., Vranckx, P., Widimský, P., Baumbach, A., Bugiardini, R., Coman, I.M., Delgado, V., Fitzsimons, D., Gaemperli, O., Gershlick, A.H., Gielen, S., Harjola, V.P., Katus, H.A., Knuuti, J., Kolh, P., Leclercq, C., Lip, G.Y.H., Morais, J., Neskovic, A.N., Neumann, F.J., Niessner, A., Piepoli, M.F., Richter, D.J., Shlyakhto, E., Simpson, I.A., Steg, P.G., Terkelsen, C.J., Thygesen, K., Windecker, S., Zamorano, J.L., Zeymer, U., Chettibi, M., Hayrapetyan, H.G., Metzler, B., Ibrahimov, F., Sujayeva, V., Beauloye, C.,

- Dizdarevic-Hudic, L., Karamfiloff, K., Skoric, B., Antoniadis, L., Tousek, P., Terkelsen, C.J., Shaheen, S.M., Marandi, T., Niemelä, M., Kedev, S., Gilard, M., Aladashvili, A., Elsaesser, A., Kanakakis, I.G., Merkely, B., Gudnason, T., Iakobishvili, Z., Bolognese, L., Berkinbayev, S., Bajraktari, G., Beishenkulov, M., Zake, I., Lamin, H. Ben, Gustiene, O., Pereira, B., Xuereb, R.G., Ztot, S., Juliebø, V., Legutko, J., Timoteo, A.T., Tatu-Chit,oiu, G., Yakovlev, A., Bertelli, L., Nedeljkovic, M., Studencan, M., Bunc, M., de Castro, A.M.G., Petursson, P., Jeger, R., Mourali, M.S., Yildirim, A., Parkhomenko, A., Gale, C.P., 2018b. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *Eur. Heart J.* 39: 119–177. doi:10.1093/eurheartj/ehx393
- ISIS-2 (Second International Study of Infarct Survival) Collaborative Group, 1988. Randomised Trial of Intravenous Streptokinase, Oral Aspirin, Both, or Neither Among 17 187 Cases of Suspected Acute Myocardial Infarction: Isis-2. *Lancet* 332: 349–360. doi:10.1016/S0140-6736(88)92833-4
- Juzar, D.A., Danny, S.S., Irmalita, Firdaus, I., Widyanoro, B., Rossimarina, V., Rejeki, V.G., Setianto, B.Y., Haryono, N., Artha, I.M.J.R., Yusuf, M., Aspar, A.F.A., Pramudyo, M., 2018. Pedoman Tata Laksana Sindroma Koroner Akut, 4th ed. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, Jakarta.
- Karlsson, S., Andell, P., Mohammad, M.A., Koul, S., Olivecrona, G.K., James, S.K., Fröbert, O., Erlinge, D., 2019. Heparin pre-treatment in patients with ST-segment elevation myocardial infarction and the risk of intracoronary thrombus and total vessel occlusion. Insights from the TASTE trial. *Eur. Heart J. Acute Cardiovasc. care* 8: 15–23. doi:10.1177/2048872617727723
- Keeley, E.C., Boura, J.A., Grines, C.L., 2003. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: A quantitative review of 23 randomised trials. *Lancet* 361: 13–20. doi:10.1016/S0140-6736(03)12113-7
- Kern, M.J., Lim, M.J., 2014. Evaluation of Myocardial and Coronary Blood Flow and Metabolism, in: Moscucci, M. (Ed.), Grossman & Baim's Cardiac Catheterization, Angiography, and Intervention. Wolters Kluwer, Philadelphia, hal. 505–45.
- Khafaji, H.A.R., 2018. Fibrinolysis in Acute Myocardial Infarction ; State of the. *Ann. Cardiovasc. Surg.* 1.
- Kirtane, A.J., Vafai, J.J., Murphy, S.A., Aroesty, J.M., Sabatine, M.S., Cannon, C.P., Gibson, C.M., 2006. Angiographically evident thrombus following fibrinolytic therapy is associated with impaired myocardial perfusion in STEMI: a CLARITY-TIMI 28 substudy. *Eur. Heart J.* 27: 2040–2045. doi:10.1093/eurheartj/ehl149
- KSM Jantung RSUP dr. Sardjito, 2017. Pedoman Praktik Klinik Infark Miokard dengan Elevasi Segmen ST (No. 408.P.003). Yogyakarta.
- Kumar, V., Abbas, A.K., Aster, J.C., 2015. Hemodynamic Disorders, Thromboembolic Disease, and Shock, in: Robbins and Cotran Pathologic Basis of Disease. Elsevier Saunders, Philadelphia, hal. 113–137. doi:10.1016/j.genhosppsy.2013.05.007
- Kumbhani, D.J., Alexander, T., Nallamothu, B.K., Menon, V., Ayers, C., 2019.

Pharmacoinvasive Approach with Streptokinase in Low to Intermediate Risk ST - Elevation Myocardial Infarction Patients : Insights from the Tamil Nadu - STEMI Initiative. *Am. J. Cardiovasc. Drugs.* doi:10.1007/s40256-019-00327-7

- Kunamneni, A., Abdelghani, T.T.A., Ellaiah, P., 2007. Streptokinase - The drug of choice for thrombolytic therapy. *J. Thromb. Thrombolysis* 23: 9–23. doi:10.1007/s11239-006-9011-x
- Martin, G. V., Sheehan, F.H., Stadius, M., Maynard, C., Davis, K.B., Ritchie, J.L., Kennedy, J.W., 1988. Intravenous Streptokinase for Acute Myocardial Infarction Global and Regional Systolic Function. *Circulation* 78: 258–266.
- Mehta, R.H., Harjai, K.J., Cox, D., Stone, G.W., Brodie, B., Boura, J., O'Neill, W., Grines, C.L., 2003. Clinical and Angiographic Correlates and Outcomes of Suboptimal Coronary Flow in Patients with Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. *J. Am. Coll. Cardiol.* 42: 1739–1746. doi:10.1016/j.jacc.2003.07.012
- Mishra, S., 2017. What is the ideal fibrinolysis to PCI time: Pharmaco-invasive strategy with streptokinase? *Indian Heart J.* 69: 569–570. doi:10.1016/j.ihj.2017.07.022
- Montalescot, G., Zeymer, U., Silvain, J., Boullanger, B., Cohen, M., Goldstein, P., Ecollan, P., Combes, X., Huber, K., Pollack, C., Bénézet, J.F., Stibbe, O., Filippi, E., Teiger, E., Cayla, G., Elhadad, S., Adnet, F., Chouihed, T., Gallula, S., Greffet, A., Aout, M., Collet, J.P., Vicaut, E., 2011. Intravenous enoxaparin or unfractionated heparin in primary percutaneous coronary intervention for ST-elevation myocardial infarction: The international randomised open-label ATOLL trial. *Lancet* 378: 693–703. doi:10.1016/S0140-6736(11)60876-3
- O'Gara, P.T., Kushner, F.G., Ascheim, D.D., Casey, D.E., Chung, M.K., Lemos, J.A. De, Ettinger, S.M., Fang, J.C., Fesmire, F.M., Franklin, B.A., Granger, C.B., Krumholz, H.M., Linderbaum, J.A., Morrow, D.A., Newby, L.K., Ornato, J.P., Ou, N., Radford, M.J., Tamis-holland, J.E., Tommaso, C.L., Tracy, C.M., Woo, Y.J., Zhao, D.X., Jacobs, A.K., Past, I., Halperin, J.L., Albert, N.M., Brindis, R.G., Creager, M.A., Demets, D., Guyton, R.A., Hochman, J.S., Kovacs, R.J., Kushner, F.G., Ohman, E.M., Stevenson, W.G., Yancy, C.W., 2013. 2013 ACCF / AHA Guideline for the Management of ST-Elevation Myocardial Infarction. *J. Am. Coll. Cardiol.* 61: 78–140. doi:10.1016/j.jacc.2012.11.019
- Otaal, P.S., Anand, A., Vijayvergiya, R., 2020. Correlates of Residual Thrombus Burden in Successfully Thrombolysed Patients of ST- Elevation Myocardial Infarction Receiving Dual Anti-Platelet Therapy. *Cureus* 12. doi:10.7759/cureus.12017
- Pasceri, V., Andreotti, F., Maseri, A., 1996. Clinical markers of thrombolytic success. *Eur. Heart J.* 17: 35–41.
- Pinto, D.S., Kirtane, A.J., Nallamothu, B.K., Murphy, S.A., Cohen, D.J., Laham, R.J., Cutlip, D.E., Bates, E.R., Frederick, P.D., Miller, D.P., Carrozza, J.P., Antman, E.M., Cannon, C.P., Gibson, C.M., 2006. Hospital delays in reperfusion for ST-elevation myocardial infarction: Implications when selecting a reperfusion strategy. *Circulation* 114: 2019–2025.

doi:10.1161/CIRCULATIONAHA.106.638353

- Regitz-Zagrosek, V., Oertelt-Prigione, S., Prescott, E., Franconi, F., Gerdts, E., Foryst-Ludwig, A., Maas, A.H.E.M., Kautzky-Willer, A., Knappe-Wegner, D., Kintscher, U., Ladwig, K.H., Schenck-Gustafsson, K., Stangl, V., 2016. Gender in cardiovascular diseases: Impact on clinical manifestations, management, and outcomes. *Eur. Heart J.* 37: 24–34. doi:10.1093/eurheartj/ehv598
- Rhee, J.W., Sabatine, M.S., Lilly, L.S., 2019. Penyakit Jantung Iskemik, in: Lilly, L.S., Jazar, D.A., Ridjab, D.A., Sari, I.P., Putratama, R. (Ed.), Patofisiologi Penyakit Jantung : kolaborasi mahasiswa dan dosen. MEDIK, Jakarta.
- Rhee, J.W., Sabatine, M.S., Lilly, L.S., 2011. Acute Coronary Syndromes, in: Lilly, L.S. (Ed.), Pathophysiology of Heart Disease. Wolters Kluwer, Philadelphia, hal. 161–189.
- Ribeiro, D.R.P., Cambruzzi, E., Schmidt, M.M., Quadros, A.S., 2016. Thrombosis in ST-elevation myocardial infarction: Insights from thrombi retrieved by aspiration thrombectomy. *World J. Cardiol.* 8: 362. doi:10.4330/wjc.v8.i6.362
- Sabatine, M.S., Cannon, C.P., Gibson, C.M., Lopez-Sendon, J.L., Montalescot, G., Theroux, P., Claeys, M.J., Cools, F., Hill, K.A., Skene, A.M., McCabe, C.H., Braunwald, E., 2005. Addition of clopidogrel to aspirin and fibrinolytic therapy for myocardial infarction with ST-segment elevation. *N. Engl. J. Med.* 46: 388. doi:10.1016/j.annemergmed.2005.08.016
- Schaaf, M.J., Mewton, N., Rioufol, G., Angoulvant, D., Cayla, G., Delarche, N., Jouve, B., Guerin, P., Vanzetto, G., Coste, P., Morel, O., Roubille, F., Elbaz, M., Roth, O., Prunier, F., Cung, T.T., Piot, C., Sanchez, I., Bonnefoy-Cudraz, E., Revel, D., Giraud, C., Croisille, P., Ovize, M., 2016. Pre-PCI angiographic TIMI flow in the culprit coronary artery influences infarct size and microvascular obstruction in STEMI patients. *J. Cardiol.* 67: 248–253. doi:10.1016/j.jjcc.2015.05.008
- Scirica, B.M., Morrow, D.A., 2015. ST-Elevation Myocardial Infarction: Pathology, Pathophysiology, and Clinical Features, in: Mann, D.L., Zipes, D.P., Libby, P., Bonow, R.O., Braunwald, E. (Ed.), Braunwald's Heart Disease A Textbook of Cardiovascular Medicine. Elsevier Saunders, Philadelphia, hal. 1069–1093.
- Silvain, J., Nguyen, L., Montalescot, G., 2017. Selection of Initial Anticoagulant Therapy, in: Morrow, D.A. (Ed.), Myocardial Infarction A Companion to Braunwald's Heart Disease. Elsevier, Missouri, hal. 207–219.
- Subban, V., Mullasari, A.S., 2012. The never ending quest for an ideal angiographic surrogate of coronary reperfusion. *Indian Heart J.* 65: 7–11. doi:10.1016/j.ihj.2012.12.021
- Swap, C.J., Nagurney, J.T., 2005. Value and Limitations of Chest Pain History in the Evaluation of Patients With Suspected Acute Coronary Syndromes. *JAMA* 294: 2623–2630.
- Terkelsen, C.J., Sorensen, J.T., Maeng, M., Jensen, L.O., Tilsted, H.-H., Trautner, S., Vach, W., Johnsen, S.P., Thuesen, L., Lassen, J.F., 2015. System Delay and Mortality Among Patients With STEMI Treated With Primary Percutaneous Coronary Intervention. *JAMA* 304: 763–771.

- The GUSTO Investigators, 1993. An International Randomized Trial Comparing Four Thrombolytic Strategies For Acute Myocardial Infarction. *N. Engl. J. Med.* 329: 673–682.
- Thiele, H., Kappl, M.J., Linke, A., Erbs, S., Boudriot, E., Lembcke, A., Kivelitz, D., Schuler, G., 2007. Influence of time-to-treatment, TIMI-flow grades, and ST-segment resolution on infarct size and infarct transmuralty as assessed by delayed enhancement magnetic resonance imaging. *Eur. Heart J.* 28: 1433–1439. doi:10.1093/eurheartj/ehm173
- TIMI Study Group, 1985. The Thrombolysis In Myocardial Infarction (TIMI) Trial. Phase I findings. *N. Engl. J. Med.* 312: 932–936.
- Topaz, O., 2016. The Thrombus-Containing Lesion, in: Topol, E.J., Teirstein, P.S. (Ed.), *Textbook of Interventional Cardiology*. Elsevier, Philadelphia, hal. 439–463.
- Widimský, P., Groch, L., Zelízko, M., Aschermann, M., Bednář, F., Suryapranata, H., 2000. Multicentre randomized trial comparing transport to primary angioplasty vs immediate thrombolysis vs combined strategy for patients with acute myocardial infarction presenting to a community hospital without a catheterization laboratory. The PRAGUE Study. *Eur. Heart J.* 21: 823–831. doi:10.1053/euhj.1999.1993
- Zimarino, M., Sacchetta, D., Renda, G., De Caterina, R., 2008. Facilitated PCI: Rationale, current evidence, open questions, and future directions. *J. Cardiovasc. Pharmacol.* 51: 3–10. doi:10.1097/FJC.0b013e3181565e26