

DAFTAR PUSTAKA

- Abaci, A., Oguzhan, A., Eryol, N.K., Ergin, A., 1999. Effect of potential confounding factors on the thrombolysis in myocardial infarction (TIMI) trial frame count and its reproducibility. *Circulation* 100: 2219–2223. doi:10.1161/01.CIR.100.22.2219.
- Abreu, D., Cabral, S.M., Ribeiro, F. 2014. Factors associated with longer delays in reperfusion in ST-segment elevation myocardial infarction. *IJC Heart & Vessels* 4: 97–101.
- Alexander, T., Juvala, N. J., Dasbiswas, A., Kubba, S., Singh, R. K., Raja, V. 2018. Pharmaco-invasive therapy with fibrinolytic agents: A potent lifesaving reperfusion strategy in STEMI patients in metro/ tier-I cities in India. *Journal of Association of Physicians of India Pradesh; Abbott Health*. Vol. 66.
- Anderson, J.L., Karagounis, L.A., Califf, R.M., 1996. Metaanalysis of five reported studies on the relation of early coronary patency grades with mortality and outcomes after acute myocardial infarction. *Am. J. Cardiol.* 78: 1–8. doi:10.1016/S0002-9149(96)00217-2
- Antman, E.M., Cooper, H.A., Gibson, C.M., Lemos, J.A. De, McCabe, C.H., Giugliano, R.P., Coussement, P., Murphy, S., Scherer, J., Anderson, K., Werf, F. Van De, Braunwald, E., Investigators, I.T., 2002. Determinants of improvement in epicardial flow and myocardial perfusion for ST elevation myocardial infarction Insights from TIMI 14 and InTIME-II. *Eur. Heart J.* 23: 928–933. doi:10.1053/euhj.2001.2964
- Antman, E.M., Sidney, C., Smith, J., Anbe, D.T., Armstrong, P.W., Bates, E.R., et al. 2004. ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction. 2004. A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of Patients with Acute Myocardial Infarction). *Circulation*. 110:e82-e293
- Antman, E.M., and Werf, F.W. 2004. Pharmacoinvasive Therapy The Future of Treatment for ST-Elevation Myocardial Infarction. *Circulation* ;109:2480-2486.
- Antman, E.M., and Braunwald E. 2008. *ST Elevation Myocardial Infarction: Pathology, Pathophysiology and Clinical Feature. Braunwald's Heart Disease: A Textbook of Cardiovascular*. McGraw-Hill. New York. U.S.A.
- Apple, F.S., Henry, T.D., Berger, C.R., Landt, Y.A., 1995. Early Monitoring of Serum Cardiac Troponin I for Assessment of Coronary Reperfusion Following Thrombolytic Therapy
- Armstrong, P.W., Gershlick, A., Goldstein, P., et al. 2010. STREAM Steering Committee. The Strategic Reperfusion Early After Myocardial Infarction (STREAM) study. *Am Heart J* 2010;160:30–5
- Armstrong, P.W., Zheng, Y., Westerhout, C.M., Rosell-Ortiz, F., Sinnaeve, P., Lambert, Y., Lopes, R.D., Bluhmki, E., Danays, T., Van de Werf, F.J., On behalf of the STREAM investigators Alberta, Canada; Almería, Spain; Leuven, Belgium; Versailles, France; Durham, NC; and Berkshire, UK. 2015. Reduced dose tenecteplase and outcomes in elderly ST-segment elevation myocardial infarction patients: Insights from the STrategic Reperfusion Early After Myocardial infarction trial. *American Heart Journal*. 2015;0:1-9.e1.
- Arso, I.A., Setianto, B.Y., Taufiq, N., Hartopo, A.B. 2014. In-hospital Major Cardiovascular Events between STEMI Receiving Thrombolysis Therapy and Primary PCI. *Acta Medica Indonesiana*. Vol 46 Number 2.

- Balthazar R.F., (2009). *Acute Coronary Syndrome: ST Elevation Myocardial Infarction Basic and bedside electrocardiography*. 1st edition. Lippincott Williams and Wilkins. Baltimore: 2009:337-9.
- Bender, J.R., Russel, K.S., Rosenfeld, L.E., *et al.* 2011. *Coronary Artery Disease, Oxford American Handbook of Cardiology*. Oxford University Press. New York. U.S.A.
- Bhatt, D.L., and Flather. 2004. *Handbook of Acute Coronary Syndromes*. Remedica publishing : Chicago. USA
- Bourauoui, H., Trimeche, B., hajri, Mahdhaoui, A., Romdhane, M.B., Jeridi, G. 2014. Keterlambatan of Fibrinolysis in ST- Elevation Myocardial Infarction: Results of an Investigation Conducted in a Single Center in Sousse Tunisia. *Heart Views* ;15:65-7.
- Brodie, B.R. Gersh, B.J., Hil, D.P., Stuckey, T., Witzenbichler, B., Guagliumi, G *et al.* 2010. When Is Door-to-Balloon Time Critical ? Analysis From the HORIZONS-AMI (Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction) and CADILLAC (Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complic. *JAC*, 56(5), pp.407–413.
- Duman, H., Çetin, M., Durakoğlugil, M. E., Değirmenci, H., Hamur, H., Bostan, M., Karadağ, Z., Çiçek, Y., 2015. Relation of Angiographic Thrombus Burden with Severity of Coronary Artery Disease in Patients with ST Segment Elevation Myocardial Infarction. *Med Sci Monit*, 2015; 21: 3540-3546. DOI: 10.12659/MSM.895157
- Cantor, W.J., Fitchett, D., Borgundvaag, B., Ducas, J., Heffernan, M., Cohen, E.A., Morrison, L.J., Langer, A., Dzavik, V., Mehta, S.R., Lazzam, C., Schwartz, B., Cassanova, A., Goodman, S.G., TRANSFER-AMI TRIAL Investigators. 2009. Routine early angioplasty after fibrinolysis for acute myocardial infarction. *N Engl J Med* 2009;360:2705–18.
- Canty Jr, J.M., Duncker, D.J., 2011. Coronary Blood Flow and Myocardial Ischemia, in: Mann, D.L., Zipes, D.P., Libby, P., Bonow, R.O., Braunwald, E. (Ed.), *Braunwald's Heart Disease A Textbook of Cardiovascular Medicine*. Elsevier Saunders, Philadelphia, hal. 1029–56.
- Cham BE., and Chase TR. 2013. Intravascular infusion of autologous delipidated plasma induces antiatherogenic lipoproteins and causes regression of atherosclerosis, *Health*. 2013;5:19-33.
- Chew, N.W.S., Sia, C.H., Wee, H.L., Benedict, L.J.D., Kojodjojo, P., *et al.* 2021. Impact of the COVID-19 Pandemic on Door-to-Balloon Time for Primary Percutaneous Coronary Intervention. -Results From the Singapore Western STEMI Network. *Circ J*, 2021; 85: 139 – 149.
- Dehmer, G.J., Blankenship, J.C., Cilingiroglu, M., Dwyer, J.G., Feldman, D.N., Gardner, T.J., Grines, C.L., Singh, M., 2014. SCAI/ACC/AHA Expert consensus document: 2014 Update on Percutaneous Coronary Intervention Without On-Site Surgical Backup. *Catheter. Cardiovasc. Interv.* 84: 169–187. doi:10.1002/ccd.25371.
- De Luca, G., Suryapranata, H., Ottervanger, J.P., Antman, E.M. 2004. Time Delay to Treatment and Mortality in Primary Angioplasty for Acute Myocardial Infarction Every Minute of Delay Counts. *Circulation*. CIR.0000121424.76486.20. DOI: 10.1161/01.
- Dharma, S., Andriantoro, H., Purnawan, I., Dakota, I., Basalamah, F., Hartono, B., Rasmin, R., Isnanijah, H., Yamin, M., Wijaya, I.P., Pratama, V., Gunarto, T.B., Juwana, Y.B., Suling, F.R.W., Witjaksono, A.M.O., Lasanudin, H.F., Iskandarsyah, K., Priatna, H., Tedjasukmana, P., Wahyumandradi, U., Kosasih, A., Budhiarti, I.A., Pribadi, W., Wirianta, J., Lubiantoro, U., Pramesti, R., Widowati, D.R., Aminda, S.K., Basalamah,

- M.A., Rao, S. V., 2016. Characteristics, treatment and in-hospital outcomes of patients with STEMI in a metropolitan area of a developing country: an initial report of the extended Jakarta Acute Coronary Syndrome registry. *BMJ Open* 6: e012193. doi:10.1136/bmjopen-2016-012193
- Dharma, S. 2017. Infark Miokard Akut Disertai Elevasi Segment ST : Patologi, Patofisiologi dan Gambaran Klinis, dalam Yuniadi Y., Hermanto D.Y., dan Siswanto B.B. (eds). Buku Ajar Kardiovaskular Jilid 2. Sagung Seto : Jakarta.
- Ding, S., Pu, J., Qiao, Z., Shan, P., Song, W., Du, Y., Shen, J.-Y., Jin, S., Sun, Y., Shen, L., Lim, Y., He, B., 2010. TIMI Myocardial Perfusion Frame Count : A New Method to Assess Myocardial Perfusion and Its Predictive Value for Short-term Prognosis. *Catheter. Cardiovasc. Interv.* 75: 722–732. doi:10.1002/ccd.22298.
- Elakabawi, K., Huang, X., Shah, S.H., Ullah, H., Mintz, G.S., Yuan, Z., Guo, N. 2020. Predictors of suboptimal coronary blood flow after primary angioplasty and its implications on short-term outcomes in patients with acute anterior STEMI. *BMC Cardiovascular Disorders*. 20:391.
- Firman D. 2010. Intervensi Koroner Perkutan Primer. *J Kardiologi Indonesia*. 2010; 31:112-117 ISSN 0126/3773
- Falk, E., Nakano, M., Bentzon, J.F., Finn, A.V., Virmani, R. 2013. Update on acute coronary syndromes: the pathologists' view. *European Heart Journal*, 34, pp.719–728.
- Fernandez, A.F., Alonso, J.J., Castro, B.A., et al. 2004. Routine invasive strategy within 24 hours of thrombolysis versus an ischaemia guided conservative approach for acute myocardial infarction with ST-segment elevation (GRACIA-1): a randomized controlled trial. *Lancet* 2004;364:1045–53
- Fernandez, A.F., Alonso, J.J., Pena, G., Blanco, J., Alonso-Briales, J., Lopez-Mesa, J., Fernandez-Vazquez, F., Moreu, J., Hernandez, R.A., Castro-Beiras, A., Gabriel, R., Gibson, C.M., Sanchez, P.L., 2007. Primary angioplasty vs . early routine post-fibrinolysis angioplasty for acute myocardial infarction with ST-segment elevation : the GRACIA-2 non-inferiority , randomized , controlled trial. *Eur. Heart J.* 28: 949–960. doi:10.1093/eurheartj/ehl461.
- Gassler, J.P., Topol, E.J., 1999. Reperfusion Revisited : Beyond TIMI 3 Flow. *Clin Cardiol* 22: 20–29.
- Gibson, C.M., Cannon, C.P., Daley, W.L., Dodge Jr, J.T., Alexander, B., Marble, S.J., McCabe, C.H., Raymond, L., Fortin, T., Poole, W.K., Braunwald, E., 1996. TIMI Frame Count A Quantitative Methode of Assessing Coronary Artery Flow. *Circulation* 93: 879–88.
- Gibson, C.M., Murphy, S.A., Rizzo, M.J., Ryan, K.A., Marble, S.J., McCabe, C.H., Cannon, C.P., Van De Werf, F., Braunwald, E., 1999. Relationship between TIMI frame count and clinical outcomes after thrombolytic administration. *Circulation* 99: 1945–1950. doi:10.1161/01.CIR.99.15.1945.
- Gibson, C.M., Schömig, A. 2004. Coronary and Myocardial Angiography Angiographic Assessment of Both Epicardial and Myocardial Perfusion', *Circulation*. 2004;109:3096-3105.
- Goldberger, A.L., Goldberger, Z.D., Shvilkin, A. 2013. *Clinical Electrocardiographic: A Simplified Approach*. Eight edition. CV Mosby. St Louis, U.S.A
- Greulich, S., Mayr, A., Gloekler, S., Seitz, A., Birkmeier, S. 2019. Time-Dependent Myocardial Necrosis in Patients With ST-Segment–Elevation Myocardial Infarction Without Angiographic Collateral Flow Visualized by Cardiac Magnetic Resonance Imaging: Results From the Multicenter STEMI-SCAR Project. *J Am Heart Assoc*. 2019;8:e012429. DOI:10.1161/JAHA.119.012429.

- GUSTO Investigators. 1993. The Effects of Tissue Plasminogen Activator, Streptokinase, or Both on Coronary Artery Patency, Ventricular Function, And Survival After Acute Myocardial Infarction. *New England Journal of Medicine*. 329: 1615–22.
- Helal, A.M., Shaheen, S.M., Elhammady, W.A., Ahmed, M.I., Abdel-hakim, A.S., Allam, L.E., 2018. Primary PCI versus pharmacoinvasive strategy for ST elevation myocardial infarction. *IJC Hear. Vasc*. 21: 87–93. doi:10.1016/j.ijcha.2018.10.006
- Hidayati, F., Huda, R.F., Bagaswoto, H.P., Taufiq, N., Setiyanto, B.Y. 2017. Patient's Profile Accross Our Intensive Cardiac Care Unit: A Single Center Study at Sardjito Hospital. *Acta Cardiologia Indonesia*, 1 : S22.
- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Duci, C., Bueno, H., Caforio, A.L.P., Crea, F., Goudevenos, J.A., Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M.J., Prescott, E., Roffi, M., Valgimigli, M., Varenhorst, C., Vranckx, P., Widimsky P. 2018. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. The Task Force on the management of ST-segment elevation acute myocardial infarction of the European Society of Cardiology. *European Heart Journal*. 39:119–177.
- Ito, H., Tomooka, T., Sakai, N., Yu, H., Higashino, Y., Fujii, K., Masuyama, T., Kitabatake, A., Minamino, T., 1990. Lack of Myocardial Perfusion Immediately After Successful Thrombolysis A Predictor of Poor Recovery of Left Ventricular Function in Anterior Myocardial Infarction. *Circulation* 85: 1699–1705.
- Jolicoeur, E.M., and Tanguay, J. 2011. From Primary to Secondary Percutaneous Coronary Intervention : The Emerging Concept of Early Mechanical Reperfusion With Delayed Facilitated Stenting — When Earlier May Not Be Better. *CJCA*, 27(5), pp.529–533.
- Juzar, A.D., Danny, S.S., Irmalita., Widyantoro, B., Setianto, B.Y., Tobing, D.PL., Haryono, N., Firdaus, I. Yusuf, M., Artha, I.M.J.R., Aspar, A.F.M.A., Pramudyo, M., 2018. Pedoman Tatalaksana Sindrom Koroner Akut. *Jurnal Kardiologi Indonesia* .2018.
- Keeley, E.C., and Hillis, L.D. 2007. Primary PCI for Myocardial Infarction with ST-Segment Elevation. *New England Journal of Medicine*. 356, pp.47–54.
- Kern, M.J., Lim, M.J., 2014. Evaluation of Myocardial and Coronary Blood Flow and Metabolism, in: Moscucci, M. (Ed.), Grossman & Baim's Cardiac Catheterization, Angiography, and Intervention. Wolters Kluwer, Philadelphia, hal. 505–45.
- Kirtane, A.J., Weisbord, A., Karpaliotis, D., Murphy, S.A., Giugliano, R.P., Cannon, P.C., Antman, E.M., Ohman, E.M., Roe, M, T., *et al.* 2005. Relation of Impaired Thrombolysis In Myocardial Infarction Myocardial Perfusion Grades to Residual Thrombus Following the Restoration of Epicardial Patency in ST-Elevation Myocardial Infarction. *Am J Cardiol* 2005;95:224–227.
- Kirma, C., Izgi, A., Dundar, C., Tanalp, A. C., Oduncu, V., 2008. Clinical and Procedural Predictors of No-Reflow Phenomenon After Primary Percutaneous Coronary Interventions Experience at a Single Center. *Circ J* 2008; 72: 716 –721.
- Kumar, V., Abbas, A., and Fausto, N. 2009. *Robbins & Cotran Pathologic Basis of Disease*. 8th ed. WB Saunders, Philadelphia. USA.
- Lai, C. C., Chang, K.C., Liao, P.C., Wu, C.T., Lai, W.T., Wu, C.J., Chang, S.C., Mar, G.Y. 2015. Effects of Door-to-Balloon Times on Outcomes in Taiwanese Patients Receiving Primary Percutaneous Coronary Intervention : A Report of Taiwan Acute Coronary Syndrome Full Spectrum Registry. *Acta Cardiol Sin*, 31, pp.215–225
- Levine, G.N., Bates, E.R., Blankenship, J.C., Bailey, S.R., Bittl, J.A., Cercek, B *et al.* 2015. 2015 ACC / AHA / SCAI Focused Update 2015 ACC / AHA / SCAI Focused Update on Primary Percutaneous Coronary Intervention for Patients With ST-Elevation Myocardial Infarction : An Update of the 2011 ACCF / AHA / SCAI Guideline for

- Percutaneous Coronary Inte. *Circulation*, 67(10), pp.1135–1147.
- Libby, P., and Theroux, P. 2005. Pathophysiology of Coronary Artery Disease The Pathophysiology of Chronic CAD. *Circulation*, 111, pp.3481–3488.
- Libby P. 2001. Current Concepts of The Pathogenesis of The Acute Coronary Syndromes. *Circulation*. 2001;104:365-372.
- Lilly, L.S. 2011. *Pathophysiology of Heart Disease*, 5th Edition. Lippincott Williams & Wilkins. Philadelphia. USA.
- Loyeau, A., Benamer, H., Bataille, S., Tepper, S., Boche, T., *et al.* 2018. Evolution of ST-Elevation Acute Myocardial Infarction Prevalence by Gender Assessed Age Pyramid Analysis—The Piramyd Study. *J. Clin. Med*, 2018, 7, 509; doi:10.3390/jcm7120509.
- Ma, M., Bu, L., Shi, L., Guo, R., Yang, B. 2019. Effect of loading dose of atorvastatin therapy prior to percutaneous coronary intervention in patient with acute coronary syndrome: a meta-analysis o six randomized controlled trials. *Drug Design, Development and Therapy*. 2019;13 1233–1240.
- Mani, A.J, Edep, M.E., Brown, D.L. 2010. *Pathophysiology of acute coronary syndrome and atherothrombosis*. In: Jeremias A, Brown DL, eds. Cardiac Intensive Care. 2nd ed.: Saunders. Philadelphia: 2010:73-86.
- Mann, L.D., Zipes, D.P., Libby, P, Bonow, R.O. 2015. *Braunwald'S Heart disease A textbook of Cardiovascular Medicine*. Elsevier. Philadelphia. USA.
- May, M.R.L., So, D.Y., Dionne, R., Glover, C.A., Michael, P.V., Froeschl., Wells, G.A., *et al.* 2008. A Citywide Protocol for Primary PCI in ST-Segment Elevation Myocardial Infarction. *New England Journal of Medicine*. 358:231-40
- Mehta, R.H., Harjai, K.J., Cox, D., Stone, G.W., Brodie, B., Boura, J., O'Neill, W., Grines, C.L., on behalf of the Primary Angioplasty in Myocardial Infarction (PAMI) Investigators. 2003. Clinical and Angiographic Correlates and Outcomes of Suboptimal Coronary Flow in Patients With Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. *Journal of the American College of Cardiology*. Vol. 42, No. 10,
- Nallamothu, B.K., Bradley, E.H., Krumholz, H.M. 2007. Time to Treatment in Primary Percutaneous Coronary Intervention. *New England Journal of Medicine*. 357:1631-8.
- Nikolsky, E., Stone, G.W., Grines, C.L., Cox, D.A., Garcia, E., Tchong, J.E., Griffin, J.J., Guagliumi, G., Stuckey, T., *et al.* 2005. Impact of body mass index on outcomes after primary angioplasty in acute myocardial infarction. *Am Heart J* 2006;151:168-75.
- O'Gara, P.T., Kushner, F.G., Ascheim, D.D., Casey, D.E., Chung, M.K., Lemos, J.A., *et al.* 2013. ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction : A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guideline. *Journal of American College of Cardiology*. 2013;61(4):78-140.
- Pasceri, V., Andreotti, F., Maseri, A., 1996. Clinical markers of thrombolytic success. *Eur. Heart J*. 17: 35–41.
- Pérez de Prado, A., Fernández-Vázquez, F., Cuellas-Ramón, J.C., Gibson, C.M., 2006. Coronary Angiography: Beyond Coronary Anatomy. *Rev. Española Cardiol. (English Ed.* 59: 596–608. doi:10.1016/s1885-5857(07)60010-3.
- Pu, J., Ding, S., Ge, H., Han, Y., Guo, J., Lin, R., Su, X., Zhang, H., Chen, L., Hen, B. 2017. Efficay and Safety of a Pharmaco-invasive Strategy with Half-Dose Alteplase Versus Primary Angioplasty in ST-Segment-Elevation Myocardial Infarction. *Circulation*. 2017;136:1462-1473.

- Rathore, S.S., Curtis, J.P., Wang, Y., Nallamothu, B.K., Epstein, A.J., Krumholz, H.M. 2009. Association of door-to-balloon time and mortality in patients admitted to hospital with ST elevation myocardial infarction: national cohort study. *BMJ*, 338(May), pp.1312–1315.
- Rhee, J.W., Sabatine, M.S., Lilly, L.S., 2019. Penyakit Jantung Iskemik, in: Lilly, L.S., Juzar, D.A., Ridjab, D.A., Sari, I.P., Putratama, R. (Ed.), Patofisiologi Penyakit Jantung : kolaborasi mahasiswa dan dosen. MEDIK, Jakarta.
- Ross, A.M., Rulin G., Karin S.C., Jilin C., Kangbao Y., Yuejin Y., Xuewen Q., Shubin Q., Min Y. 2001. A randomized Trial Confirming The Efficacy of Reduced dose recombinant tissue plasminogen activator in a Chinese myocardial infarction population and demonstrating superiority to usual dose urokinase: The TUCC Trial. *Am Heart J*. 2001;142:244-7.
- Sabatine, M.S., Cannon, C.P., Gibson, M.C., López-Sendón, J.L., Montalescot, G., Theroux, P., Claeys, M.J., Cools, F., Hill, K.A., Skene, A.M., McCabe, C.H., and Braunwald, E., for the CLARITY–TIMI 28 Investigators. 2005. Addition of Clopidogrel to Aspirin and Fibrinolytic Therapy for Myocardial Infarction with ST-Segment Elevation. *New England Journal of Medicine*. vol. 352 no. 12.
- Sarkar, A., and Lee, J.J. 2019. *TIMI Grade Flow*. StatPearls Publishing. Miami. USA
- Schaaf, M.J., Mewton, N., Rioufol, G., Angoulvant, D., Cayla, G., Delarche, N., Jouve, B., Guerin, P., Vanzetto, G., Coste, P., Morel, O., Roubille, F., Elbaz, M., Roth, O., Prunier, F., Cung, T.T., Piot, C., Sanchez, I., Bonnefoy-Cudraz, E., Revel, D., Giraud, C., Croisille, P., Ovize, M., 2016. Pre-PCI angiographic TIMI flow in the culprit coronary artery influences infarct size and microvascular obstruction in STEMI patients. *J. Cardiol*. 67: 248–253. doi:10.1016/j.jjcc.2015.05.008
- Scheller, B., Hennen, B., Hammer, B., *et al.* 2003. Beneficial effects of immediate stenting after thrombolysis in acute myocardial infarction. *J Am Coll Cardiol*. 2003; 42:634–41.
- Sianos, G., Papafaklis, M. I., Serruys, P. W. 2010. Angiographic thrombus burden classification in patients with ST-segment elevation myocardial infarction treated with percutaneous coronary intervention. *J Invasive Cardiol*. 2010 Oct;22(10 Suppl B):6B-14B.
- Sim, W.J., Ang, A.S., Tan, M.C., Xiang, W.W., Foo, D. 2017. Causes of delay in door-to-balloon time in south-east Asian patients undergoing primary percutaneous coronary intervention. *PLos ONE*, 12(9), pp.1–8.
- Sinnave, P.R., Armstrong, P.W., Gershlick, A.H., Goldstein, P., Wilcox, R., Lambert, Y., Danays, T., Soulat, L., Halvorsen, S., Ortiz, F.R., Vandenberghe, K., Regelin, A., Bluhmki, E., Bogaerts, K., Werf, F. 2014 STEMI Patients Randomized to a Pharmacoinvasive Strategy or Primary PCI: The STREAM 1-Year Mortality Follow-Up. *Circulation AHA*. 114 : 009570.
- Spinler, S.A., and Denus, S. 2014. *Acute Coronary syndrome Chapter 7*. McGraw-Hill. Newyork, USA.
- Steg, G.P., James, S.K., Atar, D., Badano, L.P., Blomstrom-Lundqvist, C *et al.* 2012. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force on the management of ST-segment elevation acute myocardial infarction of the European Society of Cardiology (ESC). *European Heart Journal*, 33, pp.2569–2619.
- Subban, V., Mullasari, A.S., 2012. The never ending quest for an ideal angiographic surrogate of coronary reperfusion. *Indian Heart J*. 65: 7–11. doi:10.1016/j.ihj.2012.12.021

- Sukhum, P. 2011. Pharmacoinvasive Therapy for STEMI; The Most Suitable STEMI Reperfusion Therapy for Transferred Patients in Thailand. *The Bangkok Medical Journal* :96.
- Sunanto, N., Juzar. A.D. 2020. Tantangan Penatalaksanaan STEMI di Pandemi COVID-19. *Indonesian J Cardiol*. 2020;41:91-97. doi: 10.30701/ijc.1023.
- Tabriz, A.A., Kiapour, N., Sohrabi, M.R., Yazdani, S. 2011., Factors Associated with Delay in Thrombolytic Therapy in Patients with ST-Elevation Myocardial Infarction. *J Teh Univ Heart Ctr* ;7(2):65-7.
- Tanboga, I.H., Topcu, S., Aksakal, E., Kalkan, K., Sevimli, S., Acikel, M. 2014. Determinants of angiographic thrombus burden in patients with ST-segment elevation myocardial infarction. *Clinical and Applied Thrombosis/Hemostasis* 2014, Vol. 20(7) 716-722.
- Thiele, H., Kappil, M.J., Linke, A., Erbs, S., Boudriot, E., Lembecke, A., Kivelitz, D., Schuler, G., 2007. Influence of time-to-treatment, TIMI-flow grades, and ST-segment resolution on infarct size and infarct transmuralty as assessed by delayed enhancement magnetic resonance imaging. *Eur. Heart J*. 28: 1433–1439. doi:10.1093/eurheartj/ehm173
- Thygesen, K., Alpert, J.S., Jaffe, A.S., Chaitman, B.R., Bax, J.J., Morrow, D.A., White, H.D. 2018. Fourth universal definition of myocardial Infarction. *European Heart Journal*. 2018;00, 1–33.
- TIMI Study Group, 1985. The Thrombolysis In Myocardial Infarction (TIMI) Trial. Phase I findings. *N. Engl. J. Med*. 312: 932–936.
- Tungsubutra, W., Towashiraporn, K., Tresukosol, D., Chotinaiwattrakul, C., Phankingthongkum, R. *et al*. 2014. One-Year Clinical Outcomes of ST Segment Elevation Myocardial Infarction Patients Treated with Emergent Percutaneous Coronary Intervention: The Impact of Thrombus Burden. *J Med Assoc Thai* 2014; 97 (Suppl. 3): S139-S146.
- Wagner, G.S., Macfarlane, P., Wellens, H., *et al*. 2009. AHA/ACCF/HRS recommendations for the standardization and interpretation of the electrocardiogram: part VI: acute ischemia/infarction: a scientific statement from the American Heart Association Electrocardiography and Arrhythmias Committee, Council on Clinical Cardiology; the American College of Cardiology Foundation; and the Heart Rhythm Society. Endorsed by the International Society for Computerized Electrocardiology. *J Am Coll Cardiol*. 2009;53:1003-11.
- Widimsky, P., Groch, L., Zelizko, M., *et al*. 2000. Multicentre randomized trial comparing transport to primary angioplasty vs immediate thrombolysis vs combined strategy for patients with acute myocardial infarction presenting to a community hospital without a catheterization laboratory. The PRAGUE study. *Eur Heart J* 2000;21:823–31.
- Wong, G.C., Frisch, D., Murphy, S.A., Sabatine, M.S., Pai, R., James, D., Krammer, N., Katsiyannis, P.T., Marble, S.J., DiBattiste, P.M., Demopoulos, L.A., Gourlay, S.G., Barron, H. V., Cannon, C.P., Gibson, C.M., 2003. Time for contrast material to traverse the epicardial artery and the myocardium in ST-segment elevation acute myocardial infarction versus unstable angina pectoris/non-ST-elevation acute myocardial infarction. *Am. J. Cardiol*. 91: 1163–1167. doi:10.1016/S0002-9149(03)00260-1.
- Wu, P.J., Wang, H.T., Sung, P.H., Tong, M.S., Yang, C.H., Chen, C.J., Lin, C.J., Hsueh, S.K., Chung, S.Y., Chung, W.J., Hang, C.L., Wu, C.J., Yip, H.K. 2017. No correlation between body mass index and 30-day prognostic outcome in Asians with acute ST-

- elevation myocardial infarction undergoing primary coronary intervention. *biomedical journal*. 40(2017): 169 – 177.
- Van De Werf, F.J. 2001. Efficacy and safety of tenecteplase in combination with enoxaparin, abciximab, or unfractionated heparin: the ASSENT-3 randomised trial in acute myocardial infarction. *Lancet*. Vol 358.
- Van De Werf, F. 2009. Pharmacoinvasive vs. facilitated percutaneous coronary intervention strategies for ST-segmentelevation acute myocardial infarction patients in the new ESC Guidelines. *European Heart Journal*, 30(23), 2817.
- Van 't Hof, A.W.J., Liem, A., Suryapranata, H., Hoorntje, J.C.A., De Boer, M.J., Zijlstra, F., 1998. Angiographic assessment of myocardial reperfusion in patients treated with primary angioplasty for acute myocardial infarction: Myocardial blush grade. *Circulation* 97: 2302–2306. doi:10.1161/01.CIR.97.23.2302.
- Xiang, D., Xiang, X., Zhang, W., Yi, S., Zhang, J., *et al.* 2020. Management and Outcomes of Patients With STEMI During the COVID-19 Pandemic in China. *JACC*, vol.76 No.11.2020. doi.org/10.1016/j.jacc.2020.06.039.
- Zheng, H., Pek, P.P., Ho, A.F.H., Wah, W., Foo, L.L., *et al.* 2019. Ethnic Differences and Trends in ST-Segment Elevation Myocardial Infarction Incidence and Mortality in a Multi-Ethnic Population. *Annals Academy of Medicine*. 2019;48:75-85.
- Zhu, X., Shen, H., Gao, F., Wu, S., Ma, Q., Jia, S., Zhao, Z., Tong, S., Zhang, Z., and Zhou, Y. 2019. Clinical Profile and Outcome in Patients with Coronary Slow Flow Phenomenon. *Hindawi Cardiology Research and Practice*. Vol 2019, Article ID 9168153, Pages 7.
- Zuhdi1, A.S.M., Ahmad, W.A.W., Zaki, R.A., Mariapun, J., Ali, R.M., *et al.* 2016. Acute coronary syndrome in the elderly: the Malaysian National Cardiovascular Disease Database-Acute Coronary Syndrome registry. *Singapore Med J*, 2016; 57(4): 191-197 doi: 10.11622/smedj.2015145.