

DAFTAR PUSTAKA

- Aly, D. M., Gohar, N. A. H., Abd El-Hady, A. A., Khairy, M., & Abdullatif, M. M. (2020). Serum microRNA let-7a-1/let-7d/let-7f and miRNA 143/145 Gene Expression Profiles as Potential Biomarkers in HCV Induced Hepatocellular Carcinoma. *Asian Pacific journal of cancer prevention: APJCP*, 21(2), 555.
- Amico, G. D., Morabito, A., Amico, M. D., Pasta, L., Malizia, G., Rebora, P., & Valsecchi, M. G. (2018). Clinical states of cirrhosis and competing risks. *Journal of Hepatology*, 68(3), 563–576. <https://doi.org/10.1016/j.jhep.2017.10.020>
- Arroyo, V., Moreau, R., Kamath, P. S., Jalan, R., Nevens, F., To, U., & Schnabl, B. (2016). *Acute-on-chronic liver failure in cirrhosis*. (June), 3–7. <https://doi.org/10.1038/nrdp.2016.41>
- Bağırsakçı, E., Şahin, E., Atabey, N., Erdal, E., Guerra, V., & Carr, B. I. (2017). Role of albumin in growth inhibition in hepatocellular carcinoma. *Oncology*, 93(2), 136-142.
- Bai, T., Liu, Y., & Li, B. (2019). LncRNA LOXL1-AS1/miR-let-7a-5p/EGFR-related pathway regulates the doxorubicin resistance of prostate cancer DU-145 cells. *IUBMB life*, 71(10), 1537-1551.
- Bai, X., Liu, Z., Shao, X., Wang, D., Dong, E., Wang, Y., ... & Li, C. (2019). The heterogeneity of plasma miRNA profiles in hepatocellular carcinoma patients and the exploration of diagnostic circulating miRNAs for hepatocellular carcinoma. *Plos one*, 14(2), e0211581.
- Barbagallo, C., Passanisi, R., Mirabella, F., Ciriigliaro, M., Costanzo, A., Lauretta, G., ... & Purrello, M. (2019). Upregulated microRNAs in membranous glomerulonephropathy are associated with significant downregulation of IL6 and MYC mRNAs. *Journal of cellular physiology*, 234(8), 12625-12636.
- Chen, X., Zhang, Q., Ma, W., Lan, T., Hong, Z., & Yuan, Y. (2018). *The Abnormal Expression of MicroRNA-542-3p in Hepatocellular Carcinoma and Its Clinical Significance*. 2018.
- Chirshev, E., Oberg, K. C., Ioffe, Y. J., & Unternaehrer, J. J. (2019). Let-7 as biomarker, prognostic indicator, and therapy for precision medicine in cancer. *Clinical and Translational Medicine*, 8(1), 24.
- Craig, A. J., Labgaa, I., Villacorta-Martin, C., Ningarhari, M., & Villanueva, A. (2017). Tumor Heterogeneity and Resistance to Targeted Therapies in Hepatocellular Carcinoma. In *Resistance to Molecular Therapies for Hepatocellular Carcinoma* (pp. 1-24). Springer, Cham.
- Eastel, J. M., Lam, K. W., Lee, N. L., Lok, W. Y., Tsang, A. H. F., Pei, X. M., Chan, A., Cho, W., & Wong, S. C. C. (2019). Application of NanoString

- technologies in companion diagnostic development. *Expert review of molecular diagnostics*, 19(7), 591-598.
- Fairchild, C. L., Cheema, S. K., Wong, J., Hino, K., Simó, S., & La Torre, A. (2019). Let-7 regulates cell cycle dynamics in the developing cerebral cortex and retina. *Scientific reports*, 9(1), 1-21.
- Foye, C., Yan, I. K., David, W., Shukla, N., Habboush, Y., Chase, L., Ryland, K., Kesari, V., & Patel, T. (2017). Comparison of miRNA quantitation by Nanostring in serum and plasma samples. *PLoS One*, 12(12), e0189165.
- Gérard, C., Lemaigre, F., & Gonze, D. (2019). Modeling the dynamics of Let-7-coupled gene regulatory networks linking cell proliferation to malignant transformation. *Frontiers in physiology*, 10, 848.
- Gevaert, A. B., Witvrouwen, I., Vrints, C. J., Heidebuchel, H., Van Craenenbroeck, E. M., Van Laere, S. J., & Van Craenenbroeck, A. H. (2018). MicroRNA profiling in plasma samples using qPCR arrays: Recommendations for correct analysis and interpretation. *PLoS One*, 13(2), e0193173.
- Ghanbari, R., Mosakhani, N., Sarhadi, V. K., Armengol, G., Nouraei, N., Mohammadkhani, A., Khorrami, S., Arefian, E., Paryan, M., Malekzadeh, R., & Knuutila, S. (2015). Simultaneous Underexpression of let-7a-5p and let-7f-5p microRNAs in Plasma and Stool Samples from Early Stage Colorectal Carcinoma: Supplementary Issue: Biomarkers for Colon Cancer. *Biomarkers in cancer*, 7, BIC-S25252.
- GLOBOCAN. (2018). Liver. The Global Cancer Observatory International Agency for Research on Cancer. World Health Organization. Diakses dari <http://gco.iarc.fr/today>.
- Gonzalez, F. J., & Shah, Y. M. (2008). PPAR α : mechanism of species differences and hepatocarcinogenesis of peroxisome proliferators. *Toxicology*, 246(1), 2-8.
- Hao, Y. H., Lafita-Navarro, M. C., Zacharias, L., Borenstein-Auerbach, N., Kim, M., Barnes, S., ... & Conacci-Sorrell, M. (2019). Induction of LEF1 by MYC activates the WNT pathway and maintains cell proliferation. *Cell Communication and Signaling*, 17(1), 1-16.
- Hausser, J., & Zavolan, M. (2014). Identification and consequences of miRNA–target interactions—beyond repression of gene expression. *Nature Reviews Genetics*, 15(9), 599-612.
- Hu, W. (2018). *Functional miRNAs in breast cancer drug resistance*. 1529–1541.
- Jasirwan, C. O. M., Hasan, I., Sulaiman, A. S., Lesmana, C. R. A., Kurniawan, J., Kalista, K. F., ... & Gani, R. A. (2020). Risk factors of mortality in the patients with hepatocellular carcinoma: A multicenter study in Indonesia. *Current problems in cancer*, 44(1), 100480.
- Kanda, T., Goto, T., Hirotsu, Y., & Moriyama, M. (n.d.). *Molecular Mechanisms Driving Progression of Liver Cirrhosis towards Hepatocellular Carcinoma*

- in Chronic Hepatitis B and C Infections: A Review.*
<https://doi.org/10.3390/ijms20061358>
- Kim, J. U., Shariff, M. I., Crossey, M. M., Gomez-Romero, M., Holmes, E., Cox, I. J., Haddy K S Fye, Ramou Njie & Taylor-Robinson, S. D. (2016). Hepatocellular carcinoma: Review of disease and tumor biomarkers. *World journal of hepatology*, 8(10), 471.
- Konno, M., Koseki, J., Asai, A., Yamagata, A., Shimamura, T., Motooka, D., Okuzaki, D., Kawamoto, K., Mizushima, T., Eguchi, H., Takiguchi, S., Satoh, T., Mimori, K., Ochiya, T., Doki, Y., Ofusa, K., Mori, M., & Takiguchi, S. (2019). Distinct methylation levels of mature microRNAs in gastrointestinal cancers. *Nature communications*, 10(1), 1-7.
- Lee, H., Han, S., Kwon, C. S., & Lee, D. (2016). Biogenesis and regulation of the let-7 miRNAs and their functional implications. *Protein & cell*, 7(2), 100-113.
- Lee, Y. R., Kim, G., Tak, W. Y., Jang, S. Y., Kweon, Y. O., Park, J. G., ... & Hur, K. (2019). Circulating exosomal noncoding RNAs as prognostic biomarkers in human hepatocellular carcinoma. *International journal of cancer*, 144(6), 1444-1452.
- Li, J. P., Liao, X. H., Xiang, Y., Yao, A., Song, R. H., Zhang, Z. J., ... & Zhang, T. C. (2018). Hyperoside and let-7a-5p synergistically inhibits lung cancer cell proliferation via inducing G1/S phase arrest. *Gene*, 679, 232-240.
- Li, J., Han, X., Yu, X., Xu, Z., Yang, G., Liu, B., & Xiu, P. (2018). Clinical applications of liquid biopsy as prognostic and predictive biomarkers in hepatocellular carcinoma: circulating tumor cells and circulating tumor DNA. *Journal of Experimental & Clinical Cancer Research*, 37(1), 213.
- Liu, F., Tai, Y., & Ma, J. (2018). LncRNA NEAT1/let-7a-5p axis regulates the cisplatin resistance in nasopharyngeal carcinoma by targeting Rsf-1 and modulating the Ras-MAPK pathway. *Cancer biology & therapy*, 19(6), 534-542.
- Liu, T. P., Huang, C. C., Yeh, K. T., Ke, T. W., Wei, P. L., Yang, J. R., & Cheng, Y. W. (2016). Down-regulation of let-7a-5p predicts lymph node metastasis and prognosis in colorectal cancer: Implications for chemotherapy. *Surgical oncology*, 25(4), 429-434.
- Liu, X., Zou, H., Zhao, Y., Chen, H., Liu, T., Wu, Z., ... & Li, Y. (2020). Tanshinone Inhibits NSCLC by Downregulating AURKA Through Let-7a-5p. *Frontiers in Genetics*, 11, 838.
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *methods*, 25(4), 402-408.
- Llovet, J.M., Zucman-Rossi, J., Pikarsky, E., Sangro, B., Schwartz, M., Sherman, M., & Gores, G. (2016). Hepatocellular carcinoma. *Nature Reviews Disease Primer*, 1-23.
- Loho, I. M., Hasan, I., Lesmana, C. R. A., Dewiasty, E., & Gani, R. A. (2016). Hepatocellular carcinoma in a tertiary referral hospital in Indonesia: Lack of

improvement of one-year survival rates between 1998-1999 and 2013-2014. *Asian Pacific Journal of Cancer Prevention*, 17(4), 2165-2170.

- Mansoori, B., Ali, M., Solmaz, S., Elham, B., & Behzad, B. (2016). Micro RNA 34a and Let-7a expression in human breast cancers is associated with apoptotic expression genes. *Asian Pacific Journal of Cancer Prevention*, 17(4), 1887-1890.
- Marrero, J. A., Kulik, L. M., Sirlin, C. B., Zhu, A. X., Finn, R. S., Abecassis, M. M., & Roberts, L. R. (2018). *Diagnosis, Staging, and Management of Hepatocellular Carcinoma: 2018 Practice Guidance by the American Association for the Study of Liver Diseases*. 68(2), 723–750.
- Mizuno, R., Kawada, K., & Sakai, Y. (2018). The molecular basis and therapeutic potential of Let-7 microRNAs against colorectal cancer. *Canadian Journal of Gastroenterology and Hepatology*, 2018.
- Mokdad, A. A., Singal, A. G., & Yopp, A. C. (2016). Advances in local and systemic therapies for hepatocellular cancer. *Current oncology reports*, 18(2), 9.
- Nagy, Á., Lánckzy, A., Menyhárt, O., & Györffy, B. (2018). *Validation of miRNA prognostic power in hepatocellular carcinoma using expression data of independent datasets*. (November 2017), 1–9. <https://doi.org/10.1038/s41598-018-27521-y>
- Nault, J. C., Ningarhari, M., Rebouissou, S., & Zucman-Rossi, J. (2019). The role of telomeres and telomerase in cirrhosis and liver cancer. *Nature Reviews Gastroenterology & Hepatology*, 1.
- Nweke, E. E., & Brand, M. (2020). Downregulation of the let-7 family of microRNAs may promote insulin receptor/insulin-like growth factor signalling pathways in pancreatic ductal adenocarcinoma. *Oncology letters*, 20(3), 2613-2620.
- Okajima, W., Komatsu, S., Ichikawa, D., Miyamae, M., Ohashi, T., Imamura, T., Kiuchi, J., Nishibeppu, K., Arita, T., Konishi, H., Shiozaki, A., Morimura, R., Ikoma, H., Okamoto, A., Otsuji, E. (2017). *Liquid biopsy in patients with hepatocellular carcinoma: Circulating tumor cells and cell-free nucleic acids*. 23(31), 5650–5668. <https://doi.org/10.3748/wjg.v23.i31.5650>
- Otsuka, M., Kishikawa, T., Yoshikawa, T., Yamagami, M., Ohno, M., Takata, A., Shibata, C., Ishibashi, R., & Koike, K. (2016). *MicroRNAs and liver disease*. 62(1), 75–80. <https://doi.org/10.1038/jhg.2016.53>
- Pan, J. H., Zhou, H., Zhao, X. X., Ding, H., Li, W., Qin, L., & Pan, Y. L. (2018). Role of exosomes and exosomal microRNAs in hepatocellular carcinoma: Potential in diagnosis and antitumour treatments. *International journal of molecular medicine*, 41(4), 1809-1816.
- Pellicoro, A., Ramachandran, P., Iredale, J. P., & Fallowfield, J. A. (2014). Liver fibrosis and repair: immune regulation of wound healing in a solid organ. *Nature Reviews Immunology*, 14(3), 181-194.
- Pok, S., Barn, V. A., Wong, H. J., Blackburn, A. C., Board, P., Farrell, G. C., & Teoh, N. C. (2016). Testosterone regulation of cyclin E kinase: A key factor

- in determining gender differences in hepatocarcinogenesis. *Journal of gastroenterology and hepatology*, 31(6), 1210-1219.
- Qiao, J. (2019). Occurrence, diagnosis and management of hepatic fibrosis and cirrhosis: an updated literature review. *Archives of Hepatitis Research*, 5(1), 022-026.
- Ramírez, M., J., Mir, M., & Samitier, J. (2018). Blood-based cancer biomarkers in liquid biopsy: a promising non-invasive alternative to tissue biopsy. *International journal of molecular sciences*, 19(10), 2877.
- Rebouissou, S., & Nault, J. C. (2020). Advances in molecular classification and precision oncology in hepatocellular carcinoma. *Journal of Hepatology*, 72(2), 215-229.
- Renovaldi, D. (2017). Pengembangan Metode Diagnostik Non-Invasif: Circulating MicroRNA-155 dan TP53INP1 (Tumor protein 53-Induced Nuclear Protein 1) sebagai Biomarker pada Karsinoma Hepatoseluler.
- Saeki, N., Saito, A., Sugaya, Y., Amemiya, M., & Sasaki, H. (2018). Indirect Down-regulation of Tumor-suppressive let-7 Family MicroRNAs by LMO1 in Neuroblastoma. *Cancer Genomics-Proteomics*, 15(5), 413-420.
- Schwabe, R. F., & Greten, T. F. (2020). Gut microbiome in HCC—Mechanisms, diagnosis and therapy. *Journal of Hepatology*, 72(2), 230-238.
- Sesotiyosari, S.L. (2018). Thesis: Profil Ekspresi Mikro RNA Terkait Mekanisme Immune Escape pada Kanker Payudara Subtipe Luminal A dan Fibroadenoma Mammar dengan Nanostring.
- Sia, D., Villanueva, A., Friedman, S. L., & Llovet, J. M. (2017). Liver cancer cell of origin, molecular class, and effects on patient prognosis. *Gastroenterology*, 152(4), 745-761.
- Singal, A. G., Lampertico, P., & Nahon, P. (2020). Epidemiology and surveillance for hepatocellular carcinoma: New trends. *Journal of Hepatology*, 72(2), 250-261.
- Svec, D., Tichopad, A., Novosadova, V., Pfaffl, M. W., & Kubista, M. (2015). How good is a PCR efficiency estimate: Recommendations for precise and robust qPCR efficiency assessments. *Biomolecular detection and quantification*, 3, 9-16.
- Thulin, P., Rafter, I., Stockling, K., Tomkiewicz, C., Norjavaara, E., Aggerbeck, M., ... & Glinghammar, B. (2008). PPAR α regulates the hepatotoxic biomarker alanine aminotransferase (ALT1) gene expression in human hepatocytes. *Toxicology and applied pharmacology*, 231(1), 1-9.
- Treiber, T., Treiber, N., & Meister, G. (2019). pathways. *Nature Reviews Molecular Cell Biology*, 20(January). <https://doi.org/10.1038/s41580-018-0059-1>
- Tsang, H. F., Xue, V. W., Koh, S. P., Chiu, Y. M., Ng, L. P. W., & Wong, S. C. C. (2017). NanoString, a novel digital color-coded barcode technology: current and future applications in molecular diagnostics. *Expert review of molecular diagnostics*, 17(1), 95-103.

- Vannini, I., Fanini, F., & Fabbri, M. (2018). ScienceDirect Emerging roles of microRNAs in cancer. *Current Opinion in Genetics & Development*, 1–6. <https://doi.org/10.1016/j.gde.2018.01.001>
- Vautrot, V., Chanteloup, G., Elmallah, M., Cordonnier, M., Aubin, F., Garrido, C., & Gobbo, J. (2019). Exosomal miRNA: small molecules, big impact in colorectal cancer. *Journal of oncology*, 2019.
- Vlachos, I. S., & Hatzigeorgiou, A. G. (2017). Functional analysis of miRNAs using the DIANA tools online suite. In *Drug Target miRNA* (pp. 25-50). Humana Press, New York, NY.
- Wang, J. P., Jiao, Y., Wang, C. Y., Xu, Z. B., & Zhang, B. (2017). Rb knockdown accelerates bladder cancer progression through E2F3 activation. *International journal of oncology*, 50(1), 149-160.
- Wang, X., Zhou, L., Zhang, H., Ou, H., Long, W., & Liu, X. (2020). Upregulation of cervical carcinoma expressed PCNA regulatory long non-coding RNA promotes esophageal squamous cell carcinoma progression. *Oncology Letters*, 20(5), 1-1.
- Wong, C. M., Tsang, F. H. C., & Ng, I. O. L. (2018). Non-coding RNAs in hepatocellular carcinoma: molecular functions and pathological implications. *Nature Reviews Gastroenterology & Hepatology*, 15(3), 137.
- Xia, X., Xia, J., Yang, H., Li, Y., Liu, S., Cao, Y., ... & Yu, X. (2019). Baicalein blocked cervical carcinoma cell proliferation by targeting CCND1 via Wnt/ β -catenin signaling pathway. *Artificial cells, nanomedicine, and biotechnology*, 47(1), 2729-2736.
- Xie, K., Chen, C. H., Tsai, S. P., Lu, P. J., Wu, H., Zeng, Y., ... & Wu, X. (2019). Loss of life expectancy by 10 years or more from elevated aspartate aminotransferase: finding aspartate aminotransferase a better mortality predictor for all-cause and liver-related than alanine aminotransferase. *Official journal of the American College of Gastroenterology | ACG*, 114(9), 1478-1487.
- Ye, J., Xu, M., Tian, X., Cai, S., & Zeng, S. (2019). Research advances in the detection of miRNA. *Journal of Pharmaceutical Analysis*, 9(4), 217-226.
- Ye, Q., Ling, S., Zheng, S., & Xu, X. (2019). *Liquid biopsy in hepatocellular carcinoma : circulating tumor cells and circulating tumor DNA*. 1–13.
- Yin, C., Chun-Hui Yuan, Zhen Qu, Qing Guan, Hao Chen, dan Fu-Bing Wang. (2016). Liquid Biopsy of Hepatocellular Carcinoma: Circulating Tumor-Derived Biomarkers. 43(1):13-25.
- Yin, C., Yuan, C., Qu, Z., Guan, Q., Chen, H., & Wang, F. (2016). *Liquid Biopsy of Hepatocellular Carcinoma : Circulating Tumor-Derived Biomarkers*. 2016.

- Zhang, L., Hao, C., Zhai, R., Wang, D., Zhang, J., Bao, L., ... & Yao, W. (2018). Downregulation of exosomal let-7a-5p in dust exposed-workers contributes to lung cancer development. *Respiratory research*, *19*(1), 1-8.
- Zhang, L., Hu, D. L., Tang, B., Cheng, Y., Jiao, C., Cheng, L., ... & Zhou, H. H. (2019). NFE2L3 Inhibition Induces Cell Cycle Arrest at the G0/G1 Phase in Colorectal Cancer Cells through Downregulating CCND1 and pRb1-ser807/811. *Disease markers*, *2019*.
- Zhang, Q., Wang, J., Deng, F., Yan, Z., Xia, Y., Wang, Z., Ye, J., Deng, Y., Zhang, Z., Qiao, M., Li, R., ... & Li, R. (2015). TqPCR: a touchdown qPCR assay with significantly improved detection sensitivity and amplification efficiency of SYBR green qPCR. *PLoS One*, *10*(7), e0132666.
- Zhao, W., Hu, J. X., Hao, R. M., Zhang, Q., Guo, J. Q., Li, Y. J., ... & Xie, S. Y. (2018). Induction of microRNA-let-7a inhibits lung adenocarcinoma cell growth by regulating cyclin D1. *Oncology reports*, *40*(4), 1843-1854.