

DAFTAR PUSTAKA

- Afifah, D.N., Atika R., Shinta S. N., Lola A., Pipih I. H., Dewi M. K., Hartanti S. W., Deny Y.F., dan Rachma P. 2019. Nutrition Content, Protein Quality, and Antioxidant Activity of Various Tempeh Gembus Preparations. *Journal of Food and Nutrition Research* 7(8): 605-612
- Aguiar, C.L., C.N. Suzuki, J.F. Paredes-Guzmán, S.M. Alencar, & Y.K. Park. 2003. Transformation of β -glucoside of isoflavones on solid-state fermentation of the soy flour with *Aspergillus oryzae*. *Journal of Food* 4:115–121
- Ansarullah, A., Hardinsyah, S.A. Marliyati, M. Astawan. 2017. Efek Intervensi Minuman Tempe Terhadap Tekanan Darah Penderita Hipertensi Dan Hiperkolesterolemia. *J. Gizi Pangan* 12(2):101-108
- Apostolidis, E., Y.I. Kwon, and K. Shetty. 2007. Inhibitory Potential of Herb, Fruit, and Fungal-Enriched Cheese against Key Enzymes Linked to Type 2 Diabetes and Hypertension. *Innovative Food Science & Emerging Technologies* 8:46-54.
- Astawan M, Wresdiyati T, Ichsan M. 2016. Karakteristik fisikokimia tepung tempe kecambah kedelai. *J Gizi Pangan* 11(1):35-42.
- Astawan M, Wresdiyati T, Widowati S, Bintari SH, Ichsani N. 2013. Karakter fisikokimia dan sifat fungsional tempe yang dihasilkan dari berbagai varietas kedelai. *J Pangan* 22(3):209-286.
- Astawan, M., N.R. Adiningsih, N.S. Palupi. 2014. Evaluasi Kualitas Nugget Tempe dari Berbagai Varietas Kedelai. *Pangan Media Komunikasi dan Informasi* 23(3)
- Astuti, M., A. Meliala, Dalais, F.S. dan Wahlqvist, M.L. 2000. Tempe, a nutritious and healthy food from Indonesia. *Asia Pacific Journal of Clinical Nutrition* 9(4): 322-325

- Astuti, N.P. 2009. Sifat Organoleptik Tempe Kedelai yang Dibungkus Plastik, Daun Pisang, dan Daun Jati. *Karya Tulis Ilmiah*. Fakultas Ilmu Kesehatan. Surakarta: Universitas Muhammadiyah Surakarta.
- Babu, P. D., R. Bhagyaraj, dan R. Vidhlakshmi. 2009. A Low Cost Nutritious Food “Tempeh”- A Review. *World Journal of Dairy & Food Sciences* 4 (1): 22-27, 2009
- Badan Pusat Statistik. 2019. *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting*. Jakarta: BPS
- Badan Standardisasi Nasional. 2009. *SNI 3144:2009 Tempe Kedele*. Jakarta: BSN
- Badan Standardisasi Nasional. 2012. *Tempe: Persembahan untuk Dunia*. Jakarta: Badan Standardisasi Nasional
- Barus T, Suwanto A, Wahyudi AT, Wijaya H. 2008. Role of bacteria in tempe bitter taste formation: Microbiological and molecular biological analysis based on 16S rRNA gene. *Microbiology Indonesia* 2(1):17-20
- Barus, T., N.N. Titarsole, N.iMulyono, dan V.D. Prasasty. 2019. Tempeh Antioxidant Activity using DPPH Method: Effects of Fermentation, Processing, and Microorganisms. *Journal of Food Engineering and Technology* 8(2):75-80
- Bavia A C F, Silva C E, Ferreira M P, Santos Leite R, Mandarino J M G and Carrao-Panizzi M C. 2012. Chemical composition of tempeh from soybean cultivars specially developed for human consumption. *Food Science and Technology* 32(3) 613-20
- Bintanah, S. dan H. S. Kusuma. 2010. Pengaruh Pemberian Bekatul Dan Tepung Tempe Terhadap Profil Gula Darah Pada Tikus Yang Diberi Alloxan. *Jurnal Pangan dan Gizi* 1 (2)
- Biro Komunikasi dan Pelayanan Masyarakat, Kementerian Kesehatan RI. 2018. *Potret Sehat Indonesia dari Riskesdas 2018*. Diakses dari

<https://www.kemkes.go.id/article/view/18110200003/potret-sehat-indonesia-dari-risikesdas-2018> pada 29 November 2020

- Bouchon, P. 2009. Understanding oil absorption during deep-fat frying. *Adv. Food Nutr. Res.*57: 209-234
- BPOM. 2011. *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor HK. 03.123.11.11.09909 tahun 2011 tentang Pengawasan Klaim dalam Label dan Iklan Pangan Olahan*. Jakarta: BPOM
- Bustan, M.N. 2000. *Epidemiologi Penyakit Tidak Menular*. Jakarta: Rineke Cipta
- Chalid, Sri Yadi, Sandra Hermanto, dan Amalia Rahmawati. 2019. Angiotensin Converting Enzyme Inhibitor Activity Of The Soybean Tempeh Protein As Functional Food. *International Journal of GEOMATE* 16(56): 73 - 78
- Chasanah, E., S Budiari, M Thenawijaya, and N S Palupi. 2018. ACE inhibition and antioxidant activity of different part of *Channa striata* prepared by various cooking method. *IOP Conf. Series: Earth and Environmental Science* 139 012044
- Chaudhary, N., dan T. Nidhi. 2018. Diabetes mellitus: An Overview. *International Journal of Research and Development in Pharmacy and Life Science*. 7(4): 3030-3033
- Chaudhary, S.K., N. Maity, N.K. Nema, S. Bhadra, B.P. Saha and P.K. Mukherjee. 2013. Angiotensin Converting Enzyme Inhibition Activity of Fennel and Coriander Oils from India. *Natural Product Communications* 8 (5)
- Chinedum, E., S. Sanni, N. Theresa, A. Ebere. 2018. Effect of domestic cooking on the starch digestibility, predictedglycemic indices, polyphenol contents and alpha amylaseinhibitory properties of beans (*Phaseolis vulgaris*) and breadfruit (*Treculia africana*). *International Journal of Biological Macromolecules* 106: 200–206

- Cho, K.M., J.H. Lee., H.D. Yun, B.Y. Ahn, H. Kim, W.T. Seo. 2011. Changes of phytochemical constituents (isoflavones, flavanols, and phenolic acids) during cheonggukjang soybeans fermentation using potential probiotics *Bacillus subtilis* CS90. *Journal of Food Composition and Analysis* 24: 402–410
- Cushman, D. W., & Cheung, H. S. 1971. Spectrophotometric assay and properties of angiotensin converting enzyme of rabbit lung. *Biochemical Pharmacology* 20: 1637–1648.
- Departemen Kesehatan Republik Indonesia Direktorat Gizi. 1991. *Daftar Komposisi Bahan Makanan Direktorat Gizi*. Jakarta: Departemen Kesehatan RI
- Dewanto, V., Wu, X., & Liu, R. H. 2002. Processed sweet corn has higher antioxidant activity. *Journal of Agricultural and Food Chemistry* 50(17): 4959 - 4964.
- Dewi, I W R. 2010. Karakteristik Sensoris, Nilai Gizi dan Aktivitas Antioksidan Tempe Kacang Gude (*Cajanus cajan* (L.) Millsp.) dan Tempe Kacang Tunggak (*Vigna unguiculata* (L.) Walp.) dengan Berbagai Variasi Waktu Fermentasi. *Skripsi*. Universitas Sebelas Maret.
- Dewi, Intan Wahyu Ristisa, Chorul Anam, Esti Widowati. 2014. Karakteristik sensoris, nilai gizi dan aktivitas antioksidan tempe kacang gude (*Cajanus cajan*) dan tempe kacang tunggak (*Vigna unguiculata*) dengan berbagai variasi waktu fermentasi. *Biofarmasi* 12(2):73-82
- Eisen B., Ungar Y., and Shimoni E. 2003. Stability of isoflavones in soy milk stored at elevated and ambient temperatures. *Journal of Agricultural and Food Chemistry* 51(8): 2212-5
- Erdos, E.G., Skidgel, R.A. 1987. The angiotensin I-converting enzyme. *Lab. Invest.: J. Tech. Methods Pathol.* 56: 345–348.

- Esaki H, Onozaki H, Kawakishi, dan Osawa T. 1996. New antioxidant isolated from tempe. *J Agric Food Chem* 44:696-700
- Esteves, E. A., J. Bressan, N.M. Costa, H.S. Martino, S.S. Donkin, dan J.A. Story. 2011. Modified soybean effects cholesterol metabolism in rats similarly to a commercial cultivar. *J.Med. Food* 14:1363-1369
- Feng, X.M., V. Passoth, C. Eklund-Jonsson, M.L. Alminger, J. Schnurer. 2007. *Rhizopus oligosporus* and yeast co-cultivation during barley tempeh fermentation—Nutritional impact and real-time PCR quantification of fungal growth dynamics. *Food Microbiology* 24 (2007) 393–402
- Ferreira, M.P., de Oliveira, M.C.N., Mandarino, J.M.G., da Silva, J.B., Ida, E.I. & Panizzi, M.C.C. 2011. Changes in the isoflavone profile and in the chemical composition of tempeh during processing and refrigeration. *Pesq. Agropec. Brasilia* 46(11): 1555-1561.
- Fung, D.Y.C. dan Crozier-Dodson A. 2008. *Tempeh, A mold-Modified Indigenous Fermented Food*, Farnworth, ED., Eds. London: CRC Press
- Funke I, Melzig M.F. 2005. Effect of different phenolic compounds on α - amylase activity: screening by microplate-reader based kinetic assay. *Pharmazie* 60:796–797
- Handa, C.L., Y. Zhang, S. Kumari, J. Xu, E.I. Ida, and S.K.C. Chang. 2020. Comparative Study of Angiotensin I-Converting Enzyme (ACE) Inhibition of Soy Foods as Affected by Processing Methods and Protein Isolation. *Processes* 8:978
- Handajani, 2002. *Potensi Koro Sebagai Sumber Gizi dan Makanan Fungsional*. Surakarta: UNS Press.
- Handajani. 2015. Pengaruh Lama Fermentasi Terhadap Kadar Serat Kasar dan Aktivitas Antioksidan Tempe Beberapa Varietas Kedelai. *Biofarmasi* 13(2):59-65

- Handayani, Marta Tika, Retno Indrati, dan Muhammad Nur Cahyanto. 2019. Chemical Characteristics and Activity of ACE Inhibitors on Fractionation of Tempeh Koro kratok (*Phaseolus lunatus*) Peptides. *IFNP* 16(2)
- Haque, Md. U., dan S. Sana. Antidiabetic Activity of Plants, Fruits and Vegetables: A Review. *International Journal of Biological and Medical Research* 7(1):5452-5458
- Haron, H., A. Ismail, A. Azlan, S. Shahr, dan L.S. Peng. 2009. Daidzein and genestein contents in tempeh and selected soy products. *Food Chemistry* 115: 1350–1356
- He, R., H. Ma, W. Zhao. 2012. Modeling the QSAR of ACE Inhibitory peptides with ANN and its applied illustration. *International Journal of Peptides*
- Herlina, E. Farida N, 2014. Pengembangan Produk Pangan Fungsional Berbasis Ubi Kayu (*Manihot Esculenta*) Dalam Menunjang Ketahanan Pangan. *Jurnal sains dasar* 3(2) : 142-148
- Hu, Y., C. Ge, W. Yuan, R. Zhu, W. Zhang, L. Due, dan J. Xue. 2010. Characterization of Fermented Black Soybeans Natto Inoculated with *Bacillus natto* during Fermentation. *Journal of Science Food and Agri.* 90: 1194-1202.
- Huang H. H., Liang H. H., and Kwok K C. 2006. Effect of thermal processing on genistein, daidzein and glycitein content in soymilk. *Journal of The Science of Food and Agriculture* 86(7):1110-4
- Huang, Ying-Che, Bo-Hua Wu, Yung-Lin Chu, Wen-Chang Chang, dan Ming-Chang Wu. 2018. Effects of Tempeh Fermentation with *Lactobacillus plantarum* and *Rhizopus oligosporus* on Streptozotocin-Induced Type II Diabetes Mellitus in Rat. *Nutrients* 10: 1143
- Hull, A. 1996. *Penyakit Jantung, Hipertensi, dan Nutrisi*. Jakarta: Bumi AKsara

- Istiani, Y. 2010. Karakterisasi Senyawa Bioaktif Isoflavon dan Uji Aktivitas Antioksidan dari Ekstrak Etanol Tempe Berbahan Baku Koro Pedang (*Canavalia ensiformis*). Tesis. UNS. Surakarta
- Jackman, K.A., Woodman, O.L., Sobey, C.G. 2007. Isoflavones, equol and cardiovascular disease: pharmacological and therapeutic insights. *Curr. Med. Chem.* 14: 2824–2830
- Karadag, A., B. Ozcelikm, dan S. Saner. 2009. Review of Methods to Determine Antioxidant Capacities. *Food Anal. Methods* 2: 41-60.
- Karyadi, D. dan Lukito, W. 1996. Beneficial effects of tempeh in disease prevention and treatment. *Nutrition Reviews* 54: 94–S98.
- Kasmidjo, R.B., 1990. *Tempe: Mikrobiologi Dan Biokimia Pengolahan Serta Pemanfaatannya*. Yogyakarta: PAU Pangan Dan Gizi Universitas Gadjah Mada.
- Khomsan, A. 2004. *Pangan dan Gizi Kesehatan*. Jakarta: Raja Grafindo Persada
- Kim, H.G., G.W. Kim, H. Oh, S.Y. Yoo, Y.O. Kim, M.S. Oh. 2011. Influence of roasting on the antioxidant activity of small black soybean (*Glycine max L. Merrill*). *Food Science and Technology* 44 992-998
- Kinanti, Dyah Ayu. 2018. Profil Sensoris dan Tingkat Penerimaan Konsumen Terhadap Tempe dengan Bubuk Starter Isolat Lokal. *Skripsi*. Departemen Teknologi Pangan dan Hasil Pertanian, Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Klaus, K., G. Borger-Papendorf, W. Barz. 1993. Formation Of 6,7,4'-Trihydroxyisoflavone (Factor 2) from Soybean Seed Isoflavones By Bacteria Isolated From Tempe. *PhytoAemWy* 34 (4): 979-981
- Koswara, S. 1992. *Teknologi Pengolahan Kedelai Menjadikan Makanan Bemutu*. Jakarta: Pustaka Sinar Harapan.

- Kresnowati, L. Turyanto, A. Zaenuddin, K. Trihatmoko. 2019. Effects of Microbial Starter Composition on Nutritional Contents and Pasting Properties of Fermented Cassava Flour. *AJChE* 19(1): 12 – 24
- Kridawati, A, T.B.W. Rahardjo, dan E. Hogervorst. 2019. The Effect of Tempe Flour on Blood Sugar in Elderly. *Healthy And Active Ageing. 1st International Respati Health Conference (IRHC)*
- Kuligowski, Maciej, Katarzyna Pawłowska, Iwona Jasińska-Kuligowska & Jacek Nowak. 2017. Isoflavone composition, polyphenols content and antioxidative activity of soybean seeds during tempeh fermentation. *Journal of Food* 15(1): 27-33
- Kumar, A. S. Khan, G.S. Saran, R.N. Deesh. 2013. In Vitro Antidiabetic Activity of Nisamalaki Churna. *Sains Malaysiana* 625– 628.
- Kwon, D.Y.,W. James, H.J. Kim, dan S. Park. 2010. Antidiabetic Effects Of Fermented Soybean Products On Type 2 Diabetes. *Nutrition Research* 30: 1-13
- Lai H. M. and Lin P. Y. 2010. Thermal effects on the conversion of isoflavones in soybean Chemistry, Texture and Flavor of Soy. *American Chemical Society*: 171-87
- Lee, C.H., L. Yang, J.Z. Xu, S.Y.V. Yeung, Y. Huang and Z.Y. Chen. 2005. Relative antioxidant activity of soybean isoflavones and their glycosides. *Food Chemistry* 90(4): 735-41
- Lee. D.S., dan S.H. Lee. 2001, Genistein, a soy isoflavone, is a potent alpha-glucosidase inhibitor. *FEBS let* 501:84-86
- Liyana R., Kiramaga C., Visvanathan R., Jayathilake C., Weththasinghe P., Bangamuwage R., Vidanaarchchi J. 2018. Hypolipidemic and hypoglycemic

- potential of raw, boiled, and sprouted mung beans (*Vigna radiata L. Wilczek*) in rats. *Journal of Food Biochemistry* 42(1): 12457
- Lu, M.P., R. Wang, X. Song, R. Chibbar, X. Wang, and L. Wu. 2008. Dietary Soy Isoflavone Increase Insulin Secretion And Prevent The Development Of Diabetic Cataracs In Streptozotocin-Induced Diabetic Rats. *Nutr. Res.* 28: 538-552
- Manoharan, S., A.S. Shuib, N. Abdullah. 2017. Structural Characteristics And Antihypertensive Effects Of Angiotensin-Converting Enzyme Inhibitory Peptides In The Renin- Angiotensin And Kallikrein Kinin Systems. *Afr J Tradit Complement Altern Med.* 14 (2): 383-406
- Margină D., Ilie M., Grădinaru D., Androutsopoulos V.P., Kouretas D., Tsatsakis AM. 2015. Natural products-friends or foes?. *Toxicol Lett* 236:154–167.
- Martinez-Gonzalez, A.I., Díaz-Sánchez, Á.G., Rosa, L.A., Vargas-Requena, C.L., Bustos-Jaimes, I., Alvarez-Parrilla, A.E. 2017. Polyphenolic compounds and digestive enzymes: In vitro non-covalent interactions. *Molecules* 22: 669.
- Martinez-Maqueda, D., B. Miralles, I. Recio dan B. Hernandez-Ledesma. 2012. Antihypertensive peptides from food proteins: a review. *Food Funct.* 3: 350–361
- Mathias K, Ismail B, Corvalan C M, and Hayes K D. 2006. Heat and pH effects on the conjugated forms of genistin and daidzin isoflavones. *Journal of Agricultural and Food Chemistry* 54(20): 7495-502
- Matrougoui, K., Eskildsen-Helmond, Y. E., Fiebeler, A., Henrion, D., Levy, B. I., Tedgui, A., Mulvany, M. J. 2000. Angiotensin II stimulates extracellular single-regulated kinase activity in intact pressurized rat mesenteric resistance arteries. *Hypertension* 36: 617–621.
- Meng, Q.C., K. H. Berecek. 2001. Quantification of Angiotensin peptides. *Angiotensin protocols:* 257-266

- Mitchell, J. H., & Collins, A. R. 1999. Effect of a soy milk supplement on plasma cholesterol levels and oxidative DNA damage in men – a pilot study. *European Journal of Nutrition* 38: 143–148.
- Molyneux, P. 2004. The use of the stable free radical diphenyl picrylhydrazyl (DPPH) for estimating antioxidant activity. *J. Sci. Technol.* 26(2):211-219.
- Montenegro, M.F., Lisandra R. Pessa, J.E. Tanus-Santos. 2009. Isoflavone genistein inhibits the angiotensin-converting enzyme and alters the vascular responses to angiotensin I and bradykinin. *European Journal of Pharmacology* 607: 173–177
- Morrow, R. J., Stratton, D. B., Sylvester, F. A. 1997. Genistein prevents hypertension in male and oophorectomized femal SHR (Abstract). *FASEB J.* 11: 467
- Mujianto. 2013. Analisis Faktor Yang Mempengaruhi Proses Produksi Tempe Produk UMKM di Kabupaten Sidoarjo. *REKA Agroindustri* 1(1)
- Mulyatiningsih, E. 2007. *Teknik-teknik Dasar Memasak*. Yogyakarta: Fakultas Teknik Universitas Negeri Yogyakarta
- Murakami, H., T. Asakawa, J. Terao & S. Matsushita. 1984. Antioxidative Stability of Tempeh and Liberation of Isoflavones by Fermentation. *Agric. Bioi. Chem.* 48(12): 2971 – 2975
- Nakajima N., Nozaki N., Ishihara K., Ishikawa A, Tsuji H. 2005. Analysis of isoflavone content in tempeh, a fermented soybean, and preparation of a new isoflavone-enriched tempeh. *J Biosci Bioeng* 100(6):685-687.
- Nizam, U., H. Rakib, H. Monir, S. Arjyabrata, H. Nazmul, I. Mahmudul, M. Mohd, R. Sohel. 2014. In vitro -amylase inhibitory activity and in vivo hypoglycemic effect of methanol extract of *Citrus macroptera* Montr. Fruit. *Asian Pac. J. Trop. Biomed.* 4: 473–479.

- Nout M.J.R., dan J.L. Kiers. 2005. Tempe fermentation, innovation and functionality: update into the third millenium. *J Appl Microbiol.* 98(4):789-805.
- Nout, M.J.R., TD. Martoyuwono, P.C.J. Bonne, and G.T. Odamtten. 1992. Hibiscus Leaves for the Manufacture of Usar, a Traditional Inoculum for Tempe. *J. Sci. Food Agricultrre* 56
- Nowak, J., K. Szeibotko. 1992. Some biochemical changes during soybean and pea tempeh fermentation. *Food microbiology* (9):37-43
- Nugraha, M.R., A. Hasanah. 2018. Review Artikel: Metode Pengujian Aktivitas Antidiabetes. *Farmaka Suplemen* 16(3)
- Pawiroharsono, S. 2001. *Prospek dan Manfaat Isoflavon untuk Kesehatan*. Jakarta: Direktorat Teknologi Bioindustri, Badan Pengkajian dan Penerapan Teknologi.
- Pekkarinen, S.S., H. Stöckmann, K. Schwarz, M.I. Heinonen, and A.I. Hopia. 1999. Antioxidant activity and partitioning of phenolic acids in bulk and emulsified methyl linoleate. *J Agr. Food Chem.* 47: 3036-3043.
- Pellegrini, N., E. Chiavaro, C. Gardana, T. Mazzeo, D. Contino, M. Gallo, P. Riso, V. Fagliano, M. Porrini. 2010. Effect of Different Cooking Methods on Color, Phytochemical, Concentration, and Antioxidant Capacity of Raw and Frozen Brassica Vegetables. *Journal of Agricultural and Food Chemistry* 58: 4310–4321.
- Poitout, V. dan Robertson, R.P. 2008. Glucotoxicity: fuel excess and beta cell dysfunction. *Endocrine Reviews* 29(3): 351-366
- Prakash, A. 2001. Antioxidant activity. *Med Lab Anal Prog.* 19(2):1–6
- Puspitojati, E., R. Indrati, M.N. Cahyanto, dan Y. Marsono. 2019. Formation of ACE-inhibitory peptides during fermentation of jack bean tempe inoculated by usar *Hibiscus tiliaceus* leaves starter. *IOP Conf. Series: Earth and Environmental Science* 292 012022

- Rahayu, K. dan S. Sudarmaji. 1989. *Mikrobiologi Pangan*. Yogyakarta: PAU Pangan dan Gizi UGM.
- Rahayu, W.P., R.Pambayun, U. Santoso, L.Nuraida, dan Ardiansyah. 2015. Tinjauan Ilmiah Teknolohi Pengolahan Tempe Kedelai. *Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI) 1*
- Rani, D., T. Meelaph, W. De-Eknamkul, S. Vimolmangkang. 2020. Yeast extract elicited isoflavonoid accumulation and biosynthetic gene expression in *Pueraria candollei* var. *mirifica* cell cultures. *Plant Cell, Tissue and Organ Culture (PCTOC)* 141:661–667
- Reyes-Bastidas, M., E.Z. Reyes-Fernández, J. López-Cervantes, J. Milán-Carrillo, G. F. Loarca-Piña, C. Reyes-Moreno. 2010. Physicochemical, nutritional and antioxidant properties of tempeh flour from common bean (*Phaseolus vulgaris* L.). *Food Sci Technol Int.* 16(5):427-34.
- Roncero-Ramos, I., M. Mendiola-Lanao, M. Pérez-Clavijo & C.Delgado-Andrade. 2017. Effect of different cooking methods on nutritional value and antioxidant activity of cultivated mushrooms. *International Journal Of Food Sciences And Nutrition* 68(3): 287–297
- Santoso, U. 2016. *Antioksidan Pangan*. Yogyakarta: Gadjah Mada University Press.
- Sapuan dan Noer S. 2001. *The Complete Handbook of Tempe: The Unique Fermented Soyfood of Indonesia 2nd ed.* Jonathan A. editor. Singapore: American Soybean Association Southeast Asia Regional Office
- Saulnier, L., C. Marot, M. Elgorriaga, E. Bonnin, & J. F. Thibault. 2001. Thermal and enzymatic treatments for the release of free ferulic acid from maize bran. *Carbohydrate Polymers* 45(3): 269-275.

- Setiawan, B., Sandeep K.T., Ignasius R.A.P.J., R.C. Purwestri, D. Nohr and H.K. Biesalski. 2016. The influence of traditional stirfrying with oil on acceptability, antioxidant activities, nutrients, and the phytic acid content of fermented soybean (tempeh). *Nutrition & Food Science* 46(2): 259-27
- Shalaby, Emad. 2019. *Antioxidant*. Cairo University, IntechOpen
- Shao-Yi, C., S. Ning-Sing, T. Ke-Sung, And C. Ching-Yu 2004. The Hypoglycemic Effects of Soy Isoflavones on Postmenopausal Women. *Journal Of Women's Health* 13(10)
- Shi, L., K.Mu, S.D. Arntfield, M.T. Nickerson. 2017. Changes in levels of enzyme inhibitors during soaking and cooking for pulses available in Canada. *J. Food. Sci. Technol.* 54: 1014–1022
- Silva, B., .Kupskil, E. Badiale-Furlong1. 2019. Central Composite Design-Desirability Function Approach for Optimum Ultrasound-Assisted Extraction of Daidzein and Genistein from Soybean and Their Antimycotoxigenic Potential. *Food Analytical Methods* 12:258–270
- Sobari, E. 2019. *Dasar-Dasar Proses Pengolahan Bahan*. Subang: Penerbit POLSUB PRESS
- Starzyńska-Janiszewska, A., B. Stodolak, dan A.Wikiera. 2015. Antioxidant Potential and α -galactosides Content of Unhulled Seeds of Dark Common Beans Subjected to Tempe-type Fermentation with *Rhizopus microsporus var. chinensis* and *Lactobacillus plantarum*. *Food Science and Technology Research* 21(6): 765-770.
- Steinkraus, K.H., R.E. Cullen, C.S. Pederson, L.F. Nellis, dan B.K. Gavitt. 1983. *Handbook of Indigenous Fermented Foods*. New York and Basel : Marcel Dekker Inc.

- Subramanian, R., Asmawi M.Z., dan Sadikun A. 2008. *In vitro* α -glucosidase and α -amylase enzyme inhibitory effects of *Andrographis paniculata* extract and *andrographolide*. *Acta Biochim Pol.* 55: 391–8
- Subroto, A. 2006. *Ramuan Herbal Untuk Diabetes Melitus*. Jakarta : Penebar Swadaya.
- Sugiwati, S., S. Setiasih, and E. Afifah. 2009. Antihyperglycemic activity of the Mahkota Dewa (*Phaleria macrocarpa* (Scheff.) Boerl.) leaf extracts as an alpha-glucosidase inhibitor. *Makara Kesehatan.* 13:74–78
- Sundari, D., Alamsyhuri, dan A. Lamid. 2015. *Pengaruh Proses Pemasakan terhadap Komposisi Zat Gizi Bahan Pangan Sumber Protein*. Jakarta: Pusat Teknologi Terapan Kesehatan dan Epidemiologi Klinik
- Surya, R., dan A. Romulo. 2020. Steaming Process Does Not Affect The Antioxidant Activities of Tempeh Ethanol Extract. *Journal of Physics: Conference Series* 1655 012023
- Swanston-Flatt, S.K., Flatt P.R., Day C., Bailey C.J. 1991. Traditional Dietary Adjuncts For The Treatment Of Diabetes Mellitus. *Proc Nutr Soc* 50:641-651
- Syamsuri, R, W.Dewayani, E. Septianti, and Maintang. 2020. Chemical characteristic and sensory of tempeh sausage on different soybean varieties and cooking methods variation. *IOP Conf. Series: Earth and Environmental Science* 575 012012
- Tan, Y., Chang S.K.C., Zhang Y. 2017. Comparison of alpha-amylase, alpha-glucosidase and lipase inhibitory activity of the phenolic substances in two black legumes of different genera. *Food Chem* 214: 259–268
- Triyono, A. 2010. Mempelajari Pengaruh Penambahan Beberapa Asam Pada Proses Isolasi Protein Terhadap Tepung Protein Isolat Kacang Hijau (*Phaseolus Radiatus L.*). *Seminar Rekayasa Kimia Dan Proses*: 1411-4216

- Uddin, N., M.R. Hasan, M.M. Hossain, A. Sarker, A.H.M.N. Hasan, A.F.M.M. Islam. M.M.H.C. Chowdhury, M.S. Rana. 2014. In vitro α -amylase inhibitory activity and in vivo hypoglycemic effect of methanol extract of Citrus macroptera Montr. Fruit. *Asian Pacific Journal of Tropical Biomedicine*: 473-479
- US Department of Agriculture. 1999. *Database on the isoflavone content of foods*. Diakses dari <http://www.nal.usda.gov/fnic/foodcomp/Data/isoflav/isoflav.html>. pada 10 Januari 2021
- Utari, Diah M., Rimbawan, H. Riyadi, Muhilal, Purwastyastuti. 2010. Pengaruh Pengolahan Kedelai Menjadi Tempe Dan Pemasakan Tempe Terhadap Kadar Isoflavon. *PGM* 33(2): 148-153
- Vera, R., M. Galisteo, I.C. Villar, M. Sa ́nchez, A. Zarzuelo, F Pe ́rez-Vizca ́no, J. Duarte. 2005. Soy isoflavones improve endothelial function in spontaneously hypertensive rats in an estrogenindependent manner: role of nitric-oxide synthase, superoxide, and cyclooxygenase metabolites. *J. Pharmacol. Exp. Ther.* 314: 1300–1309.
- Villjoen, B.C. dan T. Greyling. 1995. *Yeast associated with cheddar and gouda making*. *International Journal of Food Microbiology* 28: 7988
- Walianingsih, E.J., A.A.G.N.A. Jambe, D.G.M. Permana. 2016. *Pengaruh Lama Fermentasi Kedelai Terhadap Karakteristik Sere Kedele*. Bali: FTP Universitas Udayana
- Wang, N. S. 2009. *Experiment no. 5: Starch Hydrolysis by Amylase*. College Park: University of Maryland.
- Wells, G. B., T. J. Dipiro, L. T. Schwinghammer, & V. C. Dipiro. 2015. *Pharmacotherapy Handbook Ninth Edition*. New York: McGraw-Hill Education.

- Welty, F.K., K.S. Lee, N.S. Lew & J.R. Zhou. 2007. Effect of soy nuts on blood pressure and lipid levels in hypertensive, prehypertensive, and normotensive postmenopausal women. *Archives of Internal Medicine* 167(10): 1060-1067.
- Widodo, T.T. Taufiq, N.S. Anindita. 2013. Fermented Goat Milk and Cow Milk Produced by Different Starters of Lactic Acid Bacteria: Quality Studies. *Journal of Agricultural Science and Technology* 3:904-911
- Widoyo, S., S. Handajani, Nandariyah. 2015. Pengaruh lama fermentasi terhadap kadar serat kasar dan aktivitas antioksidan tempe beberapa varietas kedelai. *Biofarmasi* 13(2)
- Wikanta, T., Januar H.I., & Nursid M. 2005. Uji aktivitas antioksidan dan sitotoksisitas ekstrak alga merah *Rhodomenia palmata*. *J. Penel. Perik. Indonesia. Badan Riset Kelautan dan Perikanan*. 2(4).
- Winarno. 1997. *Kimia Pangan dan Gizi*. Jakarta: Gramedia Pustaka Utama
- Winarno, F.G. dan Reddy N.R. 1986. *Tempe, Legume-Based Fermented Food*, Reddy NR, Pierson MD, and DK Salunkhe, Eds. London: CRC Press
- Wood, B.J.B. 1985. *Microbiology of Fermented Foods*. Vol 2. New York: Elsevier Applied Science Publishers.
- World health Organization. 2019. *Hypertension*. Diakses dari <https://www.who.int/news-room/fact-sheets/detail/hypertension>. Diakses pada 16 Desember 2020
- Wu, J.G., Ge J., Zhang Y. P., Yu Y. and Zhang X.Y. 2010. Solubility of genistein in water, methanol, ethanol, propan-2-ol, 1-butanol, and ethyl acetate. *Journal of Chemical and Engineering Data* 55(11) 5286-8

- Wulan, S.N., M.Astuti, Y. Marsono dan Z. Noor. 2000. Pengujian Efek Antioksidatif Kedelai, Fraksi Protein Kedelai dan Tempe pada Tikus yang Diinduksi Diabetes dengan Injeksi Alloxan. *Proseding Seminar Nasional Industri Pangan*: 175-182
- Xu, B.J. and S.K.S. Chang. 2007. A Comparative study on phenolic profiles and antioxidant of legums as affected by extraction solvents. *J. Food Sci.* 72(2):159-166.
- Xu, Y., C. Yang, S. Li. 2006. Effects of genistein on angiotensin converting enzyme in rats. *Life Sci.* 79: 828–837.
- Yang, G., Shu X.O., Jin F., Zhang X., Li H.L., Li Q, Zheng W. 2005. Longitudinal study of soy food intake and blood pressure among middle-aged and elderly Chinese women. *J Clin Nutr* 81(5):1012-1017.
- Yulia, R., A. Hidayat, A. Amin, Sholihati. 2019. Pengaruh Konsentrasi Ragi dan Lama Fermentasi terhadap Kadar Air, Kadar Protein dan Organoleptik pada Tempe dari Biji Melinjo (*Gnetum gnemon L*). *Jurnal Rona Teknik Pertanian* 12 (1)
- Yusasrini, N.L.A., dan A.S. Duniji. 2019. Kadar Glukosa Darah dan Gambaran Histopatologi Ginjal Tikus Diabetik yang Diberi Diet Tempe Kacang Gude (*Cajanus cajan (L) Millsp*). *Jurnal Ilmiah Teknologi Pertanian AGROTECHNO* 4(2)
- Zielińska, E., M.Karaś, B. Baraniak, dan A. Jakubczyk. 2020. Evaluation of ACE, α -glucosidase, and lipase inhibitory activities of peptides obtained by in vitro digestion of selected species of edible insects. *European Food Research and Technology* 246:1361–1369