

- AOCS (American Oil Chemists Society). 1997a. AOCS Official Method Cd 18-90 p-Anisidine Value. Official methods and recommended practices of the AOCS, Champaign, IL.
- AOCS (American Oil Chemists Society). 1997b. Official and Tentative Methods of the American Oil Chemist's Society, 7th Edition. Champaign: American Oil Chemist's Society Press.
- Abdulkarim, S.M., Long, K., Lai, O.M., Muhammad, S.K.S. & Ghazali, H.M. 2007. Frying quality and stability of high-oleic *Moringa oleifera* seed oil in comparison with other vegetable oils. *Food Chem.* 10(5):1382–1389.
- Adhikari, P., Shin, J.A., Lee, J.H., Kim, H.R., Kim, I.H., Hong, S.T. & Lee, K.T. 2012. Crystallization, physicochemical properties, and oxidative stability of the interesterified hard fat from rice bran oil, fully hydrogenated soybean oil, and coconut oil through lipase-catalyzed reaction. *Food & Bioprocess Technology.* 5(6):2474–2487.
- Aidos, I., van-der-Padt, A., Boom, R.M. & Luten, J.B. 2002. Seasonal changes in crude and lipid composition of herring fillets, by-products and respective produced oils. *Journal of Agricultural and Food Chemistry.* 50:4589–4599.
- BSN (Badan Standardisasi Nasional). 2013. Minyak goreng. SNI 3741:2013. Jakarta.
- BSN (Badan Standardisasi Nasional). 2018. Minyak ikan murni (*refined fish oil*). SNI 8467:2018. Jakarta.
- Chen, B., Yin, C., Cheng, Y., Li, W., Cao, Z.A. & Tan, T. 2012. Using silk woven fabric as support for lipase immobilization: The effect of surface hydrophilicity/hydrophobicity on enzymatic activity and stability. *Biomass and Bioenergy.* 39:59–66.
- Bahari, A. & Akoh, C.C. 2018. Synthesis of a cocoa butter equivalent by enzymatic interesterification of illipe butter and palm midfraction. *Journal of the American Oil Chemists' Society.* 95(5):547–555.
- Bedford, G.O. 1976. Observations on the biology and ecology of *Oryctes rhinoceros* and *scapanes australis*: pests of coconut palms in Melanasia. *J. Aust. Ent soc.* 15:241–251.
- Belghit, I., Liland, N.S., Gjesdal, P., Biancarosa, I., Menchetti, E., Li, Y., Waagbø, R., Krogdahl, Å. & Lock, E.J. 2019. Black soldier fly larvae meal can replace fish meal in diets of sea-water phase Atlantic salmon (*Salmo salar*). *Aquaculture* 503:609–619.

Biswas, N., Cheow, Y.L., Tan, C.P., Kanagaratnam, S. & Siow, L.F. 2017. Cocoa Butter Substitute (CBS) Produced from Palm Mid-fraction/Palm Kernel Oil/Palm Stearin for Confectionery Fillings. *JAOCs, J. Am. Oil Chem. Soc.* 94:235–245.

Biswas, N., Cheow, Y.L., Tan, C.P. & Siow, L.F. 2016. Blending of Palm MidFraction, Refined Bleached Deodorized Palm Kernel Oil or Palm Stearin for Cocoa Butter Alternative. *J. Am. Oil Chem. Soc.* 93:1415–1427.

Bimbo, A.P. 1998. Guidelines for characterizing food-grade fish oil. *Inform*, 9: 473–483.

Brzozowski, A.M., Derewenda, U., Derewenda, Z.S., Dodson, G.G., Lawson, D.M. & Turkenburg, P. 1991. *Nature*. 351:491–494.

Cai, C., Gao, Y., Liu, Y., Zhong, N. & Liu, N. 2016. Immobilization of *Candida antarctica* lipase B onto SBA-15 and their application in glycerolysis for diacylglycerols synthesis. *Food Chem.* 212:205–212.

Chapman, R.F. 1980. The Insects: Structure and Function. *London: Hodder and Stoughton Educational*. 83–106.

Chen, B., Chunhua Y., Yuanyuan, C., Weina, L., Zhu-an, C. & Tianwei, T. 2012. Using Silk Woven Fabric as Support for Lipase Immobilization: The Effect of Surface Hydrophilicity/Hydrophobicity on Enzymatic Activity and Stability. *Biomass and Bioenergy*. 39:59–66.

D'Souza, V. 1990. Short spacings and polymorphic forms of natural and commercial solid fats: A review. *Journal of the American Oil Chemists' Society*. 67:835–843.

da Silva, T.L.T., Grimaldi, R., Calligaris, G.A., Cardoso, L.P. & Gonçalves, L.A.G. 2017. Crystallinity properties and crystallization behavior of chocolate fat blends. *J. Food Sci. Technol.* 54:1979–1989.

Datta, S., Christena, L.R. & Rajaram, Y.R.S. 2013. Enzyme immobilization: an overview on techniques and support materials. *3 Biotech*. 3:1–9.

Demian, J.M. 1992. X-ray diffraction spectroscopy in the study of fat polymorphism. *Food Research International*. 25(6):471–476.

Derewenda, Z.S., Derewenda, U. & Dodson, G.G. 1992. *J. Mol. Biol.* 227:818–839.

Derewenda, Z.S. & Derewenda, U. 1991. *Biochem. Cell Biol.* 69:842–851.

European Food Safety Authority (EFSA). 2010. Scientific opinion on fish oil for human consumption. Food Hygiene, including rancidity. *EFSA Journal*. 8(10):1874 (48 pp.).

Fast, P.G. 1970. Insect lipids. *Prog Chem Fats Other Lipids*. 11:181–242.

- Giblin-Davis, R. 2001. Borers of palms. Insects on palms. *CABI Publishing, Wallingford Great Britain*. 297-300.
- Gonçalves, M.C.P., Kieckbusch, T.G., Perna, R.F., Fujimoto, J.T., Morales, S.A.V. & Romanelli, J.P. 2018. Trends on enzyme immobilization researches based on bibliometric analysis. *Process Biochem.* 1–16.
- Gotoh, N., Iwasawa, A., Watanabe, H., Osato, R. & Wada, S. 2007. Oxidation of fats and oils in instant noodles stored under various conditions. *J. Food Lipids*. 14:350–365.
- Gotoh, N., Watanabe, H., Osato, R., Inagaki, K., Iwasawa, A. & Wada, S. 2006. Novel approach on the risk assessment of oxidized fats and oils for perspectives of food safety and quality I. Oxidized fats and oils induces neurotoxicity relating pica behavior and hypoactivity. *Food Chem Toxicol.* 44:493–498.
- Gutierrez, R., Gonzalez, O. & Dobarganes, M.C. 1988. Analytical procedures for the evaluation of used frying fats. In *Frying Food: Principles, Changes, New Approaches* (G. Varela, A.E. Bender and I.D. Morton, eds.) pp. 141–154, VCH Publishers Ltd, London, England.
- Gunstone, F.D. 2002. Food applications of lipids. In: *Food Lipids Chemistry, Nutrition, and Biotechnology*, 2nd ed. Marcel Dekker, Inc, New York.
- Hastuti, P. & Utami, T. 2003. Enzymatic Interesterification of Palm Stearin and Sardine oil to Produce Margarine-fat. *Jurnal Teknologi dan Industri Pangan*. 14(1):14–20.
- Hilmanto, H., Hidayat, C. & Hastuti, P. 2016. Surface Modification of Macroporous Matrix for Immobilization of Lipase for Fructose Oleic Ester Synthesis. *Bull. Chem. React. Eng. Catal.* 11:339–345.
- Huang, Z., Guo, Z., Xie, D., Cao, Z., Chen, L., Wang, H., Jiang, L. & Shen, Q. 2020. *Rhizomucor miehei* lipase-catalysed synthesis of cocoa butter equivalent from palm mid-fraction and stearic acid: Characteristics and feasibility as cocoa butter alternative. *Food Chemistry*. <https://doi.org/10.1016/j.foodchem.2020.128407>.
- Idris, A. & Bukhari, A. 2012. Immobilized *Candida antarctica* lipase B: Hydration, stripping off and application in ring opening polyester synthesis. *Biotechnol. Adv.* 30:550–563.
- IUPAC (International Union on Pure and Applied Chemistry). 1987. Standard Methods For The Analysis of Oils, Fats and Derivatives, 7th edition. Paquot and A. Hautfenne, editor. Oxford (UK): *Blackwell Scientific Publishing*.
- Jahurul, M.H.A., Ping, L.L., Sharifudin, M.S., Hasmadi, M., Mansoor, A.H., Lee, J.S., Noorakmar, B.W., Amir, H.M.S., Jinap, S., Mohd Omar, A.K. & Zaidul, I.S.M.

2019. Thermal properties, triglycerides and crystal morphology of bambangan (*Mangifera pajang*) kernel fat and palm stearin blends as cocoa butter alternatives. *LWT-Food Science and Technology*. 107:64–71.
- Jahurul, M.H.A., Zaidul, I.S.M., Nik Norulaini, N.A., Sahena, F., Abedin, M.Z., Mohamed, A. & Mohd Omar, A.K. 2014. Hard cocoa butter replacers from mango seed fat and palm stearin. *Food Chem.* 154:323–329.
- Jahurul, M.H.A., Zaidul, I.S.M., Norulaini, N.A.N., Sahena, F., Jinap, S., Azmir, J., Sharif, K.M. & Mohd Omar, A.K. 2013. Cocoa butter fats and possibilities of substitution in food products concerning cocoa varieties, alternative sources, extraction methods, composition, and characteristics. *J. Food Eng.* 117:467–476.
- Kadhum, A.A. & Shamma, M.N. 2017. Edible lipids modification processes: A review. *Critical Reviews in Food Science and Nutrition* 57(1):48–58.
- Kadivar, S., De Clercq, N., Danthine, S. & Dewettinck, K. 2016. Crystallization and polymorphic behavior of enzymatically produced sunflower oil based cocoa butter equivalents. *European Journal of Lipid Science and Technology* 118(10):1521–1538.
- Karabulut, I., Turan, S. & Ergin, G. 2004. Effects of chemical interesterification on solid fat content and slip melting point of fat/oil blends. *European Food Research and Technology*. 218(3):224–229.
- Kartasapoetra, A.G. 1987. Hama Tanaman dan Perkebunan. *Bina Aksara*. Jakarta.
- Ketaren, S. 2005. Minyak dan Lemak Pangan. Jakarta: *UI Press*.
- Kheiri, M.S. 1982. Formulation, Evaluation and Marketing of Cocoa Butter Replacer's Fat. *Palm Oil Research Institute of Malaysia (PORIM)*, Kuala Lumpur.
- Lai, O.M., Ghazali, H.M. & Chong, C.L. 1998. Effect of enzymatic transesterification on the melting points of palm stearin-sunflower oil mixtures. *JAOCs, J. Am. Oil Chem. Soc.* 75:881–886.
- Ledo, M.E.S. 2012. Evaluasi Penggunaan Matrik Silica-Polyethylenimine dan Silica-Polyethylenimine-2-phenylpropionaldehyde untuk Amobilisasi Lipase *Aspergillus Niger* 6516 Untuk Sintesis Etil Ester Asam Oleat. Thesis. Program Pasca Sarjana UGM. Jogjakarta.
- Lee, J.H., Akoh, C.C. & Lee, K.T. 2008. Physical properties of trans-free bakery shortening produced by lipase-catalyzed interesterification. *Journal of American Oil Chemists Society* 85(1):1–11.
- Lenaerts, S., Borght, M.V.D., Callens, A. & Campenhout, L.V. 2018. Suitability of microwave drying for mealworms (*Tenebrio molitor*) as alternative to freeze drying: Impact on nutritional quality and colour. *Food Chemistry*. 254:129–136.

- Lipp, M. & Anklam, E. 1998. Review of cocoa butter and alternative fats for use in chocolate—Part A. Compositional data. *Food Chem.* 62: 73–97.
- Lipp, M., Simoneau, C., Ulberth, F., Anklam, E., Crews, C., Brereton, P., De Greyt, W., Schwack, W. & Wiedmaier, C. 2001. Composition of genuine cocoa butter and cocoa butter equivalents. *J. Food Compos. Anal.* 14:399–408.
- Manoel, E.A., dos Santos, J.C.S., Freire, D.M.G., Rueda, N. & Fernandez-Lafuente, R. 2015. Immobilization of lipases on hydrophobic supports involves the open form of the enzyme. *Enzyme Microb. Technol.* 71:53–57.
- Márquez, A.L., Pérez, M.P. & Wagner, J.R. 2013. Solid fat content estimation by differential scanning calorimetry: Prior treatment and proposed correction. *JAOCS, J. Am. Oil Chem. Soc.* 90:467–473.
- Marshal, S.D.G., Moore, A., Vaqalo, M. Noble, A. & Jackson, T.A. 2017. A new haplotype of the coconut rhinoceros beetle, *Oryctes rhinoceros*, has escaped biological control by *Oryctes rhinoceros* nudivirus and is invading Pacific Islands. *Journal of Invertebrate*.
- Mensink, R.P., Sanders, T.A., Baer, D.J., Hayes, K.C., Howles, P.N., Marangoni, A., 2016. The increasing use of interesterified lipids in the food supply and their effects on health parameters. *Advances in Nutrition Bethesda, Md.* 7(4):719–729.
- Naik, B. & Kumar, V. 2014. Cocoa Butter and Its Alternatives: A Reveiw. *J. Bioresour. Eng. Technol.* 1:7–17.
- NorAini, I., Embong, M.S., Aminah, A., Md. Ali, A.R., Che Maimon, C.H. 1995. Physical Characteristics of Shortenings Based on Modified Palm Oil, Milkfat and Low Melting Milkfat Fraction. *Fat Sci. Technol.* 97: 253–260.
- O'Brian, R.D. 2009. Fats and Oils: Formulating and Processing for Applications Third Edition. USA: *Taylor and Francis Group LLC*.
- Okaraonye, C.C. & Ikewuchi, J.C. 2009. Nutritional potential of *Oryctes rhinoceros* larvae. *Pakistan Journal of Nutrition.* 8(1):35-38.
- Oliveira, P.D., Rodrigues, A.M., Bezerra, C.V. & Silva, L.H. 2017. Chemical interesterification of blends with palm stearin and patawa oil. *Food Chemistry.* 215:369–376.
- Oliveira, G.M.D., Ribeiro, A.P.B., Santos, A.O.D., Cardoso, L.P. & Kieckbusch, T.G. 2015. Hard fats as additives in palm oil and its relationships to crystallization process and polymorphism. *LWT-Food Science and Technology.* 63:1163–1170.
- Oluba, O. 2019. *Oryctes rhinoceros* larva oil supplementation improves tissue antioxidant status in cholesterol-fed rats. *Potravinarstvo Slovak Journal of Food Sciences.* 13(1):815–822.

- Oluba, O.M., Josiah, S.J. & Fagbohunka, B.S. 2014. Effect of *Oryctes rhinoceros* larva oil supplementation on serum lipid profile and inflammatory markers in mice fed a cholesterol-based diet. *Curr. Res. Cardiol.* 2(2):79–83.
- Oluba, O.M., Adeyemi, O., Ojieh, G.C., Aboluwoye, C.O. & Eidangbe, G.O. 2008. Comparative effect of soybean oil and palm oil on serum lipids and some serum enzymes in cholesterol-fed rats. *European Journal of Scientific Research.* 23(4): 59–566.
- Ornla-ied, P., Sonwai, S. & Lertthirasuntorn, S. 2016. Trans-free margarine fat produced using enzymatic interesterification of rice bran oil and hard palm stearin. *Food Science and Biotechnology.* 25:673.
- Osborn, H.T. & Akoh, C.C. 2002. Structured Lipids – Novel Fats with Medical, Nutraceutical, and Food Applications. *Compr. Rev. Food Sci. Food Saf.* 1:93–103.
- Öztürk, B. 2001. Immobilization of Lipase from *Candida rugosa* on Hydrophobic and Hydrophilic Supports. Immobil. Lipase from *Candida rugosa* Hydrophobic Hydrophilic Support. *İzmir Institute of Technology, Turkey.*
- Pantzaris, T.P. & Sue, T.T. 2017. Pocketbook of Oil Palm Uses, Seventh Ed. ed. *Malaysian Palm Oil Board (MPOB)*, Selangor, Malaysia.
- Park, P.W. & Goins, R.E. 1994. In Situ Preparation of Fatty Acids Methyl Ester for Analysis of Fatty Acids Composition. *Food Sci.* 59(^):1262–1266.
- Rousseau, D. & Smith, P. 2008. Microstructure of fat bloom development in plain and filled chocolate confections. *Soft Matter.* 4:1706–1712.
- Sabariah, S., Ali, A.R.M. & Chong, C.L. 1998. Chemical and physical characteristics of cocoa butter substitutes, milk fat and Malaysian cocoa butter blends. *J. Am. Oil Chem. Soc.* 75:905–910.
- Sabuquillo, P., Reina, J., Fernandez-Lorente, G., Guisan, J.M. & FernandezLafuente, R. 1998. “Interfacial affinity chromatography” of lipases: Separation of different fractions by selective adsorption on supports activated with hydrophobic groups. *Biochim. Biophys. Acta - Protein Struct. Mol. Enzymol.* 1388:337–348.
- Sato, T. & Tosa, T. 2002. Enzymes, Immobilization Methods. Tanabe Seiyaku Co., Ltd. Osaka.
- Sellami, M., Aissa, I., Frikha, F., Gargouri, Y. & Miled, N. 2011. Immobilized *Rhizopus oryzae* lipase catalyzed synthesis of palm stearin and cetyl alcohol wax esters: Optimization by Response Surface Methodology. *BMC Biotechnol.* 11(68):1–8.
- Sipayung, A. & Sudharto. 1985. Progress report. Masalah Penggerek Pucuk *Oryctes rhinoceros* Linn pada Perkebunan sawit dan Usaha Pengendaliannya. *Laporan Intern PP-Marihat*, Pematang Siantar, Indonesia.

Sipayung, A. & Sudharto. 1990. Pengendalian Kumbang *Oryctes rhinoceros* Pada Tanaman sawit Dengan Menggunakan Pengendalian Hayati. *Laporan Intern PP-Marihat*, Pematang Siantar, Indonesia.

Sivakanthan, S. & Madhujith, T. 2020. Current trends in applications of enzymatic interesterification of fats and oils: A review. *LWT-Food Science and Technology*, 132(2020): 109880.

Smith, K., Cain, F. & Talbot, G. 2007. Effect of nut oil migration on polymorphic transformation in a model system. *Food Chemistry* 102(3):656–663.

Soares, F.A.S.D., da Silva, R.C., da Silva, K.C.G., Lourenco, M.B., Soares, D.F. & Gioielli, L.A. 2009. Effects of chemical interesterification on physicochemical properties of blends of palm stearin and palm olein. *Food Research International*. 42(9):1287–1294.

Soumanou, M.M., Pérignon, M. & Villeneuve, P. 2013. Lipase-catalyzed interesterification reactions for human milk fat substitutes production: A review. *European Journal of Lipid Science and Technology* 115(3):270–285.

Sreenivasan, B. 1978. Interesterification of fats. *Journal of the American Oil Chemists' Society*. 55(11):796–805.

Subroto, E., Supriyanto., Utami, T. & Hidayat, C. 2018. Enzymatic glycerolysis–interesterification of palm stearin–olein blend for synthesis structured lipid containing high mono- and diacylglycerol. *Food Sci Biotechnol*. 1–17.

Sudarmadji, S., Suhardi, & Haryono, B. 1989. Analisa bahan makanan dan pertanian. *Liberty Yogyakarta and Gadjah Mada University*.

Sujadi, Hasibuan, H.A., Rivani, M. & Purba, A.R. 2016. Oil Content And Chemical Composition In The Parts Of Oil Palm Fruit From 8 Iopri Varieties. *J. Pen. sawit*. 24(2):67–76.

Sullo, A., Arellano, M. & Norton, I. 2014. Formulation engineering of water in cocoa butter emulsion. *Journal of Food Engineering*. 142:100–110.

Susanto, A., Prasetyo, A.E., Sudharto., Priwiratama, H. & Rosiansha, T.A.P. 2012. Pengendalian Terpadu *Oryctes rhinoceros* di Perkebunan sawit. Pusat Penelitian sawit Medan.

Talhat, A.M., Lister, V.Y., Moggridge, G.D., Rasburn, J.R. & Wilson, D. 2015. Development of a single droplet freezing apparatus for studying crystallisation in cocoa butter droplets. *Journal of Food Engineering*. 156:67–83.

Torbica, A., Jovanovic, O. & Pajin, B. 2006. The advantages of solid fat content determination in cocoa butter and cocoa butter equivalents by the Karlshamns method. *Eur. Food Res. Technol*. 222:385–391.

Utama, Q.D., Sitanggang, A.B., Adawiyah, D.R. & Hariyadi, P. 2019. Lipase-catalyzed interesterification for the synthesis of medium-long-medium (MLM) structured lipids - a review. *Food Technology and Biotechnology* 57(3):305–318.

Vázquez, L., González, N., Reglero, G. & Torres, C. 2016. Solvent-free lipase-catalyzed synthesis of diacylglycerols as low-calorie food ingredients. *Frontiers in Bioengineering and Biotechnology*. 4(6).

Wood, B.J. 1968. *Pests of oil palm in malaysia and their control*. Inc.Soc.of Planters, Kuala Lumpur.204 p.

Wasowicz, E., Gramza, A., Hes, M., Jelen, H.H., Korczak, J., Malecka, M., Mildner-Szkudlarz, S., Rudzinska, M., Samotyja, U. & Zawirska-Wojtasiak, R., 2004. Oxidation of Lipids in Food. *Polish Journal of Food and Nutrition Sciences*. 13(54):87-100.

Xu, Y., Zhu, X., Ma, X., Xiong, H., Zheng, Z., Peng, H. & Hu, J. 2018. Enzymatic production of trans-free shortening from coix seed oil, fully hydrogenated palm oil and Cinnamomum camphora seed oil. *Food Bioscience*. 22:1–8.

Yu, D., Qi, X., Jiang, Y., Zou, D., Wang, L. & Jiang, L., 2018. Preparation of margarine stock rich in naturally bioactive components by enzymatic interesterification. *Journal of Oleo Science*. 67(1):29–37.

Zaidul, I.S.M., Nik Norulaini, N.A., Mohd Omar, A.K. & Smith, R.L. 2007. Blending of supercritical carbon dioxide (SC-CO₂) extracted palm kernel oil fractions and palm oil to obtain cocoa butter replacers. *J. Food Eng.* 78:1397–1409.

Zhao, S.Q., Hu, J.N., Zhu, X.M., Bai, C.Q., Peng, H.L., Xiong, H., Hu, J.W. & Zhao, Q. 2014. Characteristics and feasibility of trans-free plastic fats through Lipozyme TL IM-catalyzed interesterification of palm stearin and akebia trifoliata variety australis seed oil. *Journal of Agricultural and Food Chemistry*. 62(14):3293–3300.

Zhu, T., Zhao, Y., Zong, M., Li, B., Zhang, X. & Wu, H. 2017. Improvement of physical properties of palm stearin and soybean oil blends by enzymatic interesterification and their application in fast frozen food. *RSC Adv.* 7:34435–34441.

Zielińska, E., Baraniak, B., Karaś, M., Rybczyńska, K. & Jakubczyk, A. 2015. Selected species of edible insects as a source of nutrient composition. *Food Research International*. 77:460-466.

Zou, X., Jin, Q., Guo, Z., Xu, X. & Wang, X. 2016. Preparation of human milk fat substitutes from basa catfish oil: Combination of enzymatic acidolysis and modeled blending. *European Journal of Lipid Science and Technology*. 118(11):1702–1711.