



UNIVERSITAS  
GADJAH MADA

Karakterisasi dan ekspresi heat shock protein 70 (Hsp70) pada Pentalonia nigronervosa yang mengakses

tanaman pisang terinfeksi Banana bunchy top virus (BBTV)

INDAH NURAINI, Alan Soffan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

## DAFTAR PUSTAKA

- Alam, S.B. and Rochon, D. (2016) Cucumber Necrosis Virus Recruits Cellular Heat Shock Protein 70 Homologs at Several Stages of Infection. *Journal of Virology*, 90(7), 3302-3317. doi:10.1128/JVI.02833-15.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K. and Walter, P. (2008) *Molecular Biology of The Cell*, 5<sup>th</sup> ed. Garland Science, New York, 131-134
- Anhalt, M.D. and Almeida, R.P.P. (2008) Effect of Temperature, Vector Life Stage, and Plant Access Period on Transmission of *Banana bunchy top virus* to Banana. *Phytopathology*, 98(6), 743-748. doi:10.1094/PHYTO-98-6-0743
- Assimon, V.A., Southworth, D.R. and Gestwicki, J.E. (2016) Specific binding of tetratricopeptide repeat (TPR) proteins to heat shock protein 70 (Hsp70) and heat shock protein 90 (Hsp90) is regulated by affinity and phosphorylation. *Biochemistry*, 54(48), 7120–7131. doi:10.1021/acs.biochem.5b00801.
- Bagariang, W., Hidayat, P. and Hidayat, S.H. (2019) Morphometric Analysis and Host Range of the Genus Pentalonia Coquerel (Hemiptera: Aphididae) Infesting Banana in Java. *Jurnal Perlindungan Tanaman Indonesia*, 23(2), 171–178. DOI: 10.22146/jpti.38220
- Banumathy, G., Singh, V., Pavithra, A. R. and Tatu, U. (2003) Heat Shock Protein 90 Function Is Essential for *Plasmodium falciparum* Growth in Human Erythrocytes. *The Journal of Biological Chemistry*, 278(20), 18336-18345. doi: 10.1074/jbc.M211309200
- Berman, H., Henrick, K., Nakamura, H. and Markley, J.L. (2006) The worldwide Protein Data Bank (wwPDB): ensuring a single, uniform archive of PDB data. *Nucleic Acids Research* 35, D301-D303. doi:10.1093/nar/gkl971
- Bhasin. M. and Raghava, G.P.S. (2004) ESLpred: SVM-based method for subcellular localization of eukaryotic proteins using dipeptide composition and PSI-BLAST. *Nucleic Acids Research*, 32, W414-W419. DOI: 10.1093/nar/gkh350
- Blackman, R.L. and Eastop, V.F. (1984) *P. nigronervosas on the worlds crops: an identification and information guide*. Chichester, UK: Wiley ISBN: 978-0-471-85191-2.
- Bolsover, S.R., Hyams, J.S., Shephard, E.A., White, H.A. and Wiedemann, C.G. (2004) *Cell Biology A Short Course*, 2<sup>nd</sup> ed. John Wiley & Sons, New Jersey, 192-205



Boorstein, W.R., Ziegelhoffer, T. and Craig, E.A. (1994) Molecular Evolution of the HSP70

Multigene Family. Journal or Molecular Evolution, 38, 1-17.

<https://doi.org/10.1007/BF00175490>

Bukau, B. and Horwich, A.L. (1998) Review: The Hsp70 and Hsp60 Chaperone Machines. *Cell*, 92, 351–366. doi: 10.1016/s0092-8674(00)80928-9.

Burns, T.M., Harding, R.M. and Dale, J.L. (1995) The genome organization of banana bunchy top virus: analysis of six ssDNA components. *Journal of General Virology*, 76, 1471-1482. DOI: 10.1099/0022-1317-76-6-1471

Chakrabarti, S. (2018) Chapter 24: *P. nigronervosa, Pests and their management*. Springer Nature Singapore Pte Ltd. [https://doi.org/10.1007/978-981-10-8687-8\\_24](https://doi.org/10.1007/978-981-10-8687-8_24)

Chang, K. Y. and Yang, J. R. (2013) Analysis and prediction of highly effective antiviral peptides based on random forests. *PloS One*, 8(8), e70166. <https://doi.org/10.1371/journal.pone.0070166>

Chang, Y. -W., Zhang, X. -X., Chen, J. -Y., Lu, M. -X., Gong, W. -R. and Du, Y. Z-. (2018) Characterization of three heat shock protein 70 genes from *Liriomyza trifolii* and expression during thermal stress and insect development. *Bulletin of Entomological Research*, 1-10, doi:10.1017/S0007485318000354

Chen, H., Xu, X. -L., Li, Y. -P. and Wu, J. -X. (2014) Characterization of heat shock protein 90, 70 and their transcriptional expression patterns on high temperature in adult of *Grapholita molesta* (Busck). *Insect Science*, 21, 439-448. DOI 10.1111/1744-7917.12057

Dale, J.L. (1987) Banana bunchy top: an economically important tropical plant virus disease. *Advances in Virus Research*, 33, 301-325 [https://doi.org/10.1016/S0065-3527\(08\)60321-8](https://doi.org/10.1016/S0065-3527(08)60321-8)

Daugaard, M., Rohde, M. and Jäättelä, M. (2007) The heat shock protein 70 family: Highly homologous proteins with overlapping and distinct functions. *FEBS Letters*, 581, 1873-3468. <https://doi.org/10.1016/j.febslet.2007.05.039>

Doyle, J.J. And Doyle, J.L. (1990) Isolation of plant DNA from fresh tissue. *Focus*, 12, 13-15

Felsenstein, J. (1985). Confidence limits on phylogenies: an approach using the bootstrap. *Evolution*, 39(4), 783–791. doi:10.1111/j.1558-5646.1985.tb00420.x

Ferreira, S.A., Trujillo, E.E. And Ogata, D.Y. (1997) *Banana bunchy top virus*. Plant Disease College of Tropical Agriculture and Human Resources (CTAHR), University of Hawaii. <https://www.ctahr.hawaii.edu/oc/freepubs/pdf/CFS-BAN-4A.pdf>



Folmer, O., Black, M., Hoeh, W., Lutz, R. and Vrijenhoek, R. (1994) DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3(5), 294-299

Foottit, R.G., Maw, H.E.L., Pike, K.S. and Miller, R.H. 2010. The identity of *P. nigronervosa* Coquerel and *P. caladii* van der Goot (Hemiptera: Aphididae) based on molecular and morphometric analysis. *Zootaxa*, 2358, 25-38.  
DOI:<http://dx.doi.org/10.11646/zootaxa.2358.1.2>

Gaafar, Y. Z. A and Ziebell, H. (2020) Aphid transmission of nanoviruses. *Arch Insect Biochem Physiol*, 1-13. DOI: 10.1002/arch.21668

Georgopoulos, C. and Welch, W.J. (1993) Role of the major heat shock proteins as molecular chaperones. *Annu. Rev. Cell Biol.*, 9, 601-634.  
DOI:[10.1146/annurev.cb.09.110193.003125](https://doi.org/10.1146/annurev.cb.09.110193.003125)

Goggin, F.L. (2007) Plant–*P. nigronervosa* interactions: molecular and ecological perspectives. *Current Opinion in Plant Biology*, 10, 399-408. DOI 10.1016/j.pbi.2007.06.004

Gorovits, R., Moshe, A., Ghanim, M. and Czosnek, H. (2013) Recruitment of the Host Plant Heat Shock Protein 70 by Tomato Yellow Leaf Curl Virus Coat Protein Is Required for Virus Infection. *PLOS ONE*, 8(7), e70280. DOI: 10.1371/journal.pone.0070280

Götz, M., Popovski, S., Kollenberg, M., Gorovits, R., Brown, J.K., Cicero, J.M. et al. (2012) Implication of *Bemisia tabaci* heat shock protein 70 in *Begomovirus*-Whitefly interactions. *Journal of Virology*, 86(24), 13241-13252. DOI: 10.1128/JVI.00880-12  
Grigoras, I., Vetten, H.-J., Commandeur, U., Ziebell, H., Gronenborn, B., and Timchenko, T. (2018) Nanovirus DNA-N encodes a protein mandatory for aphid transmission. *J. Virol.* 522, 281–291. doi: 10.1016/j.jvirol.2018.07.001

Guerrieri, E. and Digilio, M.C. (2008) *P. nigronervosa*-plant interactions: a review. *Journal of Plant Interactions*, 3(4), 223-232. DOI:10.1080/174291408 02567173

Gumiero, A., Conz, C., Gese, G. V. et al. (2016) Interaction of the cotranslational Hsp70 Ssb with ribosomal proteins and rRNA depends on its lid domain. *Nat. Commun.*, 7, 13563. doi: 10.1038/ncomms13563

Gumiero, A., Conz, C., Gese, G.V., Zhang, Y., Weyer, F.A., Lapouge, K. et al., (2016) Interaction of the cotranslational Hsp70 Ssb with ribosomal proteins and rRNA depends on its lid domain. *Nature Communications*, 1-12. DOI: 10.1038/ncomms13563



Gupta, R.S. and Singh, B. (1994) Phylogenetic analysis of 70 kD heat shock protein sequences suggests a chimeric origin for the eukaryotic cell nucleus. *Current Biology*, 4, 1104-1114. DOI:[https://doi.org/10.1016/S0960-9822\(00\)00249-9](https://doi.org/10.1016/S0960-9822(00)00249-9)

Guruprasad, K., Reddy, B. V. B and Pandit, M. W. (1990) Correlation between stability of a protein and its dipeptide composition: a novel approach for predicting *in vivo* stability of a protein from its primary sequence. *Protein Engineering, Design and Selection*, 4 (2), 155–161. <https://doi.org/10.1093/protein/4.2.155>

Halbert, S.E. and Baker, C.A. (2015) *Banana bunchy top virus* and its vector *Pentalonia nigronervosa* (Hemiptera: Aphididae). *Pathology Circular*, No. 417

Hall, T.A. (1999) BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series*, 41, 95-98, [https://doi.org/10.14601/Phytopathol\\_Mediterr-14998u1.29](https://doi.org/10.14601/Phytopathol_Mediterr-14998u1.29)

Harding, R.M., Burns, T.M. and Dale, J.L. (1991) Virus-like particles associated with banana bunchy top disease contain small single-stranded DNA. *Journal of General Virology*, 72, 225-230. DOI: 10.1099/0022-1317-72-2-225

Harding, R.M., Burns, T.M., Hafner, G., Dietzgen, R.G. and Dale, J.L. (1993) Nucleotide sequence of one component of the banana bunchy top virus genome contains a putative replicase gene. *Journal of General Virology*, 74, 323-328. DOI: 10.1099/0022-1317-74-3-323

Hardy, G.H. (1931) Aphididae in Australia. *Proceedings of the Royal Society of Queensland*, 43, 31–36

Hebert, P.D.N., Cywinska, A., Ball, S.L. And deWaard, J.R. (2003) Biological identifications through DNA barcodes. *Proc. R. Soc. Lond.*, 270, 313-321 DOI: 10.1098/rspb.2002.2218

Hogenhout S.A., Ammar, E.D., Whitfield, A.E. and Redinbaugh, M.G. (2008) Insect Vector Interactions with Persistently Transmitted Viruses. *Annu. Rev. Phytopathol.*, 46, 327–359. doi:10.1146/annurev.phyto.022508.092135

Hooks, C.R.R., Wang, K.H., Pradhan, N.C., Maandhar, R., Wright, M.G. and Vorsino, A. (2011) Population Distribution and Density of *P. nigronervosa* (Hemiptera: Aphididae) Within Banana Mats: Influence of Plant Age and Height on Sampling and Management. *J. Econ. Entomol.*, 104(3), 947-955 DOI: 10.1603/EC10323

Hu, J.S., Wang, M., Sether, D., Xie, W., and Leonhardt, K.W. (1996) Use of polymerase chain reaction (PCR) to study transmission of *banana bunchy top virus* by the banana



- Ikai, A.J. (1980) Thermostability and aliphatic index of globular proteins. *J. Biochem.* 88, 1895-1898. [PubMed: 7462208]
- Ingwell, L.L., Eigenbrode, S.D. and Bosque-Perez, N.A. (2012) Plant viruses alter insect behaviour to enhance their spread. *Scientific Reports*, 2(578), 1-6. DOI: 10.1038/srep00578
- Jiang, S., Lu, Y., Li, K., Lin, L., Zheng, H., Yan, F. and Chen, J. (2014) Heat shock protein 70 is necessary for *Rice stripe virus* infection in plants. *Molecular Plant Pathology*, 1-11. DOI: 10.1111/mpp.12153
- Jiu, M., Zhou, X.-P., Tong, L., Xu, J., Yang, X., et al. (2007) Vector-Virus Mutualism Accelerates Population Increase of an Invasive Whitefly. *PLoS ONE*, 2(1), e182. doi:10.1371/journal.pone.0000182
- Kampinga, HH., Hageman, J., Vos, MJ., Kubota, H., Tanguay, RM., Bruford, EA. et al. (2009) Guidelines for the nomenclature of the human heat shock proteins. *Cell Stress and Chaperones*, 14, 105–111. doi: 10.1007/s12192-008-0068-7
- Kiang, J.G. and Tsokos, G.C. (1998) Heat Shock Protein 70 kDa: Molecular Biology, Biochemistry, and Physiology. *Pharmacol. Ther.* 80(2), 183–201. doi: 10.1016/s0163-7258(98)00028-x.
- Kim, HJ., Hwang, NR. And Lee, KJ. (2007) Heat shock responses for understanding diseases of protein denaturation. *Mol. Cells*, 23(2), 123-131. <https://pubmed.ncbi.nlm.nih.gov/17464187/>
- Kregel, K.C. (2002) Molecular Biology of Thermoregulation Invited Review: Heat shock proteins: modifying factors in physiological stress responses and acquired thermotolerance. *J. Appl. Physiol.*, 92, 2177-2186. doi:10.1152/japplphysiol.01267.2001
- Kyte, J. and Doolittle, R.F. (1982) A simple method for displaying the hydropathic character of a protein. *J. Mol. Biol.* 157, 105-132. [PubMed: 7108955]
- Lanneau, D., Wettstein, G., Bonniaud, P. and Garrido, C. (2010) Heat shock proteins: cell protection through protein triage. *The Scientific World Journal*, 10, 1543-1552. doi: 10.1100/tsw.2010.152
- Lavigne, R., Molineux, I.J., and Kropinski, A.M. (2012) *Virus Taxonomy Classification and Nomenclature of Viruses: Ninth Report of the International Committee on Taxonomy of Viruses*. Elsevier: San Diego, USA p: 28



Li, B., Dewey, C.N. (2011) RSEM: accurate transcript quantification from RNA-Seq data with or without a reference genome. *BMC Bioinformatics* 12, 323  
<https://doi.org/10.1186/1471-2105-12-323>

Lindquist, S.L. And Craig, E.A. (1988) The heat-shock proteins. *Annu. Rev. Genet.*, 22, 631-677. <https://doi.org/10.1146/annurev.ge.22.120188.003215>

Livak, K.J. and Schmittgen, T.D. (2001) Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the  $2^{2\Delta\Delta Ct}$  Method. *Method*, 25, 402-408. DOI: 10.1006/meth.2001.1262

Maramorosch, K. and Jensen, D.D. (1963) Harmful and beneficial effects of plant viruses in insects. *Annu. Rev. Microbiol.*, 17, 495-530.  
<https://doi.org/10.1146/annurev.mi.17.100163.002431>

Mathers, T. C., Mugford, S. T., Hogenhout, S. A. and Tripathi, L. (2020) Genome sequence of the banana aphid, *Pentalonia nigronervosa* Coquerel (Hemiptera: Aphididae) and its symbionts. *The Genetics Society of America*, doi:10.1534/g3.120.401358

Mayer, M.P. (2005) Recruitment of HSP70 chaperones: a crucial part of viral survival strategies. *Rev Physiol Biochem Pharmacol*, 153, 1-46 DOI: 10.1007/s10254-004-0025-5

Mayer, M.P. and Bukau, B. (2005) Review: Hsp70 chaperones: Cellular functions and molecular mechanism. *Cell. Mol. Life Sci.*, 62, 670–684. DOI 10.1007/s00018-004-4464-6

Nakamoto, H., Fujita, K., Ohtaki, A., Watanabe, S., Narumi, S., Maruyama, T. et al. (2014) *Physical Interaction between Bacterial Heat Shock Protein 90 (HSP90) and HSP70 Chaperones Mediates Their Cooperative Action to Refold Denatured Proteins*. The American Society for Biochemistry and Molecular Biology, Inc. doi: 10.1074/jbc.M113.524801

Opperdoes, F.R. (2008) *The phylogenetic handbook: a practical approach to phylogenetic analysis and hypothesis testing*. Cambridge University Press, 310. ISBN: 9780521877107

Pfund, C., Huang, P., Lopez-Hoyo, N. and Craig, E.A. (2001) Divergent Functional Properties of the Ribosome-Associated Molecular Chaperone Ssb Compared with Other Hsp70s. *Molecular Biology of the Cell*, 12, 3773-3782.  
<https://doi.org/10.1091/mbc.12.12.3773>



- Pusag, J.C.A., Jahan, S.M.H., Lee, K.S., Lee, S. and Lee, K.Y. (2012) Upregulation of temperature susceptibility in *Bemisia tabaci* upon acquisition of *Tomato yellow leaf curl virus* (TYLCV). *Journal of Insect Physiology*, 58, 1343–1348. <http://dx.doi.org/10.1016/j.jinsphys.2012.07.008>
- Rajan, P. (1981) Biology of *Pentalonia nigronervosa* f. *caladii* van der Goot, vector of 'katte' disease of cardamom. *Journal of Plantation Crops*, 9(1), 34-41. ISSN : 0304-5242
- Ritossa, F. (1962) A new puffing pattern induced by temperature shock and DNP in *Drosophila*. *Experientia*, 18, 571-573. doi: 10.1007/bf02172188
- Ritossa, F. (1996) Discovery of the heat shock response. *Cell Stress & Chaperones*, 1(2), 97-98. DOI: 10.1379/1466-1268(1996)001<0097:doths>2.3.co;2
- Robson, J.D., Wright, M.G. and Almeida, R.P.P. (2006) Within-Plant Distribution and Binomial Sampling of *P. nigronervosa* (Hemiptera: Aphididae) on Banana. *J. Econ. Entomol.*, 99(6), 2185-2190 DOI: 10.1603/0022-0493-99.6.2185
- Rubinstein, G. and Czosnek, H. (1997) Long-term association of tomato yellow leaf curl virus with its whitefly vector *Bemisia tabaci*: effect on the insect transmission capacity, longevity and fecundity. *Journal of General Virology*, 78, 2683-2689. doi: 10.1099/0022-1317-78-10-2683
- Sarge, K. D., Murphy, S. P. and Morimoto, R. I. (1993) Activation of Heat Shock Gene Transcription by Heat Shock Factor 1 Involves Oligomerization, Acquisition of DNA-Binding Activity, and Nuclear Localization and Can Occur in the Absence of Stress. *Molecular and Cellular Biology*, 13 (3), 1392-1407. DOI: 10.1128/MCB.13.3.1392
- Shu, Y., Du, Y. and Wang, J. (2011) Molecular characterization and expression patterns of *Spodoptera litura* heat shock protein 70/90, and their response to zinc stress. *Comparative Biochemistry and Physiology*, 158, 102-110. doi:10.1016/j.cbpa.2010.09.006
- Si, F.L., Qiao, L., He, Q.Y., Zhou, Y., Yan, Z.T. And Chen, B. 2019. HSP superfamily of genes in the malaria vector *Anopheles sinensis*: diversity, phylogenetics and association with pyrethroid resistance. *Malar. J.*, 18(132), 1-15. doi: 10.1186/s12936-019-2770-6



Karakterisasi dan ekspresi heat shock protein 70 (Hsp70) pada *Pentalonia nigronervosa* yang mengakses tanaman pisang terinfeksi *Banana bunchy top virus (BBTV)*

INDAH NURAINI, Alan Soffan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Stainton, D., Kraberger, S., Walters, M., Wiltshire, E.J., Rosario, K., Halafihi, M. et al.

(2012) Evidence of inter-component recombination, intra-component recombination and reassortment in banana bunchy top virus. *Journal of General Virology*, 93, 1103–1119. DOI 10.1099/vir.0.040337-0

Subandiyah, S., Rahayuniati, R.F., Hartono, S., Somowiyarjo, S., Afiahayati and Soffan, A. (2020). RNA-seq data of *Banana bunchy top virus (BBTV)* viruliferous and non-viruliferous banana aphid (*Pentalonia nigronervosa*). *Data in brief*, 28, 1-3. <https://doi.org/10.1016/j.dib.2019.104860>

Tamura, K., Stecher, G., Peterson, D., Filipski, A. and Kumar, S. (2013) MEGA6: Molecular Evolutionary Genetics Analysis Version 6.0. *Mol. Biol. Evol.*, 30(12), 2725–2729 DOI: 10.1093/molbev/mst197

Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F. and Higgins, D.G. (1997) The CLUSTAL\_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research*, 25(24), DOI: 10.1093/nar/25.24.4876

Tiessieres, A., Mitchell, HK. And Tracy, UM. (1974) Protein Synthesis in Salivary Glands of *Drosophila melanogaster* : Relation to Chromosome Puffs. *J. Mol. Biol.*, 84, 389-398. DOI: 10.1016/0022-2836(74)90447-1

Tower, J. (2011) Heat shock proteins and *Drosophila* aging. *Exp. Gerontol.*, 46(5), 355-362. doi: 10.1016/j.exger.2010.09.002

Tran, N. T., Jakovlic, I. and Wang, W. -M. (2015) In silico characterisation, homology modelling and structure-based functional annotation of blunt snout bream (*Megalobrama amblycephala*) Hsp70 and Hsc70 proteins. *Journal of Animal Science and Technology* 57, 44, 2-9. DOI 10.1186/s40781-015-0077-x

Triplehorn, C.A. and Johnson, N.F. (2005) *Borror and Delong's introduction to the study of insects 7<sup>th</sup> ed.* California: Thomson Brooks/Cole p: 271

Valazquez, J.M. and Lindquist, S. (1984) hsp70: Nuclear Concentration During Environmental Stress and Cytoplasmic Storage During Recovery. *Cell*, 36, 655-662. DOI: 10.1016/0092-8674(84)90345-3

Vetten, H.J., Dale, J.L., Grigoras, I., Gronenborn, B., Harding, R., Randles, J.W. et al. (2012) *Virus taxonomy classification and nomenclature of viruses*. Amsterdam: Elsevier Academic Press. P: 400



Karakterisasi dan ekspresi heat shock protein 70 (Hsp70) pada *Pentalonia nigrorivosa* yang mengakses tanaman pisang terinfeksi *Banana bunchy top virus (BBTV)*

INDAH NURAINI, Alan Soffan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Vostakolaei, M.A., -Baroogh, L.H., Babaei, G., Molavi, O., Kordi, S. and Abdolalizadeh, J.

(2020) Hsp70 in cancer: A double agent in the battle between survival and death. *J. Cell Physiol.*, 1-25, DOI: 10.1002/jcp.30132

Wang, X.R., Wang, C., Ban, F.X., Zhu, D.T., Liu, S.S. and Wang, X.W. (2019) Genome-wide identification and characterization of HSP gene superfamily in whitefly (*Bemisia tabaci*) and expression profiling analysis under temperature stress. *Insect Science*, 25, 44-57. DOI 10.1111/1744-7917.12505

Watanabe, S., Greenwell, A.M. And Bressan, A. (2013) Localization, Concentration, and Transmission Efficiency of *Banana bunchy top virus* in Four Asexual Lineages of *Pentalonia* aphids. *Viruses*, 5, 758-775 doi:10.3390/v5020758

Weeks, S.A., Shield, W.P., Sahi, C., Craig, E.A., Rospert, S. and Miller, D.J. (2010) A Targeted Analysis of Cellular Chaperones Reveals Contrasting Roles for Heat Shock Protein 70 in Flock House Virus RNA Replication. *Journal of Virology*, 84(1), 330-339. doi:10.1128/JVI.01808-09

Whitley, D., Goldberg, SP. and Jordan, WD. (1999) Heat shock proteins: a review of the molecular chaperones. *Journal of Vascular Surgery*, 29(4), 748-751. DOI: 10.1016/s0741-5214(99)70329-0

Wiedemann, C., Kumar, A., Lang, A., & Ohlenschläger, O. (2020) Cysteines and Disulfide Bonds as Structure-Forming Units: Insights From Different Domains of Life and the Potential for Characterization by NMR. *Frontiers in chemistry*, 8, 280. <https://doi.org/10.3389/fchem.2020.00280>

Yang, C., Pan, H., Liu, Y. and Zhou, X. (2014) Selection of Reference Genes for Expression Analysis Using Quantitative Real-Time PCR in the Pea aphid, *Acyrthosiphon pisum* (Harris) (Hemiptera, *P. nigrorivosa*). *PLOS ONE*, 9(11), 1-10 <https://doi.org/10.1371/journal.pone.0110454>

Yang, J. and Zhang, Y. (2015) I-TASSER server: new development for protein structure and function predictions. *Nucleic Acids Research*, 43, 174-181. doi: 10.1093/nar/gkv342

Yang, J., Nune, M., Zong, Y., Zhou, L. and Liu, Q. (2015) Close and Allosteric Opening of the PolypeptideBinding Site in a Human Hsp70 Chaperone BiP. *Structure* 23, 2191–2203. <http://dx.doi.org/10.1016/j.str.2015.10.012>

Yang, J., Yan, R., Roy, A., Xu, D., Poisson, J. and Zhang, Y. (2015) The I-TASSER Suite: protein structure and function prediction. *Nature Methods*, 12(1), 7-8. doi:10.1038/nmeth.3213



Karakterisasi dan ekspresi heat shock protein 70 (Hsp70) pada *Pentalonia nigronervosa* yang mengakses

tanaman pisang terinfeksi Banana bunchy top virus (BBTV)

INDAH NURAINI, Alan Soffan, S.P., M.Sc., Ph.D.; Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc.

UNIVERSITAS  
GADJAH MADA

Yasmin,

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

T., Ul-Haq, E., Khalid, S. and. Malik, S.A. (1999) Some Studies on Biology of

*Pentalonia nigronervosa* Conquarrel- The Vector of Banana Bunchy Top Virus.

*Pakistan Journal of Biological Sciences*, 2: 1398-1400. DOI:

10.3923/pjbs.1999.1398.1400

Zhang, Q. and Denlinger, D.L. (2010) Molecular characterization of heat shock protein 90, 70 and 70 cognate cDNAs and their expression patterns during thermal stress and pupal diapause in the corn earworm. *Journal of Insect Physiology*, 56(2), 138-150. <https://doi.org/10.1016/j.jinsphys.2009.09.013>

Zhao, B., Erwin, A. and Xue, B. (2018) How many differentially expressed genes: A perspective from the comparison of genotypic and phenotypic distances. *Genomics*, 110(1), 67-73. <https://doi.org/10.1016/j.ygeno.2017.08.007>.

Zhu, X., Zhao, X., Burkholder, W.F., Gragerov, A., Ogata, C.M. Gottesman, M.E. and Hendrickson, W.A. (1996) Structural Analysis of Substrate Binding by the Molecular Chaperone DnaK. *Science*, 272, 1606-1614. doi: 10.1126/science.272.5268.1606.