

DAFTAR PUSTAKA

- Alisjahbana, A.S., dan Murniningtyas, E., 2018, *Tujuan Pembangunan Berkelanjutan di Indonesia: Konsep dan Strategi Implementasi*, Unpad Press, Bandung.
- Alonso-Fariñas, B., Rodriguez, M.G., Arenas, C., Torralvo, F.A., and Leiva, C., 2020, Sustainable Management of Spent Fluid Catalytic Cracking Catalyst from a Circular Economy Approach, *Waste. Manage.*, 110, 10–19.
- Amato, A., Becci, A., Birloaga, I., Michelis, I.D., Ferella, F., Innocenzi, V., Ippolito, N.M., Gomez, C.P.J., Veglio, F., dan Beolchini, F., 2019, Sustainability Analysis of Innovative Technologies for the Rare Earth Elements Recovery, *Renew. Sust. Energ. Rev.*, 106, 41-53.
- Aries, R.S., and Newton, R.D., 1955, *Chemical Engineering Cost*, Mc.Graw Hill Book Co., New York.
- Astuti, W., Prilitasari, N.M., Iskandar, Y., Bratakusuma, D and Petrus, H.T.B.M., 2017, Leaching Behavior of Lanthanum, Nickel and Iron From Spent Catalyst Using Inorganic Acids, *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 285, no. 1, pp. 012007.
- Bare, J., 2011, TRACI 2.0: The Tool For the Reduction and Assessment of Chemical and Other Environmental Impacts 2.0, *Clean. Environ. Policy.*, 13, 687-696.
- Baumann, H., and Tillman, A. M., 2014, *The Hitch Hiker's Guide to LCA*, Student Literatur, Poland:Dimograf.
- Baurer, D., 2011, Critical Materials Strategy, United State Departement of Energy, www.slideshare.net/mobile/RareEarthsEareMetals/us-department-ofenergy-critical-metals-strategy-march-2011, diakses tanggal 12 Desember 2020.
- Binnemans, K., Jones, P.T., Blanpain, B., Gervenc, T.V., Yang, Y., Waltone, A., Buchert, B., 2013, Recycling of Rare Earth: A Critical Review, *J. Clean. Prod.*, 51, 1-22.
- Bonatsos, N., Marazioti, C., Moutousidi, E., Anagnostou, A., Kountinas, A., and Kookos, I.K., 2020, Techno-economic Analysis and Life Cycle Assessment of Heterotrophic Yeast Derived Single Cell Oil Production Process, *Fuel.*, 264, 116-839.
- Cano, R.J., Gregorio, Z., Pedroza, G., Carrilo, R., Soria, A.D.J., Hurtado, M.A., and Vielma, A.C., 2016, Kinetics and Statistical Analysis of Nickel Leaching From Spent catalyst in Nitric Acid Solution, *Int. J. Miner. Process.*, 148, 41-47.
- Da, Y., He, T., Wang, M., Shi, C., Xu, R., and Yang, R., 2020, The Effect of Spent Petroleum Catalyst Powders on Multiple Properties in Blend Cement, *Constr. Build. Mater.*, 231, 117-203.
- Daniel, S.E., Tsoulfas, G.T., and Pappis, C.P., 2004, Aggregating and Evaluating the Results of Different Environmental Impact Assessment Methods, *Ecol. Indic.*, 4(2), 125-138.
- Das, S., Gaustad, G., Sekar, A., dan Williams, E., 2018, Techno-economic Analysis of Supercritical Extraction of Rare Earth Elements From Coal Ash, *J. Clean. Prod.*, 189, 539-551.

- Dreyer, L., Hauschild, M., Schierbeck, J., 2006, Framework for Social Life Cycle Assessment, *Int. J. Life. Cycle. Assess.*, 11, 88-97.
- Dufresne, 2007, Hydroprocessing Catalysts Regeneration and Recycling, *Appl. Catal. A Gen.*, 322, 67–75.
- Finnveden, G., Hauschild, M.Z., and Ekvall, T., 2009, Recent Developments in Life Cycle Assessment, *J. Environ. Manag.*, 91(1), 1-21.
- Furimsky, E., 1996, Spent Refinery Catalysts: Environment, Safety and Utilization, *Catal. Today.*, 30(4). 223-286.
- Ghassa, S., Noaparast, M., Shafaei, S.Z., Abdollahi, H., Gharabaghi, M., and Boruomand, Z., 2017, A Study on the Zinc Sulfide Dissolution Kinetics with Biological and Chemical Ferric Reagents, *Hydrometallurgy.*, 171, 362-373.
- Gosta L. G., dan Aschner M., 2014, *Toxicology of Pesticides*, Reference Module in Biomedical Sciences.
- Hauschild, M., Jeswiet, J., and Alting, L., 2005, From Life Cycle Assessment to Sustainable Production: Status and Perspectives, *CIRP. Ann.*, 54(2). 1-21.
- Hilmi, I dan Handoko, T., 2011, Pengolahan Rafinat Hasil Ekstraksi *Spent Catalyst* Sebagai Bahan Baku Pembuatan Semen, Prosiding Seminar Nasional Teknik Kimia “Kejuangan” 2011, ISSN 1693 – 4393.
- Holden, E., and Coplen, T., 2004, The Periodic Table of the Elements, *Chem. Int.*, 26(1), 8–9.
- Idris, J., Musa, M., Yin, C.Y., and Hamid, K.H.K., 2010, Recovery of Nickel From Spent Catalyst From Palm Oil Hydrogenation Process Using Acidic Solutions, *J. Ind. Eng. Chem.*, 16 -(2), 251-255.
- ISO, 1997, *Environmental management—life cycle assessment—principal and framework*. Reference Number: ISO 14040: 1997(E).
- ISO, 1998, *International Standard ISO 14041, Environment management-Life cycle assessment-Goal and scope definition and inventory analysis*. Reference number ISO 14041:1998(E).
- Kasliwal, P.J., Prabhu, K.M., Kumar, B., Ramakumar, S.V.V., Das, B. P., Chaturvedi, S.K., Ali, M.M., and Pahuja, 2015, A. Challenges and Opportunities in Disposal of Spent FCC/RFCC Catalyst, In: 14th NBC International Seminar on Cement and Building Materials, December 2015, New Delhi, India.
- Kuck, P.H., 2012, *Nicke'*, U.S. Geological Survey, Mineral Commodity Summaries.
- Lee, J.Y., Rao, S.V., Kumar, B.N., Kang, D.J., and Reddy, B.R., 2010, Nickel Recovery From Spent Raneynickel Catalyst Through Dilute Sulfuric Acid Leaching and Soda Ash Precipitation, *J. Hazard. Mater.*, 176(1-3), 1122-1125.
- Lee, K.M., and Inaba, A., 2014, *Life cycle assessment; Best practice of ISO 14040 series*, Committee on Trade and Investment.
- London Metal Elements (LME), 2020, <https://www.lme.com/en-GB/Metals/Non-ferrous/Nickel#tabIndex=2>, Diakses pada tanggal 12 Desember 2020.

- Mahomed dan Chitamu, 2010, *Design and Development Software Tool For Techno-Economic Assessment*.
- Marafi, M., and Stanislaus, A., 2008, Spent Hydroprocessing Catalyst Management:A Review Part II. Advances In Metal Pemungutan and Safe Disposal Methods Resources, *Resources.Conserv.Recycling.*, 53, 1-26.
- McKinsey&Company, 2017, The Future of Nickel; A Class Act, Basic Materials November 2017.
- Miazga, B., and Mulak, W., 2008, Leaching of Nickel From Spent Catalysts in Hydrochloric Acid Solutions, *Physicochem. Probl. MI.*, 42, 177-184.
- Mishra, D., Ahna, J.G., Kima, D.J., RoyChaudhury, G., and Ralphc, D.E., 2009, Dissolution Kinetics Of Spent Petroleum Catalyst Using Sulfur Oxidizing Acidophilic Microorganisms, *J. Hazard. Mater.*, 167, 1231– 1236.
- Nuss, P., Eckelman, M.J., 2014, Life cycle assessment of metals: a scientific synthesis, *PloS. One*, 9(7), 101-298.
- OpenLCA, 2019, OpenLCA 1.10; Comprehensive User Manual, GreenDelta.
- Orpic, 2013, Solutions for Re-use of Spent Catalyst From RFCC. *21 st Joint GCC-Japan Environment Symposium*, Qatar.
- Payá, J., Monzó, J., and Borrachero, M.V., 1999, Fluid Catalytic Cracking Catalyst Residue (FC3R), an Excellent Mineral By-product for Improving Early-strength Development of Cement Mixtures, *Cement. Concrete. Res.*, 29, 1773–1779.
- Pell, R., Wall,F., Yan, X., Li, J., dan Zeng, X., 2019, Mineral Processing Simulation Based Environmental Life Cycle Assessment For Rare Earth Project Development: A Case Study on the Songwe Hill project, *J. Environ. Manage.*, 249, 109353.
- Ripa, M., Fiorentino, G., Giani, H., Clausen, A., and Ulgiati, S., 2017, Refuse Recovered Biomass Fuel From Municipal Solid Waste. A Life Cycle Assessment, *Appl. Energ.*, 186, 211-225.
- Sala, S., Vasta, A., Mancini, L., Dewulft, J., Rosenbaum, E., 2015, Social Life Cycle Assessment-State of the Art and Challenges for Supporting Product Policies, EUR 27624, doi;10.2788/253715.
- Singh, B., 2009, Treatment of Spent Catalyst From the Nitrogenous Fertilizer Industry - a Review of the Available Methods of Regeneration, Recovery and Disposal, *J. Hazard. Mater.*, 167(1-3), 24-37.
- Statista.com, 2020, <https://www.statista.com/statistics/450139/global-reo-lanthanum-oxide-price-forecast/>, diakses pada tanggal 12 Desember 2020.
- Su, N, Fang, H., Chen, Z., and Liu, F., 2000, Reuse of Waste Catalysts From Petrochemical Industries for Cement Substitution, *Cement. Concrete. Res.*, 30, 1773-1783.
- Suryanaga, C.E., dan Alvaro, V.B., 2019, *Perancangan Pabrik Lanthanum dan Nikel dari Pengolahan Spent Catalyst dengan Kapasitas Pengolahan 15,000 ton/tahun*, Laporan Tahap ke-4 tugas PPK: Equipment Design: Quick Calculation of All Equipment.
- Thiel, C.L., Eckelman, M., Guido, R., Huddleston, M., Landis, A.E., Sherman, J., Shrake, S.O., Woods, N.C., and Bilec, M.M., 2013, Supplemental

- Information for; Environmental Impacts of Surgical Procedures; Life Cycle Assessment of Hysterectomy in United States.
- Thompson, V.S., Gupta, M., Jin, H., Vahidi, E., Yim, M., Jindra, M.A., Nguyen, V., Fujita, Y., Sutherland, J.W., Jiao, Y., and Reed, D.W., 2018, Techno-economy and Life Cycle Analysis for Bioleaching Rare-Earth Elements from Waste Materials, *ACS. Sustainable. Chem. Eng.*, 6, 1602–1609.
- U.S. Environmental Protection Agency (EPA), 2008, EPA's 2008 Report on the Environment, National Center for Environmental Assessment, Washington, DC, EPA/600/R-07/045F.
- U.S. Environmental Protection Agency (EPA), 2012, *Rare Earth Elements: A Review of Production, Processing, Recycling, and Associated Environmental Issues*, United States Environmental Protection Agency, Cincinnati, OH, EPA/600/R-12/572.
- U.S. Environmental Protection Agency, Integrated Risk Information System (IRIS), National Center for Environmental Assessment, Office of Research and Development, Washington, DC, 2005.
- United State Geological Survey, 2017, 2017 Minerals Yearbook; Rare Earths (Advance Release), U.S Department of Interior.
- Vahidi, E., Navarro, J., dan Zhao, F., 2016, An Initial Life Cycle Assesment of Rare Earth Oxides Production From Ion-Adsorption Clays, *Resour. Conserv. Recy.*, 113, 1-11.
- Voeste, T., 2004, *Liquid-Solid Extraction*, Ullmans's process engineering Vol 1: Separation Process. Weinheim: wiley-VCH Verlag GmbH&Co. KGaA.
- Wang, J., Xiaowei, H., Dali, C., Liangshi, W., Zongyu, F., Bin, H., Zhiqi, L., Na, Z., 2017, Recovery of Rare Earths and Aluminum From FCC Waste Slag by Acid Leaching and Selective Precipitation, *J. Rare. Earths.*, 35, 1141-1148.
- Wanta, K.C., Perdana, I., and Petrus, H.T.B.M., 2017, Evaluation of Shrinking Core Model in Leaching Process of Pomalaa Nickel Laterite Using Citric Acid as Leachant at Atmospheric Conditions, *IOP. Conf. Series-Mat. Sci.*, 162. Wiley-VCH.
- Widanto, I.F., Firmana, P.Y., dan Rofiq, N., 2015, Prarancangan Pabrik Lanthanum Oxide Dari Tin Sand Kapasitas 1400 ton/Tahun, Naskah pendadaran: Tugas Perancangan Pabrik Kimia, Teknik Kimia, UGM.
- Yang, Q.Z., Qi, G.J., Low, H.C., and Song, B., 2011, Sustainable Recovery of Nickel From Spent Catalyst Hydrogenation Catalyst: Economics, Emissions and Waste Assessment, *J. Clean. Prod.*, 19, 365-375.
- Youssef, N., Lafhaj, Z., dan Chapiseau, C., 2020, Economic Analysis of Geopolymer Brick Manufacturing; A French Case Study, *Sustainability*, 17, 7403. Zhang, H., and Haapala, K.R., 2015, Integrating Sustainable Manufacturing Assessment Into Decision Making for a Production Work Cell, *J. Clean. Prod.*, 105, 52-63.
- Zhao, Z., Qiu, Z., Yang, J., Lu, S., Cao, L., Zhang, W., and Xu, Y., 2017, Recovery of Rare Earth Elements From Spent Fluid Catalytic Cracking Catalyst Using Leaching and Solvent Extraction Techniques, *Hydrometallurgy.*, 167, 183–188.