

## DAFTAR PUSTAKA

- Ain, K., Kurniadi, D., dan Trisnobudi, A. (2012). Studi Pendahuluan Sistem Tomografi Listrik-Akustik untuk Mendeteksi Kanker Paru-paru. *Jurnal Otomasi Kontrol Dan Instrumentasi*, 3(2), 113. <https://doi.org/10.5614/joki.2011.3.2.6>
- Awad, W. A., Ghareeb, K., Abdel-Raheem, S., dan Böhm, J. (2009). Effects of dietary inclusion of probiotic and synbiotic on growth performance, organ weights, and intestinal histomorphology of broiler chickens. *Poultry Science*, 88(1), 49–55. <https://doi.org/10.3382/ps.2008-00244>
- Badan Pusat Statistik Provinsi Jawa Barat. (2019). Statistik Harga Produsen Provinsi Jawa Barat 2019. *BPS Jawa Barat*.
- Bageshwar, D. V, Pawar, A. S., Khanvilkar, V. V, dan Kadam, V. J. (2010). Photoacoustic Spectroscopy and Its Applications – A Tutorial Review. *Eurasian Journal of Analytical Chemistry*, 5(December 2009), 187–203. <http://www.eurasianjournals.com/index.php/ejac/article/view/290>
- Bell, A. G. (1880). On the Production and Reproduction of Sound by Light. *American Association for the Advancement of Science Stable*, XX(118).
- Bell, A. G. (1881). The Production of Sound by Radiant Energy Author. *Filosofiskmagasin*, 2(48), 242–253. <https://doi.org/doi:10.1080/14786448108627053>.
- Boré, G., dan Peus, S. (1999). *Microphones: Methods of Operation and Type Examples*.
- Burger, W., dan Burge, M. J., 2016. (2016). Digital Image Processing. *Springer-Verlag London Ltd, London, August, 2016*.
- Colluzzi, D.J., dan Convissar, R. . (2016). *Laser Fundamentals, dalam Principles and Practice of Laser Dentistry* (Vol. 4, Issue 1).
- Dahiya, J. P., Wilkie, D. C., Van Kessel, A. G., dan Drew, M. D. (2006). Potential strategies for controlling necrotic enteritis in broiler chickens in post-antibiotic era. *Animal Feed Science and Technology*, 129(1–2), 60–88. <https://doi.org/10.1016/j.anifeedsci.2005.12.003>
- Dharmawan, H. A. (2017). Mikrokontroler: Konsep Dasar dan Praktis. In *Universitas Brawijaya Press* (Vol. 4, Issue bahasa C).

- Diosi, A., dan Kleeman, L. (2005). Laser scan matching in polar coordinates with application to SLAM. *2005 IEEE/RSJ International Conference on Intelligent Robots and Systems, IROS*, 3317–3322. <https://doi.org/10.1109/IROS.2005.1545181>
- Ditjennak [Direktorat Jendral Peternakan dan Kesehatan Hewan]. (2017). *Statistik Peternakan dan Kesehatan Hewan 2017/ Livestock and Animal Health Statistics 2017*.
- El-Sharkawy, Y. H., dan El Sherif, A. F. (2012). Photoacoustic diagnosis of human teeth using interferometric detection scheme. *Optics and Laser Technology*, 44(5), 1501–1506. <https://doi.org/10.1016/j.optlastec.2011.12.009>
- El-Sharkawy, Y. H., dan ElSherif, A. F. (2011). Laser ultrasound characterization of normal and decayed teeth by measuring elastic properties of surface layers. *Optical Interactions with Tissue and Cells XXII*, 7897, 78971K. <https://doi.org/10.1117/12.868322>
- Fadilah, R. (2011). *Mengatasi 71 Penyakit pada Ayam* (Nurhidayat (ed.)). PT Agro Media Pustaka.
- Fowles, G. R dan Cassiday, G. . (1999). Analytical Mechanics. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Gallagher, S. R. (2014). Digital image processing and analysis with imagej. *Current Protocols in Essential Laboratory Techniques*, 2014(November), A.3C.1-A.3C.29. <https://doi.org/10.1002/9780470089941.eta03cs9>
- Gonzales, R. C., Woods, R. E., dan Eddins, S. L. (2008). *Digital Image Processing Using MATLAB*. Gatesmark Publishing.
- Gonzalez, R. C. dan, dan Woods, R. E. (2008). Digital Image Processing Third Edition Pearson International Edition prepared by Pearson Education. *New Jersey USA: Pearson Education Inc, Pearson Prentice Hall, Hal.7-14*, 954.
- Gray, R. C., dan Bard, A. J. (1978). Photoacoustic Spectroscopy Applied to Systems Involving Photoinduced Gas Evolution or Consumption. *Analytical Chemistry*, 50(9), 1262–1265. <https://doi.org/10.1021/ac50031a018>
- H. Xin, H. Li, R. T. Burns, R. S. Gates, D. G. Overhults, dan J. W. Earnest. (2009). Use of CO<sub>2</sub> Concentration Difference or CO<sub>2</sub> Balance to Assess Ventilation Rate of Broiler Houses. *Transactions of the ASABE*, 52(4), 1353–1361. <https://doi.org/10.13031/2013.27787>

- Hadi, S. (1999). TERNAK, Mengenal Radang Usus Nekrotik pada Ayam. *Indonesia. Poult.*, 227, hlm. 38.
- Hanif, L. N. (2020). *Karakterisasi Sistem Citra Tomografi Fotoakustik Berbasis Laser Dioda Dan Mikrofon Condenser Dan Aplikasinya Untuk Membedakan Hati Sehat Dan Hati Terinfeksi Cacing* [Universitas Gadjah Mada]. <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>
- Ilham, N. (2015). Government Policies on Small Scale Poultry Business and Environmental Health in Indonesia. *Indonesian Bulletin of Animal and Veterinary Sciences*, 25(2), 95–105. <https://doi.org/10.14334/wartazoa.v25i2.1146>
- Invovet. (2003). Fenomena Meningkatnya Kasus Necrotic Enteritis. *Researchers, Industries, Invovet Ed*, 1–2.
- Ismail, M., Cahyadi, E. R., dan Hardjomidjojo, H. (2019). Manajemen Risiko Penyakit Unggas pada Peternak dan Pedagang Ayam Broiler di Jawa Barat. *MANAJEMEN IKM: Jurnal Manajemen Pengembangan Industri Kecil Menengah*, 14(1), 44–53. <https://doi.org/10.29244/mikm.14.1.44-53>
- Johar, K. (2011). *Fundamentals of Laser Dentistry, 1st* (1st ed.). Jaypee Brothers Medical Publishers (P) Ltd. <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>
- Kaldhusdal, M., dan Skjerve, E. (1996). Association between cereal contents in the diet and incidence of necrotic enteritis in broiler chickens in Norway. *Preventive Veterinary Medicine*, 28(1), 1–16. [https://doi.org/10.1016/0167-5877\(96\)01021-5](https://doi.org/10.1016/0167-5877(96)01021-5)
- Kepres. (1990). Keputusan Presiden Nomor 22 Tahun 1990 Tentang Pembinaan Usaha Peternakan Ayam Ras Di Indonesia. *Kementrian Pertanian, 1984*, 1984.
- Kim, G. R., Kang, J., Kwak, J. Y., Chang, J. H., Kim, S. Il, Youk, J. H., Moon, H. J., Kim, M. J., dan Kim, E. K. (2014). Photoacoustic imaging of breast microcalcifications: A preliminary study with 8-gauge core-biopsied breast specimens. *PLoS ONE*, 9(8), 8–10. <https://doi.org/10.1371/journal.pone.0105878>
- Kouris, K., N. M. S. dan D. F. J. (1982). Imaging with ionizing radiations. *Surrey University Press*, 1.
- Kristanto, W. B. R. (2018). Karakterisasi Sistem Citra Tomografi Fotoakustik Dan Aplikasinya Untuk Deteksi Daging Ayam Berformalin. *Universitas Gadjah Mada*, 366737.

- Kurniawan, E. (2017). Sistem Fotoakustik Sederhana Berbasis Laser Dioda dan Mikrofon Condenser untuk Pengukuran Konsentrasi Darah. *Risalah Fisika, 1*(2), 47–51. <https://doi.org/10.35895/rf.v1i2.63>
- LabVIEW. (2003). *LabVIEW User Manual - National Instruments. January*, 1–148.
- Li, X., Yang, T., Li, S., Wang, D., Song, Y., dan Zhang, S. (2016). Raman spectroscopy combined with principal component analysis and k nearest neighbour analysis for non-invasive detection of colon cancer. *Laser Physics, 26*(3), 35702. <https://doi.org/10.1088/1054-660X/26/3/035702>
- Long, J. R. (1973). Necrotic enteritis in broiler chickens. I. A review of the literature and the prevalence of the disease in Ontario. *Canadian Journal of Comparative Medicine, 37*(3), 302–308.
- Lovland, A., dan Kaldhusdal, M. (2001). Severely impaired production performance in broiler flocks with high incidence of *Clostridium perfringens*-associated hepatitis. *Avian Pathology, 30*(1), 73–81. <https://doi.org/10.1080/03079450020023230>
- Lovland, Atle, Kaldhusdal, M., Redhead, K., Skjerve, E., dan Lillehaug, A. (2004). Maternal vaccination against subclinical necrotic enteritis in broilers. *Avian Pathology, 33*(1), 81–90. <https://doi.org/10.1080/0379450310001636255>
- Marco Schwartz, O. M. (2015). Programming Arduino with LabVIEW. In *PACKT Publishing* (1st ed., p. 2015). UK: Packt Publishing Ltd.
- Mcroberts, M. (2010). *TECHNOLOGY IN ACTION Beginning Arduino*.
- Mehrmohammadi, M., Joon Yoon, S., Yeager, D., dan Y. Emelianov, S. (2013). Photoacoustic Imaging for Cancer Detection and Staging. *Current Molecular Imaging, 2*(1), 89–105. <https://doi.org/10.2174/2211555211302010010>
- Mitrayana, Wasono, M.A.J., Ikhsan, M.R. dan Harren, F. J. M. (2010). Deteksi dini penyakit dalam dengan metode noninvasif spektroskopi fotoakustik laser. *Prosiding Seminar Nasional VI SDM Teknologi Nuklir*.
- Mohajerani, P., Kellnberger, S., dan Ntziachristos, V. (2014). Frequency domain optoacoustic tomography using amplitude and phase. *Photoacoustics, 2*(3), 111–118. <https://doi.org/10.1016/j.pacs.2014.06.002>
- Morgan, C. . (1983). Basic Principles of Computed Tomography. *Encyclopedia of Production Engineering*. <https://doi.org/10.1007/978-3-642-35950-7>
- Natalia, Lily dan Priadi, A. (2002). ( The Role of Vaccination Against Coccidiosis to

- Incidence of Clostridial Necrotic Enteritis in Broiler Chicken ). *Seminar Nasional Teknologi Peternakan Dan Veteriner*, 411–416.
- Natalia, Lily dan Priadi, A. (2005). Penggunaan Probiotik untuk Pengendalian Clostridial Necrotic Enteritis pada Ayam Broiler. *Balai Besar Penelitian Veteriner, Bogor*, 10(1. JITV 10(1): 71-78), 71–78.
- Natalia, Lily dan Priadi, A. (2008). Peran Clostridial Necrotic Enteritis dalam Gangguan Pertumbuhan Ayam. *Balai Besar Penelitian Veteriner, Bogor*, 16114(2. JITV 13(1): 52-60.), 52–60.
- Piliang, W.G., dan S. D. A. H. (1991). Fisiologi Nutrisi Volume I. *Departemen Pendidikan Dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Ilmu Hayat IPB*, 1(1), 2–3.
- Polana, A. (2011). Aneka Penyakit pada Ayam dan Cara Mengatasinya. In *AgroMedia Pustaka* (Vol. 1, Issue 1, p. 154).
- Pospiech, M. dan Liu, S. (2004). Semiconductor lasers: physics, dynamics dan applications. *The Art of Scientific Computing, 2nd Ed, December*.
- Schiller LR, J.H. Sellin Diarrhea, Feldman M, Friedman LS, B. L. (2010). Sleisenger and Fordtran’s Gastrointestinal and Liver Disease: Pathophysiology, Diagnosis and Management. *Saunders Elsevier*, 1(1), 86–159.
- Setyono, A. (2010). Hubungan Vaksinasi Koksidiiosis dengan Infeksi Sekunder Clostridium Perfringens Tipe A sebagai Penyebab Enteritis Necroticans Pada Ayam Broiler. *Hemera Zoa*, 76(1), 21–29.
- Shariatmadari, F. (2009). Feeding schedules for broiler chickens. *Worlds Poult*, 65(September), 393–400. <https://doi.org/10.1017/S0043933909000282>
- Silalahi, H. M. (2017). Sistem Citra Fotoakustik Sederhana Berbasis Laser Dioda dan Mikrofon Condenser,. *Skripsi*. <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>
- Singh, S. C., Zeng, H., Guo, C., dan Cai, W. (2012). Lasers: Fundamentals, Types, and Operations. *Nanomaterials: Processing and Characterization with Lasers*, 1–34. <https://doi.org/10.1002/9783527646821.ch1>
- Sitompul, S. A., Sjoefjan, O., dan Djunaidi, I. H. (2016). Pengaruh Beberapa Jenis Pakan Komersial terhadap Kinerja Produksi Kuantitatif dan Kualitatif Ayam Broiler. *Buletin Peternakan*, 40(3), 187.

<https://doi.org/10.21059/buletinpeternak.v40i3.11622>

- Solomon, C., dan Breckon, T. (2011). *Fundamentals of Digital Image Processing: A Practical Approach with Examples in Matlab. Canterbury, United Kingdom: A John Wiley dan Sons, Ltd.*, 1–328. <https://doi.org/10.1002/9780470689776>
- Sun, X., McElroy, A., Webb, K. E., Sefton, A. E., dan Novak, C. (2004). Broiler performance and intestinal alterations when fed drug-free diets. *Poultry Science*, *84*(8), 1294–1302. <https://doi.org/10.1093/ps/84.8.1294>
- Suparta, G. B. (2000). *Focusing Computed Tomography. 15th World Conference on Nondestructive Testing.* <https://www.ndt.net/article/wcndt00/papers/idn143/idn143.htm>
- Suprijatna. (2008). *Ilmu Dasar Ternak Unggas Penebar Swadaya* (U. Press (ed.)). Gramedia.
- Syahyuti. (2012). Kelemahan Konsep dan Pendekatan dalam Pengembangan Organisasi Petani: Analisis Kritis terhadap Permentan No. 273 Tahun 2007. *Analisis Kebijakan Pertanian*, *10*(2), 119. <https://doi.org/10.21082/akp.v10n2.2012.119-142>
- Takeda, T., Fukata, T., Miyamoto, T., Sasai, K., Baba, E., dan Arakawa, A. (1995). The Effects of Dietary Lactose and Rye on Cecal Colonization of *Clostridium perfringens* in Chicks. *American Association of Avian Pathologists Stable*, *39*(2), 375–381.
- Tang, W., Yang, Z., Wang, S., Wang, Z., Song, J., Yu, G., Fan, W., Dai, Y., Wang, J., Shan, L., Niu, G., Fan, Q., dan Chen, X. (2018). Organic Semiconducting Photoacoustic Nanodroplets for Laser-Activatable Ultrasound Imaging and Combinational Cancer Therapy. *ACS Nano*, *12*(3), 2610–2622. <https://doi.org/10.1021/acsnano.7b08628>
- Taruttis, A., dan Ntziachristos, V. (2015). imaging and its applications. *Nature Photonics*, *9*(April), 219–227. <https://doi.org/10.1038/nphoton.2015.29>
- Timbermont, L., Haesebrouck, F., Ducatelle, R., dan Van Immerseel, F. (2011). Necrotic enteritis in broilers: An updated review on the pathogenesis. *Avian Pathology*, *40*(4), 341–347. <https://doi.org/10.1080/03079457.2011.590967>
- Upputuri, P. K., dan Pramanik, M. (2017). Dynamic in vivo imaging of small animal brain using pulsed laser diode-based photoacoustic tomography system. *Journal of Biomedical Optics*, *22*(09), 1. <https://doi.org/10.1117/1.jbo.22.9.090501>

- Veingerov, M. L. (1938). " New Method of Gas Analysis Based on Acoustic Effect " Detection of the Photoacoustic effect Applications. *Dokl. Akad. Nauk SSSR*, 14(1), 19: 687.
- Wang, Lidai, Li, G., Xia, J., dan Wang, L. V. (2015). Ultrasonic-heating-encoded photoacoustic tomography with virtually augmented detection view. *Optica Society of Amerika*, 2(4), 307. <https://doi.org/10.1364/optica.2.000307>
- Wang, L. V., Xu, M., dan Ku, G. (2001). Microwave-induced thermoacoustic tomography using multi-sector scanning. *Medical Physics*, 28(9), 1958–1963. <https://doi.org/10.1118/1.1395037>
- Wang, Lihong V., Wang, X., Pang, Y., Ku, G., Xie, X., dan Stoica, G. (2003). Noninvasive laser-induced photoacoustic tomography for structural and functional in vivo imaging of the brain. *Nature Biotechnology*, 21(7), 803–806. <https://doi.org/10.1038/nbt839>
- Wang, Lihong V., Zhao, X., Sun, H., dan Ku, G. (1999). Microwave-induced acoustic imaging of biological tissues. *Review of Scientific Instruments*, 70(9), 3744–3748. <https://doi.org/10.1063/1.1149986>
- Warsito. (2005). Review : Komputasi Tomografi dan Aplikasinya dalam Proses Industri. *Prosiding Semiloka Teknologi Simulasi Dan Komputasi Serta Aplikasi*, 1–11.
- Wibawa, H., Karo-Karo, D., Pribadi, E. S., Bouma, A., Bodewes, R., Vernooij, H., Diyantoro, Sugama, A., Muljono, D. H., Koch, G., Tjatur Rasa, F. S., dan Stegeman, A. (2018). Exploring contacts facilitating transmission of influenza A(H5N1) virus between poultry farms in West Java, Indonesia: A major role for backyard farms? *Preventive Veterinary Medicine*, 156(March), 8–15. <https://doi.org/10.1016/j.prevetmed.2018.04.008>
- Widyaningrum, R., Agustina, D., Mudjosemedi, M., dan Mitrayana. (2018). Photoacoustic for oral soft tissue imaging based on intensity modulated continuous-wave diode laser. *International Journal on Advanced Science, Engineering and Information Technology*, 8(2), 622–627. <https://doi.org/10.18517/ijaseit.8.2.2383>
- Xia, J., Yao, J., dan Wang, L. V. (2014). Photoacoustic tomography: Principles and advances. *Progress in Electromagnetics Research*, 147, 1–22. <https://doi.org/10.2528/PIER14032303>
- Xu, M., dan Wang, L. V. (2006). Photoacoustic imaging in biomedicine. *Review of*



**SISTEM CITRA TOMOGRAFI FOTOAKUSTIK BERBASIS LASER DIODA DAN MIKROFON  
KONDENSER UNTUK MENGANALISA  
USUS AYAM SEHAT SERTA SAKIT**  
ARTA BAYTI BONITA, Dr. Moh. Ali Joko Wasono, M.S ; Dr. Mitrayana, S.Si., M. Si  
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

*Scientific Instruments*, 77(4). <https://doi.org/10.1063/1.2195024>