

## DAFTAR PUSTAKA

- Achermann, Y., Goldstein, E. J. C., Coenye, T., & Shirtliff, M. E. (2014). Propionibacterium acnes: from Commensal to Opportunistic Biofilm- Associated Implant Pathogen. *Clinical Microbiology Reviews*, 27(3), 419–440.
- Agak, G. W., Qin, M., Nobe, J., Kim, M.-H., Krutzik, S. R., Tristan, G. R., Elashoff, D., Garbán, H. J., & Kim, J. (2014). Propionibacterium acnes induces an interleukin-17 response in acne vulgaris that is regulated by vitamin A and vitamin D. *J Invest Dermatol*, 134(2), 366–373.
- Agnew, T., Furber, G., Leach, M., & Segal, B. (2016). A Comprehensive Critique and Review of Published Measures of Acne Severity. *J Clin Aesthet Dermatol*, 9(7), 40–52.
- Ajabnoor, G. M., Bahijri, S., Borai, A., Abdulkhaliq, A. A., Al-Aama, J. Y., & Chrousos, G. P. (2014). Health Impact of Fasting in Saudi Arabia during Ramadan: Association with Disturbed Circadian Rhythm and Metabolic and Sleeping Patterns. *PLoS ONE*, 9(5), e96500. <https://doi.org/10.1371/journal.pone.0096500>
- Aksungar, F. B., Topkaya, A. E., & Akyildiz, M. (2007). Interleukin-6, C-Reactive Protein and Biochemical Parameters during Prolonged Intermittent Fasting. *Annals of Nutrition and Metabolism*, 51(1), 88–95. <https://doi.org/10.1159/000100954>
- Arora, M. K., Yadav, A., & Saini, V. (2011). Role of hormones in acne vulgaris. *Clinical Biochemistry*, 44(13), 1035–1040. <https://doi.org/10.1016/j.clinbiochem.2011.06.984>
- Axelsson, J., Ingre, M., Åkerstedt, T., & Holmback, U. (2005). Effects of Acutely Displaced Sleep on Testosterone. *The Journal of Clinical Endocrinology & Metabolism*, 90(8), 4530–4535.
- BaHammam, A., Alrajeh, M., Albabtain, M., Bahammam, S., & Sharif, M. (2010). Circadian pattern of sleep, energy expenditure, and body temperature of young healthy men during the intermittent fasting of Ramadan. *Appetite*, 54(2), 426–429. <https://doi.org/10.1016/j.appet.2010.01.011>
- BaHammam, A. S., Almushailhi, K., Pandi-Perumal, S. R., & Sharif, M. M. (2014). Intermittent fasting during Ramadan: does it affect sleep? *Journal of Sleep Research*, 23(1), 35–43. <https://doi.org/10.1111/jsr.12076>
- Bahijri, S., Borai, A., Ajabnoor, G., Abdul Khaliq, A., AlQassas, I., Al-Shehri, D., & Chrousos, G. (2013). Relative Metabolic Stability, but Disrupted Circadian Cortisol Secretion during the Fasting Month of Ramadan. *PLoS ONE*, 8(4), e60917. <https://doi.org/10.1371/journal.pone.0060917>

- Bakhotmah, B. A. (2011). The puzzle of self-reported weight gain in a month of fasting (Ramadan) among a cohort of Saudi families in Jeddah, Western Saudi Arabia. *Nutrition Journal*, *10*(84).
- Bakry, O. A., El Shazly, R. M. A., El Farargy, S. M., & Kotb, D. (2014, November). *Role of hormones and blood lipids in the pathogenesis of acne vulgaris in non-obese, non-hirsute females*. *Indian Dermatology Online Journal*. <https://doi.org/10.4103/2229-5178.144506>
- Barnes, L. E., Levender, M. M., Fleischer, A. B., & Feldman, S. R. (2012). Quality of Life Measures for Acne Patients. *Dermatologic Clinics*, *30*(2), 293–300. <https://doi.org/10.1016/j.det.2011.11.001>
- Barrett, K. E., Barman, S. M., Boitano, S., & Brooks, H. L. (2012). *Ganong's Review of Medical Physiology* (24th ed.). McGraw-Hill.
- Ben-Amitai, D., & Laron, Z. (2011). Effect of insulin-like growth factor-1 deficiency or administration on the occurrence of acne. *Journal Of The European Academy Of Dermatology And Venereology: JEADV*, *25*(8), 950–954. <https://doi.org/10.1111/j.1468-3083.2010.03896.x>
- Beylot, C., Auffret, N., Poli, F., Claudel, J.-P., Leccia, M.-T., Del Giudice, P., & Dreno, B. (2014). Propionibacterium acnes: an update on its role in the pathogenesis of acne. *Journal Of The European Academy Of Dermatology And Venereology: JEADV*, *28*(3), 271–278. <https://doi.org/10.1111/jdv.12224>
- Bhate, K., & Williams, H. C. (2013). Epidemiology of acne vulgaris. *The British Journal Of Dermatology*, *168*(3), 474–485. <https://doi.org/10.1111/bjd.12149>
- Bilgiç Ö, Bilgiç A, & Altinyazar HC. (2016). Relationship between sleep quality and facial sebum levels in women with acne vulgaris. *Indian Journal of Dermatology, Venereology, and Leprology*, *82*(3), 313–314.
- Bissonnette, R., Risch, J. E., McElwee, K. J., Marchessault, P., Bolduc, C., Nigen, S., & Maari, C. (2015). Changes in serum free testosterone, sleep patterns, and 5-alpha-reductase type I activity influence changes in sebum excretion in female subjects. *Skin Research and Technology*, *21*(1), 47–53. <https://doi.org/10.1111/srt.12155>
- Bogdan, A., Bouchareb, B., & Touitou, Y. (2001). Ramadan fasting alters endocrine and neuroendocrine circadian patterns. Meal–time as a synchronizer in humans? *Life Sciences*, *68*(14), 1607–1615. [https://doi.org/10.1016/S0024-3205\(01\)00966-3](https://doi.org/10.1016/S0024-3205(01)00966-3)
- Bouhleb, E., Zaouali, M., Miled, A., Tabka, Z., Bigard, X., & Shephard, R. (2008). Ramadan Fasting and the GH/IGF-1 Axis of Trained Men during Submaximal Exercise. *Annals of Nutrition and Metabolism*, *52*(4), 261–266. <https://doi.org/10.1159/000140517>

- Bouhlel, E., Zaouali, M., Miled, A., Tabka, Z., & Shephard, R. (2008). Ramadan fastings effect on plasma leptin, adiponectin concentrations, and body composition in trained young men. *Int J Sport Nutr Exerc Metab*, 18(6), 617–627.
- Brown, S. A. (2016). Circadian Metabolism: From Mechanisms to Metabolomics and Medicine. *Trends in Endocrinology and Metabolism*, 27(6), 415–426. <https://doi.org/10.1016/j.tem.2016.03.015>
- Burkhart, C. G., & Burkhart, C. N. (2007). Expanding the microcomedone theory and acne therapeutics: Propionibacterium acnes biofilm produces biological glue that holds corneocytes together to form plug. *Journal of the American Academy of Dermatology*, 57(4), 722–724. <https://doi.org/10.1016/j.jaad.2007.05.013>
- Burris, J., Rietkerk, W., & Woolf, K. (2013). Acne: The Role of Medical Nutrition Therapy. *Journal of the Academy of Nutrition and Dietetics*, 113(3), 416–430. <https://doi.org/10.1016/j.jand.2012.11.016>
- Buyse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. *Psychiatry Research*, 28(2), 193–213.
- Cağlayan, E., Göçmen, A., & Delibas, N. (2014). Effects of long-term fasting on female hormone levels: Ramadan model. *Clin Exp Obstet Gynecol*, 41(1), 17–19.
- Celik, A., Saricicek, E., Saricicek, V., Sahin, E., Ozdemir, G., Bozkurt, S., Okumus, M., Sucakli, M., Cikim, G., Coskun, Y., Deniz, M., Dogan, E., & Klinc, M. (2014). Effect of Ramadan fasting on serum concentration of apelin-13 and new obesity indices in healthy adult men. *Med Sci Monit*, 20, 337–342.
- Çerman, A. A., Aktaş, E., Altunay, I. K., Arici, J. E., Tulunay, A., Ozturk, F. Y., Aslı Aksu Çerman, Ezgi Aktas, Ilknur Kıvanc Altunay, Janset Erkul Arıcı, Aysin Tulunay, & Feyza Yener Ozturk. (2016). Dietary glycemic factors, insulin resistance, and adiponectin levels in acne vulgaris. *Journal of American Academy of Dermatology*, 75(1), 155–162. <https://doi.org/10.1016/j.jaad.2016.02.1220>
- Chen, W.-C., & Zouboulis, C. C. (2009). Hormones and the pilosebaceous unit. *Dermato-Endocrinology*, 1(2), 81–86.
- Chennaoui, M., Desgorces, F., Drogou, C., Boudjema, B., Tomaszewski, A., Depiesse, F., Burnat, P., Chalabi, H., & Gomez-Merino, D. (2009). Effects of Ramadan fasting on physical performance and metabolic, hormonal, and inflammatory parameters in middle-distance runners. *Appl Physiol Nutr Metab*, 34(4), 587–594.
- Christos C. Zouboulis, Markus Böhm, Zouboulis, C. C., & Böhm, M. (2004). Neuroendocrine regulation of sebocytes – a pathogenetic link between stress and acne. *Experimental Dermatology*, 13 (Suppl.(10), 31–35. <https://doi.org/10.1111/j.1600-0625.2004.00254.x>

- Clarys, P., & Barel, A. (1995). Quantitative evaluation of skin surface lipids. *Clinics in Dermatology*, 13, 307–321.
- Clemmons, D. R. (2007). Modifying IGF1 activity: an approach to treat endocrine disorders, atherosclerosis and cancer. *Nature Reviews Drug Discovery*, 6(10), 821–833. <https://doi.org/10.1038/nrd2359>
- Costanzo, L. S. (2014). *Physiology* (Fifth edit). Saunders - Elsevier Inc.
- Craig, P., Katikireddi, S. V., Leyland, A., & Popham, F. (2017). Natural Experiments: An Overview of Methods, Approaches, and Contributions to Public Health Intervention Research. In *Annual Review of Public Health* (Vol. 38, pp. 39–56). Annual Reviews Inc. <https://doi.org/10.1146/annurev-publhealth-031816-044327>
- Danby, F. W. (2015). *Acne: Causes and practical management*. Wiley - Blackwell.
- Di Landro, A., Cazzaniga, S., Parazzini, F., Ingordo, V., Cusano, F., Atzori, L., Cutrì, F. T., Musumeci, M. L., Zinetti, C., Pezzarossa, E., Bettoli, V., Caproni, M., Lo Scocco, G., Bonci, A., Bencini, P., & Naldi, L. (2012). Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. *Journal of the American Academy of Dermatology*, 67(6), 1129–1135. <https://doi.org/10.1016/j.jaad.2012.02.018>
- Dreno, B., Poli, F., Pawin, H., Beylot, C., Faure, M., Chivot, M., Auffret, N., Moyse, D., Ballanger, F., & Revuz, J. (2011). Development and evaluation of a Global Acne Severity Scale (GEA Scale) suitable for France and Europe. *J Eur Acad Dermatol Venereol*, 25, 43–48.
- Ehsani, A. H., Mortazavi, H., Noormohammadpour, P., Azizpour, A., Rostami, S., & Nasimi, M. (2016). Impact of Ramadan fasting on acne improvement. *Dermatology and Cosmetic*, 7(2), 81–86.
- Faraut, B., Boudjeltia, K. Z., Dyzma, M., Rousseau, A., David, E., Stenuit, P., Franck, T., Van Antwerpen, P., Vanhaeverbeek, M., & Kerkhofs, M. (2011). Benefits of napping and an extended duration of recovery sleep on alertness and immune cells after acute sleep restriction. *Brain, Behavior, and Immunity*, 25, 16–24. <https://doi.org/10.1016/j.bbi.2010.08.001>
- Faris, “Mo’ez Al-Islam” E., Kacimi, S., Al-Kurd, R. A., Fararjeh, M. A., Bustanji, Y. K., Mohammad, M. K., & Salem, M. L. (2012). Intermittent fasting during Ramadan attenuates proinflammatory cytokines and immune cells in healthy subjects. *Nutrition Research*, 32(12), 947–955. <https://doi.org/10.1016/j.nutres.2012.06.021>
- Farooq, A., Herrera, C. P., Almudahka, F., & Mansour, R. (2015). A Prospective Study of the Physiological and Neurobehavioral Effects of Ramadan Fasting in Preteen and Teenage Boys. *Journal of the Academy of Nutrition and Dietetics*, 115(6), 889–897. <https://doi.org/10.1016/j.jand.2015.02.012>

- Fawzi, M., Fawzi, M., Said, N., Faouad, A., & Abdel-Moety, H. (2015). Effect of Ramadan fasting on anthropometric, metabolic, inflammatory and psychopathology status of Egyptian male patients with schizophrenia. *Psychiatry Research*, 225(3), 501–508.
- Fedail, S., Murphy, D., Salih, S., Bolton, C., & Harvey, R. (1982). Changes in certain blood constituents during Ramadan. *Am J Clin Nutr*, 36(2), 350–353.
- Fiedler, F., Stangl, G. I., Fiedler, E., & Taube, K.-M. (2017). Acne and Nutrition: A Systematic Review. *Acta Derm Venereol*, 97, 7–9.
- Fitz-Gibbon, S., Tomida, S., Chiu, B.-H., Nguyen, L., Du, C., Liu, M., Elashoff, D., Erfe, M. C., Loncaric, A., Kim, J., Modlin, R. L., Miller, J. F., Sodergren, E., Craft, N., Weinstock, G. M., & Li, H. (2013). Propionibacterium acnes strain populations in the human skin microbiome associated with acne. *The Journal Of Investigative Dermatology*, 133(9), 2295–2297. <https://doi.org/10.1038/jid.2013.275>
- Handelsman, D. J. (2016). Androgen Physiology, Pharmacology, and Abuse. In J. L. Jameson, L. J. De Groot, D. M. De Kretser, L. C. Giudice, A. B. Grossman, S. Melmed, J. T. Potts, & G. C. Weir (Eds.), *Endocrinology: Adult and Pediatric* (Seventh ed). Saunders-Elsevier.
- Haouari M, Haouari F, Mbazaa A, & Nagati K. (1998). Physiological evaluation of serum glucose, insulin, total protein and cortisol levels in healthy fasting volunteers. *Practical Diabetes International Supplement*, 15(1), S3–S4.
- Haouari-Oukerro, F., Ben-Attia, M., Kaâbachi, N., & Haouari, M. (2013). Ramadan fasting influences on food intake consumption, sleep schedule, body weight and some plasma parameters in healthy fasting volunteers. *African Journal of Biotechnology*, 12(21), 3327–3332. <https://doi.org/10.5897/AJB11.635>
- Hidayati, N., Oktavriana, T., Winarni, D. R. A., & Etnawati, K. (2012). Hubungan antara derajat keparahan akne dan kualitas hidup di Poliklinik Kulit dan Kelamin RSUP Dr. Sardjito Yogyakarta. *Media Dermato-Venereologica Indonesiana*, 39 Suppl., 15S-18S.
- Holly, J. M. P., & Perks, C. M. (2012). Insulin-Like Growth Factor Physiology. What we have Learned from Human Studies. *Endocrinology and Metabolism Clinics of North America*, 41(2), 249–263. <https://doi.org/10.1016/j.ecl.2012.04.009>
- Ingham, E., Eady, E. A., Goodwin, C. E., Cove, J. H., & Cunliffe, W. J. (1992). Pro-inflammatory levels of Interleukin-1a like bioactivity are present in the majority of open comedones in acne vulgaris. *J Invest Dermatol*, 98, 895–901.
- Insel, P., Ross, D., McMahon, K., & Bernstein, M. (2017). *Nutrition* (Sixth edit). Jones & Bartlett Learning.

- Iraki, L., Bogdan, A., Hakkou, F., Amrani, N., Abkari, A., & Touitou, Y. (1997). Ramadan Diet Restrictions Modify the Circadian Time Structure in Humans. A Study on Plasma Gastrin, Insulin, Glucose, and Calcium and on Gastric pH. *J Clin Endocrinol Metab*, 82(4), 1261–1273.
- Isard, O., Knol, A. C., Ariès, M. F., Nguyen, J. M., Khammari, A., Castex-Rizzi, N., & Dréno, B. (2011). Propionibacterium acnes activates the IGF-1/IGF-1R system in the epidermis and induces keratinocyte proliferation. *The Journal Of Investigative Dermatology*, 131(1), 59–66. <https://doi.org/10.1038/jid.2010.281>
- Ismail, N. H., Manaf, Z. A., & Azizan, N. Z. (2012). High glycemic load diet, milk and ice cream consumption are related to acne vulgaris in Malaysian young adults: a case control study. *BMC Dermatology*, 12(13), 1–8.
- Janiczek-Dolphin, N., Cook, J., Thiboutot, D., Harness, J., & Clucas, A. (2010). Can sebum reduction predict acne outcome? *The British Journal Of Dermatology*, 163(4), 683–688. <https://doi.org/10.1111/j.1365-2133.2010.09878.x>
- Jasson, F., Nagy, I., Knol, A. C., Zuliani, T., Khammari, A., & Dréno, B. (2013). Different strains of Propionibacterium acnes modulate differently the cutaneous innate immunity. *Experimental Dermatology*, 22(9), 587–592. <https://doi.org/10.1111/exd.12206>
- Jeremy, A. H. T., Holland, D. B., Roberts, S. G., Thomson, K. F., & Cunliffe, W. B. (2003). Inflammatory Events Are Involved in Acne Lesion Initiation. *J Invest Dermatol*, 121, 20–27.
- Johnson, T., Kang, D., Barnard, E., & Li, H. (2016). Strain-Level Differences in Porphyrin Production and Regulation in Propionibacterium acnes Elucidate Disease Associations. *Molecular Biology and Physiology*, 1(1), e00023-15.
- Ju, Q., Tao, T., Hu, T., Serap, A., Karadag, Al-Khuzaei, S., & Che, W. (2017). Sex hormones and Acne. *Clinics in Dermatology*, 35, 130–137.
- Kassab, S., Abdul-Ghaffar, T., Nagalla, D., Sachdeva, U., & Nayar, U. (2003). Serum leptin and insulin levels during chronic diurnal fasting. *Asia Pacific Journal of Clinical Nutrition*, 12(4), 483–487.
- Kaymak, Y., Adisen, E., Iltter, N., Bideci, A., Gurler, D., & Celik, B. (2007). Dietary glycemic index and glucose, insulin, insulin-like growth factor-I, insulin-like growth factor binding protein 3, and leptin levels in patients with acne. *Journal of the American Academy of Dermatology*, 57(5), 819–823. <https://doi.org/10.1016/j.jaad.2007.06.028>
- Khafaji, H., Bener, A., Osman, M., Al Merri, A., & Al Suwaidi, J. (2012). The impact of diurnal fasting during Ramadan on the lipid profile, hs-CRP, and serum leptin in stable cardiac patients. *Vasc Health Risk Manag*, 8, 7–14.

- Kim, H., Moon, S. Y., Sohn, M. Y., & Lee, W. J. (2017). Insulin-Like Growth Factor-1 Increases the Expression of Inflammatory Biomarkers and Sebum Production in Cultured Sebocytes. *Ann Dermatol*, 29(1), 20–25.
- Krystala, A. D., & Edinger, J. D. (2008). Measuring sleep quality. *Sleep Medicine, 9 Suppl. 1*, S10–S17.
- Kwon, H., Yoon, J., Hong, J., Jung, J., Park, M., & Suh, D. (2012). Clinical and Histological Effect of a Low Glycaemic Load Diet in Treatment of Acne Vulgaris in Korean Patients: A Randomized, Controlled Trial. *Acta Dermato Venereologica*, 92(3), 241–246. <https://doi.org/10.2340/00015555-1346>
- Laajam, M. (1990). Ramadan fasting and non-insulin-dependent diabetes: effect on metabolic control. *East Afr Med J*, 67(10), 732–736.
- Lai, J.-J., Chang, P., Lai, K.-P., Chen, L., & Chang, C. (2012). The role of androgen and androgen receptor in the skin-related disorders. *Arch Dermatol Res*, 304(7), 499–510.
- LaRosa, C. L., Quach, K. A., Koons, K., Kunselman, A. R., Zhu, J., Thiboutot, D. M., & Zaenglein, A. L. (2016). Consumption of dairy in teenagers with and without acne. *Journal of the American Academy of Dermatology*, 75(2), 318–322. <https://doi.org/10.1016/j.jaad.2016.04.030>
- Laway, B. A., & Ashraf, H. (2015). Basic rules of Ramadan: A medico-religious perspective. *JPMA. The Journal of the Pakistan Medical Association*, 65(5 Suppl 1), S14–7.
- Le Fur, I., Reinberg, A., Lopez, S., Morizot, F., Mechkouri, M., & Tschachler, E. (2001). Analysis of Circadian and Ultradian Rhythms of Skin Surface Properties of Face and Forearm of Healthy Women. *J Invest Dermatol*, 117, 718–724.
- Leiper, J. B., Molla, A. M., & Molla, A. M. (2003). Effects on health of fluid restriction during fasting in Ramadan. *European Journal of Clinical Nutrition*, 57, S30–S38. <https://doi.org/10.1038/sj.ejcn.1601899>
- Li, X., He, C., Chen, Z., Zhou, C., Gan, Y., & Jia, Y. (2017). A review of the role of sebum in the mechanism of acne pathogenesis. *J Cosmet Dermatol.*, 16, 168–173. <https://doi.org/10.1111/jocd.12345>
- Logan, A. C. (2007). Dietary fat, fiber, and acne vulgaris. *J Am Acad Dermatol*, 57(6), 1092–1093.
- Longo, V. D., & Mattson, M. P. (2014). Fasting: Molecular Mechanisms and Clinical Applications. *Cell Metabolism*, 19(2), 181–192. <https://doi.org/10.1016/j.cmet.2013.12.008>

- Lynn, D., Umari, T., Dunnick, C., & Dellavalle, R. (2016). The epidemiology of acne vulgaris in late adolescence. *Adolescent Health*, 2016, 13–25. <https://doi.org/10.2147/AHMT.S55832>
- Makino, S., Fujiwara, M., Handa, H., Fujie, T., Aoki, Y., Hashimoto, K., Terada, Y., & Sugimoto, T. (2012). Plasma dehydroepiandrosterone sulphate and insulin-like growth factor I levels in obstructive sleep apnoea syndrome. *Clinical Endocrinology*, 76, 593–601. <https://doi.org/doi:10.1111/j.1365-2265.2011.04237.x>
- Mansi, K., & Amneh, M. (2007). Impact of Ramadan fasting on metabolism and on serum levels of some hormones among healthy Jordanian students. *Journal of Medical Sciences*, 7(5), 755–761.
- Mathew, S., Krug, S., Skurk, T., Halama, A., Stank, A., Artati, A., Prehn, C., Malek, J. A., Kastenmüller, G., Römisch-Margl, W., Adamski, J., Hauner, H., Suhre, K., others, & by Suhre K., Krug S., Skurk T., Halama A., Stank A., Artati A., Prehn C., Malek J.A., Kastenmuller G., Romisch-Margl W., Adamski J., H. H. (2014). Metabolomics of Ramadan fasting: an opportunity for the controlled study of physiological responses to food intake. *Journal of Translational Medicine*, 12(1), 161. <https://doi.org/10.1186/1479-5876-12-161>
- Matsui, M. S., Pelle, E., Dong, K., & Pernodet, N. (2016). Biological rhythms in the skin. *International Journal of Molecular Sciences*, 17(6), 1–15. <https://doi.org/10.3390/ijms17060801>
- McGuire, M., & Beerman, K. A. (2011). *Nutritional Sciences: From Fundamentals to Foods* (Second edi). Wadsworth Cengage Learning.
- McNeil, J., Mamlouk, M., Duval, K., Schwarz, A., Nardo Junior, N., & Doucet, E. (2014). Alterations in Metabolic Profile Occur in Normal-Weight and Obese Men during the Ramadan Fast Despite No Changes in Anthropometry. *Journal of Obesity*, 482547, 1–9.
- Meida, N. S., Ismadi, S. D., & Asj'ari, S. R. (2002). Parameter Biokimia dan Beberapa Parameter Antropometrik Tubuh Keadaan Tidak Puasa dan Puasa Ramadhan. *Sains Kesehatan*, XV(3), 331–340.
- Melnik, B. C. (2015a). Milk—a nutrient system of mammalian evolution promoting mTORC1-dependent translation. *International Journal of Molecular Sciences*, 16(8), 17048–17087. <https://doi.org/10.3390/ijms160817048>
- Melnik, B. C. (2015b). Linking diet to acne metabolomics, inflammation, and comedogenesis: an update. *Clinical, Cosmetic and Investigational Dermatology*, 8, 371–388. <https://doi.org/10.2147/CCID.S69135>

- Melnik, B. C., & Zouboulis, C. C. (2013). Potential role of FoxO1 and mTORC1 in the pathogenesis of Western diet-induced acne. *Experimental Dermatology*, 22(5), 311–315. <https://doi.org/10.1111/exd.12142>
- Mesbahzadeh, B., Ghiravani, Z., & Mehrjoofard, H. (2005). Effect of Ramadan fasting on secretion of sex hormones in healthy single males. *Eastern Mediterranean Health Journal*, 11(5/6), 1120–1123.
- M'guill, M., Ragala, M., El Guessabi, L., Fellat, S., Chraibi, A., Chabraoui, L., Israili, Z., & Lyoussi, B. (2008). Is Ramadan fasting safe in type 2 diabetic patients in view of the lack of significant effect of fasting on clinical and biochemical parameters, blood pressure, and glycemic control? *Clin Exp Hypertens*, 30(5), 339–357.
- Mihić, L. L., Mihatović, D., & Šitum, M. (2019). Psychoneuroimmunology and Skin Diseases. *RAD CASA - Medical Sciences*, 537, 25–36. <https://doi.org/10.21857/y6z0lb817m>
- Molina, P. E. (2013). *Endocrine Physiology* (Fourth edi). McGraw-Hill.
- Monnier, L., El Azrak, A., Lessan, N., Rochd, D., Colette, C., & Bonnet, F. (2015). Ramadan and diabetes: What we see, learn and understand from continuous glucose monitoring. *Diabetes & Metabolism*, 41, 456–462.
- Morgan, D., & Tsai, S. C. (2015). Sleep and the Endocrine System. *Critical Care Clinics*, 31(3), 403–418. <https://doi.org/10.1016/j.ccc.2015.03.004>
- Morris, C. J., Aeschbach, D., & Scheer, F. A. J. L. (2012). Circadian system, sleep and endocrinology. *Molecular and Cellular Endocrinology*, 349(1), 91–104. <https://doi.org/10.1016/j.mce.2011.09.003>
- Myers, T. R., & Goldhamer, A. (2021). Fasting. In J. E. Pizzorno & M. T. Murray (Eds.), *Textbook of Natural Medicine* (Fifth edit, pp. 293–299). Elsevier.
- Nagy, I., Pivarcsi, A., Kis, K., Koreck, A., Bodai, L., McDowell, A., Seltmann, H., Patrick, S., Zouboulis, C. C., & Kemény, L. (2006). Propionibacterium acnes and lipopolysaccharide induce the expression of antimicrobial peptides and proinflammatory cytokines/chemokines in human sebocytes. *Microbes and Infection*, 8(8), 2195–2205. <https://doi.org/10.1016/j.micinf.2006.04.001>
- Nematy, M., Alinezhad-Namaghi, M., Rashed, M., Mozdehifard, M., Sajjadi, S., Akhlaghi, S., Sabery, M., Mohajeri, S., Shalae, N., Moohebaty, M., & Norouzy, A. (2012). Effects of Ramadan fasting on cardiovascular risk factors: a prospective observational study. *Nutrition Journal*, 11, 69.
- Norouzy, A., Mohajeri, S., Shakeri, S., Yari, F., Sabery, M., Philippou, E., Varasteh, A., & Nematy, M. (2012). Effect of Ramadan fasting on glycemic control in patients with Type 2 diabetes. *J Endocrinol Invest*, 35(8), 766–771.

- Norouzy, A., Salehi, M., Philippou, E., Arabi, H., Shiva, F., Mehrnoosh, S., Mohajeri, S. M. R., Mohajeri, S. A. R. ., Larijani, A. M., & Nematy, M. (2013). Effect of fasting in Ramadan on body composition and nutritional intake: a prospective study. *Journal of Human Nutrition and Dietetics*, 26, 97–104. <https://doi.org/10.1111/jhn.12042>
- Orion, E., & Wolf, R. (2014). Psychologic consequences of facial dermatoses. *Clinics in Dermatology*, 32(6), 767–771. <https://doi.org/10.1016/j.clindermatol.2014.02.016>
- Ottaviani, M., Camera, E., & Picardo, M. (2010). Lipid mediators in acne. *Mediators Of Inflammation*, 2010. <https://doi.org/10.1155/2010/858176>
- Panjaitan, R. R., Tala, Z. Z., & Jusuf, N. K. (2011). Hubungan antara indeks glikemik dan beban glikemik dengan Insulin-like Growth Factor-1 pada pasien akne vulgaris. *Media Dermato-Venereologica Indonesiana*, 38 Supleme, 7S-13S.
- Pappas, A., Johnsen, S., Liu, J.-C., & Eisinger, M. (2009). Sebum analysis of individuals with and without acne. *Dermato-Endocrinology*, 1(3), 157–161. <https://doi.org/10.4161/derm.1.3.8473>
- Pappas, A., Liu, J. C., Eisinger, M., & Johnsen, S. (2009). Sebum analyses of unaffected and acne-affected individuals. *Journal of American Academy of Dermatology*, 60(3).
- Pascoe, V. L., Enamandram, M., Corey, K. C., Cheng, C. E., Javorsky, E. J., Sung, S. M., Donahue, K. R., & Kimball, A. B. (2015). Using the Physician Global Assessment in a Clinical Setting to Measure and Track Patient Outcomes. *JAMA Dermatol*, 15(4), 375–381.
- Patterson, R. E., Laughlin, G. A., LaCroix, A. Z., Hartman, S. J., Natarajan, L., Senger, C. M., Martínez, M. E., Villaseñor, A., Sears, D. D., Marinac, C. R., & Gallo, L. C. (2015). Intermittent Fasting and Human Metabolic Health. *Journal of the Academy of Nutrition and Dietetics*, 115(8), 1203–1212. <https://doi.org/10.1016/j.jand.2015.02.018>
- Picardi, A., Lega, I., & Tarolla, E. (2013). Suicide risk in skin disorders. *Clinics in Dermatology*, 31(1), 47–56. <https://doi.org/10.1016/j.clindermatol.2011.11.006>
- Pontes, T. de C., Filho, G. M. C. F., Trindade, A. de S. P., & Filho, J. F. S. (2013). Incidence of acne vulgaris in young adult users of protein-calorie supplements in the city of João Pessoa – PB. *An Bras Dermatol.*, 88(6), 907–912. <https://doi.org/http://dx.doi.org/10.1590/abd1806-4841.20132024>
- Prentice, A., Prentice, A., Lamb, W., Lunn, P., & Austin, S. (1983). Metabolic consequences of fasting during Ramadan in pregnant and lactating women. *Hum Nutr Clin Nutr*, 37(4), 283–294.

- Purwono, U., & French, D. C. (2016). Depression and its relation to loneliness and religiosity in Indonesian Muslim adolescents. *Mental Health, Religion & Culture*, 19(3), 218–228. <https://doi.org/http://dx.doi.org/10.1080/13674676.2016.1165190>
- Reiches, M., Moore, S., Prentice, A., & Ellison, P. (2014). Endocrine responses, weight change, and energy sparing mechanisms during Ramadan among Gambian adolescent women. *Am J Hum Biol*, 26(3), 395–400.
- Reilly, T., & Waterhouse, J. (2007). Altered sleep–wake cycles and food intake: The Ramadan model. *Physiology & Behavior*, 90(2–3), 219–228. <https://doi.org/10.1016/j.physbeh.2006.09.004>
- Roky, R., Chapotot, F., Hakkou, F., Benchekroun, M. T., & Buguet, A. (2001). Sleep during Ramadan intermittent fasting. *Journal of Sleep Research*, 10(4), 319–327.
- Rosmelia, Setyopranoto, I., Hadi, H., & Wirohadidjojo, Y. W. (2019). The effect of Ramadan fasting on sebum production: association with nutritional intakes and sleeping pattern. *Bangladesh Journal of Medical Science Vol. 18 No. 03 July '19*, 18(3), 546–551.
- Runchey, S. S., Pollak, M. N., Valsta, L. M., Coronado, G. D., Schwarz, Y., Brey Meyer, K. L., Wang, C., Wang, C.-Y., Lampe, J. W., & Neuhaus, M. L. (2012). Glycemic load effect on fasting and post-prandial serum glucose, insulin, IGF-1 and IGF-BP-3 in a randomized, controlled feeding study. *European Journal of Clinical Nutrition*, 66(10), 1146–1152.
- Sadeghirad, B., Motaghipisheh, S., Kolahehdooz, F., Zahedi, M. J., & Haghdooz, A. A. (2012). Islamic fasting and weight loss: a systematic review and meta-analysis. *Public Health Nutrition*, 17(02), 396–406. <https://doi.org/10.1017/S1368980012005046>
- Saiyad, S., Saiyad, M., Patel, U., & Verma, A. (2014). Effect of Ramadan fasting on anthropological and physiological parameters. *NHL Journal of Medical Sciences*, 3(1), 59–62.
- Saleh, B. (2012). Role of growth hormone and insulin-like growth factor-I in hyperandrogenism and the severity of acne vulgaris in young males. *Saudi Med J*, 33(11), 1196–2000.
- Sarwat, A. (2020). *Ramadhan Antara Syariat dan Tradisi*. Rumah Fiqih Publishing.
- Schaller, M., & Plewig, G. (2012). Structure and Function of Eccrine, Apocrine and Sebaceous Glands. In J. L. Bologna, J. L. Jorizzo, J. V. Schaffer, J. P. Callen, L. Cerroni, W. R. Heymann, G. J. George J Hruza, A. J. Mancini, J. W. Patterson, M. Röcken, & T. Schwarz (Eds.), *Dermatology* (Third edit, pp. 539–544). Elsevier-Saunders.

- Schmid, S. M., Hallschmid, M., Jauch-Chara, K., Lehnert, H., & Schultes, B. (2012). Sleep timing may modulate the effect of sleep loss on testosterone. *Clinical Endocrinology*, 77(5), 749–754. <https://doi.org/10.1111/j.1365-2265.2012.04419.x>
- Serup, J., Jemec, G. B. E., & Grove, G. L. (Eds.). (2006). *Handbook of Non-invasive Methods and the Skin* (Second edi). Taylor & Francis.
- Smith, R. N., Braue, A., Varigos, G. A., & Mann, N. J. (2008). The effect of a low glycemic load diet on acne vulgaris and the fatty acid composition of skin surface triglycerides. *Journal of Dermatological Science*, 50(1), 41–52. <https://doi.org/10.1016/j.jdermsci.2007.11.005>
- Smith, R. N., Mann, N. J., Braue, A., Mäkeläinen, H., & Varigos, G. A. (2007). The effect of a high-protein, low glycemic-load diet versus a conventional, high glycemic-load diet on biochemical parameters associated with acne vulgaris: A randomized, investigator-masked, controlled trial. *Journal of the American Academy of Dermatology*, 57(2), 247–256. <https://doi.org/10.1016/j.jaad.2007.01.046>
- Smith, T. M., Cong, Z., Gilliland, K. L., Clawson, G. A., & Thiboutot, D. M. (2006). Insulin-like growth factor-1 induces lipid production in human SEB-1 sebocytes via sterol response element-binding protein-1. *Journal of Investigative Dermatology*, 126(6), 1226–1232.
- Smith, T. M., Gilliland, K., Clawson, G. A., & Thiboutot, D. (2008). IGF-1 induces SREBP-1 expression and lipogenesis in SEB-1 sebocytes via activation of the phosphoinositide 3-kinase/Akt pathway. *Journal of Investigative Dermatology*, 128(5), 1286–1293.
- Stárka, L., Pospíšilová, H., & Hill, M. (2009). Free testosterone and free dihydrotestosterone throughout the life span of men. *Journal of Steroid Biochemistry and Molecular Biology*, 116(1–2), 118–120. <https://doi.org/10.1016/j.jsbmb.2009.05.008>
- Suh, D. H., Kim, B. Y., Min, S. U., Lee, D. H., Yoon, M. Y., Kim, N. I., Kye, Y. C., Lee, E. S., Ro, Y. S., & Kim, K. J. (2011). A multicenter epidemiological study of acne vulgaris in Korea. *International Journal of Dermatology*, 50(6), 673–681.
- Talib, R. A., Canguven, O., Al-Rumaihi, K., Al Ansari, A., & Alani, M. (2015). The Effect of Fasting on Erectile Function and Sexual Desire on Men in the Month of Ramadan. *Sexual Dysfunction and Fertility*, 12(2), 2099–2102.
- Tan, J. K. L., Jones, E., Allen, E., Pripotnev, S., Raza, A., & Wolfe, B. (2013). Evaluation of essential clinical components and features of current acne global grading scales. *Journal of the American Academy of Dermatology*, 69(5), 754–761. <https://doi.org/10.1016/j.jaad.2013.07.029>

- Tanghetti, E. A. (2013). The role of inflammation in the pathology of acne. *J Clin Aesthet Dermatol*, 6(9), 27–35.
- Tjekyan, R. M. S. (2008). Kejadian dan Faktor Resiko Akne Vulgaris. *Media Medika Indonesiana, Volume 43*(Nomor 1), 37–43.
- Tóth, B. I., Oláh, A., Szöllosi, A. G., Czifra, G., & Bíró, T. (2011). “Sebocytes” makeup”: novel mechanisms and concepts in the physiology of the human sebaceous glands.” *Pflügers Archiv: European Journal Of Physiology*, 461(6), 593–606. <https://doi.org/10.1007/s00424-011-0941-6>
- Touzani, M., & Hirschman, E. C. (2008). Cultural Syncretism and Ramadan Observance: Consumer Research Visits Islam. *Advances in Consumer Research*, 35, 374–380.
- Trihono, P. P. (2002). Telaah Kritis Makalah Uji Klinis. *Sari Pediatri*, 4(1), 45–48.
- Tumiran, M. A., Rahman, N. N. A., Saat, R. M., Kabir, N., Zulkifli, M. Y., & Adli, D. S. H. (2018). The Concept of Qailulah (Midday Napping) from Neuroscientific and Islamic Perspectives. *J Relig Health*, 57, 1363–1375. <https://doi.org/https://doi.org/10.1007/s10943-015-0093-7>
- Unalacak, M., Kara, I., Baltaci, D., Erdem, O., & Bucaktepe, P. (2011). Effects of Ramadan fasting on biochemical and haematological parameters and cytokines in healthy and obese individuals. *Metab Syndr Relat Disord*, 9(2), 157–161.
- Uysal, G., Sahin, Y., Unluhizarci, K., Ferahbas, A., Uludag, S. Z., Aygen, E., & Kelestimur, F. (2017). Is acne a sign of androgen excess disorder or not? *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 211, 21–25. <https://doi.org/10.1016/j.ejogrb.2017.01.054>
- Vardarli, M., Hammes, H., & Vardarli, I. (2014). Possible Metabolic Impact of Ramadan Fasting in Healthy Men. *Turk J Med Sci*, 44(6), 1010–1020.
- Vgontzas, A. N., Pejovic, S., Zoumakis, E., Lin, H. M., Bixler, E. O., Basta, M., Fang, J., Sarrigiannidis, A., & Chrousos, G. P. (2007). Daytime napping after a night of sleep loss decreases sleepiness, improves performance, and causes beneficial changes in cortisol and interleukin-6 secretion. *Am J Physiol Endocrinol Metab*, 292, E253–E261. <https://doi.org/10.1152/ajpendo.00651.2005>.
- Vora, S., Ovhal, A., Jerajani, H., Nair, N., & Chakraborty, A. (2008). Correlation of facial sebum to serum insulin-like growth factor-1 in patients with acne. *The British Journal Of Dermatology*, 159(4), 990–991. <https://doi.org/10.1111/j.1365-2133.2008.08764.x>
- Wasitaatmadja, S. M., Arimuko, A., Norawati, L., Bernadette, I., & Legiawati, L. (Eds.). (2016). *Pedoman tata laksana akne di Indonesia* (Kedua). Kelompok Studi

Dermatologi Kosmetik Indonesia, Perhimpunan Dokter Spesialis Kulit dan Kelamin Indonesia.

- White, M. F., & Cops, K. D. (2016). The Mechanisms of Insulin Action. In J. L. Jameson, L. J. De Groot, D. M. de Kretser, L. C. Giudice, A. B. Grossman, S. Melmed, J. T. Potts, & G. C. Weir (Eds.), *Endocrinology: Adult and Pediatric* (Seventh ed). Saunders - Elsevier Inc.
- Williams, H. C., Dellavalle, R. P., & Garner, S. (2012). Acne vulgaris. *The Lancet*, 379(9813), 361–372.
- Zaenglein, A. L., Graber, E. M., & Thiboutot, D. M. (2012). Acne vulgaris and acneiform eruptions. In Lowell A. Goldsmith, Stephen I. Katz, Barbara A. Gilchrest, Amy S. Paller, David J. Leffell, & Klaus Wolff (Eds.), *Fitzpatrick's Dermatology in General Medicine: Vol. One* (8th ed.). McGraw-Hill.
- Zahasfan, A. I. (2020). *Ramadan bersama Rasul*. PT Ele Media Komputindo.
- Zainullah, A. (2005). *Perubahan Respons Psikoneuroimunologi pada Pelaksana Puasa Ramadan: Studi Kasus di Pesantren Hidayatullah Surabaya dengan Pendekatan Psikoneuroimunologi*. Universitas Airlangga.