UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Achermann, Y., Goldstein, E. J. C., Coenye, T., & Shirtliffa, M. E. (2014). Propionibacterium acnes: from Commensal to Opportunistic Biofilm- Associated Implant Pathogen. *Clinical Microbiology Reviews*, *27*(3), 419–440.

Agak, G. W., Qin, M., Nobe, J., Kim, M.-H., Krutzik, S. R., Tristan, G. R., Elashoff, D., Garbán, H. J., & Kim, J. (2014). Propionibacterium acnes induces an interleukin-17 response in acne vulgaris that is regulated by vitamin A and vitamin D. *J Invest Dermatol*, *134*(2), 366–373.

Agnew, T., Furber, G., Leach, M., & Segal, B. (2016). A Comprehensive Critique and Review of Published Measures of Acne Severity. *J Clin Aesthet Dermatol*, *9*(7), 40–52.

Ajabnoor, G. M., Bahijri, S., Borai, A., Abdulkhaliq, A. A., Al-Aama, J. Y., & Chrousos, G. P. (2014). Health Impact of Fasting in Saudi Arabia during Ramadan: Association with Disturbed Circadian Rhythm and Metabolic and Sleeping Patterns. *PLoS ONE*, *9*(5), e96500. https://doi.org/10.1371/journal.pone.0096500

Aksungar, F. B., Topkaya, A. E., & Akyildiz, M. (2007). Interleukin-6, C-Reactive Protein and Biochemical Parameters during Prolonged Intermittent Fasting. *Annals of Nutrition and Metabolism*, *51*(1), 88–95. https://doi.org/10.1159/000100954

Arora, M. K., Yadav, A., & Saini, V. (2011). Role of hormones in acne vulgaris. *Clinical Biochemistry*, *44*(13), 1035–1040. https://doi.org/10.1016/j.clinbiochem.2011.06.984

Axelsson, J., Ingre, M., Åkerstedt, T., & Holmback, U. (2005). Effects of Acutely Displaced Sleep on Testosterone. *The Journal of Clinical Endocrinology & Metabolism*, *90*(8), 4530–4535.

BaHammam, A., Alrajeh, M., Albabtain, M., Bahammam, S., & Sharif, M. (2010). Circadian pattern of sleep, energy expenditure, and body temperature of young healthy men during the intermittent fasting of Ramadan. *Appetite*, *54*(2), 426–429. https://doi.org/10.1016/j.appet.2010.01.011

BaHammam, A. S., Almushailhi, K., Pandi-Perumal, S. R., & Sharif, M. M. (2014). Intermittent fasting during Ramadan: does it affect sleep? *Journal of Sleep Research*, *23*(1), 35–43. https://doi.org/10.1111/jsr.12076

Bahijri, S., Borai, A., Ajabnoor, G., Abdul Khaliq, A., AlQassas, I., Al-Shehri, D., & Chrousos, G. (2013). Relative Metabolic Stability, but Disrupted Circadian Cortisol Secretion during the Fasting Month of Ramadan. *PLoS ONE*, *8*(4), e60917. https://doi.org/10.1371/journal.pone.0060917

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Bakhotmah, B. A. (2011). The puzzle of self-reported weight gain in a month of fasting (Ramadan) among a cohort of Saudi families in Jeddah, Western Saudi Arabia. *Nutrition Journal*, *10*(84).

Bakry, O. A., El Shazly, R. M. A., El Farargy, S. M., & Kotb, D. (2014, November). *Role of hormones and blood lipids in the pathogenesis of acne vulgaris in non-obese, non-hirsute females*. Indian Dermatology Online Journal. https://doi.org/10.4103/2229-5178.144506

Barnes, L. E., Levender, M. M., Fleischer, A. B., & Feldman, S. R. (2012). Quality of Life Measures for Acne Patients. *Dermatologic Clinics*, *30*(2), 293–300. https://doi.org/10.1016/j.det.2011.11.001

Barrett, K. E., Barman, S. M., Boitano, S., & Brooks, H. L. (2012). *Ganong's Review of Medical Physiology* (24th ed.). McGraw-Hill.

Ben-Amitai, D., & Laron, Z. (2011). Effect of insulin-like growth factor-1 deficiency or administration on the occurrence of acne. *Journal Of The European Academy Of Dermatology And Venereology: JEADV*, *25*(8), 950–954. https://doi.org/10.1111/j.1468-3083.2010.03896.x

Beylot, C., Auffret, N., Poli, F., Claudel, J.-P., Leccia, M.-T., Del Giudice, P., & Dreno, B. (2014). Propionibacterium acnes: an update on its role in the pathogenesis of acne. *Journal Of The European Academy Of Dermatology And Venereology: JEADV*, *28*(3), 271–278. https://doi.org/10.1111/jdv.12224

Bhate, K., & Williams, H. C. (2013). Epidemiology of acne vulgaris. *The British Journal Of Dermatology*, *168*(3), 474–485. https://doi.org/10.1111/bjd.12149

Bilgiç Ö, Bilgiç A, & Altinyazar HC. (2016). Relationship between sleep quality and facial sebum levels in women with acne vulgaris. *Indian Journal of Dermatology, Venereology, and Leprology*, *82*(3), 313–314.

Bissonnette, R., Risch, J. E., McElwee, K. J., Marchessault, P., Bolduc, C., Nigen, S., & Maari, C. (2015). Changes in serum free testosterone, sleep patterns, and 5-alpha-reductase type I activity influence changes in sebum excretion in female subjects. *Skin Research and Technology*, *21*(1), 47–53. https://doi.org/10.1111/srt.12155

Bogdan, A., Bouchareb, B., & Touitou, Y. (2001). Ramadan fasting alters endocrine and neuroendocrine circadian patterns. Meal–time as a synchronizer in humans? *Life Sciences*, *68*(14), 1607–1615. https://doi.org/10.1016/S0024-3205(01)00966-3

Bouhlel, E., Zaouali, M., Miled, A., Tabka, Z., Bigard, X., & Shephard, R. (2008). Ramadan Fasting and the GH/IGF-1 Axis of Trained Men during Submaximal Exercise. *Annals of Nutrition and Metabolism*, *52*(4), 261–266. https://doi.org/10.1159/000140517

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Bouhlel, E., Zaouali, M., Miled, A., Tabka, Z., & Shephard, R. (2008). Ramadan fastings effect on plasma leptin, adiponectin concentrations, and body composition in trained young men. *Int J Sport Nutr Exerc Metab*, *18*(6), 617–627.

Brown, S. A. (2016). Circadian Metabolism: From Mechanisms to Metabolomics and Medicine. *Trends in Endocrinology and Metabolism*, *27*(6), 415–426. https://doi.org/10.1016/j.tem.2016.03.015

Burkhart, C. G., & Burkhart, C. N. (2007). Expanding the microcomedone theory and acne therapeutics: Propionibacterium acnes biofilm produces biological glue that holds corneocytes together to form plug. *Journal of the American Academy of Dermatology*, *57*(4), 722–724. https://doi.org/10.1016/j.jaad.2007.05.013

Burris, J., Rietkerk, W., & Woolf, K. (2013). Acne: The Role of Medical Nutrition Therapy. *Journal of the Academy of Nutrition and Dietetics*, *113*(3), 416–430. https://doi.org/10.1016/j.jand.2012.11.016

Buysse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. *Psychiatry Research*, *28*(2), 193–213.

Cağlayan, E., Göçmen, A., & Delibas, N. (2014). Effects of long-term fasting on female hormone levels: Ramadan model. *Clin Exp Obstet Gynecol*, *41*(1), 17–19.

Celik, A., Saricicek, E., Saricicek, V., Sahin, E., Ozdemir, G., Bozkurt, S., Okumus, M., Sucakli, M., Cikim, G., Coskun, Y., Deniz, M., Dogan, E., & Klinc, M. (2014). Effect of Ramadan fasting on serum concentration of apelin-13 and new obesity indices in healthy adult men. *Med Sci Monit*, *20*, 337–342.

Çerman, A. A., Aktaş, E., Altunay, I. K., Arici, J. E., Tulunay, A., Ozturk, F. Y., Aslı Aksu C¸erman, Ezgi Aktas, Ilknur Kıvanc Altunay, Janset Erkul Arıcı, Aysın Tulunay, & Feyza Yener Ozturk. (2016). Dietary glycemic factors, insulin resistance, and adiponectin levels in acne vulgaris. *Journal of American Academy of Dermatology*, *75*(1), 155–162. https://doi.org/10.1016/j.jaad.2016.02.1220

Chen, W.-C., & Zouboulis, C. C. (2009). Hormones and the pilosebaceous unit. *Dermato-Endocrinology*, *1*(2), 81–86.

Chennaoui, M., Desgorces, F., Drogou, C., Boudjemaa, B., Tomaszewski, A., Depiesse, F., Burnat, P., Chalabi, H., & Gomez-Merino, D. (2009). Effects of Ramadan fasting on physical performance and metabolic, hormonal, and inflammatory parameters in middle-distance runners. *Appl Physiol Nutr Metab*, *34*(4), 587–594.

Christos C. Zouboulis, Markus Bo¨hm, Zouboulis, C. C., & Böhm, M. (2004). Neuroendocrine regulation of sebocytes – a pathogenetic link between stress and acne. *Experimental Dermatology*, *13 (Suppl.*(10), 31–35. https://doi.org/10.1111/j.1600-0625.2004.00254.x

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Clarys, P., & Barel, A. (1995). Quantitative evaluation of skin surface lipids. *Clinics in Dermatology*, *13*, 307–321.

Clemmons, D. R. (2007). Modifying IGF1 activity: an approach to treat endocrine disorders, atherosclerosis and cancer. *Nature Reviews Drug Discovery*, *6*(10), 821–833. https://doi.org/10.1038/nrd2359

Costanzo, L. S. (2014). *Physiology* (Fifth edit). Saunders - Elsevier Inc.

Craig, P., Katikireddi, S. V., Leyland, A., & Popham, F. (2017). Natural Experiments: An Overview of Methods, Approaches, and Contributions to Public Health Intervention Research. In *Annual Review of Public Health* (Vol. 38, pp. 39–56). Annual Reviews Inc. https://doi.org/10.1146/annurev-publhealth-031816-044327

Danby, F. W. (2015). *Acne: Causes and practical management*. Wiley - Blackwell.

Di Landro, A., Cazzaniga, S., Parazzini, F., Ingordo, V., Cusano, F., Atzori, L., Cutrì, F. T., Musumeci, M. L., Zinetti, C., Pezzarossa, E., Bettoli, V., Caproni, M., Lo Scocco, G., Bonci, A., Bencini, P., & Naldi, L. (2012). Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. *Journal of the American Academy of Dermatology*, *67*(6), 1129–1135. https://doi.org/10.1016/j.jaad.2012.02.018

Dreno, B., Poli, F., Pawin, H., Beylot, C., Faure, M., Chivot, M., Auffret, N., Moyse, D., Ballanger, F., & Revuz, J. (2011). Development and evaluation of a Global Acne Severity Scale (GEA Scale) suitable for France and Europe. *J Eur Acad Dermatol Venereol*, *25*, 43–48.

Ehsani, A. H., Mortazavi, H., Noormohammadpour, P., Azizpour, A., Rostami, S., & Nasimi, M. (2016). Impact of Ramadan fasting on acne improvement. *Dermatology and Cosmetic*, *7*(2), 81–86.

Faraut, B., Boudjeltia, K. Z., Dyzma, M., Rousseau, A., David, E., Stenuit, P., Franck, T., Van Antwerpen, P., Vanhaeverbeek, M., & Kerkhofs, M. (2011). Benefits of napping and an extended duration of recovery sleep on alertness and immune cells after acute sleep restriction. *Brain, Behavior, and Immunity*, *25*, 16–24. https://doi.org/10.1016/j.bbi.2010.08.001

Faris, "Mo'ez Al-Islam" E., Kacimi, S., Al-Kurd, R. A., Fararjeh, M. A., Bustanji, Y. K., Mohammad, M. K., & Salem, M. L. (2012). Intermittent fasting during Ramadan attenuates proinflammatory cytokines and immune cells in healthy subjects. *Nutrition Research*, *32*(12), 947–955. https://doi.org/10.1016/j.nutres.2012.06.021

Farooq, A., Herrera, C. P., Almudahka, F., & Mansour, R. (2015). A Prospective Study of the Physiological and Neurobehavioral Effects of Ramadan Fasting in Preteen and Teenage Boys. *Journal of the Academy of Nutrition and Dietetics*, *115*(6), 889–897. https://doi.org/10.1016/j.jand.2015.02.012

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Fawzi, M., Fawzi, M., Said, N., Faouad, A., & Abdel-Moety, H. (2015). Effect of Ramadan fasting on anthropometric, metabolic, inflamatory and psychopathology status of Egyptian male patients with schizophrenia. *Psychiatry Research*, *225*(3), 501–508.

Fedail, S., Murphy, D., Salih, S., Bolton, C., & Harvey, R. (1982). Changes in certain blood constituents during Ramadan. *Am J Clin Nutr*, *36*(2), 350–353.

Fiedler, F., Stangl, G. I., Fiedler, E., & Taube, K.-M. (2017). Acne and Nutrition: A Systematic Review. *Acta Derm Venereol*, *97*, 7–9.

Fitz-Gibbon, S., Tomida, S., Chiu, B.-H., Nguyen, L., Du, C., Liu, M., Elashoff, D., Erfe, M. C., Loncaric, A., Kim, J., Modlin, R. L., Miller, J. F., Sodergren, E., Craft, N., Weinstock, G. M., & Li, H. (2013). Propionibacterium acnes strain populations in the human skin microbiome associated with acne. *The Journal Of Investigative Dermatology*, *133*(9), 2295–2297. https://doi.org/10.1038/jid.2013.275

Handelsman, D. J. (2016). Androgen Physiology, Pharmacology, and Abuse. In J. L. Jameson, L. J. De Groot, D. M. De Kretser, L. C. Giudice, A. B. Grossman, S. Melmed, J. T. Potts, & G. C. Weir (Eds.), *Endocrinology: Adult and Pediatric* (Seventh ed). Saunders-Elsevier.

Haouari M, Haouari F, Mbazaa A, & Nagati K. (1998). Physiological evaluation of serum glucose, insulin, total protein and cortisol levels in healthy fasting volunteers. *Practical Diabetes International Supplement*, *15*(1), S3–S4.

Haouari-Oukerro, F., Ben-Attia, M., Kaâbachi, N., & Haouari, M. (2013). Ramadan fasting influences on food intake consumption, sleep schedule, body weight and some plasma parameters in healthy fasting volunteers. *African Journal of Biotechnology*, *12*(21), 3327–3332. https://doi.org/10.5897/AJB11.635

Hidayati, N., Oktavriana, T., Winarni, D. R. A., & Etnawati, K. (2012). Hubungan antara derajat keparahan akne dan kualitas hidup di Poliklinik Kulit dan Kelamin RSUP Dr. Sardjito Yogyakarta. *Media Dermato-Venereologica Indonesiana*, *39 Suppl.*, 15S-18S.

Holly, J. M. P., & Perks, C. M. (2012). Insulin-Like Growth Factor Physiology. What we have Learned from Human Studies. *Endocrinology and Metabolism Clinics of North America*, *41*(2), 249–263. https://doi.org/10.1016/j.ecl.2012.04.009

Ingham, E., Eady, E. A., Goodwin, C. E., Cove, J. H., & Cunliffe, W. J. (1992). Pro-inflammatory levels of Interleukin-1a like bioactivity are present in the majority of open comedones in acne vulgaris. *J Invest Dermatol*, *98*, 895–901.

Insel, P., Ross, D., McMahon, K., & Bernstein, M. (2017). *Nutrition* (Sixth edit). Jones & Bartlett Learning.

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Iraki, L., Bogdan, A., Hakkou, F., Amrani, N., Abkari, A., & Touitou, Y. (1997). Ramadan Diet Restrictions Modify the Circadian Time Structure in Humans. A Study on Plasma Gastrin, Insulin, Glucose, and Calcium and on Gastric pH. *J Clin Endocrinol Metab*, *82*(4), 1261–1273.

Isard, O., Knol, A. C., Ariès, M. F., Nguyen, J. M., Khammari, A., Castex-Rizzi, N., & Dréno, B. (2011). Propionibacterium acnes activates the IGF-1/IGF-1R system in the epidermis and induces keratinocyte proliferation. *The Journal Of Investigative Dermatology*, *131*(1), 59–66. https://doi.org/10.1038/jid.2010.281

Ismail, N. H., Manaf, Z. A., & Azizan, N. Z. (2012). High glycemic load diet, milk and ice cream consumption are related to acne vulgaris in Malaysian young adults: a case control study. *BMC Dermatology*, *12*(13), 1–8.

Janiczek-Dolphin, N., Cook, J., Thiboutot, D., Harness, J., & Clucas, A. (2010). Can sebum reduction predict acne outcome? *The British Journal Of Dermatology*, *163*(4), 683–688. https://doi.org/10.1111/j.1365-2133.2010.09878.x

Jasson, F., Nagy, I., Knol, A. C., Zuliani, T., Khammari, A., & Dréno, B. (2013). Different strains of Propionibacterium acnes modulate differently the cutaneous innate immunity. *Experimental Dermatology*, *22*(9), 587–592. https://doi.org/10.1111/exd.12206

Jeremy, A. H. T., Holland, D. B., Roberts, S. G., Thomson, K. F., & Cunli¡ffe, W. B. (2003). Inflammatory Events Are Involved in Acne Lesion Initiation. *J Invest Dermatol*, *121*, 20–27.

Johnson, T., Kang, D., Barnard, E., & Li, H. (2016). Strain-Level Differences in Porphyrin Production and Regulation in Propionibacterium acnes Elucidate Disease Associations. *Molecular Biology and Physiology*, *1*(1), e00023-15.

Ju, Q., Tao, T., Hu, T., Serap, A., Karadag, Al-Khuzaei, S., & Che, W. (2017). Sex hormones and Acne. *Clinics in Dermatology*, *35*, 130–137.

Kassab, S., Abdul-Ghaffar, T., Nagalla, D., Sachdeva, U., & Nayar, U. (2003). Serum leptin and insulin levels during chronic diurnal fasting. *Asia Pacific Journal of Clinical Nutrition*, *12*(4), 483–487.

Kaymak, Y., Adisen, E., Ilter, N., Bideci, A., Gurler, D., & Celik, B. (2007). Dietary glycemic index and glucose, insulin, insulin-like growth factor-I, insulin-like growth factor binding protein 3, and leptin levels in patients with acne. *Journal of the American Academy of Dermatology*, *57*(5), 819–823. https://doi.org/10.1016/j.jaad.2007.06.028

Khafaji, H., Bener, A., Osman, M., Al Merri, A., & Al Suwaidi, J. (2012). The impact of diurnal fasting during Ramadan on the lipid profile, hs-CRP, and serum leptin in stable cardiac patients. *Vasc Health Risk Manag*, *8*, 7–14.

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, H., Moon, S. Y., Sohn, M. Y., & Lee, W. J. (2017). Insulin-Like Growth Factor-1 Increases the Expression of Inflammatory Biomarkers and Sebum Production in Cultured Sebocytes. *Ann Dermatol*, *29*(1), 20–25.

Krystala, A. D., & Edingera, J. D. (2008). Measuring sleep quality. *Sleep Medicine*, *9 Suppl. 1*, S10–S17.

Kwon, H., Yoon, J., Hong, J., Jung, J., Park, M., & Suh, D. (2012). Clinical and Histological Effect of a Low Glycaemic Load Diet in Treatment of Acne Vulgaris in Korean Patients: A Randomized, Controlled Trial. *Acta Dermato Venereologica*, *92*(3), 241–246. https://doi.org/10.2340/00015555-1346

Laajam, M. (1990). Ramadan fasting and non-insulin-dependent diabetes: effect on metabolic control. *East Afr Med J*, *67*(10), 732–736.

Lai, J.-J., Chang, P., Lai, K.-P., Chen, L., & Chang, C. (2012). The role of androgen and androgen receptor in he skin-related disorders. *Arch Dermatol Res*, *304*(7), 499–510.

LaRosa, C. L., Quach, K. A., Koons, K., Kunselman, A. R., Zhu, J., Thiboutot, D. M., & Zaenglein, A. L. (2016). Consumption of dairy in teenagers with and without acne. *Journal of the American Academy of Dermatology*, *75*(2), 318–322. https://doi.org/10.1016/j.jaad.2016.04.030

Laway, B. A., & Ashraf, H. (2015). Basic rules of Ramadan: A medico-religious perspective. *JPMA. The Journal of the Pakistan Medical Association*, *65*(5 Suppl 1), S14–7.

Le Fur, I., Reinberg, A., Lopez, S., Morizot, F., Mechkouri, M., & Tschachler, E. (2001). Analysis of Circadian and Ultradian Rhythms of Skin Surface Properties of Face and Forearm of Healthy Women. *J Invest Dermatol*, *117*, 718–724.

Leiper, J. B., Molla, A. M., & Molla, A. M. (2003). Effects on health of fluid restriction during fasting in Ramadan. *European Journal of Clinical Nutrition*, *57*, S30–S38. https://doi.org/10.1038/sj.ejcn.1601899

Li, X., He, C., Chen, Z., Zhou, C., Gan, Y., & Jia, Y. (2017). A review of the role of sebum in the mechanism of acne pathogenesis. *J Cosmet Dermatol.*, *16*, 168–173. https://doi.org/10.1111/jocd.12345

Logan, A. C. (2007). Dietary fat, fiber, and acne vulgaris. *J Am Acad Dermatol*, *57*(6), 1092–1093.

Longo, V. D., & Mattson, M. P. (2014). Fasting: Molecular Mechanisms and Clinical Applications. *Cell Metabolism*, *19*(2), 181–192. https://doi.org/10.1016/j.cmet.2013.12.008

Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi
Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Lynn, D., Umari, T., Dunnick, C., & Dellavalle, R. (2016). The epidemiology of acne vulgaris in late adolescence. *Adolescent Health, 2016*, 13–25. https://doi.org/10.2147/AHMT.S55832

Makino, S., Fujiwara, M., Handa, H., Fujie, T., Aoki, Y., Hashimoto, K., Terada, Y., & Sugimoto, T. (2012). Plasma dehydroepiandrosterone sulphate and insulin-like growth factor I levels in obstructive sleep apnoea syndrome. *Clinical Endocrinology*, *76*, 593–601. https://doi.org/doi: 10.1111/j.1365-2265.2011.04237.x

Mansi, K., & Amneh, M. (2007). Impact of Ramadan fasting on metabolism and on serum levels of some hormones among healhty Jordanian students. *Journal of Medical Sciences*, *7*(5), 755–761.

Mathew, S., Krug, S., Skurk, T., Halama, A., Stank, A., Artati, A., Prehn, C., Malek, J. A., Kastenmüller, G., Römisch-Margl, W., Adamski, J., Hauner, H., Suhre, K., others, & by Suhre K., Krug S., Skurk T., Halama A., Stank A., Artati A., Prehn C., Malek J.A., Kastenmuller G., Romisch-Margl W., Adamski J., H. H. (2014). Metabolomics of Ramadan fasting: an opportunity for the controlled study of physiological responses to food intake. *Journal of Translational Medicine*, *12*(1), 161. https://doi.org/10.1186/1479-5876-12-161

Matsui, M. S., Pelle, E., Dong, K., & Pernodet, N. (2016). Biological rhythms in the skin. *International Journal of Molecular Sciences*, *17*(6), 1–15. https://doi.org/10.3390/ijms17060801

McGuire, M., & Beerman, K. A. (2011). *Nutritional Sciences: From Fundamentals to Foods* (Second edi). Wadsworth Cengage Learning.

McNeil, J., Mamlouk, M., Duval, K., Schwarz, A., Nardo Junior, N., & Doucet, E. (2014). Alterations in Metabolic Profile Occur in Normal-Weight and Obese Men during the Ramadan Fast Despite No Changes in Anthropometry. *Journal of Obesity*, *482547*, 1–9.

Meida, N. S., Ismadi, S. D., & Asj'ari, S. R. (2002). Parameter Biokimia dan Beberapa Parameter Antropometrik Tubuh Keadaan Tidak Puasa dan Puasa Ramadhan. *Sains Kesehatan*, *XV*(3), 331–340.

Melnik, B. C. (2015a). Milk—a nutrient system of mammalian evolution promoting mTORC1-dependent translation. *International Journal of Molecular Sciences*, *16*(8), 17048–17087. https://doi.org/10.3390/ijms160817048

Melnik, B. C. (2015b). Linking diet to acne metabolomics, inflammation, and comedogenesis: an update. *Clinical, Cosmetic and Investigational Dermatology*, *8*, 371–388. https://doi.org/10.2147/CCID.S69135

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Melnik, B. C., & Zouboulis, C. C. (2013). Potential role of FoxO1 and mTORC1 in the pathogenesis of Western diet-induced acne. *Experimental Dermatology*, *22*(5), 311–315. https://doi.org/10.1111/exd.12142

Mesbahzadeh, B., Ghiravani, Z., & Mehrjoofard, H. (2005). Effect of Ramadan fasting on secretion of sex hormones in healthy single males. *Eastern Mediterranean Health Journal*, *11*(5/6), 1120–1123.

M'guill, M., Ragala, M., El Guessabi, L., Fellat, S., Chraibi, A., Chabraoui, L., Israili, Z., & Lyoussi, B. (2008). Is Ramadan fasting safe in type 2 diabetic patients in view of the lack of significant effect of fasting on clinical and biochemical parameters, blood pressure, and glycemic control? *Clin Exp Hypertens*, *30*(5), 339–357.

Mihić, L. L., Mihatović, D., & Šitum, M. (2019). Psychoneuroimmunology and Skin Diseases. *RAD CASA - Medical Sciences*, *537*, 25–36. https://doi.org/10.21857/y6zolb8l7m

Molina, P. E. (2013). *Endocrine Physiology* (Fourth edi). McGraw-Hill.

Monnier, L., El Azrak, A., Lessan, N., Rochd, D., Colette, C., & Bonnet, F. (2015). Ramadan and diabetes: What we see, learn and understand from continuous glucose monitoring. *Diabetes & Metabolism*, *41*, 456–462.

Morgan, D., & Tsai, S. C. (2015). Sleep and the Endocrine System. *Critical Care Clinics*, *31*(3), 403–418. https://doi.org/10.1016/j.ccc.2015.03.004

Morris, C. J., Aeschbach, D., & Scheer, F. A. J. L. (2012). Circadian system, sleep and endocrinology. *Molecular and Cellular Endocrinology*, *349*(1), 91–104. https://doi.org/10.1016/j.mce.2011.09.003

Myers, T. R., & Goldhamer, A. (2021). Fasting. In J. E. Pizzorno & M. T. Murray (Eds.), *Textbook of Natural Medicine* (Fifth edit, pp. 293–299). Elsevier.

Nagy, I., Pivarcsi, A., Kis, K., Koreck, A., Bodai, L., McDowell, A., Seltmann, H., Patrick, S., Zouboulis, C. C., & Kemény, L. (2006). Propionibacterium acnes and lipopolysaccharide induce the expression of antimicrobial peptides and proinflammatory cytokines/chemokines in human sebocytes. *Microbes and Infection*, *8*(8), 2195–2205. https://doi.org/10.1016/j.micinf.2006.04.001

Nematy, M., Alinezhad-Namaghi, M., Rashed, M., Mozdehifard, M., Sajjadi, S., Akhlaghi, S., Sabery, M., Mohajeri, S., Shalaey, N., Moohebati, M., & Norouzy, A. (2012). Effects of Ramadan fasting on cardiovascular risk factors: a prospective observational study. *Nutrition Journal*, *11*, 69.

Norouzy, A., Mohajeri, S., Shakeri, S., Yari, F., Sabery, M., Philippou, E., Varasteh, A., & Nematy, M. (2012). Effect of Ramadan fasting on glycemic control in patients with Type 2 diabetes. *J Endocrinol Invest*, *35*(8), 766–771.

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Norouzy, A., Salehi, M., Philippou, E., Arabi, H., Shiva, F., Mehrnoosh, S., Mohajeri, S. M. R., Mohajeri, S. A. R. ., Larijani, A. M., & Nematy, M. (2013). Effect of fasting in Ramadan on body composition and nutritional intake: a prospective study. *Journal of Human Nutrition and Dietetics*, *26*, 97–104. https://doi.org/10.1111/jhn.12042

Orion, E., & Wolf, R. (2014). Psychologic consequences of facial dermatoses. *Clinics in Dermatology*, *32*(6), 767–771. https://doi.org/10.1016/j.clindermatol.2014.02.016

Ottaviani, M., Camera, E., & Picardo, M. (2010). Lipid mediators in acne. *Mediators Of Inflammation*, *2010*. https://doi.org/10.1155/2010/858176

Panjaitan, R. R., Tala, Z. Z., & Jusuf, N. K. (2011). Hubungan antara indeks glikemik dan beban glikemik dengan Insulin-like Growth Factor-1 pada pasien akne vulgaris. *Media Dermato-Venereologica Indonesiana*, *38 Supleme*, 7S-13S.

Pappas, A., Johnsen, S., Liu, J.-C., & Eisinger, M. (2009). Sebum analysis of individuals with and without acne. *Dermato-Endocrinology*, *1*(3), 157–161. https://doi.org/10.4161/derm.1.3.8473

Pappas, A., Liu, J. C., Eisinger, M., & Johnsen, S. (2009). Sebum analyses of unaffected and acne-affected individuals. *Journal of American Academy of Dermatology*, *60*(3).

Pascoe, V. L., Enamandram, M., Corey, K. C., Cheng, C. E., Javorsky, E. J., Sung, S. M., Donahue, K. R., & Kimball, A. B. (2015). Using the Physician Global Assessment in a Clinical Setting to Measure and Track Patient Outcomes. *JAMA Dermatol*, *15*(4), 375–381.

Patterson, R. E., Laughlin, G. A., LaCroix, A. Z., Hartman, S. J., Natarajan, L., Senger, C. M., Martínez, M. E., Villaseñor, A., Sears, D. D., Marinac, C. R., & Gallo, L. C. (2015). Intermittent Fasting and Human Metabolic Health. *Journal of the Academy of Nutrition and Dietetics*, *115*(8), 1203–1212. https://doi.org/10.1016/j.jand.2015.02.018

Picardi, A., Lega, I., & Tarolla, E. (2013). Suicide risk in skin disorders. *Clinics in Dermatology*,*31*(1), 47–56. https://doi.org/10.1016/j.clindermatol.2011.11.006

Pontes, T. de C., Filho, G. M. C. F., Trindade, A. de S. P., & Filho, J. F. S. (2013). Incidence of acne vulgaris in young adult users of protein-calorie supplements in the city of João Pessoa – PB. *An Bras Dermatol.*, *88*(6), 907–912. https://doi.org/http://dx.doi.org/10.1590/abd1806-4841.20132024

Prentice, A., Prentice, A., Lamb, W., Lunn, P., & Austin, S. (1983). Metabolic consequences of fasting during Ramadan in pregnant and lactating women. *Hum Nutr Clin Nutr*, *37*(4), 283–294.

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Purwono, U., & French, D. C. (2016). Depression and its relation to loneliness and religiosity in Indonesian Muslim adolescents. *Mental Health, Religion & Culture*, *19*(3), 218–228. https://doi.org/http://dx.doi.org/10.1080/13674676.2016.1165190

Reiches, M., Moore, S., Prentice, A., & Ellison, P. (2014). Endocrine responses, weight change, and energy sparing mechanisms during Ramadan among Gambian adolescent women. *Am J Hum Biol*, *26*(3), 395–400.

Reilly, T., & Waterhouse, J. (2007). Altered sleep–wake cycles and food intake: The Ramadan model. *Physiology & Behavior*, *90*(2–3), 219–228. https://doi.org/10.1016/j.physbeh.2006.09.004

Roky, R., Chapotot, F., Hakkou, F., Benchekroun, M. T., & Buguet, A. (2001). Sleep during Ramadan intermittent fasting. *Journal of Sleep Research*, *10*(4), 319–327.

Rosmelia, Setyopranoto, I., Hadi, H., & Wirohadidjojo, Y. W. (2019). The effect of Ramadan fasting on sebum production: association with nutritional intakes and sleeping pattern. *Bangladesh Journal of Medical Science Vol. 18 No. 03 July'19*, *18*(3), 546–551.

Runchey, S. S., Pollak, M. N., Valsta, L. M., Coronado, G. D., Schwarz, Y., Breymeyer, K. L., Wang, C., Wang, C.-Y., Lampe, J. W., & Neuhouser, M. L. (2012). Glycemic load effect on fasting and post-prandial serum glucose, insulin, IGF-1 and IGFBP-3 in a randomized, controlled feeding study. *European Journal of Clinical Nutrition*, *66*(10), 1146–1152.

Sadeghirad, B., Motaghipisheh, S., Kolahdooz, F., Zahedi, M. J., & Haghdoost, A. A. (2012). Islamic fasting and weight loss: a systematic review and meta-analysis. *Public Health Nutrition*, *17*(02), 396–406. https://doi.org/10.1017/S1368980012005046

Saiyad, S., Saiyad, M., Patel, U., & Verma, A. (2014). Effect of Ramadan fasting on anthropological and physiological parameters. *NHL Journal of Medical Sciences*, *3*(1), 59–62.

Saleh, B. (2012). Role of growth hormone and insulin-like growth factor-I in hyperandrogenism and the severity of acne vulgaris in young males. *Saudi Med J*, *33*(11), 1196–2000.

Sarwat, A. (2020). *Ramadhan Antara Syariat dan Tradisi*. Rumah Fiqih Publishing.

Schaller, M., & Plewig, G. (2012). Structure and Function of Eccrine, Apocrine and Sebaceous Glands. In J. L. Bolognia, J. L. Jorizzo, J. V. Schaffer, J. P. Callen, L. Cerroni, W. R. Heymann, G. J. George J Hruza, A. J. Mancini, J. W. Patterson, M. Röcken, & T. Schwarz (Eds.), *Dermatology* (Third edit, pp. 539–544). Elsevier-Saunders.

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Schmid, S. M., Hallschmid, M., Jauch-Chara, K., Lehnert, H., & Schultes, B. (2012). Sleep timing may modulate the effect of sleep loss on testosterone. *Clinical Endocrinology*, *77*(5), 749–754. https://doi.org/10.1111/j.1365-2265.2012.04419.x

Serup, J., Jemec, G. B. E., & Grove, G. L. (Eds.). (2006). *Handbook of Non-invasive Methods and the Skin* (Second edi). Taylor & Francis.

Smith, R. N., Braue, A., Varigos, G. A., & Mann, N. J. (2008). The effect of a low glycemic load diet on acne vulgaris and the fatty acid composition of skin surface triglycerides. *Journal of Dermatological Science*, *50*(1), 41–52. https://doi.org/10.1016/j.jdermsci.2007.11.005

Smith, R. N., Mann, N. J., Braue, A., Mäkeläinen, H., & Varigos, G. A. (2007). The effect of a high-protein, low glycemic-load diet versus a conventional, high glycemic-load diet on biochemical parameters associated with acne vulgaris: A randomized, investigator-masked, controlled trial. *Journal of the American Academy of Dermatology*, *57*(2), 247–256. https://doi.org/10.1016/j.jaad.2007.01.046

Smith, T. M., Cong, Z., Gilliland, K. L., Clawson, G. A., & Thiboutot, D. M. (2006). Insulin-like growth factor-1 induces lipid production in human SEB-1 sebocytes via sterol response element-binding protein-1. *Journal of Investigative Dermatology*, *126*(6), 1226–1232.

Smith, T. M., Gilliland, K., Clawson, G. A., & Thiboutot, D. (2008). IGF-1 induces SREBP-1 expression and lipogenesis in SEB-1 sebocytes via activation of the phosphoinositide 3-kinase/Akt pathway. *Journal of Investigative Dermatology*, *128*(5), 1286–1293.

Stárka, L., Pospíšilová, H., & Hill, M. (2009). Free testosterone and free dihydrotestosterone throughout the life span of men. *Journal of Steroid Biochemistry and Molecular Biology*, *116*(1–2), 118–120. https://doi.org/10.1016/j.jsbmb.2009.05.008

Suh, D. H., Kim, B. Y., Min, S. U., Lee, D. H., Yoon, M. Y., Kim, N. I., Kye, Y. C., Lee, E. S., Ro, Y. S., & Kim, K. J. (2011). A multicenter epidemiological study of acne vulgaris in Korea. *International Journal of Dermatology*, *50*(6), 673–681.

Talib, R. A., Canguven, O., Al-Rumaihi, K., Al Ansari, A., & Alani, M. (2015). The Effect of Fasting on Erectile Function and Sexual Desire on Men in the Month of Ramadan. *Sexual Dysfunction and Fertility*, *12*(2), 2099–2102.

Tan, J. K. L., Jones, E., Allen, E., Pripotnev, S., Raza, A., & Wolfe, B. (2013). Evaluation of essential clinical components and features of current acne global grading scales. *Journal of the American Academy of Dermatology*, *69*(5), 754–761. https://doi.org/10.1016/j.jaad.2013.07.029

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Tanghetti, E. A. (2013). The role of inflammation in the pahology of acne. *J Clin Aesthet Dermatol*, *6*(9), 27–35.

Tjekyan, R. M. S. (2008). Kejadian dan Faktor Resiko Akne Vulgaris. *Media Medika Indonesiana*, *Volume 43*(Nomor 1), 37–43.

Tóth, B. I., Oláh, A., Szöllosi, A. G., Czifra, G., & Bíró, T. (2011). "Sebocytes'' makeup": novel mechanisms and concepts in the physiology of the human sebaceous glands." *Pflügers Archiv: European Journal Of Physiology*, *461*(6), 593–606. https://doi.org/10.1007/s00424-011-0941-6

Touzani, M., & Hirschman, E. C. (2008). Cultural Syncretism and Ramadan Observance: Consumer Research Visits Islam. *Advances in Consumer Research*, *35*, 374–380.

Trihono, P. P. (2002). Telaah Kritis Makalah Uji Klinis. *Sari Pediatri*, *4*(1), 45–48.

Tumiran, M. A., Rahman, N. N. A., Saat, R. M., Kabir, N., Zulkifli, M. Y., & Adli, D. S. H. (2018). The Concept of Qailulah (Midday Napping) from Neuroscientific and Islamic Perspectives. *J Relig Health*, *57*, 1363–1375. https://doi.org/https://doi.org/10.1007/s10943-015-0093-7

Unalacak, M., Kara, I., Baltaci, D., Erdem, O., & Bucaktepe, P. (2011). Effects of Ramadan fasting on biochemical and haematological parameters and cytokines in healthy and obese individuals. *Metab Syndr Relat Disord*, *9*(2), 157–161.

Uysal, G., Sahin, Y., Unluhizarci, K., Ferahbas, A., Uludag, S. Z., Aygen, E., & Kelestimur, F. (2017). Is acne a sign of androgen excess disorder or not? *European Journal of Obstetrics & Gynecology and Reproductive Biology*, *211*, 21–25. https://doi.org/10.1016/j.ejogrb.2017.01.054

Vardarli, M., Hammes, H., & Vardarli, I. (2014). Possible Metabolic Impact of Ramadan Fasting in Healthy Men. *Turk J Med Sci*, *44*(6), 1010–1020.

Vgontzas, A. N., Pejovic, S., Zoumakis, E., Lin, H. M., Bixler, E. O., Basta, M., Fang, J., Sarrigiannidis, A., & Chrousos, G. P. (2007). Daytime napping after a night of sleep loss decreases sleepiness, improves performance, and causes beneficial changes in cortisol and interleukin-6 secretion. *Am J Physiol Endocrinol Metab*, *292*, E253–E261. https://doi.org/10.1152/ajpendo.00651.2005.

Vora, S., Ovhal, A., Jerajani, H., Nair, N., & Chakrabortty, A. (2008). Correlation of facial sebum to serum insulin-like growth factor-1 in patients with acne. *The British Journal Of Dermatology*, *159*(4), 990–991. https://doi.org/10.1111/j.1365-2133.2008.08764.x

Wasitaatmadja, S. M., Arimuko, A., Norawati, L., Bernadette, I., & Legiawati, L. (Eds.). (2016). *Pedoman tata laksana akne di Indonesia* (Kedua). Kelompok Studi

UNIVERSITAS GADJAH MADA
Pengaruh Puasa Ramadan Terhadap Tingkat Keparahan Akne Vulgaris : Kajian Terhadap Laju Ekskresi Sebum, Pola Diet dan Tidur, Kadar Insulin, dan Kadar Testosteron pada Remaja Perempuan
ROSMELIA, Prof. Dr. dr. Yohanes Widodo Wirohadidjojo, Sp.KK(K) ; Prof. dr. Hamam Hadi, MS.,Sc.D. ; Dr. dr. Ismai
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Dermatologi Kosmetik Indonesia, Perhimpunan Dokter Spesialis Kulit dan Kelamin Indonesia.

White, M. F., & Copps, K. D. (2016). The Mechanisms of Insulin Action. In J. L. Jameson, L. J. De Groot, D. M. de Kretser, L. C. Giudice, A. B. Grossman, S. Melmed, J. T. Potts, & G. C. Weir (Eds.), *Endocrinology: Adult and Pediatric* (Seventh ed). Saunders - Elsevier Inc.

Williams, H. C., Dellavalle, R. P., & Garner, S. (2012). Acne vulgaris. *The Lancet*, *379*(9813), 361–372.

Zaenglein, A. L., Graber, E. M., & Thiboutot, D. M. (2012). Acne vulgaris and acneiform eruptions. In Lowell A. Goldsmith, Stephen I. Katz, Barbara A. Gilchrest, Amy S. Paller, David J. Leffell, & Klaus Wolff (Eds.), *Fitzpatrick's Dermatology in General Medicine: Vol. One* (8th ed.). McGraw-Hill.

Zahasfan, A. I. (2020). *Ramadan bersama Rasul*. PT Ele Media Komputindo.

Zainullah, A. (2005). *Perubahan Respons Psikoneuroimunologi pada Pelaksana Puasa Ramadan: Studi Kasus di Pesantren Hidayatullah Surabaya dengan Pendekatan Psikoneuroimunologi)*. Universitas Airlangga.