

## REFERENCES

- Abdelghany, A.K., Khalil, F., Azeem, N.M.A., EL-Nahass, E.-S., EL-Kashlan, A.M., & Emeash, H.H., 2019. Ginseng and Moringa Olifera Ameliorated Cognitive Impairments Induced by Aluminium Chloride In Albino Rat. *Adv. Anim. Vet. Sci.* 7: 557–565. doi:10.17582/journal.aavs/2019/7.7.557.565
- Agrawal, V.K., Gupta, A., & Chaturvedi, S., 2012. Improvement in bioavailability of class-III drug: Phytolipid delivery system. *Int. J. Pharm. Pharm. Sci.* 4: 37–42.
- Akhondzadeh, S., 1999. Hippocampal synaptic plasticity and cognition 65: 241–248.
- Anand, K.S., & Dhikav, V., 2012. Review : Progress in Medicine ( Update on advances in pathophysiology ) Hippocampus in health and disease : An overview 15. doi:10.4103/0972-2327.104323
- Bais, S., Kumari, R., & Prashar, Y., 2017. Therapeutic effect of Sinapic acid in aluminium chloride induced dementia of Alzheimer’s type in rats. *J. Acute Dis.* 6: 154–162. doi:10.12980/jad.6.20170401
- Batista, C.R.A., Gomes, G.F., Candelario-Jalil, E., Fiebich, B.L., & de Oliveira, A.C.P., 2019. Lipopolysaccharide-induced neuroinflammation as a bridge to understand neurodegeneration. *Int. J. Mol. Sci.* 20. doi:10.3390/ijms20092293
- Baumeister, R., & Ge, E., 2002. The worm in us- *Caenorhabditis elegans* as a model of human disease. *Trends Biotechnol.* 20: 147–148.
- Baxter, M.G., & Crimins, J.L., 2018. Acetylcholine Receptor Stimulation for Cognitive Enhancement: Better the Devil You Know? *Neuron* 98: 1064–1066. doi:10.1016/j.neuron.2018.06.018
- Bear, M.F., Connors, B.W., & Paradiso, M.A., 2015. Neuroscience: Exploring the brain: Fourth edition, Neuroscience: Exploring the Brain: Fourth Edition.
- Beckingham, K., Armstrong, J., Texada, M., Munjaal, R., & DA, B., 2005. *Drosophila melanogaster*: The model organism of choice for the complex biology of multi-cellular organisms. *Gravit Sp. Biol Bull* 18: 17–29.
- Blennow, K., Zetterberg, H., & Blennow, K., 1890. Biomarkers for Alzheimer disease – current status and prospects for the future 0–2. doi:10.1111/joim.12816
- Buccafusco, J.J., 2009. *Methods of Behavior Analysis in Neuroscience*, second. ed. Taylor and Francis Ltd.
- Budelier, M.M., & Bateman, R.J., 2019. Biomarkers of Alzheimer Disease.

doi:10.1373/jalm.2019.030080

- Butterfield, D.A., Castegna, A., Lauderback, C.M., & Drake, J., 2002. Evidence that amyloid beta-peptide-induced lipid peroxidation and its sequelae in Alzheimer's disease brain contribute to neuronal death & 23: 655–664.
- Ceccariglia, S., Altocolle, A.D., Fa, A. Del, Pizzolante, F., Caccia, E., Michetti, F., et al., 2011. Cathepsin D Plays a Crucial Role in The Trimethyltin Induced Hippocampal Neurodegeneration Process. *Neuroscience* 174: 160–170. doi:10.1016/j.neuroscience.2010.11.024
- Chen, S., Zhou, H., Zhang, G., Meng, J., Deng, K., Zhou, W., et al., 2019. Anthocyanins from *Lycium ruthenicum* Murr. Ameliorated d-Galactose-Induced Memory Impairment, Oxidative Stress, and Neuroinflammation in Adult Rats. *J. Agric. Food Chem.* 67: 3140–3149. doi:10.1021/acs.jafc.8b06402
- Cho, N., Kim, H.W., Lee, H.K., Jeon, B.J., & Sung, S.H., 2016. Ameliorative effect of betulin from *Betula platyphylla* bark on scopolamine-induced amnesic mice. *Biosci. Biotechnol. Biochem.* 80: 166–171. doi:10.1080/09168451.2015.1072460
- Chogtu, B., Arivazhahan, A., Kiran Kunder, S., Tilak, A., Sori, R., & Tripathy, A., 2018. Evaluation of acute and chronic effects of d-galactose on memory and learning in wistar rats. *Clin. Psychopharmacol. Neurosci.* 16: 153–160. doi:10.9758/cpn.2018.16.2.153
- Choi, M., Lee, Y., & Cho, S.H., 2018. *Angelica tenuissima* Nakai Ameliorates Cognitive Impairment and Promotes Neurogenesis in Mouse Model of Alzheimer's Disease. *Chin. J. Integr. Med.* 24: 378–384. doi:10.1007/s11655-017-2812-2
- Clark, C.M., Schneider, J.A., Bedell, B.J., Beach, T.G., Bilker, W.B., Mintun, M.A., et al., 2011. Use of florbetapir-PET for imaging  $\beta$ -amyloid pathology. *JAMA - J. Am. Med. Assoc.* 305: 275–283. doi:10.1001/jama.2010.2008
- Cobb, C.A., & Cole, M.P., 2015. Oxidative and nitrate stress in neurodegeneration. *Neurobiol. Dis.* 84: 4–21. doi:10.1016/j.nbd.2015.04.020
- Craft, J.M., Watterson, D.M., & Eldik, L.J.V.A.N., 2006. Human Amyloid  $\beta$ -Induced Neuroinflammation is an Early Event in Neurodegeneration 490: 484–490. doi:10.1002/glia
- da Costa, I.M., Cavalcanti, J.R.L. de P., de Queiroz, D.B., de Azevedo, E.P., do Rêgo, A.C.M., Araújo Filho, I., et al., 2017. Supplementation with Herbal Extracts to Promote Behavioral and Neuroprotective Effects in Experimental Models of Parkinson's Disease: A Systematic Review. *Phyther. Res.* 31: 959–970.

doi:10.1002/ptr.5813

- Dawson, T.M., Golde, T.E., & Lagier-tourenne, C., 2018. Animal models of neurodegenerative diseases. *Nat. Neurosci.* 21: 1370–1379. doi:10.1038/s41593-018-0236-8
- Dehghanian, F., Kalantaripour, T.P., Esmailpour, K., Elyasi, L., Oloumi, H., Pour, F.M., et al., 2017. Date seed extract ameliorates  $\beta$ -amyloid-induced impairments in hippocampus of male rats. *Biomed. Pharmacother.* 89: 221–226. doi:10.1016/j.biopha.2017.02.037
- Di Paolo, M., Papi, L., Gori, F., & Turillazzi, E., 2019. Natural products in neurodegenerative diseases: A great promise but an ethical challenge. *Int. J. Mol. Sci.* 20. doi:10.3390/ijms20205170
- Douichene, S., Hammadi, K., & Djebli, N., 2016. Neuroprotective Effect of Hypericum thymopsis Against Chronic Exposure to Aluminum Chloride and Alzheimer ' s Disease. *Am. J. Pharm. Pharmacol.* 3: 20–28.
- Elufioye, T.O., Berida, T.I., & Habtemariam, S., 2017. Plants-Derived Neuroprotective Agents: Cutting the Cycle of Cell Death through Multiple Mechanisms. *Evidence-based Complement. Altern. Med.* 2017. doi:10.1155/2017/3574012
- Essa, M.M., Vijayan, R.K., Castellano-Gonzalez, G., Memon, M.A., Braidly, N., & Guillemin, G.J., 2012. Neuroprotective effect of natural products against Alzheimer's disease. *Neurochem. Res.* 37: 1829–1842. doi:10.1007/s11064-012-0799-9
- Fahanik-Babaei, J., Baluchnejadmojarad, T., Nikbakht, F., & Roghani, M., 2018. Trigonelline ameliorates learning and memory and synaptic plasticity impairment in intrahippocampal amyloid beta (1-40) rat model of Alzheimer's disease. *Acta Med. Iran.* 56: 625–634.
- Feng, Y., & Wang, X., 2012. Antioxidant therapies for Alzheimer's disease. *Oxid. Med. Cell. Longev.* 2012. doi:10.1155/2012/472932
- Garabadu, D., & Sharma, M., 2019. Eugenol Attenuates Scopolamine-Induced Hippocampal Cholinergic, Glutamatergic, and Mitochondrial Toxicity in Experimental Rats. *Neurotox. Res.* 35: 848–859. doi:10.1007/s12640-019-0008-6
- Ghasemi, S., Moradzadeh, M., Hosseini, M., Beheshti, F., & Sadeghnia, H.R., 2019. Beneficial effects of *Urtica dioica* on scopolamine-induced memory impairment in rats: protection against acetylcholinesterase activity and neuronal oxidative damage. *Drug Chem. Toxicol.* 42: 167–175. doi:10.1080/01480545.2018.1463238

- Ghorayeb, I., Hospitalier, C., Bordeaux, U. De, Gaillard, A., & Jaber, M., 2010. Animal Models of Neurodegenerative Diseases Animal Models of Neurodegenerative Diseases. doi:10.1007/978-1-4419-7104-3
- Giacomeli, R., de Gomes, M.G., Reolon, J.B., Haas, S.E., Colomé, L.M., & Jesse, C.R., 2020. Chrysin loaded lipid-core nanocapsules ameliorates neurobehavioral alterations induced by  $\beta$ -amyloid1-42 in aged female mice. *Behav. Brain Res.* 390: 112696. doi:10.1016/j.bbr.2020.112696
- Guidi, M., & Foster, T.C., 2012. Behavioral model for assessing cognitive decline. *Methods Mol. Biol.* 829: 145–153. doi:10.1007/978-1-61779-458-2\_8
- Hafez, H.S., Ghareeb, D.A., Saleh, S.R., Abady, M.M., El Demellawy, M.A., Hussien, H., et al., 2017. Neuroprotective effect of ipriflavone against scopolamine-induced memory impairment in rats. *Psychopharmacology (Berl)*. 234: 3037–3053. doi:10.1007/s00213-017-4690-x
- Hampel, H., Vassar, R., Strooper, B. De, Hardy, J., Willem, M., Singh, N., et al., 2020. Review The b -Secretase BACE1 in Alzheimer ' s Disease. *Biol. Psychiatry* 1–12. doi:10.1016/j.biopsych.2020.02.001
- He, B., Xu, F., Xiao, F., Yan, T., Wu, B., Bi, K., et al., 2018. Neuroprotective effects of nootkatone from *Alpiniae oxyphyllae* Fructus against amyloid- $\beta$ -induced cognitive impairment. *Metab. Brain Dis.* 33: 251–259. doi:10.1007/s11011-017-0154-6
- He, M.T., Lee, A.Y., Kim, J.H., Park, C.H., Shin, Y.S., & Cho, E.J., 2019. Protective role of *Cordyceps militaris* in A $\beta$  1–42 -induced Alzheimer's disease in vivo. *Food Sci. Biotechnol.* 28: 865–872. doi:10.1007/s10068-018-0521-z
- Hernandez, F., Lucas, J.J., & Avila, J., 2013. GSK3 and Tau : Two Convergence Points in Alzheimer ' s Disease 33: 141–144. doi:10.3233/JAD-2012-129025
- Howe, K., Clark, M., Torroja, C., & Stemple, D., 2013. The zebrafish reference genome sequence and its relationship to the human genome. *Nature* 496: 498–503.
- Hrnkova, M., Zilka, N., Minichova, Z., Koson, P., & Novak, M., 2007. Neurodegeneration caused by expression of human truncated tau leads to progressive neurobehavioural impairment in transgenic rats. *Brain Res.* 1130: 206–213. doi:10.1016/j.brainres.2006.10.085
- Iijima, K., & Iijima-Ando, K., 2008. Drosophila models of Alzheimer's amyloidosis: the challenge of dissecting the complex mechanisms of toxicity of amyloid beta. *J. Alzheimer's Dis.* 15: 523–540.
- Illam, S.P., Narayanankutty, A., & Raghavamenon, A.C., 2017. Polyphenols of virgin

- coconut oil prevent pro-oxidant mediated cell death. *Toxicol. Mech. Methods* 27: 442–450. doi:10.1080/15376516.2017.1320458
- Iriti, M., Vitalini, S., Fico, G., & Faoro, F., 2010. Neuroprotective herbs and foods from different traditional medicines and diets. *Molecules* 15: 3517–3555. doi:10.3390/molecules15053517
- Janus, C., & Welzl, H., 2010. Mouse models of neurodegenerative diseases: criteria and general methodology. *Zurich Open Repos. Arch.* 323–345. doi:10.1007/978-1-60761-058-8
- Ji, Z.H., Xu, Z.Q., Zhao, H., & Yu, X.Y., 2017. Neuroprotective effect and mechanism of daucosterol palmitate in ameliorating learning and memory impairment in a rat model of Alzheimer's disease. *Steroids* 119: 31–35. doi:10.1016/j.steroids.2017.01.003
- Jucker, M., 2010. The benefits and limitations of animal models for translational research in neurodegenerative diseases. *Nat. Publ. Gr.* 16: 1210–1214. doi:10.1038/nm.2224
- Kang, J.Y., Park, S.K., Guo, T.J., Ha, J.S., Lee, D.S., Kim, J.M., et al., 2016. Reversal of Trimethyltin-Induced Learning and Memory Deficits by 3,5-Dicaffeoylquinic Acid. *Oxid. Med. Cell. Longev.* 2016. doi:10.1155/2016/6981595
- khan, M. zahid, Atlas, N., & nawaz, W., 2016. Neuroprotective effects of *Caralluma tuberculata* on ameliorating cognitive impairment in a D-galactose-induced mouse model. *Biomed. Pharmacother.* 84: 387–394. doi:10.1016/j.biopha.2016.09.055
- Khan, R.A., Rajput, M.A., & Assad, T., 2019. Effect of *Nelumbo nucifera* fruit on scopolamine induced memory deficits and motor coordination. *Metab. Brain Dis.* 34: 87–92. doi:10.1007/s11011-018-0324-1
- Kim, D.J., & Kim, Y.S., 2015. Trimethyltin-Induced Microglial Activation via NADPH Oxidase and MAPKs Pathway in BV-2 Microglial Cells. *Mediators Inflamm.* 2015: 1–14. doi:10.1155/2015/729509
- Kim, M.H., Kim, S.H., & Yang, W.M., 2014. Mechanisms of action of phytochemicals from medicinal herbs in the treatment of Alzheimer's disease. *Planta Med.* 80: 1249–1258. doi:10.1055/s-0034-1383038
- Krauter, A.K., Guest, P.C., & Sarnyai, Z., 2019. The Y-Maze for Assessment of Spatial Working and Reference Memory in Mice. *Methods Mol. Biol.* 1916: 105–111. doi:10.1007/978-1-4939-8994-2\_10
- Kulkarni, V.S., 2010. Handbook of Non-Invasive Drug Delivery Systems, First. ed. Elsevier, Burlington USA.

- Kumar, A., Singh, A., & Aggarwal, A., 2017. Therapeutic potentials of herbal drugs for Alzheimer ' s disease — An overview 55: 63–73.
- Kuramoto, N., Seko, K., Sugiyama, C., Shuto, M., & Ogita, K., 2011. Trimethyltin initially activates the caspase 8/caspase 3 pathway for damaging the primary cultured cortical neurons derived from embryonic mice. *J. Neurosci. Res.* 89: 552–561. doi:10.1002/jnr.22588
- Lan, Z., Xie, G., Wei, M., Wang, P., & Chen, L., 2017. The protective effect of Epimedii Folium and Curculiginis Rhizoma on Alzheimer's Disease by the inhibitions of NF- $\kappa$ B/ MAPK pathway and NLRP3 inflammasome. *Oncotarget* 8: 43709–43720. doi:10.18632/oncotarget.12574
- Lee, B., Shim, I., & Lee, H., 2018. Gypenosides Attenuate Lipopolysaccharide-Induced Neuroinflammation and Memory Impairment in Rats. *Evidence-based Complement. Altern. Med.* 2018. doi:10.1155/2018/4183670
- Lee, S. Bin, Yang, S.Y., Thao, N.P., Seo, D.G., Kim, S., Ma, C.T., et al., 2020. Protective Effects of Compounds from Cimicifuga dahurica against Amyloid Beta Production in Vitro and Scopolamine-Induced Memory Impairment in Vivo. *J. Nat. Prod.* 83: 223–230. doi:10.1021/acs.jnatprod.9b00543
- Lee, H.E., Jeon, S.J., Ryu, B., Park, S.J., Ko, S.Y., Lee, Y., et al., 2016. Swertisin, a C-glucosylflavone, ameliorates scopolamine-induced memory impairment in mice with its adenosine A1 receptor antagonistic property. *Behav. Brain Res.* 306: 137–145. doi:10.1016/j.bbr.2016.03.030
- Lee, J.W., 2016. Fructus Corni Officinalis water extract Ameliorates Memory Impairment and Beta amyloid (A $\beta$ ) clearance by LRP-1 Expression in the Hippocampus of a Rat model of Alzheimer's Disease. *J. Physiol. Pathol. Korean Med.* 30: 347. doi:10.15188/kjopp.2016.10.30.5.347
- Lee, S., Yang, M., Kim, Jinwook, Kang, S., Kim, Juhwan, Kim, J.C., et al., 2016. Trimethyltin-induced hippocampal neurodegeneration: A mechanism-based review. *Brain Res. Bull.* 125: 187–199. doi:10.1016/j.brainresbull.2016.07.010
- Leonoudakis, D., Rane, A., Angeli, S., Lithgow, G.J., Andersen, J.K., & Chinta, S.J., 2017. Anti-Inflammatory and Neuroprotective Role of Natural Product Securinine in Activated Glial Cells : Implications for Parkinson ' s Disease 2017.
- Li, H., Kang, T., Qi, B., Kong, L., Jiao, Y., Cao, Y., et al., 2016a. Neuroprotective effects of ginseng protein on PI3K/Akt signaling pathway in the hippocampus of D-galactose/AlCl<sub>3</sub> inducing rats model of Alzheimer's disease. *J. Ethnopharmacol.* 179: 162–169. doi:10.1016/j.jep.2015.12.020

- Li, H., Song, J., Zhang, J., Wang, T., Yan, Y., Tao, Z., et al., 2016b. Ginseng Protein Reverses Amyloid Beta Peptide and H<sub>2</sub>O<sub>2</sub> Cytotoxicity in Neurons, and Ameliorates Cognitive Impairment in AD Rats Induced by a Combination of D-Galactose and. doi:10.1002/ptr.5747
- Li, N., Zhou, L., Li, W., Liu, Y., Wang, J., & He, P., 2015. Protective effects of ginsenosides Rg1 and Rb1 on an Alzheimer's disease mouse model: A metabolomics study. *J. Chromatogr. B Anal. Technol. Biomed. Life Sci.* 985: 54–61. doi:10.1016/j.jchromb.2015.01.016
- Li, S.J., Liu, Q., He, X. Bin, Liu, J.P., Liu, X.L., Hu, J., et al., 2020. Pyrola incarnata demonstrates neuroprotective effects against  $\beta$ -amyloid-induced memory impairment in mice. *Bioorganic Med. Chem. Lett.* 30: 126858. doi:10.1016/j.bmcl.2019.126858
- Liao, Y., Bae, H.J., Park, J.H., Zhang, J., Koo, B., Lim, M.K., et al., 2019. Aster glehni extract ameliorates scopolamine-induced cognitive impairment in mice. *J. Med. Food* 22: 685–695. doi:10.1089/jmf.2018.4302
- Lin, L.W., Tsai, F.H., Lan, W.C., Cheng, Y.D., Lee, S.C., & Wu, C.R., 2019. Steroid-Enriched Fraction of *Achyranthes bidentata* Protects Amyloid  $\beta$  Peptide 1–40-Induced Cognitive Dysfunction and Neuroinflammation in Rats. *Mol. Neurobiol.* 56: 5671–5688. doi:10.1007/s12035-018-1436-7
- Liu, L., Liu, Y., Zhao, J., Xing, X., Zhang, C., & Meng, H., 2020. Neuroprotective Effects of D-(-)-Quinic Acid on Aluminum Chloride-Induced Dementia in Rats. *Evidence-based Complement. Altern. Med.* 2020. doi:10.1155/2020/5602597
- Liu, S. zhi, Cheng, W., Shao, J. wei, Gu, Y. fan, Zhu, Y. yi, Dong, Q. jing, et al., 2019. Notoginseng Saponin Rg1 Prevents Cognitive Impairment through Modulating APP Processing in A $\beta$  1–42 -injected Rats. *Curr. Med. Sci.* 39: 196–203. doi:10.1007/s11596-019-2019-1
- Lu, C., Wang, Y., Wang, D., Zhang, L., Lv, J., Jiang, N., et al., 2018. Neuroprotective effects of soy isoflavones on scopolamine-induced amnesia in mice. *Nutrients* 10: 1–13. doi:10.3390/nu10070853
- Lueptow, L.M., 2017. Novel object recognition test for the investigation of learning and memory in mice. *J. Vis. Exp.* 2017: 1–9. doi:10.3791/55718
- Luque, F.A., & Jaffe, S.L., 2009. The Molecular and Cellular Pathogenesis of Dementia of the Alzheimer's Type: An Overview. *Neurobiol. Dement.* 84: 151–165. doi:10.1016/S0074-7742(09)00408-5
- Mahdi, O., Taufik, M., Baharuldin, H., Huda, N., Nor, M., Chiroma, S.M., et al., 2019.

Chemicals used for the induction of Alzheimer ' s disease-like cognitive dysfunctions in rodents 6: 3460–3484.

Malekzadeh, S., Edalatmanesh, M.A., Mehrabani, D., & Shariati, M., 2017. Drugs Induced Alzheimer ' s Disease in Animal. doi:10.22086/gmj.v6i3.820

Man, S.C., Chan, K.W., Lu, J.H., Durairajan, S.S.K., Liu, L.F., & Li, M., 2012. Systematic review on the efficacy and safety of herbal medicines for vascular dementia. *Evidence-based Complement. Altern. Med.* 2012. doi:10.1155/2012/426215

Mannhold, R., 2008. Drug Delivery Systems. Springer.

Masopust, D., Sivula, C.P., Stephen, C., Masopust, D., Sivula, C.P., & Jameson, S.C., 2020. Of Mice, Dirty Mice, and Men: Using Mice To Understand Human Immunology. doi:10.4049/jimmunol.1700453

Mbawa, O., & Rao, D., 2011. Effect of plant extracts on Alzheimer's disease. *J. Neurosci. Rural Pract.* 2: 56–62.

Mendiola-Precoma, J., Berumen, L.C., Padilla, K., & Garcia-Alcocer, G., 2016. Therapies for Prevention and Treatment of Alzheimer's Disease. *Biomed Res. Int.* doi:10.1155/2016/2589276

Mirzaei, F., Khazaei, M., Komaki, A., Amiri, I., & Jalili, C., 2018. Virgin coconut oil ( VCO ) by normalizing NLRP3 in fl ammasome showed potential neuroprotective e ff ects in Amyloid-  $\beta$  induced toxicity and high-fat diet fed rat. *Food Chem. Toxicol.* 118: 68–83. doi:10.1016/j.fct.2018.04.064

Myers, A., & McGonigle, P., 2019. Overview of Transgenic Mouse Models for Alzheimer ' s Disease. *Curr. Protoc.* 89: 1–21. doi:10.1002/cpns.81

Ozben, T., & Ozben, S., 2019. Neuro-inflammation and anti-inflammatory treatment options for Alzheimer's disease. *Clin. Biochem.* 72: 87–89. doi:10.1016/j.clinbiochem.2019.04.001

Pahaye, D.B., Bum, E.N., Taiwé, G.S., Ngoupaye, G.T., Sidiki, N., Moto, F.C.O., et al., 2017. Neuroprotective and Antiamnesic Effects of Mitragyna inermis Willd (Rubiaceae) on Scopolamine-Induced Memory Impairment in Mice. *Behav. Neurol.* 2017. doi:10.1155/2017/5952897

Parasuraman, S., Hoong, S., Christopher, P., Zou, L., De Wei, D., Loshini, S., et al., 2019. Effect of ethanolic extract of leaves of Solanum trilobatum on scopolamine-induced memory impairment in Sprague Dawley rats. *J. Pharm. Negat. Results* 10: 41. doi:10.4103/jpnr.JPNR\_14\_19

- Park, S.K., Ha, J.S., Kim, J.M., Kang, J.Y., Lee, D.S., Guo, T.J., et al., 2016. Antiamnesic effect of broccoli (*brassica oleracea* var. *Italica*) leaves on amyloid beta (A $\beta$ )1-42-induced learning and memory impairment. *J. Agric. Food Chem.* 64: 3353–3361. doi:10.1021/acs.jafc.6b00559
- Polidori, M.C., Nelles, G., & Pientka, L., 2010. Prevention of Dementia : Focus on Lifestyle 2010. doi:10.4061/2010/393579
- Prince, P.M., Ali, G., & Ali, G., 2015. World Alzheimer Report 2015 The Global Impact of Dementia.
- Qi, Y., Shang, L., Liao, Z., Su, H., Jing, H., Wu, B., et al., 2019. Intracerebroventricular injection of resveratrol ameliorated A $\beta$ -induced learning and cognitive decline in mice. *Metab. Brain Dis.* 34: 257–266. doi:10.1007/s11011-018-0348-6
- Qu, Z., Zhang, J., Yang, H., Huo, L., Gao, J., Chen, H., et al., 2016. Protective effect of tetrahydropalmatine against d-galactose induced memory impairment in rat. *Physiol. Behav.* 154: 114–125. doi:10.1016/j.physbeh.2015.11.016
- Rahim, N.S., 2015. The Neuroprotective Effect of Virgin Coconut Oil on Lipopoly Saccharide-Induced Cell Death in Sk-N-Sh and Memory Impairment in Rat.
- Raslan, A.A., & Kee, Y., 2013. Tackling neurodegenerative diseases: Animal models of Alzheimer’s disease and Parkinson’s disease. *Genes and Genomics* 35: 425–440. doi:10.1007/s13258-013-0116-2
- Ren, B., Yuan, T., Zhang, X., Wang, L., Pan, J., Liu, Y., et al., 2020. Protective Effects of Sesamol on Systemic Inflammation and Cognitive Impairment in Aging Mice. *J. Agric. Food Chem.* 68: 3099–3111. doi:10.1021/acs.jafc.9b07598
- Roy, S., & Awasthi, H., 2017. Herbal Medicines As Neuroprotective Agent: a Mechanistic Approach. *Int. J. Pharm. Pharm. Sci.* 9: 1. doi:10.22159/ijpps.2017v9i11.19444
- Russel, W.M.S., & Burch, R.L., 1959. The Principles of Humane Experimental Technique. Methuen and Co.Ltd, London.
- Saba, K., Rajnala, N., Veeraiah, P., Tiwari, V., Rana, R.K., Lakhota, S.C., et al., 2017. Energetics of excitatory and inhibitory neurotransmission in aluminum chloride model of alzheimer’s disease: Reversal of behavioral and metabolic deficits by rasa sindoor. *Front. Mol. Neurosci.* 10. doi:10.3389/fnmol.2017.00323
- Sathya, M., Premkumar, P., Karthick, C., Moorthi, P., Jayachandran, K.S., & Anusuyadevi, M., 2012. Clinica Chimica Acta BACE1 in Alzheimer ’ s disease. *Clin. Chim. Acta* 414: 171–178. doi:10.1016/j.cca.2012.08.013

- Semwal, P., Kapoor, T., Anthwal, P., Sati, B., & Thapliyal, A., 2014. Review Article Herbal Extract as Potential Modulator and Drug for Synaptic Plasticity and Neurodegenerative Disorders 25: 69–79.
- Senechal, Y., Kelly, P.H., & Dev, K.K., 2008. Amyloid precursor protein knockout mice show age-dependent deficits in passive avoidance learning. *Behav. Brain Res.* 186: 126–132. doi:10.1016/j.bbr.2007.08.003
- Sharma, B., & Singh, N., 2010. Pitavastatin and 4'-Hydroxy-3'-Methoxyacetophenone ( HMAP ) Reduce Cognitive Dysfunction in Vascular Dementia During Experimental Diabetes 180–191.
- Sharma, R., Kuca, K., Nepovimova, E., Kabra, A., Rao, M.M., & Prajapati, P.K., 2019. Traditional Ayurvedic and herbal remedies for Alzheimer's disease: from bench to bedside. *Expert Rev. Neurother.* 19: 359–374. doi:10.1080/14737175.2019.1596803
- Shiao, Y.J., Su, M.H., Lin, H.C., & Wu, C.R., 2017. Acteoside and isoacteoside protect amyloid  $\beta$  peptide induced cytotoxicity, cognitive deficit and neurochemical disturbances in vitro and in vivo. *Int. J. Mol. Sci.* 18. doi:10.3390/ijms18040895
- Shin, S.K., Yoo, J.M., Li, F.Y., Baek, S.Y., & Kim, M.R., 2019. Mulberry fruit improves memory in scopolamine-treated mice: role of cholinergic function, antioxidant system, and TrkB/Akt signaling. *Nutr. Neurosci.* 0: 1–11. doi:10.1080/1028415X.2019.1696613
- Skalicka-Wozniak, K., Budzynska, B., Biala, G., & Boguszevska-Czubara, A., 2018. Scopolamine-Induced Memory Impairment Is Alleviated by Xanthotoxin: Role of Acetylcholinesterase and Oxidative Stress Processes. *ACS Chem. Neurosci.* 9: 1184–1194. doi:10.1021/acchemneuro.8b00011
- Slavin, M., 2013. Challenges of diagnosing dementia in the oldest old population. *J Gerontol A Biol Sci Med Sci* 68: 1103–1111.
- Sohn, E., Kim, Y.J., & Kim, J., 2020. Ficus Erecta Thunb . Leaves Protect Against Cognitive De cit and Neuronal Damage in a Mouse Model of Amyloid- $\beta$  -induced Alzheimer ' s Disease. *Res. Sq.* september: 1–23. doi:10.21203/rs.3.rs-73527/v1
- Soodi, M., Saeidnia, S., Sharifzadeh, M., Hajimehdipoor, H., Dashti, A., Sepand, M.R., et al., 2016. Satureja bachtiarica ameliorate beta-amyloid induced memory impairment, oxidative stress and cholinergic deficit in animal model of Alzheimer's disease. *Metab. Brain Dis.* 31: 395–404. doi:10.1007/s11011-015-9773-y
- Squire, L.R., Berg, D., Bloom, F.E., Du Lac, S., Ghosh, A., & Spitzer, N.C., 2013.

- Fundamental Neuroscience: Fourth Edition, Fundamental Neuroscience: Fourth Edition. doi:10.1016/C2010-0-65035-8
- Sun, Y., Wu, A., Li, X., Qin, D., Jin, B., Liu, J., et al., 2020. The seed of *Litchi chinensis* fraction ameliorates hippocampal neuronal injury in an A $\beta$ 25-35-induced Alzheimer's disease rat model via the AKT/GSK-3 $\beta$  pathway. *Pharm. Biol.* 58: 35–43. doi:10.1080/13880209.2019.1697298
- Sundaram, M., & Greenwald, I., 1993. Suppressors of a lin-12 hypomorph define genes that interact with both lin-12 and glp-1 in *Caenorhabditis elegans*. *Genetics* 135: 765–783.
- Thakur, A.K., Kamboj, P., Goswami, K., & Ahuja, K., 2018. Pathophysiology and management of alzheimer's disease: an overview. doi:10.15406/japlr.2018.07.00230
- Trinchese, F., Liu, S., Ninan, I., Puzzo, D., Jacob, J.P., & Arancio, O., 2004. Cell cultures from animal models of Alzheimer's disease as a tool for faster screening and testing of drug efficacy. *J. Mol. Neurosci.* 24: 15–21. doi:10.1385/jmn:24:1:015
- Turgut, N.H., Mert, D.G., Kara, H., Egilmez, H.R., Arslanbas, E., Tepe, B., et al., 2016. Effect of black mulberry (*Morus nigra*) extract treatment on cognitive impairment and oxidative stress status of d-galactose-induced aging mice. *Pharm. Biol.* 54: 1052–1064. doi:10.3109/13880209.2015.1101476
- Ul Amin, F., Shah, S.A., & Kim, M.O., 2017. Vanillic acid attenuates A $\beta$ 1-42-induced oxidative stress and cognitive impairment in mice. *Sci. Rep.* 7: 1–15. doi:10.1038/srep40753
- Vandamme, T.F., 2014. Use of rodents as models of human diseases 6: 2–9. doi:10.4103/0975-7406.124301
- Vijayraghavan, S., Major, A.J., & Everling, S., 2018. Muscarinic M1 Receptor Overstimulation Disrupts Working Memory Activity for Rules in Primate Prefrontal Cortex. *Neuron* 98: 1256-1268.e4. doi:10.1016/j.neuron.2018.05.027
- Wahl, D., Coogan, S.C.P., Solon-Biet, S.M., De Cabo, R., Haran, J.B., Raubenheimer, D., et al., 2017. Cognitive and behavioral evaluation of nutritional interventions in rodent models of brain aging and dementia. *Clin. Interv. Aging* 12: 1419–1428. doi:10.2147/CIA.S145247
- Wang, J., Li, L., Wang, Z., Cui, Y., Tan, X., Yuan, T., et al., 2018. Supplementation of lycopene attenuates lipopolysaccharide-induced amyloidogenesis and cognitive impairments via mediating neuroinflammation and oxidative stress. *J. Nutr.*

*Biochem.* 56: 16–25. doi:10.1016/j.jnutbio.2018.01.009

- Wang, M., Bi, W., Fan, K., Li, T., Yan, T., Xiao, F., et al., 2018. Biomedicine & Pharmacotherapy Ameliorating the effect of *Alpinia oxyphylla* — *Schisandra chinensis* herb pair on cognitive impairment in a mouse model of Alzheimer's disease. *Biomed. Pharmacother.* 97: 128–135. doi:10.1016/j.biopha.2017.10.088
- Wang, Q., Li, H., Wang, F. xue, Gao, L., Qin, J. chang, Liu, J. gang, et al., 2017. Huannao Yicong Decoction () extract reduces inflammation and cell apoptosis in A $\beta$ 1-42-induced Alzheimer's disease model of rats. *Chin. J. Integr. Med.* 23: 672–680. doi:10.1007/s11655-016-2255-1
- Wang, X., Wu, J., Yu, C., Tang, Y., Liu, J., Chen, H., et al., 2017. Lychee seed saponins improve cognitive function and prevent neuronal injury via inhibiting neuronal apoptosis in a rat model of Alzheimer's disease. *Nutrients* 9: 1–17. doi:10.3390/nu9020105
- Wang, X., Xi, Y., Zeng, X., Zhao, H., Cao, J., & Jiang, W., 2018. Effects of chlorogenic acid against aluminium neurotoxicity in ICR mice through chelation and antioxidant actions. *J. Funct. Foods* 40: 365–376. doi:10.1016/j.jff.2017.11.013
- Wang, Y., Diao, Z., Li, J., Ren, B., Zhu, D., Liu, Q., et al., 2017. Chicoric acid supplementation ameliorates cognitive impairment induced by oxidative stress via promotion of antioxidant defense system. *RSC Adv.* 7: 36149–36162. doi:10.1039/c7ra06325c
- Wang, Y., Liu, C., Wang, H., Jiang, Y., Wang, P., & Shang, H., 2019. Systematic Review of Basic Research on Alzheimer's Disease with Shen Zhi Ling Oral Liquid. *Evidence-Based Complement. Altern. Med.* 2019: 1–10. doi:10.1155/2019/8216714
- Wang, Y., Wang, M., Xu, M., Li, T., Fan, K., Yan, T., et al., 2018. Nootkatone, a neuroprotective agent from *Alpiniae Oxyphyllae Fructus*, improves cognitive impairment in lipopolysaccharide-induced mouse model of Alzheimer's disease. *Int. Immunopharmacol.* 62: 77–85. doi:10.1016/j.intimp.2018.06.042
- WHO, 2017. Dementia: A Public Health Priority, 2nd ed. World Health Organization.
- WHO, 2015. Dementia\_Thematicbrief\_Executivesummary. *Alzheimer's Dis. Int.* 1–4.
- WHO, 2010. The Epidemiology and Impact of Current State of Dementia 3–6.
- Xiang, S., Liu, F., Lin, J., Chen, H., Huang, C., Chen, L., et al., 2017. Fucoxanthin Inhibits  $\beta$ -Amyloid Assembly and Attenuates  $\beta$ -Amyloid Oligomer-Induced Cognitive Impairments. *J. Agric. Food Chem.* 65: 4092–4102. doi:10.1021/acs.jafc.7b00805

- Xiong, L., Mao, S., Lu, B., Yang, J., Zhou, F., Hu, Y., et al., 2016. Osmanthus fragrans Flower Extract and Acteoside Protect Against d-Galactose-Induced Aging in an ICR Mouse Model. *J. Med. Food* 19: 54–61. doi:10.1089/jmf.2015.3462
- Xu, M., Zhang, X., Ren, F., Yan, T., Wu, B., Bi, K., et al., 2019. Essential oil of: Schisandra chinensis ameliorates cognitive decline in mice by alleviating inflammation. *Food Funct.* 10: 5827–5842. doi:10.1039/c9fo00058e
- Xu, P., Wang, K., Lu, C., Dong, L., Gao, L., Yan, M., et al., 2017a. The Protective Effect of Lavender Essential Oil and Its Main Component Linalool against the Cognitive Deficits Induced by D-Galactose and Aluminum Trichloride in Mice. *Evidence-based Complement. Altern. Med.* 2017. doi:10.1155/2017/7426538
- Xu, P., Wang, K., Lu, C., Dong, L., Gao, L., Yan, M., et al., 2017b. Protective effects of linalool against amyloid beta-induced cognitive deficits and damages in mice. *Life Sci.* 174: 21–27. doi:10.1016/j.lfs.2017.02.010
- Xu, P., Wang, K., Lu, C., Dong, L., Gao, L., Yan, M., et al., 2016. Protective effect of lavender oil on scopolamine induced cognitive deficits in mice and H<sub>2</sub>O<sub>2</sub> induced cytotoxicity in PC12 cells. *J. Ethnopharmacol.* 193: 408–415. doi:10.1016/j.jep.2016.08.030
- Yuliani, S., Mustofa, & Partadiredja, G., 2018. Turmeric ( Curcuma longa L.) extract may prevent the deterioration of spatial memory and the deficit of estimated total number of hippocampal pyramidal cells of trimethyltin-exposed rats. *Drug Chem. Toxicol.* 41: 62–71. doi:10.1080/01480545.2017.1293087
- Zhang, X., Wang, X., Hu, X., Chu, X., Li, X., & Han, F., 2019. Neuroprotective effects of a Rhodiola crenulata extract on amyloid- $\beta$  peptides (A $\beta$  1-42 ) -induced cognitive deficits in rat models of Alzheimer's disease. *Phytomedicine* 57: 331–338. doi:10.1016/j.phymed.2018.12.042
- Zhang, Y., Zhang, L.H., Chen, X., Zhang, N., & Li, G., 2018. Piceatannol attenuates behavioral disorder and neurological deficits in aging mice: Via activating the Nrf2 pathway. *Food Funct.* 9: 371–378. doi:10.1039/c7fo01511a
- Zhang, Z., Liu, H., Zhao, Z., Zang, C., Ju, C., Li, F., et al., 2020. GJ-4 alleviates A $\beta$ 25-35-induced memory dysfunction in mice through protecting the neurovascular unit. *Biomed. Pharmacother.* 127: 110131. doi:10.1016/j.biopha.2020.110131
- Zhou, Y., Wang, S., Ji, J., Lou, H., & Fan, P., 2018. Hemp (Cannabis sativa L.) Seed Phenylpropionamides Composition and Effects on Memory Dysfunction and Biomarkers of Neuroinflammation Induced by Lipopolysaccharide in Mice. *ACS Omega* 3: 15988–15995. doi:10.1021/acsomega.8b02250

