



## DAFTAR PUSTAKA

- Al-kheraif, A. A. (2011) Effects of Curing Units and Staining Solutions on The Color Susceptibility of a Microhybrid Composite Resin. *J Dent Sci.* 6(1):33–40.
- Alandia-Roman, C.C., Cruvinel, D.R., Sousa, A.B.S., Pires-de-Souza, F.C.P, Panzeri, H., (2013) Effect Of Cigarette Smoke On Color Stability and Surface Roughness Of Dental Composites. *J Dent.* 41: e73–e79.
- Alshali, R. Z., Salim, N. A., Satterthwaite, J. D., Silikas, N. (2015) Long-term Sorption and Solubility of Bulk-fill and Conventional Resin-Composites in Water and Artificial Saliva. *J Dent.* 43(12):1511–1518.
- Afzali, B. M., Ghasemi, A., Mirani, A., Abdolazimi, Z., Baghban, A. A., Kharazifard, M. J. (2015) Effect of Ingested Liquid on Color Change of Composite Resins. *JDT.* 12(8): 577-584.
- Alzraikat, H., Burrow, M. F., Maghaireh, G. A., Taha, N. A. (2018) Nanofilled Resin Composite Properties and Clinical Performance: A Review. *Oper Dent.* 43(4): E173–E190.
- Andrade, A.K.M., Duarte, R.M., Silva, F.D.S.C.M., (2011) 30-Month Randomised Clinical Trial to Evaluate The Clinical Performance Of A Nanofill And A Nanohybrid Composite. *J Dent.* 39(1):8–15.
- Anusavice, K.J., Shen, C. and Rawls, H.R., (2013) *Philips' Science Dental Materials.* 12th ed. St. Louis: Elsevier Saunders. pp 277, 279-281, 283, 285-287.
- Awliya, W. Y., Al-Alwani, D. J., Gashmer, E. S., Al-Mandil, H. B. (2010). The Effect of Commonlu Used Types of Coffee on Surface Microhardness and color Stability of Resin-Based Composite Restoration. *Saudi Dent J.* 22:177-181.
- Ayatollahi, M. R., Yahya, M. Y., Karimzadeh, A., Nikkhooyifar, M., Ayob, A. (2015) Effect of Temperature Change and Beverages on Mechanical and Tribiological Properties of dental restorative Composite. *Mater Sci Eng.* 54: 69-75.
- Barutcigil, C., dan Yildiz, M., (2012) Intrinsic and Extrinsic Discoloration of Dimethacrylate and Sirolane Based Composites. *J Dent.* 405: e57-e63.
- Bociong, K., Szczesio, A., Sokolowski, K., Domarecka, M., Sokolowski, J., Krasowski, M., Lukomska-Szymanska, M. (2017) The Influence of Water Sorption of Dental Light-Cured Composites on Shrinkage Stress. *Materials.* 10: 1–14.



- Bolat, M., Stoleriu, S., Iovan, V. V. G., Pancu, G., Sandu, A. V., Taraboanta, I., Andrian, S. (2019) Comparative Study of Color Stability of Three Composite Materials, Treated by Finishing and Coated Sealing, After Immersion in Different Wholesale. *REV CHIM*. 70(05): 1681-1684.
- Ceci, M., Viola, M., Rattalino, D., Beltrami, R., Colombo, M., Poggio, C. (2019) Discoloration of Different Esthetic Restorative Materials: A Spectrophotometric Evaluation. *Eur J Dent*. 11(2): 149-156.
- Cetin, A.R., Unlu, N., and Cobanoglu, N., (2013) A Five-Year Clinical Evaluation Of Direct Nanofilled And Indirect Composite Resin Restorations In Posterior Teeth. *Oper Dent*. 38(2):31–41.
- Chen, M. H. (2010) Update on Dental Nanocomposite. *J Dent Rest*. 89(6): 549-560.
- Chittem, J., Sajjan, G. S., dan Kanumuri, M. V., (2017) Spectrophotometric Evaluation of Colour Stability of Nano Hybrid Composite Resin in Commonly Used Food Colourants in Asian Countries, *Journal of Clinical and Diagnostic Research*, 11(1): ZC61-ZC65.
- Demirci, M.M., Tuncer, S., Sancakli, H.S., Tekce, N., dan Baydemir, C., (2018) Five-Year Clinical Evaluation Of A Nanofilled And A Nanohybrid Composite In Class IV Cavities. *Oper Dent*. 43(3):261–271.
- Denis, A. B., Diagone, C. A., Plepis, A. M. G., Viana, R. B. (2015) The Effect of The Polymerization Initiator and Light Source on The Elution of Residual Bis-GMA and TEGDMA Monomers: A Study Using Liquid Chromatography With UV Detection, *Spectrochim Acta A Mol Biomol Spectrosc*. 151: 908–915.
- Effendi, M. C., Nugraeni, Y., Pratiwi, R. W. (2014) The Effect of Soda Immersion on Nano Hybrid Composite Resin Discoloration. *Dent J (Mad. Ked. Gigi)*. 47(1): 37-40.
- Elwardani, G., Sharaf, A.A., dan Mahmoud, A., (2018) Evaluation Of Colour Change And Surface Roughness Of Two Resin-Based Composites When Exposed To Beverages Commonly Used By Children : An In-Vitro Study. *Eur Arch Paediatr Dent*. 20(3): 267-276.
- Erdemir, U., Yıldız, E., dan Eren, M.M., (2012) Effects Of Sports Drinks On Color Stability Of Nanofilled And Microhybrid Composites After Long-Term Immersion. *J Dent*. 40:e55–e63.
- Falkensammer, F. Arnetzl, G. V., Wildburger, A., Freudenthaler, J. (2013) Color Stability of Different Composite Resin Materials. *J Prosthet Dent*. 109(6): 378–383.
- Fanfoni, L., Biasi, M. D., Antolovich, G., Lenarda, R. D., Angerame, D. (2020)



- Evaluation of Degree of Conversion, Rate of Cure, Microhardness, Depth of Cure, and Contraction Stress of New Nanohybrid Composites Containing Pre-Polymerized Spherical Filler. *J Mater Sci.* 31(12):1-11.
- Fonseca, A. S. Q. S., Moreira, A. D. L., Albuquerque, P. P. A. C. d., Manezes, L. R. d., (2017) Effect of Monomer Type on The C=C Degree of Conversion, Water Sorption and Solubility, and Color Stability of Model Dental Composites. *Dent Mater.* 33(4): 394–401.
- Gajewski, V. E. S., Pfeifer, C. S., Froes-Salgado, N. R. G., Boaro, L. C. C., Braga, R. R. (2012) Monomers Used in Resin Composites: Degree of Conversion, Mechanical Properties and Water Sorption/Solubility. *Braz Dent J.* 23(5): 508–514.
- Gonulol, N., Yilmaz, F. (2012) The Effects of Finishing and Polishing Techniques on Surface Roughness and Color Stability of Nanocomposites. *J Dent.* 40s: 64–70.
- Guler, S., Unal, M. (2018) The Evaluation of Color and Surface Roughness Changes in Resin based restorative Materials with Different Contents After Waiting in Various Liquids: An SEM and AFM Study. *Microsc Res Tech.* 81(12): 1422-1433.
- Hatrick, C. D. and Eakle, W. S. (2016) *Dental Materials Clinical Applications for Dental Assistants and Dental Hygienists.* 13th edn. St. Louis: Elsevier Saunders. pp 180.
- Johnson, T., Gerson, L., Hershcovici, T., Stave, C., Fass, R. (2010) Systematic Review: The Effects of Carbonated Beverages On gastro-Oesophageal Reflux Disease. *Aliment Pharmacol Ther.* 31: 607–614.
- Khatri, A., Nandlal, B. (2016) Staining of a Conventional and a Nanofilled Composite Resin Exposed in vitro to Liquid Ingested by Children. *IJCPD.* 3(3): 183–188.
- Kheraif, A.A.A.A., Qasim, S.S.B., Ramakrishnaiah, dan R., Rehman, I., (2013) Effect Of Different Beverages On The Color Stability And Degree Of Conversion Of Nano And Microhybrid Composites. *Dent Mater J.* 32(2):326–331.
- Khosravi, M., Esmaeili, B., Nikzad, F., dan Khafri S., (2016) Color Stability Of Nanofilled And Microhybrid Resin-Based Composites Following Exposure To Chlorhexidine Mouthrinses : An In Vitro Study. *J Denti.* 13(2):116–125.



- Klauer, E., Belli, R., Petschelt, A., dan Lohbauer, U., (2019) Mechanical and Hydrolytic Degradation of An Ormocer-Based Bis-GMA-Free Resin Composite, *Clin Oral Invest*, 23(2019): 2113-2121.
- Kumar, M. S., Sahib, S. A. M., Navarasu, M., Ragavendran, N., dan Mohammed, O. F. B. (2017) Color Stability Assessment of Two Different Composite Resins with Variable Immersion Time Using Various Beverages: An In Vitro Study. *J Pharm Bioallied Sci*. 9(1): S161-S165.
- Leite, M.L.de A.e S., e Silva, F.D.S.da C.M., Meireles, S.S., Duarte, R.M., dan Andrade, A.K.M., (2014) The effect of drinks on color stability and surface roughness of nanocomposites, *Eur J Dent*, 8(3):330–336.
- Lepri, C. P., Palma-Dibb, R. G. (2012) Surface Roughness and Color Change of a Composite: Influence of Beverages and Brushing. *Dent Mater J*. 31(4): 689–696.
- Llena, C., Fernandez, S., Former, L. (2017) Color Stability of Nanohybrid Resin-Based Composites, Ormocers and Compomers. *Clin Oral Invest*. 21: 1071-1077.
- MacAulay, M., Tam, L. E., Santerre, J. P., Finer, Y. (2017) In Vivo Biodegradation of bisGMA and Urethane-Modified bisGMA-Based Resin Composite Materials. *JDR Clin Trans Res*. 2(4): 397-405.
- Maghfiroh, H., Nugroho, R. and Probosari, N. (2016) The Effect of Carbonated Beverage to The Discoloration of Polished and Unpolished Nanohybrid Composite Resin. *JDMFS*. 1(1): 16-19.
- Manappallil, J. J. (2016) *Basic Dental Materials*. 4th edn. London: Jaypee Brothers Medical Publishers. pp 182.
- Miletic, V. (2018) *Dental Composite Materials for Direct Restorations, Dental Composite Materials for Direct Restorations*. Belgrade: Springer International Publishing. pp 33, 34, 64.
- Moldovan, M., Balazsi, R., Soanca, A., Roman, A., Sarosi, C., Prodan, D., Vlassa, M., Cojocaru, I., Sacelean, V., Cristescu, I. (2019) Evaluation of The Degree of Conversion, Residual Monomers and Mechanical Properties of Some Light-Cured Dental Resin Composites. *Materials*, 12(13): 1–14.
- Nasim, I., Neelakantan, P., Sujeer, R., dan Subbarao, C.V., (2010) Color Stability Of Microfilled , Microhybrid And Nanocomposite Resins - An In Vitro Study. *J Dent*. 38:e137–e142.
- Nuaimi, H. O., Ragab, H. M. (2014) Effect of Aggressive Beverages on The Color Stability of Different Nano-Hybrid Resin Based Composite. *EJGD*. 3(3): 90-93.



- Ozera, E. H., Pascon, F. M., Correr, A. B., Puppini-Rontani, R. M., Castilho, A. R., Correr-Sobrinho, L., Paula, A. B. (2019) Color Stability and Gloss of Esthetic Restorative Materials after Chemical Challenges. *Braz Dent J.* 30(1): 52-57.
- Ozkanoglu, S., Akin E. G. G. (2020) Evaluation of The Effect of Various Beverages on The Color Stability and Microhardness of Restorative Materials. *Niger J Clin Pract.* 23(3): 322-328.
- Ozturk, E., Guder, G. (2015) Correlation Between Three-Dimensional Surface Topography and Color Stability of Different Nanofilled Composites. *Scanning.* 27(6):438-445.
- Park, J.K., Kim, T.H., Ko, C. C., Gracia-Godor, F., Kim, H.II., dan Kwon, Y.H., (2010) Effect Of Staining Solutions On Discoloration Of Resin Nanocomposites. *Am J Dent.* 23(1):39-42.
- Poggio C., Ceci, M., Beltrami, R., Mirando, M., Wassim, J., Colombo, M. (2016) Color Stability of Esthetic restorative Materials: a Spectrophotometric Analysis. *Acta Biomater Odontol Scand.* 2(1): 95-101.
- Prasetya, R. C. (2013) Perbandingan Jumlah Koloni Bakteri Saliva pada Anak-Anak Karies dan Non Karies Setelah Mengonsumsi Minuman Berkarbonasi. *JDI.* 15(1): 65-70.
- Reddy, P.S., Tejaswi, K.L.S., Shetty, S., Annapoora, B.M., Pujari, S.C., dan Thippeswamy (2013) Effects of Commonly Consumed Beverages on Surface Roughness and Color Stability of the Nano, Microhybrid and Hybrid Composite Resins : An in vitro Study. *J Contemp Dent Pract.* 14(4):718-723.
- Ren, Y. F., Feng, L., Serban, D., Malmstorm, H.S. (2012) Effects of Common Beverage Colorants on Color Stability of Dental Composite Resins: The Utility of a Thermocycling Stain Challenge Model in vitro. *J Dent.* 40s: e48-e56.
- Ritter, A. V, Boushell, L. W. and Walter, R. (2019) *Sturdevant's Art and Science of Operative Dentistry.* 7th edn. Chapel Hill: Elsevier. pp 156.
- Sakaguchi, R. L. and Powers, J. M. (2012) *Craig's Restorative Dental Materials.* 13th edn. Philadelphia: Elsevier. pp 164-166, 168-170.
- Shetty, P., Purayil, T. P., Ginjaipalli, K., Pentapati, Kalyana-Charavarthy. (2021) Effect of Polishing Technique and Immersion in Beverages on Color Stability of Nanoceramic Composite. *J Oral Biol Craniofac Res.* 11(1): 53-56.
- Sideridou, I. D., Karabela, M. M., Vouvoudi, E. Ch. (2011) Physical Properties of Current Dental Nanohybrid and Nanofill Light-Cured Resin Composites. *Dent Mater.* 27(6): 598-607.
- Subramani, K., Ahmed, W. (2012) *Emerging Nanotechnologies in Dentistry*



*Materials, Processes, and Application*. Oxford: Elsevier. pp 20-22, 26-27.

Talu, S., Stach, S., Lainovic, T., Blazic, L., Alb, S. F., Kakas, D. (2015) Surface Roughness and Morphology of Dental Nanocomposites Polished by Four Different Procedures Evaluated by a Multifractal Approach. *Applied Surface Science*. 330: 20-29.

Tahmassebi, J. F., BaniHani, A. (2020) Impact of Soft Drinks to Health and Economy: a Critical Review. *EAPD*. 21(1): 109–117.

Tecke N., Tuncer S., Demirci, M., Serim, M. E., Baydemir, C. (2015) The Effect of Different Drinks on Color Stability of Different Restorative Materials After One Month. *Restor Dent Endod*. 40(4): 255-261.

Trauth, K. G. S., Godoi, A. P. T. d., Colucci, V., Corona, S. A. M., Catirse, A. B. C. E. B. (2012) The Influence of Mouthrinses and Simulated Toothbrushing on The Surface Roughness of a Nanofilled Composite Resin. *Braz Oral Res*. 26(3): 209–214.

Uzun, G., Keyf, F., Burduroglu, D. (2015) The Effect of Curing Time and Immersion Solutions on Discoloration of Hybrid Composites and Nanocomposites. *SRM J R Dent Sci*. 6(1): 11-16.