

## REFERENCES

- Ayala-Silva, J., R. J. Schneli, A. W. Meerow, M. Winterstein, C. Cervantes and J. S. Brown. 2005. Determination of color and fruit traits of half-sib families of mango (*Mangifera indica* L.). *Proceeding of the Florida State Horticultural Society*. Vol. 118:253-257.
- Brizzolara, Stefano., George A. Manganaris, Vasileios Fotopoulos, Christopher B. Watkins, and Pietro Tonutti. 2020. Primary metabolism in fresh fruits during storage. *Front Plant Sci*. 2020; 11: 80.
- Bottom, Carey B., Samir S. Hanna and Donald J. Siehr. 1978. Mechanism of the ninhydrin reaction. *Biochemical Education*. January Vol. 6 No. 1 p0.4-5.
- Chiba, Y. 1991. Postharvest Processing. *Marketing and Quality Degradation of Vegetable Soybean in Japan*. Asian Vegetable Research and Development Center, Proceeding of Workshop. Taiwan.
- Coles, R., D. McDowell, & M. J. Kirwan (Eds.). 2003. *Food Packaging Technology* Vol. 5. CRC Press.
- Czaikoski et al. 2012. Effect of storage time and temperature on characteristic of vegetable-type soybean grain minimally processed. *Brazilian Archives of Biology and Technology*. 55(4):491-496.
- Fagundes et al. 2013. Estimate of respiration rate and physicochemical changes of fresh cut apples stored under different temperatures. *Food Science and Technology*, 33(1): 60-67.

Fehr, Walter R. and Charles E. Caviness. 1977. Stages of soybean development.

*Special Report*. 87. Iowa Agricultural and Home Economics  
Experiment Station Publications. Iowa State University Digital  
Repository

Fonseca, S. C., F. A. R. Oliveira, and J. K. Brecht. 2002. Modelling respiration  
rate of fresh fruits and vegetables for modified atmosphere packages: a  
review. *Journal of Food Engineering*. 52(2): 99-119.

Greer, D. H. 2005. Non-destructive chlorophyll fluorescence and colour  
measurements of 'Braeburn' and 'Royal Gala' apple (*Malus domestica*)  
fruit development throughout the growing season. *New Zealand Journal  
of Crop and Horticultural Science*. Vol. 33: 413-421.

Hirota, Tomoko, Shinya Yoshida, Takayuki Sawada and Yasunori Nakamura.  
2018. Starch properties affecting maltose production ability in vegetable  
black soybean seeds (edamame) with different maturation periods. *The  
Horticulture Journal Preview*. Volume 87. Issue 2 : Pages 236-249.

Hu et al. 2018. Dynamic metabolic profiling in vegetable soybean seed  
development. *Emirates Journal Food and Agriculture*, 30(1):90-98.

Kumar et al., 2011. Evaluation of vegetable-type soybean for sucrose, taste-  
related amino acids, and isoflavones contents. *International Journal of  
Food Properties*. Vol. 14:1142-1151.

Konovsky, J., Thomas A. Lumpkin, Dean McClary. 1994. Edamame: the  
vegetable soybean. In A. D. O'Rourke (ed), *Understanding the  
Japanese Food and Agrimarket: a multifaceted opportunity* p: 172-181.

Haworth Press. Binghamton.

Leon, K., Mery, D., Pedreschi, F., and Leon, J. 2006. Color measurement in L\* a\* b\* units from RGB digital images. *Food Research International*, 39(10), 1084–1091.

Lodish H, Berk A, Zipursky SL, et al. 2000. *Molecular Cell Biology. 4th edition*. Section 3.1, Hierarchical Structure of Proteins. New York: W. H. Freeman.

Masuda, R. 1991. Quality requirement and improvement of vegetable soybean. *Proceedings of Vegetable Soybean: Research need for production and quality improvement*. AVRDC. Taiwan. p 92-102.

Nisha, P., Singhal, R. S., and Pandit, A. B. 2011. Kinetic modelling of colour degradation in tomato puree (*Lycopersicon esculentum* L.). *Food and Bioprocess Technology*, 4, 781–787.

Nunes, Cecilia N., and Jean-Pierre Emond. 2007. Relationship between weight loss and visual quality of fruits and vegetables. *Proceeding of the Florida State Horticultural Society*, 120:235-245.

Opara, Umezuruike Linus and Asanda Mditshwa. 2013. A review on the role of packaging in securing food system: Adding value to food products and reducing losses and waste. *African Journal of Agricultural Research*. Vol. 8(22), pp. 2621-2630.

Pereira, A. C., Reis, M. S., and Saraiva, P. M. 2009. Quality control of food products using image analysis and multivariate statistical tools. *Industrial and Engineering Chemistry Research*, 48(2), 988–998.

- Raza et al. 2013. Respiration rate, psycio-chemical fruit quality and consumer acceptability for fajri mango under different storage temperature. *Pakistan Journal of Agricultural Science*. 50 (4): 585-590.
- Scetar et al. 2010. Trends in fruit and vegetable packaging- a review. *Croatian Journal of Food Technology, Biotechnology and Nutrition*. 5(3-4): 69-86.
- Shanmugasundaram, S. 1996. The evolving global vegetable soybean industry. Soybean Processing and Utilization Conf. Bangkok. Thailand.
- Shono, Y.; Yoshimura, M.; Kimura, S.; Yamauchi, N. 1997. Sucrose metabolism in stored green peas. *Food Sci. Technol. Int.*(3), 41–45.
- Soltani, Mahmoud; Alimardani, Reza; Mobli, Hossein; and Mohtasebi, Seyed Saeid. 2015 "Modified Atmosphere Packaging: A Progressive Technology for Shelf-Life Extension of Fruits and Vegetables," *Journal of Applied Packaging Research*: Vol. 7: No. 3 , Article 2.
- Song et al. 2013. Evaluation of sugar, free amino acid and organic acid composition of different various of vegetable soybean (*Glycine Max* (L.) Merr.). *Industrial Crops and Products*. 50:743-749.
- Srilaong et al. 2002. Changes in commercial quality of rong-rien rambutan in modified atmosphere packaging. *Food Sci. Technol. Res*. 8(4):337-341.
- Stitt, M and T.A. Rees. 1980. Carbohydrate breakdown by chloroplasts of *Pisum sativum*. *Biochim Biophys Acta*. 627(2):131-43.
- Sugimoto et al. 2010. Metabolomic profiles and sensory attributes of edamame under various storage duration and temperature condition. *Journal of*

*Agriculture and Food Chemistry*. 58:8418-8425.

United States Department of Agriculture. -. Classification for  
Kingdom Plantae Down to Species *Glycine max* (L.) Merr  
[https://plants.usda.gov/java/ClassificationServlet?source=display&cla  
ssid=GLMA4](https://plants.usda.gov/java/ClassificationServlet?source=display&classid=GLMA4)

World Packaging Organization. 2008. Market statistics and future trends in  
global packaging. World Packaging Organisation/PIRA International  
Ltda. P. [http://  
www.worldpackaging.org/publications/documents/market-  
statistics.pdf](http://www.worldpackaging.org/publications/documents/market-statistics.pdf)

Xu, Yixiang., A. Carrtier, D. Kibet, K. Jordan, I. Hakala, S. Davis, E. Sismour,  
M. Kering, L. Rutto. 2016. Physical and nutritional properties of  
edamame seeds as influenced by stage of development. *Journal of Food  
Measurement and Characterization*. Vol. 10:193–200.

Zeipina, S., I. Alsina, and L. Lepse. 2017. Insight in edamame yield and quality  
parameters: a review. *Research for Rural Development*. Vol. 2: 40-45.

Zhang, QY., YS Li, XB Liu. 2015. *Edible quality and its regulation in vegetable  
soybean (Glycine max (L.) Merr.)*. ASA, CSSA, SSSA International  
Annual Meetings Nov. 15-18, 2015, Minneapolis, MN, USA.

Zhang, M., Meng, X., Bhandari, B., Fang, Z., & Chen, H. 2015. Recent  
application of modified atmosphere packaging (MAP) in fresh and  
fresh-cut foods. *Food Reviews International*. 31 (2): pp. 172-193.

Zhao et al. 2016. Selection of taste markers related to lactic acid bacteria

microflora metabolism for Chinese traditional paocai: a gas chromatography-mass spectrophotometry-based metabolomics approach. *Journal of Agriculture and Food Chemistry*. 64: 2415-2422.

Zoldan et al. 2014. Electronic tongue system to evaluate flavor of soybean (*Gyxine Max* (L) Merr.) genotypes. *Braz. Arch. Biol. Tech.* 57:797-802.