

DAFTAR PUSTAKA

- Ananda, S. A. and Soewangsa, E. T. (no date) ‘Studi Karakteristik Motor DC Penguat Luar Terhadap Posisi Sikat’, pp. 2003;51–56.
- A. Hamid and A. Gross, “Track-quality indices and track-degradation models for maintenance-of-way planning,” *Transp. Res. Rec. J. Transp. Res. Board*, vol. 802, pp. 2–8, 1981.
- Deutschman, Aaron D, Walter J Michels, Charles E Wilson. 1975. *Machine Design Theory and Practice*. New York: Macmillian Publishing Co, Inc.
- Junizar I. 2016. Rancang Bangun Mesin Untuk Mengurangi Kadar Air Bumbu Dapur Kapasitas 2 Kg Menggunakan Elemen Pemanas. Universitas Bangka Belitung.
- Kalpajian, S., & Schmid, S. R. (2009). *Manufacturing Engineering and Technology*. Chicago: Pearson.
- Kaewunruen, S., & Remennikov, A. M. (2008). *Effect of a large asymmetrical wheel burden on flexural response and failure of railway concrete sleepers in track systems. Engineering Failure Analysis, 15(8), 1065–1075.*
<https://doi.org/10.1016/j.engfailanal.2007.11.013>
- “KNKT: Laporan Akhir Anjlok KA 3003 D”. 2018. Kementerian Perhubungan Republik Indonesia. Diakses pada tanggal 3 Januari 2021.
http://knkt.dephub.go.id/knkt/ntsc_railway/Report/baru/2018/KNKT.18.09.09.02.pdf
- Liu, C., Zou, C., Wang, D., & Ge, Z. (2012). *Non-Repair Dynamically Balanced Device of Wheel Set in Vehicles. 510, 431–436.*
<https://doi.org/10.4028/www.scientific.net/AMR.510.431>
- Mi, Hao Yang., dkk 2013. “Characterization of thermoplastic polyurethane/polylactic acid (TPU/PLA) tissue engineering scaffolds fabricated by microcellular injection molding”. *Material Science and Engineering C*. 33. 4767–4776

- Moody, Joanna Charlotte, "*Critical Speed Analysis of Railcars and Wheelsets on Curved and Straight Track*" (2014). Honors Theses. 107.
- Mujiarto, I. (2005). Sifat dan Karakteristik Material Plastik dan Bahan Aditif. *Traksi*, 3(2), 65–74.
- Nurato, N., & Kushardiyanto, K. (2016). Analisis Kekuatan Gandar Pada Kereta Api Penumpang. *Sinergi*, 20(2), 101.
- Rasal, Rahul M., dkk. 2010. "*Poly(lactic acid) modifications*". *Progress in Polymer Science*. 35. 338 – 356.
- Rebby Fudi. Alexander, (2013) Aplikasi Sensor Berat *Load cell* Pada Alat Pengering Herbal. Skripsi.
- Sanjaya, G. Y., & Bohr, N. (1930). POROS. *Public Health*, 1–21.
- Satrijo D, Prahasto T, Pustaka T. Analisis kekuatan *under frame* kereta barang menggunakan metode elemen hingga. 2007;9:1-5.
- Selig, E. T., & Waters, J. M. (1994). *TRACK GEOTECHNOLOGY and SUBSTRUCTURE MANAGEMENT*. Derby: *Railway Geotechnical Consultant*.
- Sinulingga, S. 2009. Perencanaan dan Pengendalian Produksi. Yogyakarta: Graha Ilmu.
- Sularso, & Suga, K. (2004). Dasar Perencanaan dan Pemilihan Elemen Mesin. 5. Jakarta. PT. Pradnya Paramita.
- Syam, R. (n.d.). (2013). Dasar Dasar Teknik Sensor. Makassar: Fakultas Teknik Universitas Hasanuddin.
- Teknologi J, Jatra T, Irawan BH, *et al.* PENGARUH TEMPERATUR *NOZZLE* DAN *BASE PLATE* PADA MESIN LEAPFROG CREATER 3D *PRINTER* TERHADAP *DENSITY* DAN *SURFACE*. 2019;1(1):32-37.
- Tomioka, T., Takigami, T., Fukuyama, A., & Suzuki, T. (2009). *PREVENTION OF CARBODY VIBRATION INDUCED BY IMBALANCED WHEELSETS WITH DISPLACEMENT-DEPENDENT RUBBER BUSH*. 2009.

TSUKASA. (2014). DC Geared Motor. In *Tsukasa Electric.,co.ltd*. Diakses pada tanggal 9 Januari 202. https://www.tsukasa-d.co.jp/en/data_download/tg_55.pdf

Wang, Y., Kang, H., Song, X., & Liang, Y. (2011). *Influence of dynamic unbalance of wheelsets on the dynamic performance of high-speed cars. Journal of Modern Transportation*, 19(3), 147–153.

Yamamoto, G. K., da Costa, C., & da Silva Sousa, J. S. (2016). *A smart experimental setup for vibration measurement and imbalance fault detection in rotating machinery. Case Studies in Mechanical Systems and Signal Processing*, 4, 8–18. <https://doi.org/10.1016/j.csmssp.2016.07.001>

<https://www.semesin.com/project/2018/03/12/loadcell-sensor-berat/> (diakses pada tanggal 28 Desember 2020).

<https://www.transmotec.com> (diakses pada tanggal 15 September 2020)