



DAFTAR PUSTAKA

- Allegretti, O., Travan, L., dan Cividini, R. 2009. Drying Techniques to Obtain White Beech. In Quality Control for Wood and Wood Products, *EDG Wood Drying Seminar*, Bled, 2009, s. 7-12.
- Andersson, S., Serimaa, R., Väänänen, T., Paakkari, T., Jämsä, S., dan Viitaniemi, P. 2005. X-ray Scattering Studies of Thermally Modified Scots pine (*Pinus sylvestris* L.). *Holzforschung* 59, 422-427.
- Awoyemi, L. 2008. Differences in the Behaviour of Hardwood and Softwood Under Heat Treatment. Part 1. Strength Properties. *Journal of the Institute of Wood Science*, 18(2), 105-108.
- Basri, E. 2000. *Penetapan Bagan Pengeringan Tiga Jenis Kayu Dalam Dapur Pengering Konvensional (Kiln Drying)*. Badan Penelitian dan Pengembangan Kehutanan dan Perkebunan. Departemen Kehutanan dan Perkebunan. Bogor.
- Basri, E., dan Wahyudi, I. 2013. *Sifat Dasar Kayu Jati Plus Perhutani Dari Berbagai Umur dan Kaitannya Dengan Sifat dan Kualitas Pengeringan*. Jurnal Penelitian Hasil Hutan, 31(2), 93-102.
- Balfas, J., dan Sumarni, G. 1995. Keawetan Kayu Tusam (*Pinus merkusii* Jungh. Etde Vr.) dan Mangium (*Acacia mangium* Willd.) Setelah Furfulasi. *Jurnal Penelitian Hasil Hutan*, 13(7), 259-265.
- Batubara, R. 2006. *Teknologi Pengawetan Kayu Perumahan dan Gedung Dalam Upaya Pelestarian Hutan*. Karya Tulis Departemen Kehutanan Fakultas Kehutanan, Universitas Sumatera Utara.
- Bekhta, P., dan Niemz, P. 2003. Effect of High Temperature on The Change in Colour Dimensional Stability and Mechanical Properties of Spruce. *Holzforschung*, 57(5), 539-546.
- Bengtsson, C., Jermer, J., dan Brem, F. 2002. Bending Strength of Heat-treated Spruce and Pine Timber. In: *International Research Group Wood Pre, Section 4 Processes*, N° IRG/WP 02-40242.
- Boonstra, M., Tjeerdsma, B., dan Groeneveld, H. 1998. Thermal Modification of Non Durable Wood Species. 1. The Plato Technology: Thermal Modification of Wood. *International Research Group Wood Pre, Section 4 - Processes*. 29. Annual Meeting, Maastricht, June 14 - 19, 13 p.
- Bourgois, J., dan Guyonnet, R. 1988. Characterization and analysis of torrefied wood. *Wood Sci.Technol.* 22: 143-155
- Bowyer, J. L., Shmulsky, R., dan Haygreen, J. G. 2007. *Forest Products and Wood Science: an Introduction*, 5th ed. *Iowa State University Press, USA*.
- Bryce, J. M. 1966. Mechanical Properties of Tanzania-grown Teak. Technical Note No. 34. *School of Forestry Division, Moshi, United Republic of Tanzania*.
- BSI. 1957. British Standard (BS) 373:1957 : Methods of Testing Small Clear Specimens of Timber. *British Standard Institution, London*. 22p.
- BSN. 2006. SNI 01-7207-2006: *Uji Ketahanan Kayu Terhadap Organisme Perusak Kayu*. Badan Standardisasi Nasional (BSN), Indonesia.



- Budianto, A. 1996. *Sistem Pengeringan Kayu*. Semarang : Kanisius.
- Burmester, A. 1981. Dimensional Stabilisation of Wood. *International Research Group on Wood Preservation*, Doc. No. IRG/WP 3171.
- Cahya, A. 2018. *Pengaruh Teresan dan Letak Transversal Terhadap Sifat Pengerjaan Kayu Jati Plus Perhutani*. Skripsi. Fakultas Kehutanan UGM.
- Chow, S. Z. 1971. Infrared Spectral Characteristics and Surface Inactivation of Wood at High Temperatures. *Wood Science and Technology*, 5(1), 27–39.
- Csoka, L., Zhu, J., dan Takata, K. 2005. Application of The Fourier Analysis To Determine The Demarcation Between Juvenile and Mature Wood. *Journal of Wood Science*, 51(3), 309-311.
- Cui, W., Kamdem, D. P., Rypstra, T. 2004. Diffuse Reflectance Infrared Fourier Transform Spectroscopy (DRIFT) and Color Changes of Artificial Weathered Wood. *Wood and Fiber Science*, 36(3): 291-301.
- Desch, H. E. dan Dinwoodie, J.M. 1981. Timber Its Structure, Properties and Utilisation 6th Edition. *MacMillan Education LTD. London*.
- Domburg, G., Sergeev, V., Koshik, M., Kozmal, F., dan Kalnins, A. 1969. New Aspect and Taksa of Differential-Thermal Analysis in Wood Chemistry, p. 623-634. In R.F. Schwenker Jr., R. F. and P. D. Garn, (Eds.). *Thermal Analysis v.1, Academic Press, New York*.
- Elder, T. 1991. The Pyrolysis of Wood. In: Wood and Cellulosic Chemistry. *Hon, D.N.S. and Shiraishi, N. (Eds.). Marcel Dekker, New York, USA*, pp. 665 699.
- Esteves, B., dan Pereira, H. 2009. Wood Modification by Heat Treatment: A Review. *Bioresources*, 4(1), 370-404.
- Fengel, D., dan Wegener, G. 1995. *Kayu: Kimia, Ultrastruktur, Reaksi-reaksi Terjemahan*. Gadjah Mada University Press: Yogyakarta.
- Grace, J. K. 2013. Invasive Termites and Wood Protection. *Proceeding in the American Wood Protection Association*. 109: 42-51.
- Herwanto, H., Sutijasno., dan Wibowo, A. 2007. *Kajian Jati Plus Perhutani (JPP)*. Pusat Penelitian dan Pengembangan, Perum Perhutani. Cepu.
- Hidayat, W., Qi, Y., Jang, J. H., Park, B. H., Banuwa, I. S., Febrianto, F., and Kim, N. H. 2017. Color Change and Consumer Preferences towards Color of Heat-Treated Korean White Pine and Royal Paulownia Woods. *Journal of the Korean Wood Science and Technology*, 45(2): 213-222.
- Hill, C. 2006. *Wood Modification-Chemical, Thermal and Other Processes*. Wiley Series in Renewable Resources, John Wiley & Sons, Ltd.
- Hunt, G. M, dan Garrat, G. A. 1986. *Pengawetan Kayu* (Diterjemahkan oleh IR.Mohamad Jusuf dan disunting oleh Prof. Dr. Soenardi Prawiroatmodjo). Akademika Pressindo. Jakarta.
- International Commission on Illumination. 2008. ISO/CIE 11664-4:2008(E) Colometry Part 4: CIE 1976 L*a*b Colour Space.
- International Thermowood Association. 2003. Thermowood Handbook. *Finnish ThermoWood Association*, s/o Wood Focus Oy. P.O. Box 284, Snellmaninkatu 13, Helsinki, Finland, FIN-00171.



- Kasmudjo. 1992. *Usaha Perbaikan Mutu Bahan Baku Kerajinan Kayu. Laporan. Penelitian Kerjasama Bapindo dengan Fakultas Kehutanan UGM. Yogyakarta*. Tidak Diterbitkan.
- Kojima, M., Yamamoto, H., Okumora, K., Ojio, Y., Yoshida, M., Okuyama, T., Ona, T., Matsune, K., Nakamura, K., Ide, Y., Marsoem, S. N., Sahri, M.H., dan Hadi, Y. S. 2009. Effect of The Lateral Growth Rate on Wood Properties in Fast growing Hardwood Species. *Journal of Wood Science*, 55(6), 417-424.
- Kollmann, F., dan Schneider, A. 1963. On The Sorption Behaviour of Heat Stabilized Wood. *Holz Roh-Werkst.* 21(3), 77-85.
- Korkut, S., Akgül, M., dan DüNDAR, T. 2008. The Effects of Heat Treatment on Some Technological Properties of Scots Pine (*Pinus sylvestris* L.) Wood. *Bioresource Technology*, 99(6), 1861-1868.
- Kosik, M., Micko, M., Domansky, R. 1969. Autooxidation of Beech Wood and It's Component. *Wood Science*. 1: 167-171.
- Listyanto, T. 2016. *Teknologi Pengeringan Kayu dan Aplikasinya di Indonesia*. Gadjah Mada University Press. Yogyakarta.
- MacLean, J. D. 1951. Rate of Disintegration of Wood Under Different Heating Conditions. *Proceedings of the American Wood Preservers Association*, 47, 155-169.
- MacLean, J. D. 1954. Effect of Heating in Water on The Strength Properties of Wood. *Proceedings of the American Wood Preservers Association*, 50, 253-281.
- Marsoem, S. N. 2011. *Karakteristik Sifat Fisika, Mekanika dan Kimia Kayu Terhadap Proses dan Kualitas Hasil Pengeringan dalam Pengeringan Kayu dan Solusi Permasalahannya*. Cakrawala Media. Yogyakarta.
- Martawijaya, A., Kartasujana I., Kadir K., dan Prawira S. A. 2002. *Atlas Kayu Indonesia Jilid I*. Balitbang Departemen Kehutanan. Bogor.
- Militz, H. dan Tjeerdsma B. 2001. Heat Treatment of Wood by The "Plato Process". *Review on Heat Treatments of Wood. European Thematic Network for Wood Modification*. Hamburg-Germany.
- Mitsui, K., Murata, A., Kohara, M., dan Tsuchikawa, S. 2003. Colour Modification of Wood by Light-irradiation and Heat Treatment. *In: Abstracts of the First European Conference on Wood Modification*, Belgium.
- Mitsui, K., Murata, A., dan Tolvaj, L. 2004. Changes in The Properties of Light irradiated Wood With Heat Treatment: Part 3. Monitoring by DRIFT Spectroscopy. *Holz Roh-Werkst.* 62, 164-168.
- Moya, R., dan Berocal, A. 2010. Wood Colour Variation in Sapwood and Heartwood of Young Trees of *Tectona grandis* and its Relationship With Plantation Characteristics, Site, and Decay Resistance. *Annals of Forest Science*, 67(1), 109



- Moya, Roger., Bond, B., dan Quesada, H. 2014. A Review of Heartwood Properties of *Tectona grandis* Trees From Fast-Growth Plantations. *Journal of Wood Science and Technology*, 48(2), 411-433.
- Nandika, Rismayadi, D. Y. Dan Diba, F. 2003. *Rayap : Biologi dan Pengendaliannya*. Universitas Muhammadiyah Surakarta. Surakarta.
- Nicholas, D. D. 1973. *Kemunduran (Deteriorasi) Kayu dan Pencegahannya Dengan Perlakuan-Perlakuan Pengawetan*. Diterjemakan oleh Ir. Haryanto Yoedodibroto, Msc. Airlangga University Press. Surabaya.
- Nunes, L., Nobre, T., dan Rapp, A. 2004. Thermally Modified Wood in Choice Tests with Subterranean Termites. *COST E37*, Reinbeck.
- Pandey, K. K., Jayashree, dan Nagaveni, H. C. 2009. Study of Dimensional Stability, Decay Resistance, and Light Stability of Phenylisothiocyanate Modified Rubberwood. *Bioresources*, 4(1): 257-267.
- Percin, O., Huseyin, P., Abdi, A. 2016. The effect of heat treatment on the some physical and mechanical properties of beech (*Fagus orientalis lipsky*) wood. *Wood Research*, 61(3): 443-456.
- Perhutani. 2014. www.puslitbangperhutani.com
- Priadi, T., Anggia, A., Suharjo, C., L. Karlinasari. 2019. Dimensional Stability and Colour Change of Heat-treated Young Teak Wood. *International Wood Products Journal*, 10(3): 119-125.
- Purwanto, S., Sumantoro, P., Setyaningrum, H. D., Saporitno, C. 2015. *Budidaya dan Bisnis Kayu Jati*. Penebar Swadaya. Jakarta.
- Putra, H. 2018. *Sifat Keawetan Alami dan Cara Pengawetan Kayu Jati Plus Perhutani (JPP)*. Yogyakarta: Universitas Gadjah Mada.
- Rapp, A. O. dan Sailer. M. 2001 .Oil Heat Treatment of Wood in Germany-State of The art. *Review on Heat Treatments of Wood*. European Thematic Network for Wood Modification. Hamburg-Jerman.
- Rowell, R. M., Pettersen, R., Han, J. S., Rowell, J. S., dan Tshabalala, M. A. 2005. Cell Wall Chemistry. Handbook of wood chemistry and wood composites. Boca Raton, Fla.: CRC Press, 2005: pages 35-74.
- Salca, E. A., Kobori, H., Inagaki, T., Kojima, Y., dan Suzuki, S. 2016. Effect of Heat Treatment on Colour Changes of Black Alder and Beech Veneers. *Journal of Wood Science*, 62(4): 297-304.
- Sanderman, W., dan Augustin, H. 1964. Chemical Investigations on The Thermal Decomposition of Wood-Part III: Chemical Investigation on The Course of Decomposition. *Holz als Roh-und Werkstoff*, 22(10): 377-386.
- Sanderman W., dan Simatupang M.H., 1966. On the chemistry and bio-chemistry of teakwood (*Tectona grandis* L. fil). *Holz Roh- Werkst.* 24: 190-204.
- Shelton, T.G., Foshee, W., dan Appel, A.G. 2000. Drywood Termite Biology, Identification, and Control. *Alabama A&M Auburn Universities*.
- Shi, J., Kocaefe, D., dan Zhang J. 2007. Mechanical behaviour of Quebecwood species heat-treated using ThermoWood process. *Holz Roh-Werkst* 65, 255-259.
- Srinivas, K., dan Pandey, K. K. 2012. Photodegradation of Thermally Modified Wood. *Journal of Photochemistry and Photobiology. B: Biology*, 117,140-145.



- Stamm, A., dan Hansen, L. 1937. Minimizing Wood Shrinkage and Swelling: Effect of Heating in Various Gases. *Ind. Eng. Chem*, 29(7), 831-833.
- Stamm, A. J. 1956. Thermal Degradation of Wood and Cellulose. *Industrial and Engineering Chemistry*, 48(3), 413–417.
- Stamm, A. J. 1959. Dimensional Stabilisation of Wood by Catalysed Heat Treatment and Cross-linking With Formaldehyde. *Tappi*, 42(1), 44–50.
- Sumarna, Y. 2001. *Budidaya Jati*. Penebar Swadaya, Jakarta.
- Sumarni, G. dan Muslich, M. 2010. Peningkatan Pemanfaatan Jati Plus Perhutani (JPP) Untuk Kayu Lamina. *Jurnal Penelitian Hasil Hutan*. 28(3): 263-277.
- Sumarni, G. dan Muslich, M. 2008. Kelas Awet Jati Cepat Tumbuh dan Jati Konvensional Pada Berbagai Umur Pohon. *Jurnal Penelitian Hasil Hutan*. 26(4): 342-351.
- Suryana, Y. 2001. *Budidaya Jati*. Swadaya, Bogor.
- Sutisna, F.Y., Lukmandaru, G., Listyanto T. 2019. *Peningkatan Kualitas Pewarnaan Kayu Jati Plus Perhutani (Jpp) Menggunakan Modifikasi Suhu*. Thesis Magister Ilmu Kehutanan, UGM (Belum dipublikasikan).
- Syrjänen, T., Oy, K., Jämsä, S., dan Viitaniemi, P. 2000. Heat treatment of wood in Finland-state of the art. *Proceedings of the Trä skydd-, vä rmebehandlat trä-, egenskaper och användningsområden*, Stockholm, Sweden, 21.
- Weiland, J., and Guyonnet, R. 2003. Study of chemical modifications and fungi degradation of thermally modified wood using DRIFT spectroscopy. *Holz RohWerkst.* 61, 216-220.
- Williams R.M.C. 1977. The ecology and physiology of structural wood destroying isoptera. *Mater. Org.* 12:112–140.
- Wistara, I. N, Rachmansyah, R. Denes, F., dan Young R. A. 2002. Ketahanan 10 Jenis Kayu Tropis Plasma CF4 Terhadap Rayap Kayu Kering (*Cryptotermes cynocephalus* Light). *Jurnal Teknologi Hasil Hutan*. 15:(2)
- Yalcin, M., Sahin, H. I. (2015). Change in The Chemical Structure and Decay Resistance of Heat-Treated Narrow-Leaved Ash Wood. *Maderas, Ciencia y Tecnologia*, 17(2), 435-446.
- Yildiz, S. dan Gezer, E. D. 2006. Mechanical and Chemical Behavior of Spruce Wood Modified by Heat. *Build Environ*, 41(12), 1762–1766.
- Zaman, A., Alén, R. dan Kotilainen, R. 2000. Thermal Behaviour of Scots Pine (*Pinus sylvestris*) and Silver Birch (*Betula pubescens*) at 200–230 deg C. *Wood and Fiber Science*, 32(2), 138–143.