



DAFTAR PUSTAKA

- Abdel-Rahman, O., 2019a, Impact of Sex on Chemotherapy Toxicity and Efficacy Among Patients With Metastatic Colorectal Cancer: Pooled Analysis of 5 Randomized Trials, *Clinical Colorectal Cancer* 18: 110-115, <https://doi.org/10.1016/j.clcc.2018.12.006>.
- Abdel-Rahman, O., 2019b, Effect of Body Mass Index on 5-FU-Based Chemotherapy Toxicity and Efficacy Among Patients With Metastatic Colorectal Cancer; A Pooled Analysis of 5 Randomized Trials, *Clinical Colorectal Cancer* 18: 385-393, <https://doi.org/10.1016/j.clcc.2019.07.005>.
- Advani, R., Arad, D., 2018, Case Report: Non-infectious causes of palmoplantar rashes, what to consider, *F1000Research* 7: 46, <https://doi.org/10.12688/f1000research.13513.1>.
- American Cancer Society, 2020a, Colorectal Cancer Facts & Figures 2020-2022 48, <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/colorectal-cancer-facts-and-figures/colorectal-cancer-facts-and-figures-2020-2022.pdf>, 3 Oktober 2020 pukul 19.53 WIB.
- American Cancer Society, 2020b, Chemotherapy for Colorectal Cancer, <https://www.cancer.org/cancer/colon-rectal-cancer/treating/chemotherapy.html>, 9 Oktober 2020 pukul 22.35 WIB.
- American Cancer Society, 2020c, Targeted Therapy for Colorectal Cancer, <https://www.cancer.org/cancer/colon-rectal-cancer/treating/targeted-therapy.html>, 10 Oktober pukul 10.45 WIB.
- American Pharmacists Association, 2008, *Drug Information Handbook 17th Ed*, LexiComp, Ohio.
- Aron, A., Coups, E.J., Aron, E.N., 2012, *Statistics for Psychology Sixth Edition*, 6th Ed, 127, Pearson Education, United States of America.
- Aslam, M., Prayitno, A., Tan, C.K. (Eds.), 2003, *Farmasi Klinis (Clinical Pharmacy)*, 101-103, PT Elex Media Komputindo, Kelompok Gramedia, Jakarta.
- Brender, E., Lynn, C., Glass, R.M., 2006, Granulocyte-Colony Stimulating Factor, *Jama Patient Page* 295, 1088, <https://doi.org/10.1001/jama.295.9.1088>.
- Chen, S.-C., Huang, H.-P., Huang, W.-S., Lin, Y.-C., Chu, T.-P., Beaton, R.D., Jane, S.-W., 2020, Non-randomized preliminary study of an education and elastic-band resistance exercise program on severity of neuropathy, physical function, muscle strength and endurance & quality of life in colorectal cancer patients experiencing oxaliplatin-induced peripheral neuropathy, *European Journal of Oncology Nursing* 49, 101834, <https://doi.org/10.1016/j.ejon.2020.101834>.
- Chetty, R., Hafezi-Bakhtiari, S., Serra, S., Colling, R., Wang, L.M., 2015, Traditional serrated adenomas (TSAs) admixed with other serrated (so-called precursor) polyps and conventional adenomas: a frequent



- occurrence, 14 January 2015: 270–273, <https://doi.org/10.1136/jclinpath-2014-202827>.
- Coleman, J.J., Pontefract, S.K., 2016. Adverse drug reactions, *Clinical Medicine* 5: 481, <https://doi.org/10.7861/clinmedicine.16-5-481>.
- Cortejoso, L., A López-Fernández, L., 2020, Pharmacogenetic Markers of Toxicity for Chemotherapy in Colorectal Cancer Patients, *Pharmacogenomics* 1173–1191, <https://doi.org/10.2217/pgs.12.95>.
- Cremolini, C., Antoniotti, C., Lonardi, S., Aprile, G., Bergamo, F., Masi, G., Grande, R., Tonini, G., Mescoli, C., Cardellino, G.G., Coltelli, L., Salvatore, L., Corsi, D.C., Lupi, C., Gemma, D., Ronzoni, M., Dell'Aquila, E., Marmorino, F., Di Fabio, F., Mancini, M.L., Marcucci, L., Fontanini, G., Zagonel, V., Boni, L., Falcone, A., 2018, Activity and Safety of Cetuximab Plus Modified FOLFOXIRI Followed by Maintenance With Cetuximab or Bevacizumab for *RAS* and *BRAF* Wild-type Metastatic Colorectal Cancer: A Randomized Phase 2 Clinical Trial, *JAMA Oncol* 4: 529, <https://doi.org/10.1001/jamaoncol.2017.5314>.
- Durand, J.P., Deplanque, G., Montheil, V., Gornet, J.M., Scotte, F., Mir, O., Cessot, A., Coriat, R., Raymond, E., Mitry, E., Herait, P., Yataghene, Y., Goldwasser, F., 2012, Efficacy of venlafaxine for the prevention and relief of oxaliplatin-induced acute neurotoxicity: results of EFOOX, a randomized, double-blind, placebo-controlled phase III trial, *Annals of Oncology* 23: 200–205, <https://doi.org/10.1093/annonc/mdr045>.
- Dwijayanthi, N.K.A., Dewi, N.N.A., Mahayasa, I.M., Wayan, I., 2020, Karakteristik Pasien Kanker Kolorektal Di Rumah Sakit Umum Pusat (Rsup) Sanglah Berdasarkan Data Demografi, *Temuan Klinis Dan Gaya Hidup* 8.
- Fine, S., Koo, M., Gill, T., Marin, M., Poulin-Costello, M., Baron, R., Mittmann, N., 2014, The use of granulocyte colony–stimulating factors in a Canadian outpatient setting, *Curr. Oncol* 21: 229, <https://doi.org/10.3747/co.21.1575>
- Fujii, H., Iihara, H., Suzuki, A., Kobayashi, R., Matsuhashi, N., Takahashi, T., Yoshida, K., Itoh, Y., 2016, Hypomagnesemia is a reliable predictor for efficacy of anti-EGFR monoclonal antibody used in combination with first-line chemotherapy for metastatic colorectal cancer, *BMC Cancer* 18: 455, <https://doi.org/10.1007/s00280-016-3039-1>
- GLOBOCAN, 2018, Colorectal Cancer, <http://gco.iarc.fr>, 11 Oktober 2020 pukul 17.18 WIB.
- Guan, Z.-Z., Xu, J.-M., Luo, R.-C., Feng, F.-Y., Wang, L.-W., Shen, L., Yu, S.-Y., Ba, Y., Liang, J., Wang, D., Qin, S.-K., Wang, J.-J., He, J., Qi, C., Xu, R.-H., 2011, Efficacy and safety of bevacizumab plus chemotherapy in Chinese patients with metastatic colorectal cancer: a randomized phase III ARTIST trial, *Chin J Cancer* 30: 682–689, <https://doi.org/10.5732/cjc.011.10188>.
- Gürbüz, M., Akkuş, E., Utkan, G., 2020, Topical aloe vera for the treatment of cetuximab-related acneiform rash in colorectal cancer: A case report, *J*



- Oncol Pharm Pract* 107815522093775.
<https://doi.org/10.1177/1078155220937751>
- Hagggar, F., Boushey, R., 2009, Colorectal Cancer Epidemiology: Incidence, Mortality, Survival, and Risk Factors, *Clinics in Colon and Rectal Surgery* 22: 191–197, <https://doi.org/10.1055/s-0029-1242458>.
- Hamaguchi, R., Tsuchiya, T., Miyata, G., Sato, T., Takahashi, K., Miura, K., Oshio, H., Ohori, H., Ariyoshi, K., Oyamada, S., Iwase, S., 2020, Efficacy of oral administration of cystine and theanine in colorectal cancer patients undergoing capecitabine-based adjuvant chemotherapy after surgery: a multi-institutional, randomized, double-blinded, placebo-controlled, phase II trial (JORTC-CAM03), *Support Care Cancer* 28: 3649–3657, <https://doi.org/10.1007/s00520-019-05205-1>.
- Hofheinz, R.-D., Heinemann, V., von Weikersthal, L.F., Laubender, R.P., Gencer, D., Burkholder, I., Hochhaus, A., Stintzing, S., 2012, Capecitabine-associated hand–foot–skin reaction is an independent clinical predictor of improved survival in patients with colorectal cancer, *Br J Cancer* 107: 1678–1683, <https://doi.org/10.1038/bjc.2012.434>.
- Im, W., Permono, B., Idg, U., Ratwita, M., 2016, Luaran Pengobatan Fase Induksi Pasien Leukemia Limfoblastik Akut pada Anak di Rumah Sakit Umum Dr. Soetomo Surabaya, *Sari Pediatri* 12: 128, <https://doi.org/10.14238/sp12.2.2010.128-34>.
- Iseas, S., Roca, E.L., O'Connor, J.M., Eleta, M., Sanchez-Luceros, A., Di Leo, D., Tinelli, M., Fara, M.L., Spitzer, E., Demarco, I.A., Ripoll, G.V., Pifano, M., Garona, J., Alonso, D.F., 2020, Administration of the vasopressin analog desmopressin for the management of bleeding in rectal cancer patients: results of a phase I/II trial, *Invest New Drugs* 38: 1580–1587, <https://doi.org/10.1007/s10637-020-00914-5>.
- Kementerian Kesehatan Republik Indonesia, 2018, Pedoman Nasional Pelayanan Kedokteran Tata Laksana Kanker Kolorektal, 55-60, Jakarta, Indonesia.
- Kim, J.W., Han, S.W., Cho, J.Y., Chung, I.-J., Kim, J.G., Lee, K.H., Park, K.U., Baek, S.K., Oh, S.C., Lee, M.A., Oh, D., Shim, B., Ahn, J.B., Shin, D., Lee, J.W., Kim, Y.H., 2020, Korean red ginseng for cancer-related fatigue in colorectal cancer patients with chemotherapy: A randomised phase III trial, *European Journal of Cancer* 130: 51–62, <https://doi.org/10.1016/j.ejca.2020.02.018>.
- Kim, K.-M., Lee, E.J., Ha, S., Kang, S.Y., Jang, K.-T., Park, C.K., Kim, J.Y., Kim, Y.H., Chang, D.K., Odze, R.D., 2011, Molecular Features of Colorectal Hyperplastic Polyps and Sessile Serrated Adenoma/Polyps, *The American Journal of Surgical Pathology* 35: 1274–1286, <https://doi.org/10.1097/PAS.0b013e318224cd2e>.
- Levin, B., Lieberman, D.A., McFarland, B., Smith, R.A., Brooks, D., Andrews, K.S., Dash, C., Giardiello, F.M., Glick, S., Levin, T.R., Pickhardt, P., Rex, D.K., Thorson, A., Winawer, S.J., for the American Cancer Society Colorectal Cancer Advisory Group, the US Multi-Society Task Force, and the American College of Radiology Colon Cancer Committee, 2008, Screening and Surveillance for the Early Detection of Colorectal Cancer



- and Adenomatous Polyps, 2008: A Joint Guideline from the American Cancer Society, the US Multi-Society Task Force on Colorectal Cancer, and the American College of Radiology, *CA: A Cancer Journal for Clinicians* 58: 130–160, <https://doi.org/10.3322/CA.2007.0018>.
- Li, W., Xu, J., Shen, L., Liu, T., Guo, W., Zhang, W., Chen, Z., Zhu, X., Li, J., 2014, Phase II study of weekly irinotecan and capecitabine treatment in metastatic colorectal cancer patients, *BMC Cancer* 14: 986, <https://doi.org/10.1186/1471-2407-14-986>.
- Lu, Y., Qu, H.-Q., Chen, F.-Y., Li, X.-T., Cai, L., Chen, S., Sun, Y.-Y., 2019, Effect of Baduanjin Qigong Exercise on Cancer-Related Fatigue in Patients with Colorectal Cancer Undergoing Chemotherapy: A Randomized Controlled Trial, *Oncol Res Treat* 42: 431–439, <https://doi.org/10.1159/000501127>.
- Lubis, M.Y., Abdullah, M., Hasan, I., Suwanto, S., 2015, Probabilitas Temuan Kanker Kolorektal pada Pasien Simtomatik Berdasarkan Unsur-Unsur Asia Pasific Colorectal Screening (APCS), *Jurnal Penyakit Dalam Indonesia* 2: 90–95, <https://doi.org/10.7454/jpdi.v2i2.71>.
- Lubner, S.J., LoConte, N.K., Holen, K.D., Schelman, W., Thomas, J.P., Jumonville, A., Eickhoff, J.C., Seo, S., Mulkerin, D.L., 2010, A Phase II Study of Oxaliplatin, 5-Fluorouracil, Leucovorin, and High-Dose Capecitabine in Patients With Metastatic Colorectal Cancer, *Clinical Colorectal Cancer* 9: 157–161, <https://doi.org/10.3816/CCC.2010.n.021>.
- Marmorino, F., Rossini, D., Lonardi, S., Moretto, R., Zucchelli, G., Aprile, G., Dell'Aquila, E., Ratti, M., Bergamo, F., Masi, G., Urbano, F., Ronzoni, M., Libertini, M., Borelli, B., Randon, G., Buonadonna, A., Allegrini, G., Pella, N., Ricci, V., Boccaccino, A., Latiano, T.P., Cordio, S., Passardi, A., Tamburini, E., Boni, L., Falcone, A., Cremolini, C., 2019, Impact of age and gender on the safety and efficacy of chemotherapy plus bevacizumab in metastatic colorectal cancer: a pooled analysis of TRIBE and TRIBE2 studies, *Annals of Oncology* 30: 1969–1977, <https://doi.org/10.1093/annonc/mdz403>.
- Maroun, J., Marginean, H., Jonker, D., Cripps, C., Goel, R., Asmis, T., Goodwin, R., Chiritescu, G., 2018, A Phase I Study of Irinotecan, Capecitabine (Xeloda), and Oxaliplatin in Patients With Advanced Colorectal Cancer, *Clinical Colorectal Cancer* 17: e257–e268, <https://doi.org/10.1016/j.clcc.2017.12.003>.
- Mego, M., Chovanec, J., Vochyanova-Andrejalova, I., Konkolovsky, P., Mikulova, M., Reckova, M., Miskovska, V., Bystricky, B., Beniak, J., Medvecova, L., Lagin, A., Svetlovska, D., Spanik, S., Zajac, V., Mardiak, J., Drgona, L., 2015, Prevention of irinotecan induced diarrhea by probiotics: A randomized double blind, placebo controlled pilot study, *Complementary Therapies in Medicine* 23: 356–362, <https://doi.org/10.1016/j.ctim.2015.03.008>.
- Munker, S., 2018, Chemotherapy for metastatic colon cancer: No effect on survival when the dose is reduced due to side effects, *BMC Cancer* 18:455, <https://doi.org/10.1186/s12885-018-4380-z>.



- Nagao, S., Furihata, M., Fukagawa, K., Furihata, T., Matsushashi, Y., Wada, T., 2017, Premedication with fast-acting oxycodone hydrochloride hydrate effectively reduced oxaliplatin-induced severe vascular pain, *Journal of Infection and Chemotherapy* 23: 493–497, <https://doi.org/10.1016/j.jiac.2017.02.006>.
- National Cancer Institute, 2020a, Colon Cancer Treatment (PDQ®)–Patient Version, <https://www.cancer.gov/types/colorectal/patient/colon-treatment-pdq>, 29 September 2020 pukul 17.50 WIB.
- National Cancer Institute, 2020b, Cancer, <https://www.cancer.gov/about-cancer/understanding/what-is-cancer>, 1 Oktober 2020 pukul 14.10 WIB.
- National Cancer Institute, 2020c, Neutropenia, <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/neutropenia>, 23 Januari 2021 pukul 11.17 WIB.
- National Cancer Institute, 2020d, Febrile neutropenia, <https://www.cancer.gov/search/results?swKeyword=febrile+neutropenia>, 23 Januari 2021 pukul 11.21 WIB.
- National Cancer Institute, 2020e, Infection and Neutropenia during Cancer Treatment, <https://www.cancer.gov/about-cancer/treatment/side-effects/infection>, 23 Januari 2021 pukul 11.53 WIB.
- National Cancer Institute, 2020f, Anticipatory Nausea and Vomiting, <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/anticipatory-nausea-and-vomiting>, 24 Januari 2021 pukul 16.03 WIB.
- National Cancer Institute, 2020g, Peripheral Neuropathy, <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/peripheral-neuropathy>, 25 Januari 2021 pukul 10.30 WIB.
- National Cancer Institute, 2020h, Rash, <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/rash>, 26 Januari 2021 pukul 11.01 WIB.
- National Cancer Institute, 2017a, Common Terminology Criteria for Adverse Events (CTCAE) 155, https://ctep.cancer.gov/protocolDevelopment/electronic_applications/ctc.htm, 19 Januari 2021 pukul 11.38 WIB.
- National Cancer Institute, 2017b, Fatigue (PDQ®)–Health Professional Version, https://www.cancer.gov/about-cancer/treatment/side-effects/fatigue/fatigue-hp-pdq#_83, 23 Januari 2021 16.22 WIB.
- National Cancer Institute, 2010, Common Terminology Criteria for Adverse Events (CTCAE) 196, https://ctep.cancer.gov/protocolDevelopment/electronic_applications/ctc.htm#ctc_40, 20 Januari 2021 pukul 11.02 WIB.
- Okera, M., Chan, S., Dorned, U., Larkin, J., Popat, S., Gilbert, D., Jones, L., Osuji, N., Sykes, H., Oakley, C., Pickering, L., Lofts, F., Chowdhury, S., 2011, A prospective study of chemotherapy-induced febrile neutropenia in the South West London Cancer Network Interpretation of study results in light of NCAG/NCEPOD findings, *Br J Cancer* 104: 407–412, <https://doi.org/10.1038/sj.bjc.6606059>.



- Paramartha, G.N.A.A., Nirvana, I.W., Adiputra, P.A.T., 2019, Karakteristik Pasien Melanoma Maligna di Subbagian Bedah Onkologi RSUP Sanglah Tahun 2015-2016, *Intisari Sains Medis* 10, <https://doi.org/10.15562/ism.v10i2.242>.
- Rothschild, S.I., Betticher, D., Zenhäusern, R., Anchisi, S., von Moos, R., Pless, M., Moosmann, P., Popescu, R.A., Calderoni, A., Dressler, M., Rauch, D., Pederiva, S., Woelky, R., Papet, C., Bühler, V., Borner, M., 2019, Prospective, observational practice survey of applied skin care and management of cetuximab-related skin reactions: PROSKIN study, *Cancer Chemother Pharmacol* 84: 881–889, <https://doi.org/10.1007/s00280-019-03927-x>.
- Sabry, A.O., Sood, T., 2020, Rectal Bleeding, StatPearls Publishing LLC, <https://www.ncbi.nlm.nih.gov/books/NBK563143/>, 25 Januari 2021 pukul 14.24 WIB.
- Shacham Shmueli, E., Geva, R., Yarom, N., Hubert, A., Keynan, R., Kedem, T.H., Eini, M., Tamarkin, D., Shirvan, M., 2019, Topical doxycycline foam 4% for prophylactic management of epidermal growth factor receptor inhibitor skin toxicity: an exploratory phase 2, randomized, double-blind clinical study, *Support Care Cancer* 27: 3027–3033, <https://doi.org/10.1007/s00520-018-4600-8>.
- Szumilas, M., 2010, Explaining Odds Ratios, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2938757/>, 22 Januari 2021 pukul 12.57 WIB.
- Tang, P.A., Cohen, S.J., Kollmannsberger, C., Bjarnason, G., Virik, K., MacKenzie, M.J., Lourenco, L., Wang, L., Chen, A., Moore, M.J., 2012, Phase II Clinical and Pharmacokinetic Study of Aflibercept in Patients with Previously Treated Metastatic Colorectal Cancer, *Clin Cancer Res* 18: 6023–6031, <https://doi.org/10.1158/1078-0432.CCR-11-3252>.
- Theriot, J., Wermuth, H.R., Ashurst, J.V., 2020, Antiemetic Serotonin-5-HT3 Receptor Blockers, StatPearls Publishing LLC, <https://www.ncbi.nlm.nih.gov/books/NBK513318/#:~:text=Four%20%20DHT3%20receptor%20antagonists%20currently%20approved%20for%20use%20in,granisetron%2C%20dolasetron%2C%20and%20palonosetron>, 24 Januari 2021 pukul 16.17 WIB.
- Tol, J., Koopman, M., Cats, A., Rodenburg, C.J., Creemers, G.J.M., Schrama, J.G., Erdkamp, F.L.G., Vos, A.H., van Groeningen, C.J., Sinnige, H.A.M., Richel, D.J., Voest, E.E., Dijkstra, J.R., Vink-Börger, M.E., Antonini, N.F., Mol, L., van Krieken, J.H.J.M., Dalesio, O., Punt, C.J.A., 2009, Chemotherapy, Bevacizumab, and Cetuximab in Metastatic Colorectal Cancer, *N Engl J Med* 360: 563–572, <https://doi.org/10.1056/NEJMoa0808268>.
- UCLA, 2021, Multivariate Regression Analysis | Stata Data Analysis Examples, <https://stats.idre.ucla.edu/stata/dae/multivariate-regression-analysis/#>, 21 Januari 2021, 20.14 WIB.
- Van Cutsem, E., Tabernero, J., Lakomy, R., Prenen, H., Prausová, J., Macarulla, T., Ruff, P., van Hazel, G.A., Moiseyenko, V., Ferry, D., McKendrick, J.,



- Polikoff, J., Tellier, A., Castan, R., Allegra, C., 2012, Addition of Aflibercept to Fluorouracil, Leucovorin, and Irinotecan Improves Survival in a Phase III Randomized Trial in Patients With Metastatic Colorectal Cancer Previously Treated With an Oxaliplatin-Based Regimen, *Journal of Clinical Oncology* 30: 3499–3506, <https://doi.org/10.1200/JCO.2012.42.8201>.
- van Hellemond, I.E.G., Thijs, A.M., Creemers, G.-J., 2018, Capecitabine-Associated Terminal Ileitis, *Case Report in Oncology* 11: 654–659, <https://doi.org/10.1159/000492781>
- Vorst, M.J.D.L., Toffoli, E.C., Beusink, M., Linde, M.E., Voorthuizen, T., Brouwer, S., Zweeden, A.A., Vrijaldenhoven, S., Berends, J.C., Berkhof, J., Verheul, H.M.W., 2020, Metoclopramide, Dexamethasone, or Palonosetron for Prevention of Delayed CHEMOTHERAPY-INDUCED Nausea and Vomiting After Moderately Emetogenic Chemotherapy (MEDEA): A Randomized, Phase III , Noninferiority Trial, *The Oncologist* 2020-0305, <https://doi.org/10.1634/theoncologist.2020-0305>.
- Wicki, A., Hermann, F., Prêtre, V., Winterhalder, R., Kueng, M., von Moos, R., Rochlitz, C., Herrmann, R., 2014, Pre-Existing Antihypertensive Treatment Predicts Early Increase in Blood Pressure during Bevacizumab Therapy: The Prospective AVALUE Cohort Study, *Oncol Res Treat* 37: 1–1, <https://doi.org/10.1159/000362376>.
- World Health Organization, 2020, Cancer, <https://www.who.int/news-room/fact-sheets/detail/cancer>, 1 Oktober 2020 13.50 WIB.
- Yaghobi Joybari, A., Sarbaz, S., Azadeh, P., Mirafsharieh, S.A., Rahbari, A., Farasatinasab, M., Mokhtari, M., 2014, Oxaliplatin-Induced Renal Tubular Vacuolization, *Ann Pharmacother* 48: 796–800, <https://doi.org/10.1177/1060028014526160>.
- Yusof, M.M., Abdullah, N.M., Sharial, M.M., Zaatari, A., 2016, Safety and Management of Toxicity Related to Aflibercept in Combination with Fluorouracil, Leucovorin and Irinotecan in Malaysian Patients with Metastatic Colorectal Cancer, *Asian Pacific Journal of Cancer Prevention* 17: 973–978, <https://doi.org/10.7314/APJCP.2016.17.3.973>.
- Zhang, R.X., Wu, X.J., Wan, D.S., Lu, Z.H., Kong, L.H., Pan, Z.Z., Chen, G., 2012, Celecoxib can prevent capecitabine-related hand-foot syndrome in stage II and III colorectal cancer patients: result of a single-center, prospective randomized phase III trial, *Annals of Oncology* 23: 1348–1353, <https://doi.org/10.1093/annonc/mdr400>.