

BIBLIOGRAPHY

- Abadias, M., J. Usall, M. Oliveira, I. Alegre, and I. Vinas. 2008. Efficacy of neutral electrolyzed water (NEW) for reducing microbial contamination on minimally-processed vegetables. *International Journal of Food Microbiology*, 123: 151-158. doi: [10.1016/j.ijfoodmicro.2007.12.008](https://doi.org/10.1016/j.ijfoodmicro.2007.12.008)
- Al-Haq, M.I., J. Sugiyama, and S. Isobe. 2005. Applications of electrolyzed water in agriculture and food industries. *Food Sci. Technol. Res.*, 11(2): 135-150. doi: 10.3136/FSTR.11.135
- Al-Haq, Y. Seo, S. Oshita, and Y. Kawagoe. 2001. Fungicidal effectiveness of electrolyzed oxidizing water on postharvest brown rot of peach. *HortScience*, 36(7): 1310-1314.
- Audenaert, K., S. Monbaliu, N. Deschuyffeleer, P. Maene, F. Vekeman, G. Haesaert, S. De Saeger, and M. Eeckhout. 2012. Neutralized electrolyzed water efficiently reduces *Fusarium* spp. in vitro and on wheat kernels but can trigger deoxynivalenol (DON) biosynthesis. *Food Control*, 23: 515-521. Doi: 10.1016/j.foodcont.2011.08.024
- Beuchat, L.R., B.V. Nail, B.B. Adler, and M.R.S. Clavero. 1998. Efficacy of spray application of chlorinated water in killing pathogenic bacteria on raw apples, tomatoes, and lettuce. *Journal of Food Protection*, 61(10): 1305-1311.
- Bisognin, D. A. 2002. Origin and Evolution of Cultivated Cucurbits. *Ciência Rural*. 32 (5): 715-723. doi: 10.1590/S0103-84782002000400028
- Block, M.S., and B.G. Rowan. 2020. Hypochlorous acid: a review. *J Orall Maxillofac Surg*, 78: 1461-1466. doi: 10.1016/j.joms.2020.06.029
- Bohn, T., T. Walczyk, S. Leisibach, and R.F. Hurrell. 2004. Chlorophyll-bound magnesium in commonly consumed vegetables and fruits: relevance to magnesium nutrition. *Journal of Food Science*, 69(9): 347-350. Doi: [10.1111/j.1365-2621.2004.tb09947.x](https://doi.org/10.1111/j.1365-2621.2004.tb09947.x)
- Brewer, M. T., L. Cadle-Davidson, P. Cortesi, P.D. Spanu, and M.G. Milgroom. 2011. Identification and structure of the mating-type locus and development of PCR-based markers for mating type in powdery mildew fungi. *Fungal Genetics and Biology*. 48: 704-713. doi: 10.1016/j.fgb.2011.04.004
- Buck, J.W., M.W. van Iersel, R.D. Oetting, and Y.-C. Hung. 2003. Evaluation of acidic electrolyzed water for phytotoxic symptoms on foliage and flowers of bedding plants. *Crop Protection*, 22: 73-77. doi: 10.1016/S0261-2194(02)00113-8
- CABI. 2020. Invasive Species Compendium. Retrieved from CABI: < <https://www.cabi.org/isc/datasheet/746#totaxonomicTree> > accessed on June 18, 2020, 16.00 JST.
- Cai, L., H. Hu, H. Wang, X. Xu, G. Zhou, Z. Kang, and H. Ma. 2019. Morphophysiological responses of detached and adhered biofilms of *Pseudomonas fluorescens* to acidic electrolyzed water. *Food Microbiology*, 82: 89-98. doi: 10.1016/j.fm.2019.01.007

- Chuang, C. S. Yang, M. Chang, H. Huang, C. Luo, P. Hung and W. Fang. 2013b. Inactivation efficiency to *Bacillus subtilis* and *Escherichia coli* bacterial aerosols of spraying neutral electrolyzed water. *Journal of the Air & Waste Management Association*, 63(12): 1447-1456. Doi: 10.1080/10962247.2013.827604
- Chuang, C., S. Yang, H. Huang, C. Luo, W. Fang, P. Hung, and P. Chung. 2013a. Applying the membrane-less electrolyzed water spraying for inactivating bioaerosols. *Aerosol and Air Quality Research*, 13: 350-359. Doi: 10.4209/aaqr.2012.05.0124
- Cui, X., Y. Shang, Z. Shi, H. Xin, and W. Cao. 2009. Physiochemical properties and bactericidal efficiency of neutral and acidic electrolyzed water under different storage conditions. *Journal of Food Engineering*, 91: 582-586. Doi: 10.1016/j.jfoodeng.2008.10.006
- Deng, L., Y. Liu, G. Zhao, J. Chen, J. He, Y. Zhu, and Z. Ren. 2019. Preparation of electrolyzed oxidizing water by TiO₂ Doped IrO₂-Ta₂O₅ electrode with high selectivity and stability for chlorine evolution. *Journal of Electroanalytical Chemistry*. 832: 459-466. doi: 10.1016/j.jelechem.2018.11.047
- Ding, T., X.T. Xuan, J. Li, S.G. Chen, D.H. Liu, X.Q. Ye, and S.J. Xue. 2016. Disinfection efficacy and mechanism of slightly acidic electrolyzed water on *Staphylococcus aureus* in pure culture. *Food Control*. 60: 505-510. doi: 10.1016/j.foodcont.2016.08.007
- Ding, T., Z. Ge, J. Shi, Y.T. Xu, C.L. Jones, and D.H. Liu. 2015. Impact of slightly acidic electrolyzed water (SAEW) and ultrasound on microbial loads and quality of fresh fruits. *LWT - Food Science and Technology*. 60: 1195-1199. doi: 10.1016/j.lwt.2014.09.012
- Fernandez, B.R., B. Castillo, E. Diaz, J.H. Camacho. 2011. Evaluating electrolyzed water as a fungicide using two rose varieties (*Rosa* sp.) in greenhouse conditions. *Ingenieria E Investigacion*, 31(2): 91-101.
- Fujiwara, T., T. Fujii, and J. Park. 2009. Comparison of foliar spray efficacy of electrolytically ozonated water and acidic electrolyzed oxidizing water for controlling powdery mildew infection on cucumber leaves. *The Journal of the International Ozone Association*, 31(1): 10-14. (Abstr.). doi: 10.1080/01919510802587358
- Fujiwara, T., T. Fujii, and J. Park. 2011. Successive spraying efficacy of acidic electrolyzed oxidizing water and alkalic electrolyzed reducing water on controlling powdery mildew infection and suppressing visible physiological disorder on cucumber leaves. *Hort. Environ. Biotechnol*. 52(4): 387-392. doi: 10.1007/s13580-011-0174-9
- Gil, M.I., V.M. Gomez-Lopez, Y. Hung, and A. Allende. 2015. Potential of electrolyzed water as an alternative disinfectant agent in the fresh-cut industry. *Food Bioprocess Technol*, 8: 1336-1348. Doi: 10.1007/s11947-014-1444-1
- Guentzel, J. L., M.A. Callan, K.L. Lam, S.A. Emmons, and V.L. Dunham. 2011. Evaluation of electrolyzed water for phytotoxic effects and pre-harvest management of gray mold disease on strawberry plants. *Crop Protection*. 30: 1274-1279. doi: 10.1016/j.cropro.2011.05.021

- Guentzel, J., K. Lam, M. Callan, S. Emmons, and V.L. Dunham. 2008. Reduction of bacteria on spinach, lettuce, and surfaces in food service areas using neutral electrolyzed oxidizing water. *Food Microbiology*. 25: 36-41. doi: 10.1016/j.fm.2007.08.003
- Hakim, H., C. Thammakarn, A. Suguro, Y. Ishida, A. Kawamura, M. Tamura, K. Satoh, M. Tsujimura, T. Hasegawa, and K. Takehara. 2015. Evaluation of sprayed hypochlorous acid solutions for their virucidal activity against avian influenza virus through in vitro experiments. *J. Vet. Med. Sci.*, 77(2): 211-215. doi: 10.1292/jvms.14-0413
- Hao, J., H. Li, Y. Wan, and H. Liu. 2015. Combined effect of acidic electrolyzed water (AcEW) and alkaline electrolyzed water (AlEhW) on the microbial reduction of fresh-cut cilantro. *Food Control*. 50: 699-704. doi: 10.1016/j.foodcont.2014.09.027
- Hassan, M. K., and E. Dann. 2019. Effects of treatment with electrolyzed oxidizing water on postharvest diseases of avocado. *Agriculture*. 9: 1-15. doi: 10.3390/agriculture9110241
- Hsu, S., C. Kim, Y. Hung, and S.E. Prussia. 2004. Effect of spraying on chemical properties and bactericidal efficacy of electrolyzed oxidizing water. *International Journal of Food Science and Technology*, 39: 157-165.
- Hu, H., L. Cai, Y. Dong, H. Wang, X. Xu, and G. Zhou. 2019. Modelling the degradation of acidic electrolyzed water and its ability to disinfect a dual-species biofilm. *LWT*, 104: 159-164. doi: 10.1016/j.lwt.2019.01.029
- Issa-Zacharia, A., Y. Kamitani, N. Miwa, H. Muhimbula, and K. Iwasaki. 2011. Application of slightly acidic electrolyzed water as a potential non-thermal food sanitizer for decontamination of fresh ready-to-eat vegetables and sprouts. *Food Control*, 22(3-4): 601-607. doi: 10.1016/j.foodcont.2010.10.011
- Izumi, H., 1999. Electrolyzed water as a disinfectant for fresh-cut vegetables. *Journal of Food Science* 64, 536-539.
- Jo, H., C.N. Tango, and D. Oh. 2018. Influence of different organic materials on chlorine concentration and sanitization of slightly acidic electrolyzed water. *LWT-Food Science and Technology*, 92: 187-194. Doi: 10.1016/j.lwt.2018.02.028
- Kasiamdari, M.K. Riefani, and B.S. Daryono. 2016. The occurrence and identification of powdery mildew on melon in Java, Indonesia. *AIP Conference Proceedings*, 1744: 1-8. doi: 10.1063/1.4953524
- Koide, S., J. Takeda, J. Shi, H. Shono, and G.G. Atungulu. 2009. Disinfection efficacy of slightly acidic electrolyzed water on fresh cut cabbage. *Food Control*, 20: 294-297. Doi: 10.1016/j.foodcont.2008.05.019
- Kuzuya, M., K. Yashiro, K. Tomita, and H. Ezura. 2006. Powdery mildew (*Podosphaera xanthii*) resistance in melon is categorized into two types based on inhibition of the infection processes. *Journal of Experimental Botany*. 57 (9): 2093-2100. doi:10.1093/jxb/erj166
- Leaes, Y.S.V., M.B. Pinton, C.T. de Aguiar Rosa, S.S. Robalo, R. Wagner, C.R. de Menezes, J.S. Barin, P.C.B. Campagnol, and A.J. Cichoski. 2020. Ultrasound and basic electrolyzed

water: a green approach to reduce the technological defects caused by NaCl reduction in meat emulsions. *Ultrasonics Sonochemistry*, 61: 1-10. doi: 10.1016/j.ultsonch.2019.104830

- Lebeda, A., E. Kristkova, and B. Sedlakova. 2016. Cucurbit Powdery Mildews: methodology for objective determination and denomination of races. *European Journal of Plant Pathology*. 144: 399-410. doi: 10.1007/s10658-015-0776-7
- Lebeda, A., M. P. Widrlechner, J. Staub, H. Ezura, J. Zalapa, and E. Kristkova. 2007. Genetic Resources, Chromosome Engineering, and Crop Improvement: Vegetable Crops. NCRPIS Publication and Papers, Iowa, United States of America.
- Lee, Y. K., I.W. Chung, and H. Ezura. 2003. Efficient plant regeneration via organogenesis in winter squash (*Cucurbita maxima* Duch.). *Plant Science*. 164(3): 413-418. doi: 10.1016/S0168-9452(02)00429-6
- Lee, Y., K. Cha, S. Ko, I. Park, B. Park, and K. Seong. 2000. Evaluation of electrolyzed oxidizing water as a control agent of cucumber powdery mildew. *The Plant Pathology Journal*, 16(4): 206-210.
- Lemos, J.G., A. Stefanello, A.O. Bernardi, M. V. Garcia, L.N. Magrini, A.J. Cichoski, R. Wagner, M. V. Copetti. 2020. Antifungal efficacy of sanitizers and electrolyzed waters against toxigenic *Aspergillus*. *Food Research International*, 137: 1-6. doi: 10.1016/j.foodres.2020.109451
- Li, L., J. Hao, S. Song, S. Nirasawa, Z. Jiang, and H. Liu. 2018. Effect of slightly acidic electrolyzed water on bioactive compounds and morphology of broccoli sprouts. *Food Research International*, 105: 102-109. doi: 10.1016/j.foodres.2017.10.052
- Li, Y., Q. Zeng, G. Liu, Z. Peng, Y. Wang, Y. Zhu, H. Liu, Y. Zhao, and J.J. Wang. 2021. Effects of ultrasound-assisted basic electrolyzed water (BEW) extraction on structural and functional properties of Antarctic krill (*Euphausia superba*) proteins. *Ultrasonics Sonochemistry*, 71. doi: 10.1016/j.ultsonch.2020.105364
- Limantara, L., M. Dettling, R. Indrawati, Indriatmoko, and T.H.P. Brotosudarmo. 2015. Analysis on the chlorophyll content of commercial green leafy vegetables. *Procedia Chemistry*, 14: 225-231. doi: 10.1016/j.proche.2015.03.032
- Marco, S. D., F. Osti, D. Bossio, M. Nocentini, T. Cinelli, F. Calzarano, and L. Mugnai. 2019. Electrolyzed acid water: A clean technology active on fungal vascular pathogens in grapevine nurseries. *Crop Protection*. 119: 88-96. Doi: 10.1016/j.cropro.2019.01.005
- Martinez-Cruz, J., D. Romero, J.C. Davila, and A. Perez-Garcia. 2014. The *Podosphaera xanthii* haustorium, the fungal trojan horse of cucurbit-powdery mildew interactions. *Fungal Genetics and Biology*. 71: 21-31. doi: 10.1016/j.fgb.2014.08.006
- Mendelova, A., L. Mendel, P. Czako, and J. Marecek. 2014. Tracking changes in chlorophyll and carotenoids in the production process of frozen spinach puree. *Journal of Microbiology, Biotechnology and Food Sciences*. 3: 263-266.

- Miazzzi, M., C. Laguardia, and F. Faretra. 2011. Variation in *Podosphaera xanthii* on Cucurbits in Southern Italy. *Journal of Phytopathology*. 159: 538-545. doi: 10.1111/j.1439-0434.2011.01801.x
- Mueller, D.S., Y.C. Hung, R.D. Oetting, M.W. van Iersel, and J.W. Buck. 2003. Evaluation of electrolyzed water for management of powdery mildew on gerbera daisy. *Plant Disease*, 87: 965-969.
- Nanasato, Y., A. Okuzaki, and Y. Tabei. 2013. Improving the transformation efficiency of Cucurbita species: factors and strategy for practical application. *Plant Biotechnology*. 30: 287-294. doi: 10.5511/plantbiotechnology.13.0331a
- Nishizawa, T., A. Ito, Y. Motomura, M. Ito, and M. Togashi. 2000. Changes in fruit quality as influenced by shading of netted melon plants (*Cucumis melo* L. 'Andesu' and 'Luster'). *J. Japan. Soc. Hort. Sci.*, 69(5): 563-569. doi: 10.2503/jjshs.69.563
- Nishizawa, T., S. Taira, M. Nakanishi, M. Ito, M. Togashi, and Y. Motomura. 1998. Acetaldehyde, ethanol, and carbohydrate concentrations in developing muskmelon fruit (*Cucumis melo* L. cv. Andesu) are affected by short-term shading. *HortScience*. 33 (6): 992-994. doi: 10.21273/HORTSCI.33.6.992
- Oviedo, V.R.S., A.R. Godoy, A.I.I. Cardoso. 2008. Performance of advanced generation from a hybrid Japanese cucumber. *Science Agriculture*. 65 (5): 553-556. doi: 10.1590/S0103-90162008000500016
- Perez-Garcia, A., D. Romero, D. Fernandez-Ortuno, F. Lopez-Ruiz, A. De Vicente, and J.A. Tores. 2009. The powdery mildew fungus *Podosphaera fusca* (synonym *Podosphaera xanthii*), a constant threat to cucurbits. *Molecular Plant Pathology*. 10 (2): 153-160. doi: 10.1111/J.1364-3703.2008.00527.X
- Pirondi, A., D. Gorcia, L. Dondini, A. Brunelli, A. Perez-Garcia, and M. Collina. 2015. Genetic diversity analysis of the Cucurbit Powdery Mildew fungus *Podosphaera xanthii*, suggests a clonal population structure. *Fungal Biology*. 119: 791-801. doi: 10.1016/j.funbio.2015.05.003
- Porra, R.J., W.A. Thompson, and P.E. Kriedemann. 1989. Determination of accurate extinction coefficients and simultaneous equations for assaying chlorophylls a and b extracted with four different solvents: verification of the concentration of chlorophyll standards by atomic absorption spectroscopy. *Biochimica et Biophysica Acta*, 975(3): 384-394. doi: 10.1016/S0005-2728(89)80347-0
- Rahman, S., I. Khan, and D.H. Oh. 2016. Electrolyzed water as a novel sanitizer in the food industry: current trends and future perspectives. *Comprehensive Reviews in Food Science and Food Safety*. 00: 1-22. doi: 10.1111/1541-4337.12200
- Romero, D., A.d. Vicente, H. Zeriuoh, F. Cazorla, D. Fernandez-Ortuno, J. Tores, and A. Perez-Garcia. 2007. Evaluation of biological control agents for managing cucurbit powdery mildew on greenhouse-grown melon. *Plant Pathology*. 56: 976-986. Doi: 10.1111/j.1365-3059.2007.01684.x

- Sierra, B. E., A.X. Meza, & L.T. Sanchez. 2019. Antifungal activity of acidic electrolyzed water against strawberry postharvest molds (*Fragaria x ananassa* Duch cv. Camarosa). *Acta Agronomica*. 68 (2): 126-133. doi: 10.15446/acag.v68n2.78247
- Stepansky, A., I. Kovalski, and R. Perl-Treves. 1999. Intraspecific classification of melons (*Cucumis melo* L.) in view of their phenotypic and molecular variation. *Plant Systematics & Evolution*. 217: 313-333. doi: 10.1007/BF00984373
- Tomas-callejas, A., G.B. Martinez-Hernandez, F. Artes, and F. Artes-Hernandez. 2011. Neutral and acidic electrolyzed water as emergent sanitizers for fresh-cut mizuna baby leaves. *Postharvest Biology and Technology*, 59: 298-306. Doi: 10.1016/j.postharvbio.2010.09.013
- Trecate, L., B. Sedlakova, B. Mieslerova, V. Manstretta, V. Rossi, and A. Lebeda. 2019. Effect of temperature on infection and development of powdery mildew on cucumber. *Plant Pathology*. 68: 1165-1178. doi: 10.1111/ppa.13038
- Tsuno, K., Y. Kai, and T. Nakamura. 2012. Suppression effect of cucumber and tomato fungal diseases by using slightly acidic electrolyzed water. *Bulletin of the Faculty of Agriculture Miyazaki University*, 58: 11-17. (Abstr.).
- Tsuno, K., Y. Kai, and T. Nakamura. 2013. Suppression effect of melon disease by using slightly acidic electrolyzed water. *Bulletin of the Faculty of Agriculture Miyazaki University*, 59: 1-7. (Abstr.).
- Wang, H., D. Duan, Z. Wu, S. Xue, X. Xu, and G. Zhou. 2019. Primary concerns regarding the application of electrolyzed water in the meat industry. *Food Control*, 95: 50-56. doi: 10.1016/j.foodcont.2018.07.049
- Welbaum, G. E. 2014. Family Cucurbitaceae. In G. E. Welbaum, *Vegetable Production and Practices*. CABI, United States of America.
- Xiao-Peng, W., D. Yu, S. Juan-Juan, Q. Yan-Yan, L. Guang-Zhong, and Z. Bing-Kui. 2016. Effects of electrolyzed water on the growth and quality of cucumber and its control efficiency against cucumber downy mildew and powdery mildew. *Acta Phytophylacica Sinica*, 43(5): 819-827. (Abstr.).
- Yuan, Z., Q. Cao, K. Zhang, S.T. Ata-Ul-Karim, Y. Tian, Y. Zhu, W. Cao, and X. Liu. 2016. Optimal leaf positions for SPAD meter measurement in rice. *Front. Plant Sci*, 7:719. Doi: 10.3389/fpls.2016.00719
- Zhao, Y., H. Xin, D. Zhao, W. Zheng, W. Tian., H. Ma, K. Liu, H. Hu, T. Wang, and M. Soupir. 2014. Free chlorine loss during spraying of membrane-less acidic electrolyzed water and its antimicrobial effect on airborne bacteria from poultry house. *Annals of Agricultural and Environmental Medicine*, 21(2): 249-255. Doi: 10.13031/aim.20131618610
- Zheng, W., B. Li, W. Cao, G. Zhang, and Z. Yang. 2012. Application of neutral electrolyzed water spray for reducing dust levels in a layer breeding house. *Journal of the Air & Waste Management Association*, 62(11): 1329-1334. Doi: 10.1080/10962247.2012.710553