

DAFTAR PUSTAKA

- [BSN] Badan Standarisasi Nasional. 1996. SNI 01-4271-1996: Kecap Ikan. Badan Standarisasi Nasional, Jakarta.
- [BSN] Badan Standarisasi Nasional. 2013. SNI 01-2729-2013: Spesifikasi Ikan Segar. Badan Standarisasi Nasional, Jakarta.
- Adawyah, R. 2007. Pengolahan dan Pengawetan Ikan. Bumi Aksara, Jakarta.
- Ammor S, G Tauveron, E. Dofur, and I Cheviliar. 2006. Antibacterial activity of acetic acid bacteria against spoilage and pathogenic bacteria isolated from meat by screening and characterization of the antibacterial compound. *Journal of Food Control*. 17.
- Angelis, de M., Raffaella di C., Claude H., Carmine C., Patrick F. Fox, and Marco G. 2004. Heat Shock Response in *Lactobacillus plantarum*. *Applied and Environmental Microbiology*. 70 (3) : 1336-1346.
- Angmo, K., A. Kumari, Savitri, and T. Bhalla. 2016. Probiotic characterization of lactic acid bacteria isolated from fermented foods and beverages of Ladakh. *LWT- Food Sci. Technol*. 66: 428
- Axelsson, L. 2004. Lactic acid bacteria : Classification and Physiology. Microbiological and Functional Aspects Third Edition. Revised and Expanded: 1-66.
- Barrios-González, Javier. 2018. Current Developments in Biotechnology and Bioengineering : 257-283. Elsevier.
- Bayona, L. G. & L. E. Comstock. 2018. Bacterial antagonism in host-associated microbial communities. *Science* 361: 2456-2460
- Belitz, H.-D., Grosch, W. and Schieberle, P. 2009. Food Chemistry: 4th Revised and Extended Edition. Springer – Verlag Berlin Heidelberg, Germany.
- Bergey, D.H. 1993. Bergey's Manual of Systematic Bacteriology. Springer. New York. Secondary Metabolites Production
- Bjornsdottir-Butler, K., J.L. Jones, R. Benner, and W. Burkhardt. 2011. Development of a real-time PCR assay with an internal amplification control for detection of Gram negative histamine-producing bacteria in fish. *Food Microbiology*. 28:356-363.

- Bromberg, R. Izildhina, M., Cintia L., and Roberta, R. D. 2004. Isolation of bacteriocin-producing lactic acid bacteria from meat and mear products and its spectrum of inhibitory activity. *Journl of Food Microbiology*. 35(1).
- Buckle, K.A., Edwards, R.A., Fleet, G.H., and Wotton, M. 2007. Ilmu Pangan. Universitas Indonesia Press. (Diterjemahkan oleh Hari P. dan Adiono).
- Chen HC, Kung HF, Chen WC, Lin WF, Hwang DF, Lee YC, and Tsai YH. Determination of histamin and histamin-forming bacteria in tuna dumpling implicated in a food-borne poisoning. *Journal of Food Chem*. 8(106): 600-612.
- Desniar, Poernomo, D dan Wijatur, W. 2009. Pengaruh Konsentrasi Garam pada Peda Ikan Kembung (*Rastrelliger sp.*) dengan Fermentasi Spontan. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 9(1) : 14-21.
- Dimitrieva-Moats, Y. dan Gulhan U. 2012. Development of freeze dried bacteriocin-containing preparations from lactic acid bacteria to inhibit *Listeria monocytogenes* and *Staphylococcus aureus*. *Probiotics & Antimicro. Prot*. 4 : 27-38.
- Engelhardt, T., H. Albano, G. Kisko, C. M. Farkas, and P. Teixeira. 2015. Antilisterial activity of bacteriocinogenic *Pediococcus acidilactici* HA6111-2 and *Lactobacillus plantarum* ESB 202 grown under pH and osmotic stress conditions. *Journal of Food Microbiology*. 48: 109-113
- Fukami, K., Funatsu, Y., Kawasaki, K., and Watabe, S., 2004. Improvement of fish sauce odor by treatment with bacteria isolatd from the fish-sauce mush (moromi) made from frigate mackerel. *Journal of Food Science* 69 (2), 45–49.
- Garbutt, J. 1997. *Essentials of Food Microbiology*. Hodder Headline Group. Euston Road, London.
- Gautam, N. dan N. Sharma. 2009. Bacteriocin: safest approach to preserve food products. *Indian Journal of Microbiology*. 49(3): 204–211.
- Goh and Koshi. 2015. Purification and Characterization of bactericin produced by *Waisella confusa*. *Journal pone PLoS ONE* 10(10).
- Guinane CM, Piper C, and Draper LA. 2015. Impact of Environmental Factors on Bacteriocin Promoter Activity in Gut-Derived *Lactobacillus salivarius*. *Journal of Applied Environmental Micbriobiology*. 81(22).
- Hamidah, M., Laras R., dan Romadhon. 2019. Aktivitas antibakteri isolat bakteri asam laktat dari peda dengan jenis ikan berbeda terhadap jenis bakteri *E. coli* dan *S. aureus*. *Jurnal Ilmu dan Teknologi Pangan*. 1(2) : 11-21.

- Helander, and T. Mattila-Sandholm. 2000. Permeability barrier of the Gram-negative bacterial outer membran with special reference to nisin. *International Journal of Food Microbiology* 60 : 153 –161.
- Hoover, D. G. and L. R. Steenson. 2014. *Bacteriocins of Lactic Acid Bacteria*. Academic Press: London.
- Hu, C. B., W. Malaphan, T. Zendo, J. Nakayama, and K. Sonomoto. 2010. Enterocin, X, a novel two-peptide bacteriocin rom *Enterococcus faecium* KU-B5 ahas an antibacterial spectrum entirely different from those of its component peptides. *Journal of Applied Environmental Microbiology*. 76: 4542-4545.
- Huda, N. 2012. *Handbook of Animal-Based Fermented Food and Beverage Technology : Indonesia Fermented Fish Products*. CRC Press. London.
- Jack, R., John T., and Bibek R. 1995. Bacteriocin of Gram-Positive Bacteria. *Microbiological Reviews*. 59(2) : 171-200
- Jackson, F.R. 1990. Prokaryotic and eukaryotic pyridoxal-dependent decarboxylases are homologous. *J. Mol. Evol.* 31:325–329.
- Jay, J.M., M.J. Loessner, and D.A. Golden. 2005. *Modern Food Microbiology*. 7th edition. Springer. New York.
- Jensen, M.P., and Ardö, Y., 2009. Variation in aminopeptidase and aminotransferase activities of six cheese related *Lactobacillus helveticus* strains. *International Dairy Journal* 20, 149–155.
- Josten, H.M.L. and M. Nunez. 1996. Prevention of Histamin Formation in Cheese by Bacteriocin-Producing Lactic Acid Bacteria. *Appl. Envir. Micro.* 62 (4) :1178-1181.
- Khalid, K., 2011. An overview of lactic acid bacteria. *International journal of Biosciences*, 1(3) : 1-13.
- Kim,S. H., Katharine G. F., Michael T. M., Robert J. P., Cheng-I W., and Haejung. 2001. Source and identification of histamin-producing bacteria from fresh and temperatire-abused *Thunnus albacore*. *Journal of Food Protection* 64(7) : 1035-1044.
- Kimura, B., Y. Konagaya., and T. Fuji. 2001. Histamin formation by *Tetragenococcus muriaticus*, a halophilic bacterium isolatd from fish sauce. *International Journal of Food Microbiology* 70(1) : 71-77.

- Kleerebezem M, Quadri LE, Kuipers OP, and de Vos WM. 1997. Quorum sensing by peptide pheromones and two-component signal-transduction systems in Gram-positive bacteria. *Mol. Microbiol.* 24:895–904.
- Kobayashi, T., Kimura, B., and Fujii, T., 2000. Differentiation of *Tetragenococcus* populations occurring in products and manufacturing processes of puffer fish ovaries fermented with rice-bran. *Int. J. Food Microbiol.* 56:211–218.
- Kusmawarti A, Rachman F, dan Haryati S. 2014. Eksplorasi bakteriosin dari bakteri asam laktat asal rusip bangka dan kalimantan. *Jurnal pascapanen dan bioteknologi kelautan dan perikanan.* 9: 29-40.
- Landete, J. M., B. de las Rivas, A. Marcobal, and R. Mun˜oz. 2008. Updated molecular knowledge about histamin biosynthesis by bacteria. *Crit. Rev. Food Sci. Nutr.* 48:697–714.
- Liasi, S., Azmi T., Hassan D., Shuhaimi M., Rosfarizan M., and Arff A. 2009. Antimicrobial activity and antibiotic sensitivity of three isolats of lactic acid bacteria from fermented fish product, Budu. *Malaysian Journal of Microbiology.* 5(1) : 33-37.
- Lim, E. S., dan Nahm-Gull L. 2016. Control of histamin-forming bacteria by probiotic lactic acid bacteria isolatd from fish intestine. *The Korean Journal of Microbiology* 52(3) : 352-364.
- Linh, D., Tran T., Nguyen T., Nguyen H., and Nguyen T. 2018. Isolation and Screening of Histamin-Producing Bacteria from the First Six Months of the Cat Hai Fish Sauce Fermentation Process. *Vietnam Journal of Agricultural Sciences.*
- Lopetcharat, K., and , Park, J. W. and Daeschel, M. A. 2001. Characteristics of Fish Sauce Made from Pacific Whiting and Surimi by Products During Fermentation Stage. *Journal of Food Chemistry and Toxicology.*
- Ma'ruf, M., Sukarti, K., Purnamasari, E. dan Sulistianto, E. 2013. Penerapan Produksi Bersih pada Pengolahan Terasi Skala Rumah Tangga di Dusun Selangan Laut Pesisir Bontang. *Jurnal Ilmu Perikanan Tropis.* Vol.18(2).
- Mariam, S.H., Zegeye, N., Tariku, T., Andargie, E., Endalafer, N. and Aseffa, A., 2014. Potential of cell-free supernatans from cultures of selected lactic acid bacteria and yeast obtained from local fermented foods as inhibitors of *Listeria monocytogenes*, *Salmonella* spp. and *Staphylococcus aureus*. *BMC research notes*, 7(1) : 1-9.

- Majumdar S, Yu J, Fookes M, McAteer SP, Llobet E, and Finn S. 2015. Elucidation of the RamA Regulon in *Klebsiella pneumoniae* Reveals a Role in LPS Regulation. *PLoS Pathog* 11(1): 1-22.
- Nanashombat, S., Patcharee T., Sunisa K., Thitirut J., Saranya P., Achaporn K., and Imboon N. 2017. Lactic acid bacteria isolated from raw and fermented pork products: Identification and characterization of catalase producing *Pediococcus pentosaceus*. *Journal of Food Science and Biotechnology*. 26 (1). 173-179.
- O'Bryan, C.A., Crandall, P.G., Ricke, S.C. and Ndahetuye, J.B., 2015. Lactic acid bacteria (LAB) as antimicrobials in food products: types and mechanisms of action. *Handbook of Natural Antimicrobials for Food Safety and Quality*, 6 : 117-29.
- O'Connor, P. M., Tai's M. K., Ricardo P, Colin H., Reynolds P., and Paul D. 2020. Antimicrobials for food and feed; a bacteriocin perspective. *Current Opinion in Biotechnology*. 61:160–167.
- Onwuakor, C.E., Nwaugo, V.O., Nnadi, C.J. and Emetole, J.M., 2014. Effect of varied culture conditions on crude supernatant (bacteriocin) production from four *Lactobacillus* species isolatd from locally fermented maize (ogi). *American Journal of Microbiological Research*, 2(5) : 125-130.
- Parada, J. L., C. R. Caron, A. B. P. Medeiros, and C. R. Soccol. 2007. Bacteriocins from lactic acid bacteria: purification, properties and use as bioperservatives. *Braz. Arch. Biol. Technol*. 50:521-526.
- Peng, C., Borges, S., Magalhães, R., Carvalheira, A., Ferreira, V., Casquate, R., and Texeira, P. 2017. Characterization of anti-listerial bacteriocin produced by lactic acid bacteria isolatd from traditional fermented foods from Cambodia *International Food Research Journal*. 24(1): 386-393.
- Pequignot, C., C. Larroche, and J.B. Gross. 1998. A spechtrphotometric method for determination of bacterial biomass in the presence of a polymer. *Biotechnology techniques*. 12 (12): 899-903.
- Perez, R. H., T. Zendo, and K. Sonomoto. 2014. Novel bacteriocins from lactic acid bacteria (LAB): various structures and applications. *Microb Cell Fact*. 13: 52-55.
- Prasetyo, M. N., dan Nirmala S. 2012. Pembuatan kecap dari ikan gabus secara hidrolisis enzimatis menggunakan sari nanas. *Jurnal Teknologi Kimia dan Industry* 1(1) :270-276.

- Prester, L., 2011. Biogenic amines in fish, fish products and shellfish: a review. Food Addit. Contam., Part A 28, 1547–1560.
- Rai, A.K., N. Bhaska, P.M. Amani, K. Indirani, P.V. Suresh, and N.S. Mahendrakar. 2009. Characterization and application of native lactic acid bacterium isolates from tannery fleshing for fermentative bioconversion of tannery fleshings. Application Microbiology Biotechnology. 83: 757- 766.
- Rinto. 2006. Aplikasi Bakteri Asam Laktat dalam menghambat pembentukan histamin selama fermentasi peda. Seminar dan Diseminasi Teknologi Pengembangan Hasil Perikanan, Bandar Lampung 4-5 Desember 2006.
- Romadhon., Subagiyo., & Margino, S. 2012. Isolasi dan karakterisasi bakteri asam laktat dari usus udang penghasil bakteriosin sebagai agen antibakteria pada produk produk hasil perikanan. J. Saintek Perikanan. 8(1): 59–64.
- Sabry, M.A., H.A. Mansour, R.M. Anshour, and E. Hamza. 2019. Histamin producing bacteria and histamin induction in retail sardine and mackerel from fish markets in Egypt. Foodborne Pathogens & Disease. 20(20): 1 – 7.
- Saika, R. H., Hideo M., Tetsuo T., Nobuhiro T., and Mikio N. 2006. A Point Mutation of Adh1 Gene is Involved in the Repression of Coleoptile Elongation under Submergence in Rice. Breeding Science. 56 : 69-74.
- Satomi, M., Shozen, K.I., Furutani, A., Fukui, Y., Kimura, M., Yasuike, M., and Yano, Y., 2014. Analysis of plasmids encoding the tyrosine decarboxylase gene in *Tetragenococcus halophilus* isolates from fish sauce. Journal of Fish Science. 804 : 849–858.
- Siahaan ICM, Dien HA, Onibala H. 2017. Mutu mikrobiologis kecap ikan tongkol (*Euthynnus affinis*) dengan penambahan sari buah nanas (*Ananas comosus*). Jurnal Pengolahan Hasil Perikanan Indonesia. 20(3): 505-514.
- Smit, G., Smit, B.A., Engels, W.J.M.. 2005. Flavour formation by lactic acid bacteria and biochemical flavour profiling of cheese products. FEMS Microbiology. 29: 591–610.
- Sunaryanto, R. dan Tarwadi. 2015. Isolasi dan karakterisasi bakteriosin yang dihasilkan oleh *Lactobacillus lactis* dari sedimen laut. Jurnal Kelautan dan Perikanan 10(1) : 11-18.
- Tabanelli, G., Montanari, Eleonora B., Rosalba L., Veronica G., Giovanna F., Sandra T., and Fausto G. 2014. Control of tyramine and histamin accumulation by lactic acid bacteria using bacteriocin forming *Lactococci*. International Journal of Food Microbiology. 190:14–23.

- Tan, A., Y. Zhaoa, K. Sivashanmugana, K. Squirea, and A.X. Wang. 2019. Quantitative TLC-SERS detection of histamin in seafood with support vector machine analysis. *Food Control*. 103:111-118.
- Tanasupawat, S. Sirilak N., and Takuji K. 2009. Identification of halophilic bacteria from fish sauce (Namp-la) Thailand. *Journal of Culture collection*. 6:69-75.
- Taylor, S.L., Eitenmiller, R.R., 1986. Histamin food poisoning: toxicology and clinical aspects. *Journal of Toxicology*. 17 : 91–128.
- Taylor, S.L., L.S. Guthertz, M. Leatherwood, dan E.R. Lieber. 1979. Histamin production by *Klebsiella pneumoniae* and an incident of scombroid fish poisoning. *Applied and Environmental Microbiologoo*. 37(2) : 274-278.
- Udomsil, N., Sureelak R., Sombon T., Jirawat Y. 2010. Proteinase-producing halophilic lactic acid bacteria isolatd from fish sauce fermentation and their ability to produce volatile compounds. *International Journal of Food Microbiology* 141:189-194.
- Ueda, K. & T. Beppu. 2017. Antibiotics in microbial coculture. *Journal of Antibiotics* 70 : 361-365.
- Usmiati, Sri dan Marwati. 2007. Seleksi dan optimasi proses produksi bakteriosin dari *Lactobacillus sp.* *Jurnal Pasca Panen* 4 (1).
- Utomo, B., Theresia D., and Herbert R. 2014. Optimasi Proses Hidrolisa Ensimatis pada Pembuatan Hidrolisat Protein Ikan (HPI) dari Limbah Filet Ikan Patin. *Aqualen Buletion of Marine and Fisheries Postharvest and Biotechnology*. 9(3) : 115-126.
- Valgas, C., S.M. de Souza, E.F.A. Smânia, dan A. Smânia Jr. 2007. Screening methods to determine antibacterial activity of natural products. *Brazillian Journal of Microbiology*. 38: 369-380.
- Vuyst, L. D. & E. J. Vandamme. 2012. *Bacteriocins of Lactic Acid Bacteria : Microbiology, Genetics, and Applications*. Springer Science Business Media. Berlin.
- Wakinaka, T., Satomi., Yuya T., Jun W., Yoshinobu M., Yuichiro T., and Yuki S. 2019. Isolation of halophilic lactic acid bacteria possessing aspartate decarboxylase and application to fish sauce fermentation starter. *International Journal of Food Microbiology* 292:137-143.
- Wicaksana, Y. S. Darmanto, dan Laras R. 2013. Pengaruh penambahan starter *Pediococcus spp.* pada pembuatan kecap ikan terhadap jumlah senyawa kimia

dan koloni bakteri. Jurnal Pengolahan dan Bioteknologi Hasil Perikanan 2(4), pp. 31-40.

Wiranata, D. P. 2020. Isolasi dan Identifikasi Bakteri Pembentuk Histamin pada Ikan Tuna Mata Besar, Cakalang, dan Tongkol yang Didaratkan di Pelabuhan Perikanan Pantai Sadeng Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

Yi-Chen L., Yung-Hsiang T., Shao-Lan C., Hsien-Feng K., Osamu A. and Cheng-I W. 2020. Inactivation and Damage of Histamin-Forming Bacteria by Treatment with High Hydrostatic Pressure. Journal of Foods 6 : 266-276.

Yuko, T., Hajime T., Takashi K., and Bon K. 2012. Analysis of the growth of histamin producing bacteria and histamin accumulation in fish during storage at low temperatures. Journal of Food Control 26(1) : 174-177.

Yusra, Azima F, Novelina, and Periadnadi. 2013. Antimicrobial activity of lactic acid bacteria isolatd from of West Sumatra to food biopreservatives. Pakistan Journal of Nutr. 12(7):628-635.

Zaman MZ, Bakar FA, Jinap S, and Bakar J. 2011. Novel starter cultures to inhibit biogenic amines accumulation during fish sauce fermentation. International Journal Food Microbiology. 145:84–91.