

## DAFTAR PUSTAKA

- Abdou, M. I. and El-Sayed, H. M., 2011, Effect of Particle Size of Bentonite on Rheological Behavior of The Drilling Mud, *Petrol. Sci. Tech.*, 29 (21), 2220-2233.
- Ahonen, L., Petri, K., Mia, T., Harri, K., and Rainer, L., 2008, *Quality Assurance of The Bentonite Material*, Posiva Oy, Finlandia.
- Akinade, A. E., Okologume, C. W., and A. M. Akin-Taylor, 2018, Improving The Rheological Properties of Drilling Muds Using Local Based Materials, *Am. J. Eng. Res.*, 7 (9), 58-63.
- Al-homadhi, E.S., 2009, Improving Local Bentonite Performance for Drilling Fluids Applications, *J. King. Saud. Univ. Eng. Sci.*, 21 (1), 45-53.
- Amorim, L. V., Barbosa, M. I. R., Lira, H. L., and Ferreira, H. C., 2007, Influence of Ionic Strength on The Viscosities And Water Loss of Bentonite Suspensions Containing Polymers, *Mater. Res.*, 10 (1), 53-56.
- Andreola, F., Elena, C., Gigliola, L., Ledi, M., and Marcello, R., 2007, Release of Ions from Kaolinite Dispersed in Deflocculant Solutions, *Appl. Clay Sci.*, 36 (4), 271-278.
- API 13A, 2010, *Specification for Drilling Fluids Materials*, 18<sup>th</sup> Ed., American Petroleum Institute, Washington, D. C.
- ASTM D5890, 2011, *Standar Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners*, ASTM International, Philadelphia.
- Barbosa, M. I. R., L. V., Amorim, and H. C., Ferreira, 2007, Polymeric Compounds as Additives for Bentonite Clays, *Cerâmica*, 53, 354-360.
- Bleier, R., 1990, Selecting a Drilling Fluid, *J. Pet. Technol.*, 42 (7), 832-834.
- Bleire, R., Leuterman, A. J. J., and Stark, C., 1993, Drilling Fluids: Making Peace with The Environment, *J. Pet. Technol.*, 45 (1), 6-10.
- Bourgoyne, A.T., Jr., K. K. Milheim, M. E., Chenevert, and F. S. Young, Jr., 1986, *Applied Drilling Engineering*, Society of Petroleum Engineers, Texas.
- Brito, B. M. A., P. M., Bastos, A. J. A., Gama, J. M., Cartaxo, G. A., Neves, H. C., Ferreira, 2018, Effect of Carboxymethylcellulose on The Rheological and Filtration Properties of Bentonite Clay Samples Determined by Experimental Planning and Statistical Analysis, *Cerâmica*, 64, (254-265).
- Bybee, K., 2007, Mud Design to Prevent Circulation Losses, *J. Pet. Technol.*, 59 (11), 82-85.
- Caenn, R. and George, V. C., 1996, Drilling Fluids: State of The Art, *J. Pet. Sci. Eng.*, 14 (3-4), 221-230.

- Caenn, R., H. C. H. Darley, and George, R. G., 2011, *Composition and Properties of Drilling and Completion Fluids*, 6<sup>th</sup> Ed., Elsevier, USA.
- Clem, A. G. and Robert, W. D., 1961, Industrial Applications of Bentonite, *Clay Clay Miner*, 10 (1), 272-283.
- Cundari, L., Selpiana, Chandra, K. W., dan Arini, S., 2014, Pengaruh Penggunaan Solven Natrium Karbonat ( $\text{Na}_2\text{CO}_3$ ) Terhadap Absorpsi  $\text{CO}_2$  Pada Biogas Kotoran Sapi Dalam Spray Column, *Jurnal Teknik Kimia*, 20 (4), 52-58.
- Dardir, M. M., S. Ibrahim, A. Awadallah, S. Y. Abd EL-Wahab, and H. I. Al-Shafey, 2016, Improvement of The Rheological Properties of Local Bentonite Clay Using New Blending Polymers for Water-Based Drilling Fluids, *Egypt. J. Chem.*, 59 (1), 59-78.
- Darmadinata, M., Jumaeri, dan Triastuti, S., 2019, Pemanfaatan Bentonit Teraktivasi Asam Sulfat sebagai Adsorben Anion Fosfat dalam Air, *Indo. J. Chem. Sci.*, 8 (1), 1-8.
- Diman, S. F. and Wijeyesekera, C., 2008, Swelling Characteristics of Bentonite Clay Mats, *Proceedings 3<sup>rd</sup> of The Advances in Computing And Technology*, London.
- Dyke, K. V. and Baker, R., 1998, *Drilling Fluids, Mud Pumps, and Conditioning Equipment*, Petroleum Extension Service, University of Texas, Austin.
- Ershaghi, I. and Mehdi, A., 1980, Modeling of Filter Cake Buildup Under Dynamic-Static Conditions, *Soc. Pet. Eng. J.*, 2 (1), 1-6.
- Falode, O. A., O. A. Ehinola, and P. C. Nebeife, 2008, Evaluation of Local Bentonitic Clay as Oil Well Drilling Fluids in Nigeria, *Appl. Clay Sci.*, 39 (1-2), 19-27.
- Farmer, V. C. and J. D., Russel, 1964, The Infra-Red Spectra of Layer Silicates, *Spectrochim. Acta A*, 20 (7), 1149-1173.
- Foster, M. D., 1954, The Relation Between Composition and Swelling in Clays, *Clay Clay Miner.*, 1 (3), 205-220.
- Galindo, K. A., Weibin, Z., Hui, Z., and Jay, P. D., 2015, *High Temperature, High Performance Water-Based Drilling Fluid for Extreme High Temperature Wells*, Society of Petroleum Engineers, Texas.
- Grim, R. E., 1968, *Clay Mineralogy*, 2<sup>nd</sup> Ed., McGraw-Hill Book Company, New York.
- Growcock, F., 2005, *Drilling Fluids: Drilling Fluids Processing Handbook*, 1<sup>st</sup> Ed., Elsevier, USA.
- Gungor, N. and Ece, O. I., 1999, Effect of The Adsorption of Non-Ionic Polymer Poly(vinyl)pyrrolidone on The Rheological Properties of Na-Activated Bentonite, *Mater. Lett.*, 39 (1), 1-5.

- Harvey, C. C. and Haydn, H. M., 1997, Industrial Clay in The 21<sup>st</sup> Century: A Perspective of Exploration, Technology, and Utilization, *Appl. Clay Sci.*, 11 (5-6), 285-310.
- Heinze, T. and Katy, P., 1999, Studies on The Synthesis and Characterization of Carboxymethylcellulose, *Die Angewandte Makromolekulare Chemie*, 266, 37-45.
- Hesarakis, S., A., Zamanian, and F., Moztarzadeh, 2007, Effect of Adding Sodium Hexametaphosphate Liquefier on Basic Properties of Calcium Phosphate Cements, *J. Biomed. Mater. Res. A*, 88 A (2), 314-321.
- Hofmann, U., Endell, K., and Wilm, D., 1933, Kristallstruktur und Quellung von Montmorillonit, *Z. Kristallogr. Kris.*, 86, 340-348.
- Holilullah, Afandi, dan Hery Novpriansyah, 2015, Karakteristik Sifat Fisik Tanah pada Lahan Produksi Rendah dan Tinggi di PT Great Giant Pineapple, *J. Agrotek Tropika.*, 3 (2), 278-282.
- Hunter, R. J., 1982, The Flow Behavior of Coagulated Colloidal Dispersions, *Adv. Colloid Interface Sci.*, 17 (1), 197-211.
- Ibrahim A. S. and M.A. Al-Bidry, 2019, Activation Iraqi Bentonite for Using as Drilling Mud, *IOP Conf. Series: Materials Science and Engineering*, 579, 1-15.
- Inglethorpe, S. D. J., D. J., Morgan, D. E., Highley, and A. J., Bloodworth, 1993, *Industrial Minerals Laboratory Manual: Bentonite*, British Geological Survey, Nottingham.
- Joel, O. F., Uniport, and C. U., Nwokoye, 2010, *Performance Evaluation of Local Bentonite with Imported Grade for Utilization in Oil Field Operations in Nigeria*, Society of Petroleum Engineers, Calabar.
- Karagüzel, C., T., Çetinel, F., Boylu, K., Çinku, and M. S. Çelik, 2010, Activation of (Na, Ca)-bentonite with Soda and MgO and Their Utilization as Drilling Mud, *Appl. Clay Sci.*, 48, 398-404.
- Karlund, O., 2010, *Chemical and Mineralogical Characterization of The Bentonite Buffer for The Acceptance Control Procedure in A KBS-3 Repository*, Swedish Nuclear Fuel and Waste Management Co, Stockholm.
- Khan, K., Shaukat, A. K., Muhammad, U. S., and Muhammad, A., 2017, Improvement of Locally Available Raw Bentonite for Use as Drilling Mud, *Open Constr. Build. Technol. J.*, 11, 274-284.
- Komadel, P., 2003, Chemically Modified Smectites, *Clay Miner.*, 38 (1), 127-138.
- Li, M., Qinglin, W., Kunlin, S., Cornelis, F. D. H., Sun-Young, L., Yan, Q., and Yiqiang, W., 2015, Cellulose Nanocrystals and Polyanionic Cellulose as Additives in Bentonite Water-Based Drilling Fluids: Rheological Modelling and Filtration Mechanisms, *Ind. Eng. Chem. Res.*, 55 (1), 133-143.

- Luckham, P. F. and Sylvia, R., 1999, The Colloidal and Rheological Properties of Bentonite Suspensions, *J. Colloid Interface Sci.*, 82, 43-92.
- Ma, J., Yang, L., Muhammad, A. K., Fengyun, W., Yuting, C., Wu, L., Mingzhu, X., dan Sidi, Z., 2019, Adsorption Properties, Kinetics & Thermodynamics of Tetracycline on Carboxymethyl-Chitosan Reformed Montmorillonite, *Int. J. Biol. Macromol.*, 124 (1), 557-567.
- Magzoub, M. I. and Saeed, S. S., 2020, *A Comprehensive Rheological Study for a Flowing Polymer-Based Drilling Fluid Used for Wellbore Strengthening*, Society of Petroleum Engineers, Lafayette.
- Magzoub, M. I., Ibelwaleed, A., H., Mustafa, S. N., Mohamed, M., Abdullah, S. S., and Abdelbaki, B., 2020, An Investigation of The Swelling Kinetics of Bentonite Systems Using Particle Size Analysis, *J. Dispers. Sci. Technol.*, 41 (6), 817-827.
- Magzoub, M., Mohamed, M., Mustafa, N., Ibelwaleed, H., Salaheldin, E., and Abdullah, S., 2019, Thermochemical Upgrading of Calcium Bentonite for Drilling Fluid Applications, *J. Energy Resour. Technol.*, 141 (4).
- Novrianti, Idham, K., and Richa, M., 2018, Performance Analysis of Local Pekanbaru Bentonite for Reactive Solid Application of Mud Drilling, *J. Earth Energy Eng.*, 6 (1), 23-32.
- Nurfajriani, A. N., Pulungan, M., Yusuf, M. D., Tampubolon, and N., Bukit, 2020, The Effect of Sodium Hydroxide Concentrations on Synthesis of Carboxymethyl Cellulose from Bacterial Cellulosa, *J. Phys.: Conf. Ser.*, 1485, 1-8.
- Ozbayoglu, E., Cagri, G., Esat, C. A., Mustafa, V. K., and A. Gurkan, I., 2005, Empirical Correlations for Estimating Filtrate Volume of Water Based Drilling Fluids, *Petrol. Sci. Tech.*, 23 (3-4), 423-436.
- Pratama, F. A., 2018, Studi Laboratorium Pengaruh Berbagai Temperatur Setelah Hot Rollet Terhadap Sifat Rheologi Lumpur dengan Penambahan Carbonex dan Tannahin, *Skripsi*, Fakultas Teknologi Kebumian dan Energi, Jakarta.
- Purwaningsih, E., Supartono, dan Harjono, 2012, Reaksi Transesterifikasi Minyak Kelapa dengan Metanol Menggunakan Katalis Bentonit, *Indo. J. Chem. Sci.*, 1 (2), 133-139.
- Salami, A., 2019, Assessing Suitability of Calcium Bentonite for Application in Oil Well Drilling Mud, *Master's Thesis*, The University of British Columbia, Okanagan.
- Samsuri, A., K. P., Leyong, and H., Abdullah, 2003, *Potential of An Andrassy and Mansuli Bentonite as A Drilling Mud Material*, Society of Petroleum Engineers, Jakarta.

- Satiyawira, B., 2018, Pengaruh Temperatur Terhadap Sifat Fisik Sistem Low Solid Mud dengan Penambahan Aditif Biopolimer dan Bentonite Extender, *Jurnal Petro*, 7 (4), 144-151.
- Soleman, P., 2011, Identifikasi Gugus Fungsional Kadungan Mineral Lempung Pacitan dengan Spektroskopi Infra Red (IR) X-Ray Diffraction (XRD), *Jurnal Photon*, 2 (1), 31-35.
- Speight, J. G., 2017, *Environmental Inorganic Chemistry for Engineers*, 1<sup>st</sup> Ed., Butterworth-Heinemann, USA.
- Stuedel, A., Mehl, D., and Emmerich, K., 2013, Simultaneous Thermal Analysis of Different Bentonite-Sodium Carbonate System: an Attempt to Distinguish Alkali-Activated Bentonites from Raw Materials, *Clay Miner.*, 48 (3), 117-128.
- Sutarto, Bambang M. P., dan Helmy M., 2011, Potensi dan Pemanfaatan Bahan Galian Bentonit di Kabupaten Boyolali, Jawa Tengah, *J. I. K. Tek. Min.*, 24 (2), 65-66.
- Tan, K. H., 1982, *Dasar-Dasar Kimia Tanah*, 1<sup>st</sup> Ed., Gadjah Mada University Press, Yogyakarta.
- Wang, Q., Xijun, C., Dandan, L., Zheng, H., Ruijin, L., dan Qun, H., 2011, Adsorption of Chromium (III), Mercury (II), and Lead (II) Ions Onto 4-Aminoantipyrine Immobilized Bentonite, *J. Hazard. Mater.*, 186 (2-3), 1076-1081.
- Wijayani, A., Khoirul, U., dan Siti, T., 2005, Karakterisasi Karboksimetil Selulosa (CMC) dari Eceng Gondok (*Eichornia crassipes* (Mart) Solms), *Indo. J. Chem.*, 5 (3), 228-231.
- Williamson, D., 2013, Drilling Fluid Basics, *Oilfield Review*, 25 (1), 63-64.
- Yang, X. H. and Zhu, W. L., 2007, Viscosity Properties of Sodium Carboxymethyl Cellulose Solutions, *Cellulose.*, 14 (5), 409-417.
- Yazid, E., 2005, *Kimia Fisika untuk Paramedis*, Penerbit Andi, Yogyakarta.