

DAFTAR PUSTAKA

- Abbas, M., Cherfi, A., Kaddour, S., and Aksil, T., 2015, Adsorption in simple batch experiments of Coomassie blue G-250 by apricot stone activated carbon— Kinetics and isotherms modelling, *Desalin. Water Treat.*, 57, 15037–15048.
- Abdel-Ghani, N.T., El-Chaghaby, G.A., Rawash, E.S.A., and Lima, E.C., 2017, Adsorption of Coomassie Brilliant Blue R-250 dye onto novel activated carbon prepared from *Nigella sativa* L. waste: Equilibrium, kinetics and thermodynamics running title: Adsorption of Brilliant Blue dye onto *Nigella sativa* L. waste activated carbon, *J. Chil. Chem. Soc.*, 62, 3505–3511.
- Albadarin, A.B., Collins, M.N., Naushad, M., Shirazian, S., Walker, G., and Mangwandi, C., 2016, Activated lignin – chitosan extruded blends for efficient adsorption of methylene blue, *Chem. Eng. J.*, 307, 264–272.
- Aravindhan, R., Fathima, N.N., Rao, J.R., and Nair, B.U., 2007, Equilibrium and thermodynamic studies on the removal of basic black dye using calcium alginate beads, *Colloids Surfaces A Physicochem. Eng. Asp.*, 299, 232–238.
- Ayawei, N., Ebelegi, A.N., and Wankasi, D., 2017, Modelling and Interpretation of Adsorption Isotherms, *J. Chem.*, 2017, .
- Bonilla-Petriciolet, A., Mendoza-Castillo, D.I., and Reynel-Ávila, H.E., 2017, *Adsorption processes for water treatment and purification*, Springer, Aguascalientes.
- Bruchet, M. and Melman, A., 2015, Fabrication of patterned calcium cross-linked alginate hydrogel films and coatings through reductive cation exchange, *Carbohydr. Polym.*, 131, 57–64.
- Chen, X., 2015, Modeling of experimental adsorption isotherm data, *Inf.*, 6, 14–22.
- Chiou, M.S., Ho, P.Y., and Li, H.Y., 2004, Adsorption of anionic dyes in acid solutions using chemically cross-linked chitosan beads, *Dye. Pigment.*, 60, 69–84.
- Crini, G., 2006, Non-conventional low-cost adsorbents for dye removal: A review, *Bioresour. Technol.*, 97, 1061–1085.
- Dhananasekaran, S., Palanivel, R., and Pappu, S., 2016, Adsorption of Methylene

- Blue, Bromophenol Blue, and Coomassie Brilliant Blue by α -chitin nanoparticles, *J. Adv. Res.*, 7, 113–124.
- Dompeipen, E.J., 2017, Isolasi dan Identifikasi Kitin dan Kitosan dari Kulit Udang Windu (*Penaeus monodon*) dengan Spektroskopi Inframerah, *Maj. Biam*, 13, 31–41.
- Dubey, R., Bajpai, J., and Bajpai, A.K., 2016, Chitosan-alginate nanoparticles (CANPs) as potential nanosorbent for removal of Hg (II) ions, *Environ. Nanotechnology, Monit. Manag.*, 6, 32–44.
- Edet, U.A. and Ifelebuegu, A.O., 2020, Kinetics, Isotherms, and Thermodynamic Modeling of the Adsorption of Phosphates from Model Wastewater Using Recycled Brick Waste, *Processes*, 8, 1–15.
- Fan, L., Zhang, Y., Li, X., Luo, C., Lu, F., and Qiu, H., 2012, Removal of alizarin red from water environment using magnetic chitosan with Alizarin Red as imprinted molecules, *Colloids Surfaces B Biointerfaces*, 91, 250–257.
- Fink, J., 2020, *Emulsifiers*, Gulf Professional Publishing, Texas.
- Geetha, P., Latha, M.S., and Koshy, M., 2015, Biosorption of malachite green dye from aqueous solution by calcium alginate nanoparticles: Equilibrium study, *J. Mol. Liq.*, 212, 723–730.
- Grant, G.T., Morris, E.R., Rees, D.A., Smith, P.J.C., and Thom, D., 1973, Biological interactions between polysaccharides and divalent cations: The egg-box model, *FEBS Lett.*, 32, 195–198.
- Guo, L., Sun, C. mei, Li, G. ying, Liu, C. ping, and Ji, C. nuan, 2009, Thermodynamics and kinetics of Zn(II) adsorption on crosslinked starch phosphates, *J. Hazard. Mater.*, 161, 510–515.
- Gupta, V.K. and Karar, P.K., 2011, Optimization of process variables for the preparation of chitosanalginat nanoparticles, *Int. J. Pharm. Pharm. Sci.*, 3, 78–80.
- Hamdaoui, O. and Chiha, M., 2007, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran, *Acta Chim. Slov.*, 54, 407–418.
- Ho, Y.S. and McKay, G., 1999, Pseudo-second order model for sorption processes, *Process Biochem.*, 34, 451–465.

- Inam, E., Etim, U.J., Akpabio, E.G., and Umoren, S.A., 2016, Process optimization for the application of carbon from plantain peels in dye abstraction, *J. Taibah Univ. Sci.*, 11, 173–185.
- Irawati, H., Aprilita, N.H., dan Sugiharto, E., 2018, Adsorpsi Zat Warna Kristal Violet Menggunakan Limbah Kulit Singkong (*Manihot esculenta*), *Berk. MIPA*, 25, 17–31.
- Jain, C.K., Singhal, D.C., and Sharma, M.K., 2004, Adsorption of zinc on bed sediment of River Hindon: Adsorption models and kinetics, *J. Hazard. Mater.*, 114, 231–239.
- Jegatheesan, V., Pramanik, B.K., Chen, J., Navaratna, D., Chang, C.Y., and Shu, L., 2016, Treatment of textile wastewater with membrane bioreactor: A critical review, *Bioresour. Technol.*, 204, 202–212.
- Kapoor, A., Ritter, J.A., and Yang, R.T., 1989, On the Dubinin—Radushkevich Equation for Adsorption in Microporous Solids in the Henry's Law Region, *Langmuir*, 5, 1118–1121.
- Katuwavila, N.P., Perera, A.D.L.C., Samarakoon, S.R., Soysa, P., Karunaratne, V., Amaratunga, G.A.J., and Karunaratne, D.N., 2016, Chitosan-Alginate Nanoparticle System Efficiently Delivers Doxorubicin to MCF-7 Cells, *J. Nanomater.*, 2016, 1–12.
- Khari, F.A., Khatibzadeh, M., Mahmoodi, N.M., and Gharanjig, K., 2013, Removal of anionic dyes from aqueous solution by modified alginate, *Desalin. Water Treat.*, 51, 2253–2260.
- Li, P., Dai, Y.N., Zhang, J.P., Wang, A.Q., and Wei, Q., 2008, Chitosan-alginate nanoparticles as a novel drug delivery system for nifedipine, *Int. J. Biomed. Sci.*, 4, 221–228.
- Lin, S.H. and Lin, C.M., 1993, Treatment of textile waste effluents by ozonation and chemical coagulation, *Water Res.*, 27, 1743–1748.
- Mahmoodi, N.M., Hayati, B., Arami, M., and Bahrami, H., 2011, Preparation, characterization and dye adsorption properties of biocompatible composite (alginate/titania nanoparticle), *Desalination*, 275, 93–101.
- Mathur, N., Bhatnagar, P., and Bakre, P., 2006, Assessing mutagenicity of textile

- dyes from pali (Rajasthan) using ames bioassay, *Appl. Ecol. Environ. Res.*, 4, 111–118.
- Mi, F.L., Sung, H.W., Shyu, S.S., Su, C.C., and Peng, C.K., 2003, Synthesis and characterization of biodegradable TPP/genipin co-crosslinked chitosan gel beads, *Polymer (Guildf)*, 44, 6521–6530.
- de Moura, M.R., Aouada, F.A., and Mattoso, L.H.C., 2008, Preparation of chitosan nanoparticles using methacrylic acid, *J. Colloid Interface Sci.*, 321, 477–483.
- Nair, V., Panigrahy, A., and Vinu, R., 2014, Development of novel chitosan-lignin composites for adsorption of dyes and metal ions from wastewater, *Chem. Eng. J.*, 254, 491–502.
- Pacheco, S., Medina, M., Valencia, F., and Tapia, J., 2006, Removal of Inorganic Mercury from Polluted Water Using Structured Nanoparticles, *J. Environ. Eng.*, 132, 342–349.
- Qu, X., Brame, J., Li, Q., and Alvarez, P.J.J., 2013, Nanotechnology for a safe and sustainable water supply: Enabling integrated water treatment and reuse, *Acc. Chem. Res.*, 46, 834–843.
- Ramli, R.H., Fhong Soon, C., and Mohd Rus, A.Z., 2016, Synthesis of Chitosan/Alginate/Silver Nanoparticles Hydrogel Scaffold, *MATEC Web Conf.*, 78, 1–8.
- Rezaei, H., Haghshenasfard, M., and Moheb, A., 2017, Optimization of dye adsorption using Fe₃O₄ nanoparticles encapsulated with alginate beads by Taguchi method, *Adsorpt. Sci. Technol.*, 35, 55–71.
- Ribeiro, A.J., Silva, C., Ferreira, D., and Veiga, F., 2005, Chitosan-reinforced alginate microspheres obtained through the emulsification/internal gelation technique, *Eur. J. Pharm. Sci.*, 25, 31–40.
- Rorrer, G.L., Hsien, T.Y., and Way, J.D., 1993, Synthesis of Porous-Magnetic Chitosan Beads for Removal of Cadmium Ions from Waste Water, *Ind. Eng. Chem. Res.*, 32, 2170–2178.
- Rui Rodrigues, J. and Lagoa, R., 2006, Copper ions binding in Cu-alginate gelation, *J. Carbohydr. Chem.*, 25, 219–232.
- Santhosh, C., Velmurugan, V., Jacob, G., Jeong, S.K., Grace, A.N., and Bhatnagar,

- A., 2016, Role of nanomaterials in water treatment applications: A review, *Chem. Eng. J.*, 306, 1116–1137.
- Semeraro, P., Fini, P., D’Addabbo, M., Rizzi, V., and Cosma, P., 2017, Removal from wastewater and recycling of azo textile dyes by alginate-chitosan beads, *Int. J. Environ. Agric. Biotechnol.*, 2, 1835–1850.
- Shajahan, A., Shankar, S., Kaviyaran, V., and Narayanan, V., 2011, Adsorption efficacy of chitosan nanoparticles from *Cunninghamella elegans* on RBB dye, *Proc. Int. Conf. Green Technol. Environ. Conserv. GTEC-2011*, 238–243.
- Singh, R.N., Madhu, and Awasthi, R., 2013, *Alcohol Fuel Cells*, Elsevier B.V., Amsterdam.
- Smith, R., 2005, *Biodegradable Polymers for Industrial Applications*, CRC Press, Florida.
- Sujitha, R. and Ravindhranath, K., 2016, Removal of Coomassie brilliant blue dye from waste waters using active carbon derived from barks of *Ficus racemosa* plant, *Der Pharm. Lett.*, 8, 72–83.
- Syauqiah, I., Amalia, M., dan Kartini, H.A., 2011, Analisis Variasi Waktu Dan Kecepatan Pengaduk Pada Proses Adsorpsi Limbah Logam Berat Dengan Arang Aktif, *Info Tek.*, 12, 11–20.
- Tahir, H. and Alam, U., 2014, Lignocellulosic: Non-Conventional Low Cost Biosorbent for the Elution of Coomassie Brilliant Blue (R-250), *Int. J. Chem.*, 6, 56–72.
- Tahir, H., Muhammad, A., Alam, U., Jamil, R.B., and Qadri, M., 2018, Structural Modifications of Surfactant-Assisted Alumina and Their Effectiveness for the Removal of Dyes, *Iran.J.Chem.Eng.*, 37, 47–60.
- Thakur, V.K. and Thakur, M.K., 2014, Recent advances in graft copolymerization and applications of chitosan: A review, *ACS Sustain. Chem. Eng.*, 2, 2637–2652.
- Trivedi, U.J., Bassi, A.S., dan Zhu, J., 2006, Investigation of phenol removal using sol-gel/alginate immobilized soybean seed hull peroxidase, *Can. J. Chem. Eng.*, 84, 239–247.
- Wang, J. and Guo, X., 2020, Adsorption kinetic models: Physical meanings,

- applications, and solving methods, *J. Hazard. Mater.*, 390, 1–18.
- Yang, W., Fortunati, E., Bertoglio, F., Owczarek, J.S., Bruni, G., Kozanecki, M., et al., 2018, Polyvinyl alcohol/chitosan hydrogels with enhanced antioxidant and antibacterial properties induced by lignin nanoparticles, *Carbohydr. Polym.*, 181, 275–284.
- Yu, K., Ho, J., McCandlish, E., Buckley, B., Patel, R., Li, Z., and Shapley, N.C., 2013, Copper ion adsorption by chitosan nanoparticles and alginate microparticles for water purification applications, *Colloids Surfaces A Physicochem. Eng. Asp.*, 425, 31–41.
- Zhong, Z.Y., Yang, Q., Li, X.M., Luo, K., Liu, Y., and Zeng, G.M., 2012, Preparation of peanut hull-based activated carbon by microwave-induced phosphoric acid activation and its application in Remazol Brilliant Blue R adsorption, *Ind. Crops Prod.*, 37, 178–185.
- Zhou, Y., Zhang, M., Wang, X., Huang, Q., Min, Y., Ma, T., and Niu, J., 2014, Removal of crystal violet by a novel cellulose-based adsorbent: Comparison with native cellulose, *Ind. Eng. Chem. Res.*, 53, 5498–5506.