

Daftar Pustaka

- Abdullah, J., Suryaningrum, C., & Prasetyaningrum, S. (2014). Musik Jawa untuk Mereduksi Stres pada Mahasiswa. *Jurnal Intervensi Psikologi*, 6, 14.
- Akbar, A. A., & Kusrohmaniah, S. (2016). *Pengaruh Penyajian Musik Nostalgia dan Non-Nostalgia terhadap Fungsi Nostalgia* [Skripsi]. Universitas Gadjah Mada.
- American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders (DSM-5)*. (5 ed.). American Psychiatric Association Publication.
- American Psychology Association. (2015). *APA dictionary of psychology*, Gary R. Vandenbos editor.
- Ananda, S. S. D., & Apsari, N. C. (2020). Mengatasi Stres pada Remaja Saat Pandemi COVID-19 dengan Teknik Self Talk. 7(2), 9.
- Arasibenginiate, V. A. (2019). *Pengaruh Perceived Stress, Efikasi Diri, Gratitude, Dukungan Sosial, dan Faktor Demografi terhadap Resiliensi Penyandang Autoimun* [Skripsi]. UIN Syarif Hidayatullah Jakarta.
- Barrett, F. S., Grimm, K. J., Robins, R. W., Wildschut, T., Sedikides, C., & Janata, P. (2010). Music-evoked nostalgia: Affect, memory, and personality. *Emotion*, 10(3), 390–403. <https://doi.org/10.1037/a0019006>
- Brandon, L., & Feist, J. (2006). *Health psychology: An introduction to behavior and health* (6 ed.). Thomson-Worth.
- Campbell, D. (2009). *The Mozart Effect: Tapping the power of music to heal the body, strengthen the mind, and unlock the creative spirit* (Reprint). Harper-Collins e-books.
- Chafin, S., Roy, M., Gerin, W., & Christenfeld, N. (2004). Music can facilitate blood pressure recovery from stress. *British Journal of Health Psychology*, 9(3), 393–403. <https://doi.org/10.1348/1359107041557020>
- Chartier, S., & Cousineau, D. (2011). Computing Mixed-Design (Split-Plot) ANOVA. *The Mathematica Journal*, 13. <https://doi.org/10.3888/tmj.13-17>
- Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A Global Measure of Perceived Stress. *Journal of Health and Social Behavior*, 24(4), 385. <https://doi.org/10.2307/2136404>
- Cohen, S., Kamarck, T., & Mermelstein, R. (2014). *Perceived Stress Scale*. American Psychological Association. <https://doi.org/10.1037/t02889-000>
- Dewi, M. P. (2009). Studi Metaanalisis: Musik Untuk Menurunkan Stres. *JURNAL PSIKOLOGI*, 10.
- Dutheil, F., Pereira, B., Moustafa, F., Naughton, G., Lesage, F.-X., & Lambert, C. (2017). At-risk and intervention thresholds of occupational stress using a visual analogue scale. *PLOS ONE*, 12(6), e0178948. <https://doi.org/10.1371/journal.pone.0178948>

- Elliya, R. (2017). Pengaruh Terapi Musik terhadap Stres pada Pasien Pre-Operasi di Ruang Mawar RSUD dr. H. Abdul Moeloek Provinsi Lampung Tahun 2015. *Jurnal Kesehatan Holistik*, 11(3).
- Field, A. P. (2007). Analysis of variance (ANOVA). Dalam *Encyclopedia of Measurement and Statistics* (Vol. 1–3, hlm. 33–35).
- Finasari, T. Y., Setyawan, D., & Meikawati, W. (2014). *Perbedaan Terapi Musik Klasik dan Musik yang Disukai terhadap Tekanan Darah pada Pasien Hipertensi di RSUD dr. H. Soewondo Kendal*. 11.
- Forster, S., & Lavie, N. (2008). *Attentional capture by entirely irrelevant distractors*. 17.
- Gaddy, S., Gallardo, R., McCluskey, S., Moore, L., Peuser, A., Rotert, R., Stypulkoski, C., & LaGasse, A. B. (2020). COVID-19 and Music Therapists' Employment, Service Delivery, Perceived Stress, and Hope: A Descriptive Study. *Music Therapy Perspectives*, 38(2), 157–166. <https://doi.org/10.1093/mtp/miaa018>
- Groarke, J. M., & Hogan, M. J. (2019). Listening to self-chosen music regulates induced negative affect for both younger and older adults. *PLOS ONE*, 14(6), e0218017. <https://doi.org/10.1371/journal.pone.0218017>
- Helsing, M., Västfjäll, D., Bjälkebring, P., Juslin, P. N., & Hartig, T. (2016). *An Experimental Field Study of the Effects of Listening to Self-selected Music on Emotions, Stress, and Cortisol Levels*. 8(4), 12.
- Howell, D. C. (2012). *Statistical Methods for Psychology* (8 ed.). Wadsworth Publishing.
- Istighfana M.S., D. (2019). Efektivitas Musik Klasik terhadap Penurunan Stres Akademik Siswa Kelas VIII SMP Negeri 2 Berbah. *Jurnal Riset Mahasiswa Bimbingan dan Konseling*, 5(9).
- Karageorghis, C. I., Drew, K. M., & Terry, P. C. (1996). Effects of Pretest Stimulative and Sedative Music on Grip Strength. *School of Physical Education and Sport Brunel University College, UK*, 83(Perceptual and Motor Skills), 6.
- Kurnianingsih, D., Suroso, J., & Muhajirin, A. (2013). *Efektivitas Terapi Musik Klasik terhadap Penurunan Stres Kerja Pada Perawat IGD di RSUD dr. R. Goetheng Taroenadibrata Purbalingga Tahun 2013*. 7.
- Labbe, E., Booth, K., Jimerson, M., & Kawamura, N. (2004). *The sound of music: Evaluating responses to different music genres*. Annual meeting of the Southeastern Psychological Association, Atlanta, Georgia.
- Labbe, E., Schmidt, N., Babin, J., & Pharr, M. (2007). Coping with Stress: The Effectiveness of Different Types of Music. *Appl Psychophysiol Biofeedback*, 6.
- Lazarus, R. S. (2006). *Stress and emotion: A new synthesis*. Springer Publishing Company.
- Lazarus, R. S., & Folkman, S. (1991). *Coping and Emotion*. In A. Monat, & R. S. Lazarus (Eds.), *Stress and Coping: An Anthology*. Columbia University Press.
- Lesage, F.-X., Berjot, S., & Deschamps, F. (2012). Clinical stress assessment using a visual analogue scale. *Occupational Medicine*, 62(8), 600–605. <https://doi.org/10.1093/occmed/kqs140>

- Liao, C.-Y., Chen, R.-C., & Tai, S.-K. (2018). Emotion stress detection using EEG signal and deep learning technologies. *2018 IEEE International Conference on Applied System Invention (ICASI)*, 90–93. <https://doi.org/10.1109/ICASI.2018.8394414>
- Linnemann, A., Ditzen, B., Strahler, J., Doerr, J. M., & Nater, U. M. (2015). Music listening as a means of stress reduction in daily life. *Psychoneuroendocrinology*, 60, 82–90. <https://doi.org/10.1016/j.psyneuen.2015.06.008>
- Linnemann, A., Wenzel, M., Grammes, J., Kubiak, T., & Nater, U. M. (2017). Music Listening and Stress in Daily Life – A Matter of Timing. *International Journal of Behavioral Medicine*, 25(2), 223–230. <https://doi.org/10.1007/s12529-017-9697-5>
- Lutha, I., Khasanah, F., & Sari, D. W. P. (2015). Terapi Musik Rebana Mampu Menurunkan Tingkat Stres pada Lansia di Unit Pelayanan Sosial Pucang Gading Semarang. *Jurnal Keperawatan dan Pemikiran Ilmiah*, 1(2), 1–7.
- Lynar, E., Cvejic, E., Schubert, E., & Vollmer-Conna, U. (2017). The joy of heartfelt music: An examination of emotional and physiological responses. *International Journal of Psychophysiology*, 120, 118–125. <https://doi.org/10.1016/j.ijpsycho.2017.07.012>
- MacDonald, R. A. R., Mitchell, L. A., Dillon, T., Serpell, M. G., Davies, J. B., & Ashley, E. A. (2003). An empirical investigation of the anxiolytic and pain reducing effects of music. *Psychology of Music*, 31(2), 187–203.
- Maryana, Arini, S., & Suryani, E. (2014). Pengaruh Terapi Musik terhadap Penurunan Tingkat Stres Kerja Perawat di Unit Perawatan Kritis. *Jurnal Keperawatan Notokusumo*, 2(1).
- Mathieu, C. A., Plusquellec, P., Giguère, C.-É., Lupien, S., & Geoffrion, S. (2020). Acute and chronic stress among workers in residential treatment centers for youth: Effects on restraint and seclusion. *Children and Youth Services Review*, 118, 105411. <https://doi.org/10.1016/j.childyouth.2020.105411>
- Mecklin, C. J. (2007). Shapiro-Wilk test for normality. Dalam *Encyclopedia of Measurement and Statistics* (hlm. 883–886).
- Mitchell, L. A., & MacDonald, R. A. R. (2006). An Experimental Investigation of the Effects of Preferred and Relaxing Music Listening on Pain Perception. *Journal of Music Therapy*, 43(4), 295–316. <https://doi.org/10.1093/jmt/43.4.295>
- Moore, C., & Wilhelm, L. A. (2019). A Survey of Music Therapy Students' Perceived Stress and Self-Care Practices. *Journal of Music Therapy*, 56(2), 174–201. <https://doi.org/10.1093/jmt/thz003>
- Moore, K. S. (2013). A Systematic Review on the Neural Effects of Music on Emotion Regulation: Implications for Music Therapy Practice. *Journal of Music Therapy*, 50(3), 198–242. <https://doi.org/10.1093/jmt/50.3.198>
- PDSKJI. (2020). *5 Bulan Pandemi Covid-19 di Indonesia*. <http://pdsnji.org/home>
- Perfect, T. J., Andrade, J., & Eagan, I. (2011). *Eye Closure Reduces the Cross-Modal Memory Impairment Caused by Auditory Distraction*. 7.

- Pisarczyk, K. (2018). Music and Its Effects on Stress. *Augustana Digital Commons, Music: Student Scholarship & Creative Works*, 28.
- Porshi, J. M. (2020). Music Reliefs Stress & Anxiety during COVID 19 Pandemic. *Asian Research Journal of Arts & Social Sciences*, 38–42. <https://doi.org/10.9734/arjass/2020/v11i430178>
- Primadita, A. (2012). *Efektivitas Intervensi Terapi Musik Klasik terhadap Stres dalam Menyusun Skripsi pada Mahasiswa PSIK UNDIP Semarang* [Undergraduate Thesis]. Universitas Diponegoro.
- Purnami, C. T., & Sawitri, D. R. (2019). Instrumen “Perceive Stress Scale” Online Sebagai Alternatif Alat Pengukur Tingkat Stress Secara Mudah Dan Cepat. *Seminar Kolaborasi Pengabdian Kepada Masyarakat UNDIP-UNNES 2019*, 4.
- Raglio, A. (2015). Effects of music and music therapy on mood in neurological patients. *World Journal of Psychiatry*, 5(1), 68. <https://doi.org/10.5498/wjp.v5.i1.68>
- Ramsey, P. H. (2007). Factorial design. Dalam *Encyclopedia of Measurement and Statistics* (Vol. 1–2, hlm. 348–351).
- Rosanty, R. (2014). Pengaruh Musik Mozart dalam Mengurangi Stres pada Mahasiswa yang Sedang Skripsi. *Journal of Educational, Health and Community Psychology*, 3(2).
- Sarafino, E. P., & Smith, T. W. (2017). *Health Psychology: Biopsychosocial Interactions* (9 ed.). John Wiley & Sons Inc.
- Sari, I. P., & Al-Madya, F. O. (2020). *Sosialisasi Mengatasi Mental Health Terdampak COVID-19 Melalui Video Edukasi*. 1(5), 8.
- Schubert, E. (2010). Affective, evaluative, and collative responses to hated and loved music. *Psychology of Aesthetics, Creativity, and the Arts*, 4(1), 36–46. <https://doi.org/10.1037/a0016316>
- Sprawson, I. (2020). “*And Now Close Your Eyes or Lower Your Gaze*”: Exploring Novice Meditators and Their Attentional Processes During Meditation. 10.
- Thoma, M. V., La Marca, R., Brönnimann, R., Finkel, L., Ehlert, U., & Nater, U. M. (2013). The Effect of Music on the Human Stress Response. *PLoS ONE*, 8(8), e70156. <https://doi.org/10.1371/journal.pone.0070156>
- Thong, I. S. K., Jensen, M. P., Miró, J., & Tan, G. (2018). The validity of pain intensity measures: What do the NRS, VAS, VRS, and FPS-R measure? *Scandinavian Journal of Pain*, 18(1), 99–107. <https://doi.org/10.1515/sjpain-2018-0012>
- Trapp, M., Trapp, E.-M., Egger, J. W., Domej, W., Schillaci, G., Avian, A., Rohrer, P. M., Hörlesberger, N., Magometschnigg, D., Cervar-Zivkovic, M., Komericki, P., Velik, R., & Baulmann, J. (2014). Impact of Mental and Physical Stress on Blood Pressure and Pulse Pressure under Normobaric versus Hypoxic Conditions. *PLoS ONE*, 9(5), e89005. <https://doi.org/10.1371/journal.pone.0089005>
- Witte, M. de, Spruit, A., van Hooren, S., Moonen, X., & Stams, G.-J. (2020). Effects of music interventions on stress-related outcomes: A systematic review and

two meta-analyses. *Health Psychology Review*, 14(2), 294–324.
<https://doi.org/10.1080/17437199.2019.1627897>

Woody, R. H., & Burns, K. J. (2001). Predicting Music Appreciation with Past Emotional Response to Music. *Journal of Research in Music Education*, 49, 57–70.

Young, C., & Koopsen, C. (2011). *Spirituality, Health, and Healing: An Integrative Approach* (2nd Edition). Jones & Bartlett Learning.