

## DAFTAR PUSTAKA

- Ajay, D., Balamurugan, A., & Baby, U. I. 2009. Survival of *Exobasidium Vexans*, the Incitant of Blister Blight Disease of Tea, During Offseason. *International Journal of Applied*, 4(2): 115-123.
- Anonim. 2015. Klon GMB 1 – 11. <https://www.gamboeng.com/pages/detail/2021/59/146>. Diakses 19 Januari 2021.
- Anonim. 2015. Outlook Teh Komoditas Pertanian Subsektor Perkebunan. *Jakarta: Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian*.
- Anonim. 2017. Statistik Teh Indonesia. Diakses 22 September 2020. <https://www.bps.go.id>.
- Anonim. 2020. Produksi Teh Menurut Provinsi di Indonesia, 2016-2020. Diakses 22 September 2020. <file:///E:/Skripsi/Exobasidium%20vexans/Data/200-ProduksiTeh.pdf>.
- Ayu, L., Indradewa, D., & Ambarwati, E. 2012. Pertumbuhan, Hasil dan Kualitas Pucuk Teh (*Camellia sinensis* (L.) Kuntze) di Berbagai Tinggi Tempat. *Vegetalika*, 1(4): 78-89.
- Baldwin, B. G. 1992. Phylogenetic utility of the internal transcribed spacers of nuclear ribosomal DNA in plants: an example from the Compositae. *Molecular phylogenetics and evolution*, 1(1): 3-16.
- De Silvia, R. L 1977. *Exobasidium vexans* Masee. John Wiley & Sons Inc. Chichester. New York.
- Duttweiler, K. B., Sun, G. Y., Batzer, J. C., Harrington, T. C., & Gleason, M. L. 2008. An RFLP-Based Technique for Identifying Fungi in the Sooty Blotch and Flyspeck Complex on Apple. *Plant Disease*, 92(5): 794–799.
- Fauziyah, N., Hadisutrisno, B., & Priyatmojo, A. 2018. Waktu Pemencaran dan Pengaruh Jenis Air terhadap Perkecambahan Basidiospora *Exobasidium vexans*, Penyebab Penyakit Cacar Daun Teh. *Jurnal Perlindungan Tanaman Indonesia*, 22(1): 66-71.
- Gadd, C. H., & Loos, C. A. 1948. The basidiospores of *Exobasidium vexans*. *Transactions of the British Mycological Society*, 31(3-4), 229-233.
- Gadd, C. H., & Loos, C. A. 1950. Further observations on the spore growth of *Exobasidium vexans*. *Transactions of the British Mycological Society*, 33(1-2):19-21.
- Gardes, M., & Bruns, T. D. 1993. ITS primers with enhanced specificity for *Basidiomycetes* application to the identification of mycorrhizae and rusts. *Molecular ecology*, 2(2): 113-118.

- Gibbs, R. A., Nguyen, P. N., Edwards, A. L., Civitello, A. B., & Caskey, C. T. 1990. Multiplex DNA deletion detection and exon sequencing of the hypoxanthine phosphoribosyltransferase gene in Lesch-Nyhan families. *Genomics*, 7(2): 235-244.
- Herliyana, E. N., Meisetyani, R., & Siregar, I. Z. 2012. Analisis Keragaman Genetik Kelompok *Pleurotus* dengan Teknik Polymerase Chain Reaction-Restriction Fragment Length Polymorphisms (PCR-RFLP). *Jurnal Silviculture Tropika*, 3(1): 44-48.
- Herman, H., Natalya, L. N., Berampu, S. M., & Roslim, D. I. 2017. Optimasi Suhu Annealing Untuk Primer G-SSR Dan EST-SSR Pada Kacang Hijau (*Vigna radiata* L.). *Dinamika Pertanian*, 33(1), 95-102.
- Indriyani R. 2017. Keanekaragaman Genetik Padi (*Oryza Sativa* L.) Lokal Sumatera Utara dengan Menggunakan Penanda Simple Sequence Repeat (SSR) [skripsi]. Medan: Departemen Biologi FMIPA USU.
- Korabecna, M. 2007. The variability in the fungal ribosomal DNA (ITS1, ITS2, and 5.8 S rRNA gene): its biological meaning and application in medical mycology. *Communicating current research and educational topics and trends in applied microbiology*, 2: 783-787.
- Kulatunga, D. C. M., Sinniah, G. D., Balasuriya, A., Karunarathna, K. H. T., & Mewan, K. M. 2013. Use of ITS region for molecular differentiation of *Exobasidium vexans* causing blister blight in tea. In *ISAE 2013. Proceedings of the International Symposium on Agriculture and Environment 2013, 28 November 2013, University of Ruhuna, Sri Lanka* (pp. 271-274). Faculty of Agriculture, University of Ruhuna.
- Nusaibah, S. A., Latiffah, Z., & Hassaan, A. R. 2011. ITS-PCR-RFLP analysis of *Ganoderma* sp. infecting industrial crops. *Pertanika Journal of Tropical Agricultural Science*, 34(1): 83-91.
- Pehkonen, T., Koskimäki, J., Riihinen, K., Pirttilä, A. M., Hohtola, A., Jaakola, L., & Tolvanen, A. 2008. Artificial infection of *Vaccinium vitis-idaea* L. and defence responses to *Exobasidium* species. *Physiological and molecular plant pathology*, 72(4-6), 146-150.
- Pei, N., Chen, B., & Kress, W. J. 2017. Advances of community-level plant DNA barcoding in China. *Frontiers in plant science*, 8, 225. DOI: <https://doi.org/10.3389/fpls.2017.00225>.
- Prihatini, I., Faradilla, F. A., & Suranto, S. 2019. Teknik PCR ITS-RFLP untuk seleksi isolat jamur pada pengujian agen pengendali hayati pada serangan *ganoderma* tanaman *Acacia mangium*. *Jurnal Pemuliaan Tanaman Hutan*, 13(1): 33-34.
- Prihatini, I., Glen, M., Wardlaw, T. J., & Mohammed, C. L. 2016. Diversity and identification of fungi associated with needles of *Pinus radiata* in Tasmania. *Southern Forests: Journal of Forest Science*, 78(1): 19-34.
- Prihatini, I., Glen, M., Wardlaw, T., & Mohammed, C. 2014. Multigene phylogenetic study of *Cyclaneusma* species. *Forest Pathology*, 44(4): 299-309.

- Punyasiri, P. N., Tanner, G. J., Abeysinghe, I. S. B., Kumar, V., Campbell, P. M., & Pradeepa, N. H. L. 2004. *Exobasidium vexans* infection of *Camellia sinensis* increased 2, 3-cis isomerization and gallate esterification of proanthocyanidins. *Phytochemistry*, 65(22): 2987-2994.
- Puspitasari, D., Wibowo, A., Rahayu, S., Prihatini, I., & Rimbawanto, A. 2016. Karakter morfologi isolat *Phlebiopsis* sp. 1 jamur pengendali hayati yang potensial untuk *Ganoderma philippii*. *Jurnal Pemuliaan Tanaman Hutan*, 10(1): 51-61.
- Putri, Y. S., Murti, R. H., & Mitrowihardjo, S. (2015). Evaluasi Klon-Klon Harapan Teh (*Camellia Sinensis* (L.) O. Kuntze) Keturunan Tri 2024× Ps I Pada Lingkungan Berbeda. *Vegetalika*, 4(3), 127-137.
- Rezamela, E., Fauziah, F., & Dalimoenthe, S. L. 2016. Pengaruh bulan kering terhadap intensitas serangan *Empoasca* sp. dan *blister blight* di kebun teh Gambung. *Jurnal Penelitian Teh dan Kina*, 19(2): 169-178.
- Rohdiana, D. 2015. Teh: proses, karakteristik dan komponen fungsionalnya. *Food Review Indonesia*, 10(8): 34-37.
- Saravanakumar, D., Vijayakumar, C., Kumar, N., & Samiyappan, R. 2007. PGPR-induced defense responses in the tea plant against blister blight disease. *Crop Protection*, 26(4): 556-565.
- Semangun, H. 1996. Pengantar ilmu penyakit tumbuhan. Gadjah Mada University Press. Yogyakarta.
- Sen, S., Rai, M., Das, D., Chandra, S., & Acharya, K. 2020. Blister blight a threatened problem in tea industry: A review. *Journal of King Saud University-Science*. DOI: <https://doi.org/10.1016/j.jksus.2020.09.008>.
- Sriyadi, B. 2011. Pelepasan klon teh sinensis unggul GMBS 1, GMBS 2, GMBS 3, GMBS 4, dan GMBS 5. *Jurnal Penelitian Teh dan Kina*, 14(2), 59-71.
- Sugha, S. K. 1997. Perpetuation and seasonal build-up of *Exobasidium vexans*, causal agent of blister blight of tea in Himachal Pradesh. *Tropical Science*, 37(2): 123-128.
- Tigini, V., Prigione, V., Di Toro, S., Fava, F., & Varese, G. C. 2009. Isolation and characterisation of polychlorinated biphenyl (PCB) degrading fungi from a historically contaminated soil. *Microbial Cell Factories*, 8(5): 1-14.
- Yuliana, R. A., Indradewa, D., & Ambarwati, E. 2013. Potensi hasil dan tanggapan Sembilan Klon Teh (*Camellia sinensis* (L.) O. Kuntze) PGL terhadap variasi curah hujan di kebun bagian pagilaran. *Vegetalika*, 2(3): 54-67.
- Yuwono, T. 2006. Teori dan aplikasi *polymerase chain reaction*. Andi Offset. Yogyakarta.