



## DAFTAR PUSTAKA

- Aksel, H., Eren, S.K., Örs, S.A., Serper, A., Ocak, M. and Çelik, H.H. (2019) 'Micro-CT Evaluation of the Removal of Root Fillings Using the ProTaper Universal Retreatment System Supplemented by the XP-Endo Finisher File', *Int Endod J*, vol. 52, no. 7, pp. 1070-1076.
- Alrhabi, M. and Alkady, A. (2017) 'Comparison of Root Canal Apical Transportation Associated with Wave One, ProTaper Next, TF, and OneShape Nickel-Titanium Instruments in Curved Canals of Extracted Teeth: A Radiographic Evaluation', *The Saudi Journal for Dental Research*, vol. 8, no. 1, pp. 1-4.
- AlShwaimi, E. (2018) 'Comparing ProFile Vortex to ProTaper Next for the Efficacy of Removal of Root Filling Material: An ex vivo Micro-Computed Tomography Study', *Saudi Dent J*, vol. 30, no. 1, pp. 63-69.
- Bago, I., Plotino, G., Katić, M., Ročan, M., Batinić, M. and Anić, I. (2020) 'Evaluation of filling material remnants after basic preparation, apical enlargement and final irrigation in retreatment of severely curved root canals in extracted teeth', *International Endodontic Journal*, vol. 1, no. 1, pp. 1– 12.
- Bago, I., Suk, M., Katić, M., Gabrić, D. and Anić, I. (2019) 'Comparison of the Effectiveness of Various Rotary and Reciprocating Systems With Different Surface Treatments to Remove Gutta-Percha and an Epoxy Resin-Based Sealer From Straight Root Canals', *Int Endod J*, vol. 52, no. 1, pp. 105-113.
- Barreto, M.S., da Rosa, R.A., Santini, M.F., Cavenago, B.C., Duarte, M.A.H., Bier, C.A.S. and Só, M.V.R. (2016) 'Efficacy of Ultrasonic Activation of NaOCl and Orange Oil in Removing Filling Material From Mesial Canals of Mandibular Molars With and Without Isthmus', *J Appl Oral Sci*, vol. 24, no. 1, pp. 37-44.
- Berechet, D., Rad, I.A., Berce, C.P., Bumbu, B.A., Vicaş, R.M., Berechet, M.C., Bumbu, G.A. and Cîmpean, S.I. (2018) 'A Micro-Computed Tomography Study of Morphological Aspect of Root Canal Instrumentation With ProTaper Next and One Shape New Generation in Mandibular Molars', *Rom J Morphol Embryol*, vol. 59, no. 2, pp. 499-503.
- Bernardes, R.A., Duarte, M.A.H., Vivan, R.R., Alcalde, M.P., Vasconcelos, B.C. and Bramante, C.M. (2016) 'Comparison of Three Retreatment Techniques With Ultrasonic Activation in Flattened Canals Using Micro-Computed Tomography and Scanning Electron Microscopy', *Int Endod J*, vol. 49, no. 9, pp. 890-897.



- Brasil, S.C., Marceliano-Alves, M.F., Marques, M.L., Grillo, J.P., Lacerda, M.F.L.S., Alves, F.R.F., Siqueira Jr, J.F. and Provenzano, J.C. (2017) 'Canal Transportation, Unprepared Areas, and Dentin Removal After Preparation With BT-RaCe and ProTaper Next Systems', *J Endod*, vol. 43, no. 10, pp. 1683-1687.
- Crozeta, B.M., de Sousa-Neto, M.D., Leoni, G.B., Mazzi-Chaves, J.F., Silva-Sousa, Y.T.C. and Baratto-Filho, F. (2016) 'A Micro-Computed Tomography Assessment of the Efficacy of Rotary and Reciprocating Techniques for Filling Material Removal in Root Canal Retreatment', *Clin Oral Investig*, vol. 20, no. 8, pp. 2235-2240.
- Crozeta, B.M., Silva-Sousa, Y.T.C., Leoni, G.B., Mazzi-Chaves, J.F., Fantinato, T., Baratto-Filho, F. and Sousa-Neto, M.D. (2016) 'Micro-Computed Tomography Study of Filling Material Removal From Oval-shaped Canals by Using Rotary, Reciprocating, and Adaptive Motion Systems', *J Endod*, vol. 42, no. 5, pp. 793-797.
- Da Rosa, R.A., Santini, M.F., Cavenago, B.C., Pereira, J.R., Duarte, M.A.H. and Só, M.V.R. (2015) 'Micro-CT Evaluation of Root Filling Removal After Three Stages of Retreatment Procedure', *Braz Dent J*, vol. 26, no. 6, pp. 612-618.
- de Albuquerque, M.S., Nascimento, A.S., Gialain, I.O., de Lima, E.A., Nery, J.A., de Souza Araujo, P.R., de Menezes, R.F., Kato, A.S. and Braz, R. (2019) 'Canal Transportation, Centering Ability, and Dentin Removal After Instrumentation: A Micro-CT Evaluation', *J Contemp Dent Pract*, vol. 20, no. 7, pp. 806-811.
- de Oliveira, D.J.F., Leoni, G.B., Goulart, R.d.S., de Sousa-Neto, M.D., Sousa, Y.T.C.S. and Silva, R.G. (2019) 'Changes in Geometry and Transportation of Root Canals With Severe Curvature Prepared by Different Heat-treated Nickel-titanium Instruments: A Micro-computed Tomographic Study', *J Endod*, vol. 45, no. 6, pp. 768-773.
- de Sousa-Neto, M.D., Silva-Sousa, Y.C., Mazzi-Chaves, J.F., Carvalho, K.K.T., Barbosa, A.F.S., Versiani, M.A., Jacobs, R. and Leoni, G.B. (2018) 'Root Canal Preparation Using Micro-Computed Tomography Analysis: A Literature Review', *Braz Oral Res*, vol. 32, no. 66, pp. 20-43.
- Delai, D., Jardine, A.P., Mestieri, L.B., Boijink, D., Fontanella, V.R.C., Grecca, F.S. and Kopper, P.M.P. (2019) 'Efficacy of a Thermally Treated Single File Compared With Rotary Systems in Endodontic Retreatment of Curved Canals: A micro-CT Study', *Clin Oral Investig*, vol. 23, no. 4, pp. 1837-1844.
- Dentsply International Inc. (2007) ProTaper Universal, Ballaigues: Dentsply Maillefer.



Dentsply International Inc. (2014) ProTaper Gold, Ballaigues: Dentsply Maillefer.

Dentsply International Inc. (2017) ProTaper Next, Ballaigues: Dentsply Maillefer.

Dioguardi, M., Troiano, G., Laino, L., Russo, L.L., Giannatempo, G., Lauritano, F., Cicciù, M. and Muzio, L.L. (2015) 'ProTaper and WaveOne systems three-dimensional comparison of device parameters after the shaping technique. A micro-CT study on simulated root canals', *Int J Clin Exp Med*, vol. 8, no. 10, pp. 17830–17834.

Drukteinis, S., Peciuliene, V., Dummer, P.M.H. and Hupp, J. (2019) 'Shaping Ability of BioRace, ProTaper NEXT and Genius Nickel-Titanium Instruments in Curved Canals of Mandibular Molars: A MicroCT Study', *Int Endod J*, vol. 52, no. 1, pp. 86-93.

Elnaghy, A.M., Al-Dharrab, A.A., Abbas, H.M. and Elsaka, S.E. (2017) 'Evaluation of Root Canal Transportation, Centering Ratio, and Remaining Dentin Thickness of TRUShape and ProTaper Next Systems in Curved Root Canals Using Micro-Computed Tomography', *Quintessence Int*, vol. 48, no. 1, pp. 27-32.

Faus-Matoses, V., Pasarín-Linares, C., Faus-Matoses, I., Foschi, F., Sauro, S. and Faus-Llácer, V.J. (2020) 'Comparison of Obturation Removal Efficiency from Straight Root Canals with ProTaper Gold or Reciproc Blue: A Micro-Computed Tomography Study', *J Clin Med*, vol. 9, no. 4, pp. 1164-1172.

Gagliardi, J., Versiani, M.A., de Sousa-Neto, M.D., Plazas-Garzon, A. and Basrani, B. (2015) 'Evaluation of the Shaping Characteristics of ProTaper Gold, ProTaper NEXT, and ProTaper Universal in Curved Canals', *J Endod*, vol. 41, no. 10, pp. 1718-1724.

Garrib, M. and Camilleri, J. (2020) 'Retreatment Efficacy of Hydraulic Calcium Silicate Sealers Used in Single Cone Obturation', *J Dent*, vol. 98, pp. 1-5.

Habib, A.A., Taha, M.I. and Farah, E.M. (2015) 'Methodologies Used in Quality Assessment of Root Canal Preparation Techniques: Review of The Literature', *Journal of Taibah University Medical Sciences*, vol. 10, no. 2, pp. 123-131.

Hidalgo, L.R.d.C., da Silva, L.A.B., Leoni, G.B., Mazzi-Chaves, J.F., Carvalho, E.E.d.S., Consolaro, A. and Sousa-Neto, M.D. (2017) 'Mechanical Preparation Showed Superior Shaping Ability Than Manual Technique in Primary Molars - A Micro-Computed Tomography Study', *Braz Dent J*, vol. 28, no. 4, pp. 453-460.

Higgins, J.P.T., Altman, D.G., Gøtzsche, P.C., Jüni, P., Moher, D., Oxman, A.D., Savovic, J., Schulz, K.F., Weeks, L., Sterne, J.A.C., Cochrane Bias Methods Group and Cochrane Statistical Methods Group (2011) 'The



Cochrane Collaboration's Tool for Assessing Risk of Bias in Randomised Trials', *BMJ*, vol. 343, pp. 1-9.

Htun, P.H., Ebihara, A., Maki, K., Kimura, S., Nishijo, M. and Okiji, T. (2020) 'Cleaning and Shaping Ability of Gentlefile, HyFlex EDM, and ProTaper Next Instruments: A Combined Micro-computed Tomographic and Scanning Electron Microscopic Study', *J Endod*, vol. 23, no. 20, pp. 1-7.

Huang, Z., Quan, J., Liu, J., Zhang, W., Zhang, X. and Hu, X. (2019) 'A Microcomputed Tomography Evaluation of the Shaping Ability of Three Thermally-Treated Nickel-Titanium Rotary File Systems in Curved Canals', *J Int Med Res*, vol. 47, no. 1, pp. 325-334.

Hutton, B., Salanti, G., Caldwell, D.M., Chaimani, A., Schmid, C.H., Cameron, C., Ioannidis, J.P.A., Straus, S., Thorlund, K., Jansen, J.P., Mulrow, C., Catalá-López, F., Gøtzsche, P.C., Dickersin, K., Boutron, I., Altman, D.G. and Moher, D. (2015) 'The PRISMA Extension Statement for Reporting of Systematic Reviews Incorporating Network Meta-Analyses of Health Care Interventions: Checklist and Explanations', *Ann Intern Med*, vol. 162, no. 11, pp. 777-784.

Jain, S. and Sharma, N. (2016) 'Guideline for Systematic Reviews', *International Dental & Medical Journal of Advanced Research*, vol. 2, pp. 1-10.

Jiang, S., Zou, T., Li, D., Chang, J.W.W., Huang, X. and Zhang, C. (2016) 'Effectiveness of Sonic, Ultrasonic, and Photon-Induced Photoacoustic Streaming Activation of NaOCl on Filling Material Removal Following Retreatment in Oval Canal Anatomy', *Photomed Laser Surg*, vol. 34, no. 1, pp. 3-10.

Junior, J.F.S., Rôças, I.d.N., Marceliano-Alves, M.F., Pérez, A.R. and Ricucci, D. (2018) 'Unprepared Root Canal Surface Areas: Causes, Clinical Implications, and Therapeutic Strategies', *Braz Oral Res*, vol. 32, no. 65, pp. 2-19.

Laurindo, F.V. and de Figueiredo, J.A.P. (2016) 'Reciprocating versus Rotary Instruments: A Review', *Rev Odonto Cienc*, vol. 31, no. 3, pp. 135-139.

Limoeiro, A.G.d.S., Santos, A.H.B.D., Martin, A.S.D., Kato, A.S., Fontana, C.E., Gavini, G., Freire, L.G. and Bueno, C.E.d.S. (2016) 'Micro-Computed Tomographic Evaluation of 2 Nickel-Titanium Instrument Systems in Shaping Root Canals', *J Endod*, vol. 42, no. 3, pp. 496-499.

Liu, Z., Liu, J., Gu, L., Liu, W., Wei, X. and Ling, J. (2016) 'The Shaping and Cleaning Abilities of Self-Adjusting Files in the Preparation of Canals With Isthmuses After Glidepath Enlargement With ISO or ProTaper Universal NiTi Files', *J Dent Sci*, vol. 11, no. 1, pp. 83-89.



- Lopes, R.M.V., Marins, F.C., Belladonna, F.G., Souza, E.M., De-Deus, G., Lopes, R.T. and Silva, E.J.N.L. (2018) 'Untouched Canal Areas and Debris Accumulation After Root Canal Preparation With Rotary and Adaptive Systems', *Aust Endod J*, vol. 44, no. 3, pp. 260-266.
- Marciano, M.A., Duarte, M.A.H., Ordinola-Zapata, R., Del Carpio Perochena, A., Cavenago, B.C., Villas-Bôas, M.H., Minotti, P.G., Bramante, C.M. and Moraes, I.G. (2012) 'Applications of Micro-Computed Tomography in Endodontic Research', *Current Microscopy Contributions to Advances in Science and Technology*, vol. 1, no. 1, pp. 782-788.
- Martins, M.P., Duarte, M.A.H., Cavenago, B.C., Kato, A.S. and da Silveira Bueno, C.E. (2017) 'Effectiveness of the ProTaper Next and Reciproc Systems in Removing Root Canal Filling Material With Sonic or Ultrasonic Irrigation: A Micro-computed Tomographic Study', *J Endod*, vol. 43, no. 3, pp. 467-471.
- Ma, J.Z., Shen, Y., Al-Ashaw, A.J., Khaleel, H.Y., Yang, Y., Wang, Z.J., Peng, B. and Haapasalo, M. (2015) 'Micro-computed Tomography Evaluation of the Removal of Calcium Hydroxide Medicament From C-shaped Root Canals of Mandibular Second Molars', *Int Endod J*, vol. 48, no. 4, pp. 333-341.
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., Stewart, L.A. and PRISMA-P Group (2015) 'Preferred Reporting Items for Systematic Review and Meta-Analysis Protocols (PRISMA-P) 2015 Statement', *Syst Rev*, vol. 4, no. 1, pp. 1-9.
- Nagendrababu, V. and Ahmed, H.M.A. (2019) 'Shaping Properties and Outcomes of Nickel-Titanium Rotary and Reciprocation Systems Using Micro-Computed Tomography: A Systematic Review', *Quintessence Int*, vol. 50, no. 3, pp. 186-195.
- Nevares, G., de Albuquerque, D.S., Freire, L.G., Romeiro, K., Fogel, H.M., Santos, M.D. and Cunha, R.S. (2016) 'Efficacy of ProTaper NEXT Compared With Reciproc in Removing Obturation Material From Severely Curved Root Canals: A Micro-Computed Tomography Study', *J Endod*, vol. 42, no. 5, pp. 803-808.
- Oliveira, M.A.V.C., Borelli, J.K., Azevedo, K.C.M., Raposo, L.H.A., de Araújo, L.B. and Tavares, N.R.N.O. (2017) 'Analysis of the presence of filling material in oval root canals using computed microtomography after endodontic retreatment performed by different techniques', *Brazilian Journal of Oral Sciences*, vol. 16, pp. 1-8.
- Özkan, H.D., Kaval, M.E., Özkan, G. and Özer, S.Y. (2019) 'Efficacy of Two Different Nickel-Titanium Rotary Systems in Retreatment Procedure



With or Without Laser-Activated Irrigation: An In Vitro Study',  
*Photobiomodul Photomed Laser Surg*, vol. 37, no. 8, pp. 495-499.

Pinheiro, S.R., Alcalde, M.P., Vivacqua-Gomes, N., Bramante, C.M., Vivan, R.R., Duarte, M.A.H. and Vasconcelos, B.C. (2018) 'Evaluation of Apical Transportation and Centring Ability of Five Thermally Treated NiTi Rotary Systems', *Int Endod J*, vol. 51, no. 6, pp. 705-713.

Popović, J., Radenković, G., Gašić, J., Živković, S., Mitić, A., Nikolić, M. and Barac, R. (2015) 'The Examination of Sensitivity to Corrosion of Nickel-Titanium and Stainless Steel Endodontic Instruments In Tooth Root Canal Irrigating Solutions', *Chemical Industry and Chemical Engineering*, vol. 22, no. 1, p. 95–100.

Radwański, M., Łęski, M. and Pawlicka, H. (2018) 'The Influence of the Manufacturing Process of Rotary Files on the Shaping of L-shaped Canals', *Dental and Medical Problems*, vol. 55, no. 4, pp. 389–394.

Razcha, C., Zacharopoulos, A., Anestis, D., Mikrogeorgis, G., Zacharakis, G. and Lyroudia, K. (2020) 'Micro-Computed Tomographic Evaluation of Canal Transportation and Centering Ability of 4 Heat-Treated Nickel-Titanium Systems', *Journal of Endodontics*, vol. 1, no. 1, pp. 1-7.

Rödig, T., Wagner, J., Wiegand, A. and Rizk, M. (2018) 'Efficacy of the ProTaper Retreatment System in Removing Thermafil, GuttaCore or Vertically Compacted Gutta-Percha From Curved Root Canals Assessed by micro-CT', *Int Endod J*, vol. 51, no. 7, pp. 808-815.

Rossi-Fedele, G. and Ahmed, H.M.A. (2017) 'Assessment of Root Canal Filling Removal Effectiveness Using Micro-computed Tomography: A Systematic Review', *J Endod*, vol. 43, no. 4, pp. 520-526.

Rubino, G.A., Candeiro, G.T.d.M., Freire, L.G., Iglesias, E.F., Lemos, É.d.M., Caldeira, C.L. and Gavini, G. (2018) 'Micro-CT Evaluation of Gutta-Percha Removal by Two Retreatment Systems', *Iran Endod J*, vol. 13, no. 2, pp. 221-227.

Sekiya, M., Maeda, M., Katsuumi, I. and Igarashi, M. (2018) 'Evaluation of Four Instruments With Different Working Motion Using Artificial Plastic Model With C-shaped Single Canal', *Odontology*, vol. 106, no. 4, pp. 422-428.

Serefoglu, B. and Piskin, B. (2017) 'Micro Computed Tomography Evaluation of the Self-adjusting File and ProTaper Universal System on Curved Mandibular Molars', *Dent Mater J*, vol. 36, no. 5, pp. 606-613.

Shivashankar, M.B., Niranjan, N.T., Jayasheel, A. and Kenchanagoudra, M.G. (2016) 'Computed Tomography Evaluation of Canal Transportation and Volumetric Changes in Root Canal Dentin of Curved Canals Using



Mtwo, ProTaper and ProTaper Next Rotary System-An In-vitro Study', *J Clin Diagn Res*, vol. 10, no. 11, pp. 10-14.

Stavileci, M., Hoxha, V., Gördusus, M.Ö., Laperre, K., Tatar, I. and Hoxha, R. (2017) 'Effect of Endodontic Instrumentation Technique on Root Canal Geometry', *Journal of International Dental and Medical Research*, vol. 10, no. 3, pp. 952-957.

Stringheta, C.P., Bueno, C.E.S., Kato, A.S., Freire, L.G., Iglesias, E.F., Santos, M. and Pelegrine, R.A. (2019) 'Micro-computed Tomographic Evaluation of the Shaping Ability of Four Instrumentation Systems in Curved Root Canals', *Int Endod J*, vol. 52, no. 6, pp. 908-916.

Suk, M., Bago, I., Katić, M., Šnjarić, D., Munitić, M.Š. and Anić, I. (2017) 'The Efficacy of Photon-Initiated Photoacoustic Streaming in the Removal of Calcium Silicate-Based Filling Remnants From the Root Canal After Rotary Retreatment', *Lasers Med Sci*, vol. 32, no. 9, pp. 2055-2062.

Thomas, J.P., Lynch, M., Paurazas, S. and Askar, M. (2020) 'Micro-computed Tomographic Evaluation of the Shaping Ability of WaveOne Gold, TRUShape, EdgeCoil, and XP-3D Shaper Endodontic Files in Single, Oval-shaped Canals: An In Vitro Study', *Journal of Endodontics*, vol. 46, no. 2, pp. 244-251.

Turkistani, A.K., Gomaa, M.M., Shafei, L.A., Alsofi, L., Majeed, A. and AlShwaimi, E. (2019) 'Shaping Ability of HyFlex EDM and ProTaper Next Rotary Instruments in Curved Root Canals: A Micro-CT Study', *J Contemp Dent Pract*, vol. 20, no. 6, pp. 680-685.

Tutino, F., Alovisi, M., Bernardi, M., Carpegna, G., Comba, A., Pasqualini, D., Scotti, N. and Berutti, E. (2019) 'Micro-CT evaluation of ProTaper Next and WaveOne Gold shaping in maxillary first molars curved canals: an in vitro study', *Giornale Italiano di Endodontia*, vol. 33, no. 1, pp. 65-69.

Velozo, C., Silva, S., Almeida, A., Romeiro, K., Vieira, B., Dantas, H., Sousa, F. and De Albuquerque, D.S. (2020) 'Shaping Ability of XP-endo Shaper and ProTaper Next in Long Oval-Shaped Canals: A Micro-Computed Tomography Study', *Int Endod J*, vol. 1, no. 1, pp. 1-9.

Venino, P.M., Citterio, C.L., Pellegatta, A., Ciccarelli, M. and Maddalone, M. (2017) 'A Micro-computed Tomography Evaluation of the Shaping Ability of Two Nickel-titanium Instruments, HyFlex EDM and ProTaper Next', *J Endod*, vol. 43, no. 4, pp. 628-632.

Wei, Z., Cui, Z., Yan, P. and Jiang, H. (2017) 'A Comparison of the Shaping Ability of Three Nickel-Titanium Rotary Instruments: A Micro-Computed Tomography Study via a Contrast Radiopaque Technique in Vitro', *BMC Oral Health*, vol. 17, no. 39, pp. 1-7.



- Wibowo, G.W., Untara, R.T.E. and Hadriyanto, W. (2018) 'Pengaruh Finishing File dan Endodontic Brush Setelah Rotary Retreatment File Terhadap Kebersihan Dinding Saluran Akar Pasca Obturasi Menggunakan Guta Perca dengan Siler Berbasis Resin Epoksi', *J Ked Gi*, vol. 9, no. 2, pp. 213-221.
- Wulandari, A., Usman, M., Djauharie, R.N. and Putrianti, A. (2019) 'Comparison of Root Canal Wall Cleanliness In Retreatment Using Rotary and Reciprocal Movement', *Journal of International Dental and Medical Research*, vol. 12, no. 3, pp. 880-885.
- Yılmaz, F., Eren, İ., Eren, H., Badi, M.A., Ocak, M. and Çelik, H.H. (2020) 'Evaluation of the Amount of Root Canal Dentin Removed and Apical Transportation Occurrence After Instrumentation With ProTaper Next, OneShape, and EdgeFile Rotary Systems', *J Endod*, vol. 46, no. 5, pp. 662-667.
- Yılmaz, F., Koç, C., Kamburoğlu, K., Ocak, M., Geneci, F., Uzuner, M.B. and Çelik, H.H. (2018) 'Evaluation of 3 Different Retreatment Techniques in Maxillary Molar Teeth by Using Micro-computed Tomography', *J Endod*, vol. 44, no. 3, pp. 480-484.
- Yuan, G. and Yang, G. (2018) 'Comparative Evaluation of The Shaping Ability of Single-file System versus Multi-file System in Severely Curved Root Canals', *Journal of Dental Sciences*, vol. 13, no. 1, pp. 37-42.
- Zanesco, C., Só, M.V.R., Schmidt, S., Fontanella, V.R.C., Grazziotin-Soares, R. and Barletta, F.B. (2017) 'Apical Transportation, Centering Ratio, and Volume Increase After Manual, Rotary, and Reciprocating Instrumentation in Curved Root Canals: Analysis by Micro-computed Tomographic and Digital Subtraction Radiography', *J Endod*, vol. 43, no. 3, pp. 486-490.