



## DAFTAR PUSTAKA

- Acer, E., Çadırılı, E., Erol, H., Kırındı, T., and Gündüz, M. (2016). Effect of heat treatment on the microstructures and mechanical properties of Al-5.5Zn-2.5Mg alloy. *Materials Science & Engineering A*, 662, 144–156.
- Akbulut, S., Ocak, Y., Maraşlı, N., Keşlioğlu, K., Kaya, H., and Çadırılı, E. (2009). Determination of interfacial energies of solid Sn solution in the In-Bi-Sn ternary alloy. *Materials Characterization*, 60(3), 183–192.
- Aker, A., and Kaya, H. (2013). Measurements of microstructural, mechanical, electrical, and thermal properties of an Al-Ni Alloy. *International Journal of Thermophysics*, 34(2), 267–283.
- Araújo, E. C., Barros, A. S., Kikuchi, R. H., Silva, A. P., Gonçalves, F. A., Moreira, A. L., and Rocha, O. L. (2017). The role of Si and Cu alloying elements on the Dendritic growth and microhardness in horizontally solidified binary and multicomponent aluminum-based alloys. *Metallurgical and Materials Transactions A*, 48A, 1163–1175.
- ASM International. (1988). *ASM Handbook Vol. 15* (A. I. H. Committee (ed.); 9th ed.). ASM International.
- ASM International. (2004). *ASM Handbook, Volume 3, Alloy Phase Diagrams*.
- ASTM Int. (2012). ASTM E384: Standard Test Method for Knoop and Vickers Hardness of Materials. *ASTM Standards*, 1–43.
- Baldwin, W. (2004). Metallography: An Introduction, Metallography and Microstructures, Vol 9, ASM Handbook. In *ASM International* (Vol. 9).
- Barros, A. S., Magno, I. A., Souza, F. A., Mota, C. A., Moreira, A. L., Silva, M. A., and Rocha, O. L. (2015). Measurements of microhardness during transient horizontal directional solidification of Al-Rich Al-Cu alloys: Effect of thermal parameters, primary dendrite arm spacing and Al<sub>2</sub>Cu intermetallic phase. *Metals and Materials International*, 21(3), 429–439.
- Bergman, T. L., Lavine, A. S., Incropera, F. P., and DeWitt, D. P. (2011). Fundamentals of Heat and Mass Transfer. In *John Wiley & Sons, Inc.*
- Boeira, A. P., Ferreira, I. L., and Garcia, A. (2006). Modeling of macrosegregation and microporosity formation during transient directional solidification of aluminum alloys. *Materials Science and Engineering A*, 435–436, 150–157.
- Bolzoni, L., Xia, M., and Babu, N. H. (2016). Formation of equiaxed crystal structures in directionally solidified Al-Si alloys using Nb-based heterogeneous nuclei. *Nature Publishing Group, December*, 1–10.
- Böyük, U., Engin, S., and Maraşlı, N. (2011). Microstructural characterization of unidirectional solidified eutectic Al-Si-Ni alloy. *Materials Characterization*, 62(9), 844–851.
- Brito, C., Costa, T. A., Vida, T. A., Bertelli, F., Cheung, N., Spinelli, J. E., and Garcia, A. (2015). Characterization of dendritic microstructure, intermetallic phases, and hardness of directionally solidified Al-Mg and Al-Mg-Si alloys. *Metallurgical and Materials Transactions A*, 46(8), 3342–3355.



- Brodarac, Z., Dolic, N., and Unkic, F. (2014). Influence of copper content on microstructure development of AlSi9Cu3 alloy. *Journal of Mining and Metallurgy, Section B: Metallurgy*, 50(1), 53–60.
- Brown, J. R. (1999). *Foseco Non-Ferrous Foundryman's Handbook* (J. R. Brown (ed.); 11th ed.). Butterworth-Heinemann.
- Buchmann, M., and Rettenmayr, M. (2005). Microstructure evolution during melting and resolidification in a temperature gradient. *Journal of Crystal Growth*, 284(3–4), 544–553.
- Çadirli, E. (2013). Effect of solidification parameters on mechanical properties of directionally solidified Al-Rich Al-Cu alloys. *Metals and Materials International*, 19(3), 411–422.
- Çadirli, E., Büyük, U., Engin, S., Kaya, H., Maraşlı, N., Keşlioğlu, K., and Ülgen, A. (2010). Investigation of the effect of solidification processing parameters on the rod spacings and variation of microhardness with the rod spacing in the Sn-Cu hypereutectic alloy. *Journal of Materials Science: Materials in Electronics*, 21(6), 608–618.
- Çadirli, E., Büyük, U., Engin, S., and Kaya, H. (2017). Effect of silicon content on microstructure, mechanical and electrical properties of the directionally solidified Al-based quaternary alloys. *Journal of Alloys and Compounds*, 694, 471–479.
- Cahn, R. W., and Haasen, P. (1996). *Physical Metallurgy Volume 3. I*, 1–1042.
- Campbell, J. (2003). *Castings* (2nd ed.). Butterworth-Heinemann.
- Campbell, J. (2015). Complete Casting Handbook. In *Complete Casting Handbook*.
- Costa, T. A., Dias, M., Gomes, L. G., Rocha, O. L., and Garcia, A. (2016). Effect of solution time in T6 heat treatment on microstructure and hardness of a directionally solidified Al-Si-Cu alloy. *Journal of Alloys and Compounds*, 683, 485–494.
- Costa, T. A., Moreira, A. L., Moutinho, D. J., Dias, M., Ferreira, I. L., Spinelli, J. E., Rocha, O. L., and Garcia, A. (2014). Growth direction and Si alloying affecting directionally solidified structures of Al-Cu-Si alloys. *Materials Science and Technology*, 31(9), 1103–1112.
- Desrosin, W., Boycho, L., Scheiber, V., Méndez, C. M., Schvezov, C. E., and Ares, A. E. (2015). Evolution of metallographic parameters during horizontal unidirectional solidification of Zn-Sn alloys. *Procedia Materials Science*, 8, 968–977.
- Diao, Q. Z., and Tsai, H. L. (1993). The formation of negative- and positive- segregated bands during solidification of aluminum- copper alloys. *Int. J. Heat. Mass Transfer*, 36(18), 4299–4305.
- Donadoni, B. M. C., Gomes, L. F., Garcia, A., and Spinelli, J. E. (2018). Tailoring of microstructures and tensile properties in the solidification of Al-11Si ( - x Cu ) brazing alloys. *Metals*, 8, 784.
- Easton, M., and StJohn, D. (1999a). Grain refinement of aluminum alloys : Part I . The nucleant and solute paradigms — A review of the literature. *Metallurgical and Materials Transactions A*, 30(June), 1613–1623.
- Easton, M., and StJohn, D. (1999b). Grain refinement of aluminum alloys: Part II. Confirmation of, and a mechanism for, the solute paradigm. *Metallurgical and Materials Transactions A*, 30(June), 1625–1633.



- Engin, S., Büyük, U., Kaya, H., and Maraşlı, N. (2011). Directional solidification and physical properties measurements of the zinc-aluminum eutectic alloy. *International Journal of Minerals, Metallurgy and Materials*, 18(6), 659–664.
- Engin, S., Büyük, U., and Maraşlı, N. (2016a). The effects of microstructure and growth rate on microhardness, tensile strength, and electrical resistivity for directionally solidified Al-Ni-Fe alloys. *Journal of Alloys and Compounds*, 660, 23–31.
- Engin, S., Büyük, U., and Maraşlı, N. (2016b). The effects of microstructure and growth rate on microhardness, tensile strength, and electrical resistivity for directionally solidified Al-Ni-Fe alloys. *Journal of Alloys and Compounds*, 660(November), 23–31.
- Eskin, D. G. (2008). *Physical Metallurgy of Direct Chill Casting of Aluminum Alloys*. CRC Press.
- Eskin, D. G., Du, Q., Ruvalcaba, D., and Katgerman, L. (2005). Experimental study of structure formation in binary Al-Cu alloys at different cooling rates. *Materials Science and Engineering A*, 405(1–2), 1–10.
- Fan, Z., Wang, Y., Zhang, Y., Qin, T., Zhou, X. R., Thompson, G. E., and Pennycook, T. (2015). Grain refining mechanism in the Al / Al – Ti – B system. *ACTA MATERIALIA*, 84, 292–304.
- Farkašová, M., Tillová, E., and Chalupová, M. (2013). Modification of Al-Si-Cu cast alloy. *FME Transactions*, 41(3), 210–215.
- Ferdian, D., Lacaze, J., Lizarralde, I., Niklas, A., and Fernandez-calvo, A. I. (2013). Study of the effect of cooling rate on eutectic modification in A356 aluminium alloys. *Materials Science Forum*, 765, 130–134.
- Ferdian, D., Thebault, Y., Freulon, A., and Lacaze, J. (2015). Characterization of rosette formation in an aluminium – silicon alloy Characterisation of rosette formation in an aluminium – silicon alloy. *International Journal of Cast Metals Research*, 28(5), 290–294.
- Ferreira, I. L., Garcia, A., and Nestler, B. (2004). On macrosegregation in ternary Al – Cu – Si alloys : numerical and experimental analysis. *Scripta Materialia*, 50, 407–411.
- Ferreira, I. L., Lins, J. F. C., Moutinho, D. J., Gomes, L. G., and Garcia, A. (2010). Numerical and experimental investigation of microporosity formation in a ternary Al – Cu – Si alloy. *Journal of Alloys and Compounds*, 503(1), 31–39.
- Ferreira, I. L., Santos, C. A., Voller, V., and Garcia, A. (2004). Analytical , Numerical , and experimental analysis of inverse macrosegregation during upward unidirectional solidification of Al-Cu alloys. *Metall. Mater. Trans. B*, 35(April), 285–297.
- Flemmings, M. C. (1974). *Solidification Processing* (B. J. Clark & M. Gardner (eds.)). McGraw-Hill.
- Gao, B., Nakano, S., and Kakimoto, K. (2011). Effect of crucible cover material on impurities of multicrystalline silicon in a unidirectional solidification furnace B. *Journal of Crystal Growth Journal*, 318, 255–258.
- Gouveia, G. L. De, Kakitani, R., Gomes, L. F., Ramos, C., Afonso, M., Cheung, N., and Spinelli, J. E. (2019). Slow and rapid cooling of Al – Cu – Si ultra fine eutectic composite: Interplay of cooling rate and microstructure in mechanical properties.



- Griffiths, W. D. (1999). Heat-transfer coefficient during the unidirectional solidification of an Al-Si alloy casting. *Metall. Mater. Trans. B*, 30(3), 473–482.
- Griffiths, W. D. (2000). A model of the interfacial heat-transfer coefficient during unidirectional solidification of an aluminum alloy. *Metallurgical and Materials Transactions B*, 31(2), 285–295.
- Gündüz, M., Kaya, H., Çadirli, E., and Özmen, A. (2004). Interflake spacings and undercoolings in Al-Si irregular eutectic alloy. *Materials Science and Engineering A*, 369(1–2), 215–229.
- Gündüz, M., Kaya, H., Çadirli, E., Maraşlı, N., Keşlioğlu, K., and Saatçi, B. (2007). Effect of solidification processing parameters on the cellular spacings in the Al–0.1wt% Ti and Al–0.5wt% Ti alloys. *Journal of Alloys and Compounds*, 439(1–2), 114–127.
- Hazari, N., Chatterjee, D., Tigga, D. P., and Das, N. (2015). Effect of alloy chemistry and growth rate on the unidirectional solidification behaviour of single crystal superalloys. *Transactions of the Indian Institute of Metals*, 68(6), 1239–1244.
- Holman, J. P. (1986). Heat Transfer. In *McGraw-Hill* (p. 702).
- Huang, H. W., Heinrich, J. C., and Poirier, D. R. (1996). Simulation of directional solidification with steep thermal gradients. *Modelling and Simulation in Materials Science and Engineering*, 4(3), 245–259.
- Johnsson, M., Backerud, L., and Sigworth, G. K. (1993). Study of the mechanism of grain refinement of aluminum after additions of Ti- and B-containing master alloys. *Metallurgical Transactions A*, 24(2), 481–491.
- Kakimoto, K., Liu, L., and Nakano, S. (2006). Analysis of temperature and impurity distributions in a unidirectional-solidification process for multi-crystalline silicon of solar cells by a global model. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 134(2-3 SPEC. ISS.), 269–272.
- Kashyap, K., and Chandrashekar, T. (2001). Effects and mechanisms of grain refinement in aluminium alloys. *Bulletin of Materials Science*, 24(4), 345–353.
- Kaufman, J. G., and Roy, E. L. (2004). Aluminum Alloy Castings: Properties, Processes, and Applications. In *ASM International*.
- Kaufman, and Rooy. (2004). Aluminum Alloy Castings: Properties, Processes, and Applications. In *Elsevier Science*.
- Kaya, H., Büyük, U., Çadirli, E., and Maraşlı, N. (2012). Measurements of the microhardness, electrical and thermal properties of the Al-Ni eutectic alloy. *Materials and Design*, 34(February 2012), 707–712.
- Kaya, H., Büyük, U., Çadirli, E., and Maraşlı, N. (2013). Influence of growth rate on microstructure, microhardness, and electrical resistivity of directionally solidified Al-7 wt% Ni hypo-eutectic alloy. *Metals and Materials International*, 19(1), 39–44.
- Kaya, H., Çadirli, E., Büyük, U., and Maraşlı, N. (2008). Variation of microindentation hardness with solidification and microstructure parameters in the Al based alloys. *Applied Surface Science*, 255(5 PART 2), 3071–3078.
- Khan, S., Ourdjini, A., Nared, Q. S., Alam Najafabadi, M. A., and Elliott, R. (1993).



- Hardness and mechanical property relationships in directionally solidified aluminium-silicon eutectic alloys with different silicon morphologies. *Journal of Materials Science*, 28(21), 5957–5962.
- Krane, M. J. M., and Incropera, F. P. (1996). A scaling analysis of the unidirectional solidification of a binary alloy. *International Journal of Heat and Mass Transfer*, 39(17), 3567–3579.
- Król, J. (1997). Structure and mechanical properties of age-hardened directionally solidified AlSiCu alloys. *Materials & Design*, 18(4–6), 345–347.
- Kurz, W., and Fisher, D. J. (1984). *Fundamentals of Solidification*. Trans Tech.
- Lacaze, J., Lesoult, G., and Ansara, I. (1996). Rosettes in Al-Cu-Mg-Si Aluminium Alloys. *Materials Science Forum*, 217–222, 171–176.
- Liu, D., Li, X., Su, Y., Rettenmayr, M., Guo, J., and Fu, H. (2014). Local melting/solidification during peritectic solidification in a steep temperature gradient: Analysis of a directionally solidified Al-25at%Ni. *Applied Physics A: Materials Science and Processing*, 116(4), 1821–1831.
- Liu, J. lai, Jin, T., Luo, X. hong, Feng, S. bo, and Zhao, J. zhou. (2016). Effects of solidification conditions on the crystal selection behavior of an Al base alloy during directional solidification. *Microgravity Science and Technology*, 28(2), 109–113.
- Lukas, H. L., and Lebrun, N. (1986). *Aluminium – Copper – Silicon*.
- Mallapur, D. G., UDUPA, K. R., and KORI, S. A. (2010). Influence of grain refiner and modifier on the microstructure and mechanical properties of A356 alloy. *International Journal of Engineering Science and Technology*, 2(9), 4487–4493.
- Melo, M. L. N., Penhalber, C. L., Pereira, N. A., Pellicciari, C. L., and Santos, C. A. (2007). Numerical and experimental analysis of microstructure formation during stainless steels solidification. *Journal of Materials Science*, 42(7), 2267–2275.
- Meng, X. B., Lu, Q., Zhang, X. L., Li, J. G., Chen, Z. Q., Wang, Y. H., Zhou, Y. Z., Jin, T., Sun, X. F., and Hu, Z. Q. (2012). Mechanism of competitive growth during directional solidification of a nickel-base superalloy in a three-dimensional reference frame. *Acta Materialia*, 60(9), 3965–3975.
- Mondolfo, L. (1976). *Aluminum Alloys: Structure and Properties*. Butterworth & Co Ltd.
- Nowak, M., Bolzoni, L., and Hari Babu, N. (2015). Grain refinement of Al-Si alloys by Nb-B inoculation. Part I: Concept development and effect on binary alloys. *Materials and Design*, 66(PA), 366–375.
- Okayasu, M., and Takeuchi, S. (2015). Crystallization characteristics of cast aluminum alloys during a unidirectional solidification process. *Materials Science and Engineering A*, 633, 112–120.
- Osório, W. R., Moutinho, D. J., Peixoto, L. C., Ferreira, I. L., and Garcia, A. (2011). Macrosegregation and microstructure dendritic array affecting the electrochemical behaviour of ternary Al–Cu–Si alloys. *Electrochimica Acta*, 56, 8412–8421.
- Pan, X. M., Lin, C., Morral, J. E., and Brody, H. D. (2005). An assessment of thermodynamic data for the liquid phase in the Al-rich corner of the Al-Cu-Si system and its application to the solidification of a 319 alloy. *Journal of Phase Equilibria and Diffusion*, 26(3), 225–233.



- Ponweiser, N., and Richter, K. W. (2012). New investigation of phase equilibria in the system Al – Cu – Si. *Journal of Alloys and Compounds*, 512(1), 252–263.
- Raghavan, V. (2012). Al-Cu-Si (aluminum-copper-silicon). *Journal of Phase Equilibria and Diffusion*, 33(1), 59–61.
- Rana, R. S., Purohit, R., and Das, S. (2012). Reviews on the influences of alloying elements on the microstructure and mechanical properties of aluminum alloys and aluminum alloy composites. *International Journal of Scientific and Research Publications*, 2(6), 1–7.
- Riestra, M., Ghassemali, E., Bogdanoff, T., and Seifeddine, S. (2017). Interactive effects of grain refinement, eutectic modification and solidification rate on tensile properties of Al-10Si alloy. *Materials Science and Engineering A*, 703(July), 270–279.
- Robles-Hernandez, F. C., Ramírez, J. M. H., and Mackay, R. (2017). *Al-Si Alloys*. Springer International Publishing AG.
- Rocha, O. L., Siqueira, C. A., and Garcia, A. (2003). Heat flow parameters affecting dendrite spacings during unsteady-state solidification of Sn-Pb and Al-Cu alloys. *Metallurgical and Materials Transactions A*, 34(4), 995–1006.
- Rodrigues, J. R. P., Melo, M. de L. N. M., and Santos, R. G. dos. (2010). Effect of magnesium content on thermal and structural parameters of Al–Mg alloys directionally solidified. *Journal of Materials Science*, 45(9), 2285–2295.
- Rónaföldi, A., Kovács, J., and Roósz, A. (2009). A suggested effective method for unidirectional solidification under rotating magnetic field in the space experiments. *Transactions of The Indian Institute of Metals*, 62(October), 475–477.
- Roviglione, A. N., and Hermida, J. D. (2002). A new unidirectional solidification method to study gray cast iron. *Metallurgical and Materials Transactions B*, 33(April), 235–241.
- Shin, Y., Kang, C. S., and Oh, K. H. (2000). A mathematical model of unidirectional solidification in cooled mold. *Metals and Materials*, 6(3), 189–194.
- Sigworth, G. K., and Kuhn, T. A. (2007). Grain refinement of aluminum casting alloys. *International Journal of Metalcasting*, 1(1), 31–40.
- Slamet, S., and Suyitno. (2002). Pengaruh konsentrasi cu terhadap sifat mekanis paduan Al Cu pada proses pembekuan searah (unidirectional solidification). *Prosiding Seminar Nasional Sains Dan Teknologi*, 82–87.
- Spinelli, J. E., Ferreira, I. L., and Garcia, A. (2006). Evaluation of heat transfer coefficients during upward and downward transient directional solidification of Al-Si alloys. *Structural and Multidisciplinary Optimization*, 31(3), 241–248.
- Spinelli, J. E., Rosa, D. M., Ferreira, I. L., and Garcia, A. (2004). Influence of melt convection on dendritic spacings of downward unsteady-state directionally solidified Al–Cu alloys. *Materials Science and Engineering A*, 383, 271–282.
- Stefanescu, D. M. (2009). *Science and Engineering of Casting Solidification* (2nd ed.). Springer US.
- Stefanescu, D. M. (2015). *Science and engineering of casting solidification* (3rd ed.). Springer International Publishing.
- Su, Y., Wang, M., Lin, X., Chen, Q., and Huang, W. (2007). Numerical model for



- nucleation of peritectic alloy during unidirectional solidification. *Journal of Materials Science*, 42(14), 5360–5368.
- Timelli, G., Camicia, G., and Ferraro, S. (2014). Effect of grain refinement and cooling rate on the microstructure and mechanical properties of secondary Al-Si-Cu alloys. *Journal of Materials Engineering and Performance*, 23(2), 611–621.
- Vasconcelos, A. J., Kikuchi, R. H., Barros, A. S., and Costa, T. A. (2016). Interconnection between microstructure and microhardness of directionally solidified binary Al-6wt.% Cu and multicomponent Al-6wt.% Cu-8wt.% Si alloys. *Annals of the Brazilian Academy of Sciences*, 88(2), 1099–1111.
- Verissimo, N. C., Brito, C., Santos, W. L. R., Cheung, N., Spinelli, J. E., and Garcia, A. (2016). Interconnection of Zn content, macrosegregation, dendritic growth, nature of intermetallics and hardness in directionally solidified Mg-Zn alloys. *Journal of Alloys and Compounds*, 662, 1–10.
- Wang, L., Shen, J., Shang, Z., Zhang, J., Chen, J., and Fu, H. (2014). Effect of Dy on the microstructures of directionally solidified NiAl-Cr(Mo) hypereutectic alloy at different withdrawal rates. *Intermetallics*, 44, 44–54.
- Wang, Q., Li, Y. X., and Li, X. C. (2003). Grain Refinement of Al – 7Si Alloys and the Efficiency Assessment by Recognition of Cooling Curves. *Metallurgical and Materials Transactions A*, 34(May), 1175–1182.
- Wang, X., and Han, Q. (2016). Grain refinement mechanism of aluminum by Al-Ti-B master alloys. *TMS (The Minerals, Metals & Materials Society)*, 189–193.
- Wang, Z., Liu, X.-F., and Xie, J.-X. (2011). Effects of solidification parameters on microstructure and mechanical properties of continuous columnar-grained Cu-Al-Ni alloy. *Progress in Natural Science: Materials International*, 21(5), 368–374.
- Yilmaz, E., Çadirli, E., Acer, E., and Gündüz, M. (2016). Microstructural evolution and mechanical properties in directionally solidified Sn-10.2 Sb peritectic alloy at a constant temperature gradient. *Materials Research*, 19(2), 370–378.
- Yu, J., Ren, J., Li, H., Fu, J., Zhai, Q., Luo, Z., and Zheng, H. (2014). A new approach to grow the Heusler Ni-Mn-Sn unidirectional crystal. *Journal of Crystal Growth*, 402, 147–150.
- Zhang, J., Shen, J., Shang, Z., Wang, L., and Fu, H. (2013). Directional solidification and characterization of NiAl-9Mo eutectic alloy. *Transactions of Nonferrous Metals Society of China*, 23(12), 3499–3507.
- Zhao, G., Ding, C., and Gu, M. (2018). Effects of cooling rate and initial composition on the solidification path and microstructure of Al-Cu- Si alloys. *International Journal of Cast Metals Research*, 00(00), 1–10.
- Zhongwei, C., Wang, E., and Hao, X. (2016). Microstructure and orientation evolution in unidirectional solidified Al-Zn alloys. *Materials Science and Engineering A*, 667, 1–8.
- Zhou, Z., and Fu, H. (2000). Rapid directional solidification from highly undercooled Cu-5wt.%Ni alloy melts. *Journal of Materials Science Letters*, 19(16), 1491–1494.
- Zolotarevsky, V. S., Belov, N. A., and Glazoff, M. V. (2007). *Casting Aluminum Alloys - Knovel*. Elsevier. <http://www.sciencedirect.com/science/book/9780080453705>