

DAFTAR PUSTAKA

- Abrams, D., J. Barbosa, H. Albano, J. Silva. P.A. Gibbs., and P. Teixeira. 2011. Characterization of bacPPK34 a bacteriocin produced by *Pediococcus pentosaceus* strain K34 isolated from “Alheira”. Food Control. 22: 940-946.
- Alakomi, H.L., E. Skyttä, M. Saarela, T. Mattila-Sandholm, K. Latva-Kala, and I. M. Helander. 2000. Lactic acid permeabilizes gram-negative bacteria by disrupting the outer membrane. Applied and Environmental Microbiology. 66(5): 2001-2005.
- Alakomi H.L., M. Saarela, and I.M. Helander. 2003. Effect of EDTA on *Salmonella enterica* serovar Typhimurium involves a component not assignable to lipopolysaccharide release. Microbiology. 149: 2015–2021.
- Ammor M.S., G. Tauveron, E. Dofur, and I. Chevallier. 2006. Antibacterial activity of lactic acid bacteria against spoilage and pathogenic bacteria isolated from meat by screening and characterization of the antibacterial compound. Journal of Food Control. 1(6): 454-461.
- Anal, A.K., G. Perpetuini, A. Petchkongkaew, R. Tan, S. Avallone, R. Tofalo, H.V., Nguyen, S. Chu-ky, P.H. Ho, T.T. Phan, and Y. Waché. 2020. Food safety risks in traditional fermented food from South-East Asia. Food Control. 109(106922).
- Ananou, S., M. Maqueda, M. Martinez-Bueno, and A. Gálvez. 2005. Control of *Staphylococcus aureus* in sausages by enterocin AS-48. Meat Science. 71(3): 549-556.
- Andriyani, E. A., K. Yulianti, dan A. Supriadi. 2012. Efisiensi dan identifikasi loss pada proses pengolahan terasi udang rebon (*Acetes sp.*) di Desa Belo Laut Kecamatan Muntok Bangka Belitung. Universitas Sriwijaya. Jurnal Fishtech. 1(1).
- Axelsson, L. 2004. Lactic acid bacteria: Classification and Physiology. In Salminen, S., Wright, A.V., and Ouwehand. (eds). Lactic Acid Bacteria. Microbiological and Functional Aspects Third Edition. Revised and Expanded: 1–66.
- Barceloux, G.D. 2008. Medical Toxicology of Natural Substances. John Wiley & Sons, Inc. Virginia.
- Beasley, S.S. and P.E.J. Saris. 2004. Nisin-producing *Lactococcus lactis* strains isolated from human milk. Journal of Applied and Environmental Microbiology. 70: 5051-5053.
- Bergey, D.H. 1993. Bergey's Manual of Systematic Bacteriology. Springer, New York.
- Beutling, D.M. 1996. Biogene Amine in der Ernährung. Springer, New York.

- Bjornsdottir-Buttler, K., G.E. Bolton, P.D. McClellan-Green, L. Jaykus, and D.P. Green. 2009. Detection of Gram-negative histamine-producing bacteria in fish: a comparative study. *Journal of Food Protection*. 72(9): 1987 – 1991.
- Bjornsdottir-Butler, K., J.L. Jones, R. Benner, and W. Burkhadt. 2011. Development of a real-time PCR assay with an internal amplification control for detection of Gram negative histamine-producing bacteria in fish. *Food Microbiology*. 28:356-363.
- Buckle, K.A., R.A. Edwards, G.H. Fleet, and M. Wotton. 2007. Ilmu Pangan (Alih bahasa: Hari P. dan Adiono). Universitas Indonesia Press.
- Cavera, V.L., T.D. Arthur, D. Kashtanov, and M.L. Chikindas. 2015. Bacteriocins and their position in the next wave of conventional antibiotics. *International Journal of Antimicrobial Agents*. 46: 494-501.
- Chen, H.C., H.F. Kung, W.C. Chen, W.F. Lin, D.F. Hwang, Y.C. Lee, and Y.H. Tsai. 2008. Determination of histamine and histamine-forming bacteria in tuna dumpling implicated in a food-borne poisoning. *Journal of Food Chem*. 8(106): 600-612.
- Chen, Y.T., H.L. Pen, W.C. Shia, F.R. Hsu, C.F. Ken, Y.M. Tsao, C.H. Chen, C.E. Liu, M.F. Hsieh, H.C. Chen, and C.Y. Tang. 2012. December. Whole-genome sequencing and identification of *Morganella morganii* KT pathogenicity-related genes. In *BMC genomics*, 13(7): 1-14. BioMed Central.
- Choudhury, M., M.K. Sahu, K. Sivakumar, T. Thangradjou, and L. Kannan. 2008. Inhibition of actinomycetes to histamine producing bacteria associated with indian mackerel fish (*Rastrelliger kanagurta*, Cuvier, 1816). *Journal of Fisheries and Aquatic Science*. 3(2):126-136.
- Codex Alimentarius Commission. 2018. Codex Committee on Food Hygiene. 5th Edn.
- Costantini, A., E. Vaudano, V.D. Prete, M. Danei, and E. Garcia-Moruno. 2009. Biogenic amine production by contaminating bacteria found in *starter* preparations used in winemaking. *J. Agric. Food Chem*. 57(22): 10664-10669.
- Dah-Nouvlessounon, D., H. Adoukonou-Sagbadja, N. Djarassouba, H. Sina, A. Adjanohoun, M. Inoussa, D. Akakpo, J. D. Gbneou, S.O. Kotchoni, M.H. Dicko, and L. Baba-Mousa. 2015. Phytochemical analysis and biological activities of *Cola nitida* bark. *Biochemistry Research International*.
- Dalgaard, P., J. Emborg, A. Kølby, N.D. Sørensen, and N.Z. Ballin. 2008. Improving Seafood Product for The Customer. Woodhead Publishing Limited, England.
- Economidou, A.N., S. Giakoumi, L. Vardakas, R. Barbieri, M. Stoumboudi, and S. Zogaris. 2007. The freshwater ichthyofauna of Greece-an update based on a hydrographic basin survey. *Mediterranean Marine Science*. 8(1): 91-166.

- Emborg, J., P. Dalgaard, and P. Ahrens. 2006. *Morganella psychrotolerans* sp. nov., a histamine producing bacterium isolated from various seafoods. *Int. J. System. Evolut. Microbiol.* 56: 24732479.
- [EFSA] European Food Safety Authority. 2011. Scientific opinion on risk based control of biogenic amine formation in fermented foods. *EFSA Journal.* 9(10):2393.
- Fardiaz, S. 1992. *Mikrobiologi Pangan I*. PT. Gramedia Pustaka Utama, Jakarta.
- Fatimah, F., J.J. Pelealu, S. Gugule, H.V. Yempormase, and T.E. Tallei. 2017. Quality evaluation of bakasang processed with variation of salt concentration, temperature and fermentation time. *Pakistan Journal of Biological Sciences.* 20(11): 543-551, ISSN 18125735, 10288880.
- Fletcher G.C., G. Summers, R.V. Winchester, and R.J. Wong. 1995. Histamine and histidine in New Zealand marine fish and shellfish species, particularly Kahawai (*Arripis trutta*). *Journal of Aquatic Food Product Technology.* 4(2): 5374.
- [FDA] Food and Drug Administration. 2011. *Fish and Fishery Products Hazards and Controls Guidance*. 4th Edn. FDA. USA.
- [FDA] Food and Drug Administration. 2020. Outbreak Investigation of Scombrototoxin Fish Poisoning: Yellowfin/Ahi Tuna (November 2019). <<https://www.fda.gov/food/outbreaks-foodborne-illness/outbreak-investigation-scombrototoxin-fish-poisoning-yellow-finahi-tuna-november-2019>>. (Diakses pada 16 Mei 2020).
- Gautam, N. and N. Sharma. 2009. Bacteriocin: safest approach to preserve food products. *Indian J. Microbiol.* 49(3): 204–211.
- Garciz-Ruiz, A., E.M. González-Rompinelli, B. Bartolomé, and V. Moreno-Arribas. 2011. Potential of wine-associated lactic acid bacteria to degrade biogenic amines. *Int J Food Microbiol.* 148:115–20.
- Goh, H.F. and K. Phillip. 2015. Purification and characterization of bactericin produced by *Waisella confusa*. *Journal pone PLoS ONE.* 10(10).
- Gokulan, K., S. Khare, and C. Cerniglia. 2014. Metabolic Pathways: Production of Secondary Metabolites of Bacteria. In: Batt, C.A., Tortorello, M.L. (Eds.), *Encyclopedia of Food Microbiology*, vol 2. Elsevier Ltd, Academic Press, pp. 561–569.
- Gunena, M. 2000. Karakteristik biokimia bakteri kokus dan basil yang diisolasi dari fermentasi bakasang. *Fakultas Perikanan dan Ilmu Kelautan. Universitas Sam Ratulangi. Manado. Skripsi.*
- Ijong, F.G. and Y. Ohta. 1995. Amino acid composition of bakasang, a traditional fermented fish sauce from Indonesia. *Journal of Microbiological Methods.* 25:236-237.

- Ijong F.G. and Y. Ohta. 1996. Physicochemical and mikrobiological changes associated with bakasang. Processing a traditional Indonesia fermented fish sauce. Laboratory of Microbial Biochemistry. *Journal of Science Food Agriculture*. 71: 69-74.
- Ingratubun, J.A., F.G. Ijong., dan H. Onibala. 2013. Isolasi dan identifikasi bakteri asam laktat pada bakasang sebagai *starter* mikroba produk fermentasi. *Aquatic Science & Management*, Edisi Khusus. 1: 48-56.
- Jackson, F.R. 1990. Prokaryotic and eukaryotic pyridoxal-dependent decarboxylases are homologous. *J. Mol. Evol.* 31:325–329.
- Jay, J.M., M.J. Loessner, and D.A. Golden. 2005. *Modern Food Microbiology*. 7th edition. Springer, New York.
- Jeyasanta, K.I, E. M. Kashwati, K. Saritha, and J. Patterson. 2015. Histamin content in local consumers demanded fishes of tuticorin. *International Archives on Integrated Medicine*. 2(1): 50–6.
- Joosten, H.M., and M. Nuñez. 1996. Prevention of histamine formation in cheese by bacteriocin producing lactic acid bacteria. *Appl Environ Microbiol*. 62:1178–81.
- Kanki M., T. Yoda, M. Ishibashi, and T. Tsukamoto. 2004. *Photobacterium phosphoreum* caused a histamine fish poisoning incident. *Int. J. Food Microbiol*. 92(1): 79–87.
- Kanki, M, T. Yoda, T. Tsukamoto, and E. Baba. 2007. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. *Appl. Environ. Microbiol*. 73(5):1467-1473.
- Kaseger, B.E. 1986. Silase limbah cakalang (*Katsuwonus pelamis*, Lin). Program Pascasarjana. Institut Pertanian Bogor. Tesis.
- Kimura B., Y. Konagaya, and T.Fujii. 2001. Histamine formation by *Tetragenococcus muriaticus*, a halophilic lactic acid bacterium isolated from fish sausae. *Int. J. Food Microbiol*. 70: 71-77.
- Kormin, S., G. Rusul., S. Radu, and F.H. Ling. 2001. Bacteriocin-producing lactic acid bacteria isolated from traditional fermented food. *The Malaysian journal of medical sciences: MJMS*. 8(1): 63–68.
- Kusmawarti, A., F.R. Arief, dan S. Haryati. 2014. Ekspolarasi bakteriosin dari bakteri asam laktat asal rusip Bangka dan Kalimantan. *JPB Perikanan*, 9(1): 29-40.
- Landete, J. M., B. de las Rivas, A. Marcobal, and R. Muñoz. 2008. Updated molecular knowledge about histamine biosynthesis by bacteria. *Crit. Rev. Food Sci. Nutr*. 48:697–714.

- Lawalata, H.J. and J.A. Rungkat. 2019. The potential of lactic acid bacteria to improve the quality and number of carnocine during fermentation process of Bakasang as a functional food. *Journal of Physics: Conference series*.
- Liasi, S. A., T.I. Azmi, M.D. Hassan, M. Shuhaimi, M. Rosfarizan and A.B. Ariff. 2009. Antimicrobial activity and antibiotic sensitivity of three isolates of lactic acid bacteria from fermented fish product, Budu. *Malaysian Journal of Microbiology*. 5(1): 33-37.
- Lim, E.S. 2016. Inhibitory effect of bacteriocin-producing lactic acid bacteria against histamine-forming bacteria isolated from *Myeolchi-jeot*. *Fisheries and Aquatic Sciences*. 19(42): 1-10.
- Lim, E. S., and L. Nahm-Gull. 2016. Control of histamine-forming bacteria by probiotic lactic acid bacteria isolated from fish intestine. *The Korean Journal of Microbiology* 52(3): 352-364.
- Lindgren, S.W., and W.J. Dobrogosz. 1990. Antagonistic activities of lactic acid bacteria in food and feed fermentations. *FEMS Microbiol. Rev.* 87: 149–164.
- Llobet, E., V. Martínez-Moliner, D. Moranta, K.M. Dahlström, V. Regueiro, A. Tomás, V. Cano, C. Pérez-Gutiérrez, C.G. Frank, H. Fernández-Carrasco, and J.L. Insua. 2015. Deciphering tissue-induced *Klebsiella pneumoniae* lipid A structure. *Proceedings of the National Academy of Sciences*, 112(46): E6369-E6378.
- Lopetcharat, K., J.W. Park, and M.A. Daeschel. 2002. Characteristics of fish sauce made from Pacific Whiting and surimi by products during Fermentation Stage. *Journal of Food Chemistry and Toxicology*.
- Lucas, P.M., W.A.M Wolken, O. Claisse, J.S. Lolkema, and A. Lonvaud-Funel. 2005. Histamine-producing pathway encoded on an unstable plasmid in *Lactobacillus hilgardii* 0006. *Applied and Environmental Microbiology*. 71(3): 1417-1424.
- MacFaddin, J.F. 1983. *Biochemical Tests for Identification of Medical Bacteria*. Williams & Wilkins Company, USA.
- Mariam, S. H., N. Zegeye, T. Tariku, E. Andargie, N. Endalafer, and A. Aseffa. 2014. Potential of cell-free supernatants from cultures of selected lactic acid bacteria and yeast obtained from local fermented foods as inhibitors of *Listeria monocytogenes*, *Salmonella* spp. and *Staphylococcus aureus*. *BMC research notes*, 7(1), 1-9.
- Matamoros, S., Pilet, M.F., Gigout, F., Prevost, H., and Leroi, F. 2009. Selection and evaluation of seafood-borne psychrotrophic lactic acid bacteria as inhibitors of pathogenic and spoilage bacteria. *J. Food Microbiol.* 26: 638-644.

- Menard, R., H.E. Khouri, C. Plouffe, R. Dupras and D. Ripoll. 1990. A protein engineering study of the role of aspartate 158 in the catalytic mechanism of papain. *Biochemistry*, 29: 6706-6713. DOI: 10.1021/bi00480a021
- Misgiyarta dan S. Widowati. 2003. Seleksi dan karakterisasi bakteri asam laktat (bal) indigenus. *Prosiding Seminar Hasil Penelitian Rintisan dan Bioteknologi*. Balai Penelitian Bioteknologi dan Sumberdaya Genetik Pertanian.
- Montiel, I. Martín-Cabrejas, S. Langa, N. El Aouad, J.L. Arqués, F. Reyes, and M. Medina. 2014. Antimicrobial activity of reuterin produced by *Lactobacillus reuteri* on *Listeria monocytogenes* in cold-smoked salmon. *Food Microbiology*. 44: 1-5.
- Özogul, F. and Y. Özogul. 2006. Biogenic amine content and biogenic amine quality indices of sardines (*Sardina pilchardus*) stored in modified atmosphere packaging and vacuum packaging. *Food Chem*. 99: 574–578.
- Parada, J. L., C. R. Caron, A.B.P. Medeiros, and C. R. Soccol. 2007. Bakteriosins from lactic acid bacteria: purification, properties and use as biopreservatives. *Braz. Arch. Biol. Technol*. 50:521-526
- Pequignot, C., C. Larroche, and J.B. Gross. 1998. A spectrophotometric method for determination of bacterial biomass in the presence of a polymer. *Biotechnology techniques*. 12 (12): 899-903.
- Prasetyo, F.D. 2018. Isolasi, seleksi, dan optimasi produksi bakteriosin oleh isolat bakteri asam laktat dari udang putih (*Penaeus merguensis*). Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Prescott L.M., J.P. Harley, and D.A. Klein. 2002. *Food and Industrial Microbiology*. In: *Microbiology*. 5th Edition. The WCB McGraw-Hill companies. Boston, USA.
- Price R.J., E.F. Melvin, and J.W. Bell. 1991. Postmortem changes in chilled round bled and dress albacore. *Journal of Food Science*. 35: 318-321.
- Prihardini, F.J. 2008. Isolasi dan karakterisasi bakteri dan bakasang jeroan ikan tuna sirip kuning (*Thunnus albacares*). *Teknologi Hasil Perikanan*. Institut Pertanian Bogor. Skripsi.
- Purwaningsih, S., J. Santoso, dan R. Garwan. 2013. Perubahan fisia-kimiawi, mikrobiologi, dan histamin bakasang ikan cakalang selama fermentasi dan penyimpanan. *Jurnal Teknologi dan Industri Pangan*. 24(2): 168-177.
- Rai, A.K., N. Bhaska, P.M. Amani, K. Indirani, P.V. Suresh, and N.S. Mahendrakar. 2009. Characterization and application of native lactic acid bacterium isolated from tannery fleshing for fermentative bioconversion of tannery fleshings. *Application Microbiology Biotechnology*. 83: 757- 766.

- Rajaram, G., P. Manivasagam, B. Thilagavathi, and A. Saravanakumar. 2010. Purification and characterization of a bacteriocin produces by *Lactobacillus lactis* isolated from marine environment. *Advance Journal of Food Science and Technology*. 2(2): 138-144
- Ray, B. 2004. *Fundamental Food Microbiology*. CRC Press, Inc. Washington, D.C.
- Rinto. 2011. Bakteri asam laktat dari peda, bekasam, terasi dan rusip penghambat *Morganella Morganii* (pembentuk histamin). *Jurnal Penelitian Pertanian Terapan*. 11(2): 99-103.
- Rinto, A.D. Sasanti, dan K. Fitria. 2012. Aktivitas penghambatan isolat bakteri asam laktat ikan nila dan tongkol terhadap bakteri merugikan produk perikanan. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 15(2): 94-100.
- Rodriguez, E.G.B., P. Gaya, M. Nanez, and M. Medina. 2000. Diversity of bacteriocins produced by Lactic Acid Bacteria isolated from raw milk. *Int. Dairy J*. 10: 7–15.
- Romadhon., Subagiyo, dan S. Margino. 2012. Isolasi dan karakterisasi bakteri asam laktat dari usus udang penghasil bakteriosin sebagai agen antibakteria pada produk produk hasil perikanan. *J. Saintek Perikanan*. 8(1): 59–64.
- Sabry, M.A., H.A. Mansour, R.M. Anshour, and E. Hamza. 2019. Histamineproducing bacteria and histamine induction in retail sardine and mackerel from fish markets in Egypt. *Foodborne Pathogens & Disease*. 20(20): 1 – 7.
- Sari, R., L. Deslianri, dan P. Apridamayanti. 2016. Skrining aktivitas antibakteri bakteriosin dari minuman Ce Hun Tiau. *Pharmaceutical Sciences & Research*. 3(2): 4.
- Satomi, M. 2016. Effect of histamine-producing bacteria on fermented fishery products. *Food Science and Technology Research*, 22(1): 1-21.
- Sidhu, P.K. and K. Nehra. 2017. Bacteriocin-nanoconjugates as emerging compounds for enhancing antimicrobial activity of bacteriocins. *Journal of King Saud University*.
- Simidu, W. and S. Hibiki. 1955. Studies on putrefaction of aquatic products. XXIII. On the critical concentration of poisoning for histamine. *Bull. Jpn. Soc. Sci. Fish*. 21:365-367.
- Sonsa, N., A.R. Rodtong, M.L. Chikindas, and J. Yongsawatdigul. 2015. Characterization of bacteriocin produced by *Enterococcus faecium* CN-25 isolated from traditionally Thai fermented fish roe. *Food Control*. 54: 308-316.
- Spano, G., P. Russo, A. Lonvaud-Funel, P. Lucas, H. Alexandre, C. Grandvalet, E. Coton M. Coton, L. Barnavon, B. Bach, F. Rattray, A. Bunte, C. Magni, M. Alvarez, M. Fernandez, P. Lopez, P. Barcelo, A. Corbi, and J.S. Lolkema. 2010. Risk

assessment of biogenic amines in fermented food. *European J. Clin. Nutrition.* 64: 95-100.

- Sumanti, D.M. 1998. Mikrobiologi dalam fermentasi produk-produk perikanan laboratorium mikrobiologi pangan. Pusat Antar Universitas Pangan dan Gizi. Institut Pertanian Bogor. Bogor.
- Tan, A., Y. Zhaoa, K. Sivashanmugana, K. Squirea, and A.X. Wang. 2019. Quantitative TLC-SERS detection of histamine in seafood with support vector machine analysis. *Food Control.* 103:111-118
- Tabanelli, G., C. Montanari, E. Bargossi, R. Lanciotti, V. Gatto, G. Felis, S. Torriani, and F. Gardini. 2014. Control of tyramine and histamine accumulation by lactic acid bacteria using bacteriocin forming lactococci. *International Journal of Food Microbiology.* 190 :14-23.
- Taylor, S.L., L.S. Guthertz, M. Leatherwood, and E.R. Lieber. Histamine production by *Klebsiella pneumoniae* and an incident of scombroid fish poisoning. *Applied and Environmental Microbiology.* 37(2): 274-278.
- Taylor, S.L. 1986. Histamine food poisoning: toxicology and clinical aspects. *Crit. Rev. Toxicol.* 17:91-128.
- Usmiati, S. dan Marwati. 2007. Seleksi dan optimasi proses produksi bakteriosin dari *Lactobacillus sp.* *Jurnal Pasca Panen* 4 (1): 27-37.
- Utama, C.S., dan A. Mulyanto. 2009. Potensi limbah pasar sayur menjadi suplemen fermentasi. *Jurnal Kesehatan Unimus.* 2(1): 6-13.
- Valgas, C., S.M. de Souza, E.F.A. Smânia, and A. Smânia Jr. 2007. Screening methods to determine antibacterial activity of natural products. *Brazilian Journal of Microbiology.* 38: 369-380.
- Vanderslice P., W.C. Copeland, and J.D. Robertus. 1986. Cloning and nucleotide sequence of wild type and a mutant histidine decarboxylase from *Lactobacillus* 30a. *J. Biol. Chem.* 261: 15186-15191.
- Widyastuti, Y. dan E. Sofarianawati. 1999. Karakter bakteri asam laktat *Enterococcus sp.* yang diisolasi dari saluran pencernaan ternak. *Jurnal Mikrobiologi Indonesia.* 4(2): 50-53.
- Wiley, J.M., L.M. Sherwood, and C.J. Woolverton. 2009. Prescott's Principles of Microbiology. McGraw-Hill Higher Education, Boston.
- Winarno, F.G. dan Rachman. 1974. Protein, Sumber dan Perannya. Departemen Teknologi Hasil Perikanan. Institut Pertanian Bogor, Bogor.

- Wiranata, D.P. dan I.D. Puspita. 2020. Isolasi dan identifikasi bakteri pembentuk histamin pada ikan tuna mata besar, cakalang, dan tongkol yang didaratkan di pelabuhan perikanan pantai Sadeng, Gunung Kidul. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Yanti, D.I.W., dan F. A. Dali. 2013. Karakterisasi bakteri asam laktat yang diisolasi selama fermentasi bakasang. Jurnal Pengolahan Hasil Perikanan Indonesia. 16(2).
- Yoneyama, F., K. Ohno, Y. Imura, M. Li, T. Zendo, J. Nakayama, K. Matsuzaki, and K. Sonomoto. 2011. Lacticin Q-mediated selective toxicity depending on physicochemical features of membrane components. Antimicrobial agents and chemotherapy. 55(5): pp.2446-2450.
- Yu, G., Dimitrieva-Moats, and G. Unlu. 2012. Development of freeze-dried bacteriocin-containing preparations from lactic acid bacteria to inhibit *Listeria monocytogenes* and *Staphylococcus aureus*. Probiotics & Antimicro. Prot. 4: 27-38.
- Zacharof, M. P., and R.W. Lovitt. 2012. Bacteriocins produced by lactic acid bacteria a review article. Apcbee Procedia. 2: 50-56.