

DAFTAR PUSTAKA

- AOAC, 2000. *The Official Methods of Analysis*, 17th Ed. ed. Maryland, USA.
- Archibong, A.E., Rideout, M.L., Harris, K.J., dan Ramesh, A., 2018. Oxidative stress in reproductive toxicology. *Current Opinion in Toxicology*, **7**: 95–101.
- Aremu, M.O., Olaofe, O., dan Akintayo, E.T., 2006. Chemical composition and physicochemical characteristics of two varieties of bambara groundnut (*Vigna subterrenea*) flours. *Journal of Applied Sciences*, **6**: 1900-1903.
- Arhancet, J.P., Heise, J.D., dan Makadia, V., 2014. 'Processes For Preparation of Oil Compositions'. US8901299B2.
- Ashokkumar, M., 2011. The characterization of acoustic cavitation bubbles - An overview. *Ultrasonics Sonochemistry*, **18**: 864–872.
- Azadmard-Damirchi, S., Habibi-Nodeh, F., Hesari, J., Nemati, M., dan Achachlouei, B.F., 2010. Effect of pretreatment with microwaves on oxidative stability and nutraceuticals content of oil from rapeseed. *Food Chemistry*, **121**: 1211–1215.
- Badr, S.E.A., Shaaban, M., Elkholy, Y.M., Helal, M.H., Hamza, A.S., Masoud, M.S., Mounir M.E.S., 2011. Natural Product Research : Formerly Natural Product Letters Chemical composition and biological activity of ripe pumpkin fruits (*Cucurbita pepo* L.) cultivated in Egyptian habitats. *Natural Product Research*, **16**: 37–41.
- Bharti, S.K., Kumar, Amit, Sharma, N.K., Prakash, O., Jaiswal, S.K., Krishnan, S., dkk., 2013. Tocopherol from seeds of *Cucurbita pepo* against diabetes: Validation by invivo experiments supported by computational docking. *Journal of the Formosan Medical Association*, **112**: 676–690.
- Brand-Williams, W., Cuvelier, M.E., dan Berset, C., 1995. 4A Standard Calibration Techniques. *Lebensm.-Wiss.u.-Technol*, **28**: 25–30.
- Brebeton, R.G., 2007. *Applied Chemometrics for Scientifics*. John Wiley & Sons Ltd. The Atrium, Southern Gate, Chichester, West Sussex, England. hal. 145-200.
- Caili, F., Huan, S., dan Quanhong, L., 2006. A review on pharmacological activities and utilization technologies of pumpkin. *Plant Foods for Human Nutrition*, **61**: 73–80.
- Cândido, F.G., de Oliveira, F.C.E., Lima, M.F.C., Pinto, C.A., da Silva, L.L., Martino, H.S.D., dkk., 2018. Addition of pooled pumpkin seed to mixed meals

reduced postprandial glycemia: a randomized placebo-controlled clinical trial. *Nutrition Research*, **56**: 90–97.

Çavdar, H.K., Yanik, D.K., Gok, U., dan Gogus, F., 2017. Optimisation of microwave-assisted extraction of pomegranate (*Punica granatum* L.) seed oil and evaluation of its physicochemical and bioactive properties. *Food Technology and Biotechnology*, **55**: 86–94.

Che Man, Y.B., Rohman, A., dan Mansor, T.S.T., 2011. Differentiation of lard from other edible fats and oils by means of Fourier transform infrared spectroscopy and chemometrics. *JAOCs, Journal of the American Oil Chemists' Society*, **88**: 187–192.

Chemat, F., Rombaut, N., Sicaire, A.G., Meullemiestre, A., Fabiano-Tixier, A.S., dan Abert-Vian, M., 2017. Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry*, **34**: 540–560.

Da Porto, C., Porretto, E., dan Decorti, D., 2013. Comparison of ultrasound-assisted extraction with conventional extraction methods of oil and polyphenols from grape (*Vitis vinifera* L.) seeds. *Ultrasonics Sonochemistry*, **20**: 1076–1080.

Darrudi, R., Nazeri, V., Soltani, F., Shokrpour, M., dan Ercolano, M.R., 2018. Evaluation of combining ability in *Cucurbita pepo* L. and *Cucurbita moschata* Duchesne accessions for fruit and seed quantitative traits. *Journal of Applied Research on Medicinal and Aromatic Plants*, **9**: 70–77.

de Falco, B., Fiore, A., Rossi, R., Amato, M., dan Lanzotti, V., 2018. Metabolomics driven analysis by UAGC-MS and antioxidant activity of chia (*Salvia hispanica* L.) commercial and mutant seeds. *Food Chemistry*, **254**: 137–143.

de la Mata, P., Dominguez-Vidal, A., Bosque-Sendra, J.M., Ruiz-Medina, A., Cuadros-Rodríguez, L., dan Ayora-Cañada, M.J., 2012. Olive oil assessment in edible oil blends by means of ATR-FTIR and chemometrics. *Food Control*, **23**: 449–455.

Delfan-Hosseini, S., Nayebzadeh, K., Mirmoghtadaie, L., Kavosi, M., dan Hosseini, S.M., 2017. Effect of extraction process on composition, oxidative stability and rheological properties of purslane seed oil. *Food Chemistry*, **222**: 61–66.

Depkes RI, 1979. *Farmakope Indonesia*, Edisi 3. ed. Direktorat Jenderal Pengawasan Obat dan Makanan Departemen Kesehatan R.I, Jakarta. hal. xxxiii.

Djuris, J., Ibric, S., dan Djuric, Z., 2013. Chemometric methods application in Pharmaceutical Products and processes analysis and control, dalam:

Computer-Aided Applications in Pharmaceutical Technology. hal. 57–90.

- El-adawy, T.A. dan Taha, K.M., 2001. Characteristics and Composition of Watermelon, Pumpkin, and Paprika Seed Oils and Flours. *J. Agric. Food Chem.* 2001, **49**: 1253–1259.
- Elfiky, S.A., Elelaimy, I.A., Hassan, A.M., Ibrahim, H.M., dan Elsayad, R.I., 2012. Protective effect of pumpkin seed oil against genotoxicity induced by azathioprine. *The Journal of Basic & Applied Zoology*, **65**: 289–298.
- Finley, J.W., Kong, A.N., Hintze, K.J., Jeffery, E.H., Ji, L.L., dan Lei, X.G., 2011. Antioxidants in foods: State of the science important to the food industry. *Journal of Agricultural and Food Chemistry*, **59**: 6837–6846.
- Firuzi, O., Miri, R., Tavakkoli, M., dan Saso, L., 2012. Antioxidant Therapy: Current Status and Future Prospects. *Current Medicinal Chemistry*, **18**: 3871–3888.
- Fruhworth, G.O., Wenzl, T., El-Toukhy, R., Wagner, F.S., dan Hermetter, A., 2003. Fluorescence screening of antioxidant capacity in pumpkin seed oils and other natural oils. *European Journal of Lipid Science and Technology*, **105**: 266–274.
- Georgouli, K., Martinez Del Rincon, J., dan Koidis, A., 2017. Continuous statistical modelling for rapid detection of adulteration of extra virgin olive oil using mid infrared and Raman spectroscopic data. *Food Chemistry*, **217**: 735–742.
- Ghouila, Z., Sehailia, M., dan Chemat, S., 2019. *Vegetable Oils and Fats: Extraction, Composition and Applications*. Springer Nature Singapore Pte Ltd. hal. 339–375.
- Gómez-Caravaca, A.M., Maggio, R.M., dan Cerretani, L., 2016. Chemometric applications to assess quality and critical parameters of virgin and extra-virgin olive oil. A review. *Analytica Chimica Acta*, **913**: 1–21.
- Goula, A.M., 2013. Ultrasound-assisted extraction of pomegranate seed oil - Kinetic modeling. *Journal of Food Engineering*, **117**: 492–498.
- Grob, R.L., 2004. *Theory of Gas Chromatography*, Gas Chromatography. hal. 25–63.
- Gurdeniz, G. dan Ozen, B., 2009. Detection of adulteration of extra-virgin olive oil by chemometric analysis of mid-infrared spectral data. *Food Chemistry*, **116**: 519–525.
- Habib, A., Biswas, S., Siddique, A.H., M, M., Uddin, B., Hasan, S., dkk., 2015. Nutritional and Lipid Composition Analysis of Pumpkin Seed (*Cucurbita maxima* Linn.). *Journal of Nutrition & Food Sciences*, **05**: 1–6.

- Haile, M., Duguma, H.T., Chameno, G., dan Kuyu, C.G., 2019. Effects of location and extraction solvent on physico chemical properties of *Moringa stenopetala* seed oil **5**: 1-5.
- Hsouna, A. Ben, Hamdi, N., Halima, N. Ben, dan Abdelkafi, S., 2013. Characterization of essential oil from *Citrus aurantium* L. flowers: Antimicrobial and antioxidant activities. *Journal of Oleo Science*, **62**: 763–772.
- Iwo, M.I., Insanu, M., dan Dass, C.A.S., 2014. Development of Immunonutrient from Pumpkin (*Cucurbita Moschata* Duchense Ex. Lamk.) Seed. *Procedia Chemistry*, **13**: 105–111.
- Jacobo-Valenzuela, N., Maróstica-Junior, M.R., Zazueta-Morales, J. de J., dan Gallegos-Infante, J.A., 2011. Physicochemical, technological properties, and health-benefits of *Cucurbita moschata* Duchense vs. Cehualca. A Review. *Food Research International*, **44**: 2587–2593.
- Jiao, J., Li, Z.G., Gai, Q.Y., Li, X.J., Wei, F.Y., Fu, Y.J., dkk., 2014. Microwave-assisted aqueous enzymatic extraction of oil from pumpkin seeds and evaluation of its physicochemical properties, fatty acid compositions and antioxidant activities. *Food Chemistry*, **147**: 17–24.
- Jiménez-Carvelo, A.M., Osorio, M.T., Koidis, A., González-Casado, A., dan Cuadros-Rodríguez, L., 2017. Chemometric classification and quantification of olive oil in blends with any edible vegetable oils using FTIR-ATR and Raman spectroscopy. *LWT - Food Science and Technology*, **86**: 174–184.
- Khoddami, A., Ghazali, H.M., Yassoralipour, A., Ramakrishnan, Y., dan Ganjloo, A., 2011. Physicochemical characteristics of *Nigella* seed (*Nigella sativa* L.) oil as affected by different extraction methods. *JAOCs, Journal of the American Oil Chemists' Society*, **88**: 533–540.
- Kim, M.Y., Kim, E.J., Kim, Y.-N., Choi, C., dan Lee, B.-H., 2012. Comparison of the chemical compositions and nutritive values of various pumpkin (*Cucurbitaceae*) species and parts. *Nutrition Research and Practice*, **6**: 21–27.
- Kulaitienė, J., Černiauskiene, J., Jariene, E., Danilchenko, H., dan Levickienė, D., 2018. Antioxidant Activity and other Quality Parameters of Cold Pressing Pumpkin Seed Oil. *Not Bot Horti Agrobi*, **46**: 161–166.
- Lehoux, S., 2006. Redox signalling in vascular responses to shear and stretch. *Cardiovascular Research*, **71**: 269–279.
- Lerma-García, M.J., Ramis-Ramos, G., Herrero-Martínez, J.M., dan Simó-Alfonso, E.F., 2010. Authentication of extra virgin olive oils by Fourier-transform infrared spectroscopy. *Food Chemistry*, **118**: 78–83.

- Lixia, H., Cuicui, L., dan Jihong, Q., 2018. Comparison of the Physicochemical Characteristics of *Pinus koraiensis* L. Nut Oils from Different Extraction Technologies. *Grain & Oil Science and Technology*, **1**: 113–118.
- Losada-Barreiro, S. dan Bravo-Díaz, C., 2017. Free radicals and polyphenols: The redox chemistry of neurodegenerative diseases. *European Journal of Medicinal Chemistry*, **133**: 379–402.
- Lovatto, N.D.E.M., Goulart, F.R., Loureiro, B.B., Adorian, T.J., de Freitas, S.T., Pianesso, D., dkk., 2017. Effects of phosphorylated protein concentrate of pumpkin seed meal on growth and digestive enzymes activity of silver catfish (*Rhamdia quelen*). *Aquaculture Nutrition*, **23**: 201–209.
- Man, Y.B.C., Abidin, S.Z., dan Rohman, A., 2011. Discriminant Analysis of Selected Edible Fats and Oils and Those in Biscuit Formulation Using FTIR Spectroscopy. *Food Analytical Methods*, **4**: 404–409.
- Manaf, M.A., Man, Y.B.C., Hamid, N.S.A., Ismail, A., dan Abidin, S.Z., 2007. Analysis of adulteration of virgin coconut oil by palm kernel olein using fourier transform infrared spectroscopy. *Journal of Food Lipids*, **14**: 111–121.
- Mansor, T.S.T., Man, Y.B.C., dan Rohman, A., 2011. Application of Fast Gas Chromatography and Fourier Transform Infrared Spectroscopy for Analysis of Lard Adulteration in Virgin Coconut Oil. *Food Analytical Methods*, **4**: 365–372.
- Medjakovic, S., Hobiger, S., Ardjomand-Woelkart, K., Bucar, F., dan Jungbauer, A., 2016. Pumpkin seed extract: Cell growth inhibition of hyperplastic and cancer cells, independent of steroid hormone receptors. *Fitoterapia*, **110**: 150–156.
- Miller, J.N. dan Miller, J.C., 2010. *Statistics and Chemometrics for Analytical Chemistry*, 6th edition. Prentice Hall, Harlow. hal. 221–247.
- Molyneux P, 2004. The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating anti-oxidant activity. *Songklanakarin Journal of Science and Technology*, **26**: 211–219.
- Montesano, D., Blasi, F., Simonetti, M.S., Santini, A., dan Cossignani, L., 2018. Chemical and nutritional characterization of seed oil from *Cucurbita maxima* L. (Var. Berrettina) pumpkin. *Foods*, **7**: 1–14.
- Nakić, S.N., Rade, D., Škevin, D., Štrucelj, D., Mokrovčak, Ž., dan Bartolić, M., 2006. Chemical characteristics of oils from naked and husk seeds of *Cucurbita pepo* L. *European Journal of Lipid Science and Technology*, **108**: 936–943.
- Nawirska-olszan, A., Kita, A., Biesiada, A., Sokół-łe, A., dan Kucharska, A.Z., 2013. Characteristics of antioxidant activity and composition of pumpkin seed

oils in 12 cultivars. *Food Chemistry*, **139**: 155–161.

Nishimura, M., Ohkawara, T., Sato, H., Takeda, H., dan Nishihira, J., 2014. Pumpkin seed oil extracted from *Cucurbita maxima* improves urinary disorder in human overactive bladder. *Journal of Traditional and Complementary Medicine*, **4**: 72–74.

Olszowy, M. dan Dawidowicz, A.L., 2016. Essential oils as antioxidants: their evaluation by DPPH, ABTS, FRAP, CUPRAC, and β -carotene bleaching methods. *Monatshefte fur Chemie*, **147**: 2083–2091.

Ortega-Ortega, M. de los A., Cruz-Cansino, N. del S., Alanís-García, E., Delgado-Olivares, L., Ariza-Ortega, J.A., Amírezmoreno, E.R., dkk., 2017. Optimization of ultrasound extraction of cactus pear (*Opuntia ficus indica*) seed oil based on antioxidant activity and evaluation of its antimicrobial activity. *Journal of Food Quality*, **2017**: 1-10.

Ozulku, G., Yildirim, R.M., Toker, O.S., Karasu, S., dan Durak, M.Z., 2017. Rapid detection of adulteration of cold pressed sesame oil adulterated with hazelnut, canola, and sunflower oils using ATR-FTIR spectroscopy combined with chemometric. *Food Control*, **82**: 212–216.

Park, J.R. dan Lee, D.S., 2003. Detection of adulteration in olive oils using triacylglycerols compositions by high temperature gas chromatography. *Bulletin of the Korean Chemical Society*, **24**: 527–530.

Pavia, D.L., Lampman, G.M., Kriz, G.S., dan Vyvyan, J.R., 2009. *Introduction to Spectroscopy*, 4th edition. Departement of Chemistry Western Washington University, Bellingham, Washington. hal. 15-86.

Pingret, D., Fabiano-Tixier, A.S., dan Chemat, F., 2013. Degradation during application of ultrasound in food processing: A review. *Food Control*, **31**: 593–606.

Poprac, P., Jomova, K., Simunkova, M., Kollar, V., Rhodes, C.J., dan Valko, M., 2017. Targeting Free Radicals in Oxidative Stress-Related Human Diseases. *Trends in Pharmacological Sciences*, **38**: 592–607.

Portarena, S. dan Brugnoli, E., 2015. Traceability and Authenticity of Dietary Lipids, dalam: *Functional Dietary Lipids: Food Formulation, Consumer Issues and Innovation for Health*. Elsevier Inc., hal. 224–248.

Prior, R.L., Wu, X., dan Schaich, K., 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, **53**: 4290–4302.

Putri, A.R., Rohman, A., dan Riyanto, S., 2019. Authentication of patin (*Pangasius micronemus*) fish oil adulterated with palm oil using ftir spectroscopy

combined with chemometrics. *International Journal of Applied Pharmaceutics*, **11**: 195–199.

Rezig, L., Chouaibi, M., Msaada, K., dan Hamdi, S., 2012. Chemical composition and profile characterisation of pumpkin (*Cucurbita maxima*) seed oil. *Industrial Crops & Products*, **37**: 82–87.

Rezig, L., Chouaibi, M., Ojeda-Amador, R.M., Gomez-Alonso, S., Salvador, M.D., Fregapane, G., dkk., 2018. *Cucurbita maxima* pumpkin seed oil: From the chemical properties to the different extracting techniques. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, **46**: 663–669.

Rohman, A., 2014. *Spektroskopi Inframerah Dan Kemometrika Untuk Analisis Farmasi*, edisi pertama. Pustaka Pelajar, Yogyakarta. hal. 119-244.

Rohman, A. dan Che Man, Y.B., 2009. Analysis of cod-liver oil adulteration using fourier transform infrared (FTIR) spectroscopy. *JAOCs, Journal of the American Oil Chemists' Society*, **86**: 1149–1153.

Rohman, A. dan Che Man, Y.B., 2011a. The use of Fourier transform mid infrared (FT-MIR) spectroscopy for detection and quantification of adulteration in virgin coconut oil. *Food Chemistry*, **129**: 583–588.

Rohman, A. dan Che Man, Y.B., 2011b. Application of Fourier transform infrared (FT-IR) spectroscopy combined with chemometrics for authentication of cod-liver oil. *Vibrational Spectroscopy*, **55**: 141–145.

Rohman, A., Che Man, Y.B., dan Nurrulhidayah, A.F., 2015. Fourier-transform infrared spectra combined with chemometrics and fatty acid composition for analysis of pumpkin seed oil blended into olive oil. *International Journal of Food Properties*, **18**: 1086–1096.

Rohman, A., Che Man, Y.B., dan Yusof, F.M., 2014. The use of FTIR spectroscopy and chemometrics for rapid authentication of extra virgin olive oil. *JAOCs, Journal of the American Oil Chemists' Society*, **91**: 207–213.

Rohman, A., Man, Y. bin C., Ismail, A., dan Hashim, P., 2018. FTIR Spectroscopy coupled with chemometrics of multivariate calibration and discriminant analysis for authentication of extra virgin olive oil. *International Journal of Food Properties*, **20**: 1173-1181.

Rohman, A. dan Man, Y.B.C., 2010. Fourier transform infrared (FTIR) spectroscopy for analysis of extra virgin olive oil adulterated with palm oil. *Food Research International*, **43**: 886–892.

Rohman, A. dan Man, Y.B.C., 2012. The chemometrics approach applied to FTIR spectral data for the analysis of rice bran oil in extra virgin olive oil. *Chemometrics and Intelligent Laboratory Systems*, **110**: 129–134.

- Ruiz-Samblás, C., González-Casado, A., Cuadros-Rodríguez, L., dan García, F.P.R., 2010. Application of selected ion monitoring to the analysis of triacylglycerols in olive oil by high temperature-gas chromatography/mass spectrometry. *Talanta*, **82**: 255–260.
- Salgin, U. dan Korkmaz, H., 2011. A green separation process for recovery of healthy oil from pumpkin seed. *Journal of Supercritical Fluids*, **58**: 239–248.
- Santos, H.T.L. dos, Oliveira, A.M. de, Melo, P.G. de, Freitas, W., dan Freitas, A.P.R. de, 2012. Chemometrics: Theory and Application, dalam: *Chemometrics: Theoty and Application*. IntechOpen, **7**: 121–132.
- Saucedo-Hernandez, Lerma-García, M.J., Herrero-Martínez, J.M., Ramis-Ramos, G., Jorge-Rodríguez, E., dan Simó-Alfonso, E.F., 2011. Classification of pumpkin seed oils according to their species and genetic variety by attenuated total reflection fourier-transform infrared spectroscopy. *Journal of Agricultural and Food Chemistry*, **59**: 4125–4129.
- Sekerci, A.D., Karaman, K., Yetisir, H., dan Sagdic, O., 2017. Change in morphological properties and fatty acid composition of ornamental pumpkin seeds (*Cucurbita pepo* var. ovifera) and their classification by chemometric analysis. *Journal of Food Measurement and Characterization*, **11**: 1306–1314.
- Setyaningsih, W., Saputro, I.E., Carrera, C.A., dan Palma, M., 2019. Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains. *Food Chemistry*, **288**: 221–227.
- Sodeifian, G., Ardestani, N.S., Sajadian, S.A., dan Moghadamian, K., 2018. Properties of *Portulaca oleracea* seed oil via supercritical fluid extraction: Experimental and optimization. *Journal of Supercritical Fluids*, **135**: 34–44.
- Spangenberg, J.E. dan Ogrinc, N., 2001. Authentication of vegetable oils by bulk and molecular carbon isotope analyses with emphasis on olive oil and pumpkin seed oil. *Journal of Agricultural and Food Chemistry*, **49**: 1534–1540.
- Stevenson, D.G., Eller, F.J., Wang, L., Jane, J.L., Wang, T., dan Inglett, G.E., 2007. Oil and tocopherol content and composition of pumpkin seed oil in 12 cultivars. *Journal of Agricultural and Food Chemistry*, **55**: 4005–4013.
- Sulaiman, S.F., Yusoff, N.A.M., Eldeen, I.M., Seow, E.M., Sajak, A.A.B., Supriatno, dkk., 2011. Correlation between total phenolic and mineral contents with antioxidant activity of eight Malaysian bananas (*Musa* sp.). *Journal of Food Composition and Analysis*, **24**: 1–10.
- Takada, H., Kokubo, K., Matsubayashi, K., dan Oshima, T., 2006. Antioxidant activity of supramolecular water-soluble fullerenes evaluated by β -carotene bleaching assay. *Bioscience, Biotechnology and Biochemistry*, **70**: 3088–3093.

- Terpinc, P., Čeh, B., Ulrih, N.P., dan Abramovič, H., 2012. Studies of the correlation between antioxidant properties and the total phenolic content of different oil cake extracts. *Industrial Crops and Products*, **39**: 210–217.
- Tesfaye, B. dan Tefera, T., 2017. Extraction of Essential Oil from Neem Seed by Using Soxhlet Extraction Methods. *International Journal of Advanced engineering, Management and Science*, **3**: 646–650.
- Toma, M., Vinatoru, M., Paniwnyk, L., dan Mason, T.J., 2001. Investigation of the effects of ultrasound on vegetal tissues during solvent extraction. *Ultrasonics Sonochemistry*, **8**: 137–142.
- Uquiche, E., Jeréz, M., dan Ortíz, J., 2008. Effect of pretreatment with microwaves on mechanical extraction yield and quality of vegetable oil from Chilean hazelnuts (*Gevuina avellana* Mol). *Innovative Food Science and Emerging Technologies*, **9**: 495–500.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T.D., Mazur, M., dan Telser, J., 2007. Free radicals and antioxidants in normal physiological functions and human disease. *International Journal of Biochemistry and Cell Biology*, **39**: 44–84.
- Vinatoru, M., 2001. 'An overview of the ultrasonically assisted extraction of bioactive principles from herbs', dalam: *Ultrasonics Sonochemistry*. Elsevier, hal. 303–313.
- Wenzl, T., Prettnner, E., Schweiger, K., dan Wagner, F.S., 2002. An improved method to discover adulteration of Styrian pumpkin seed oil. *Journal of Biochemical and Biophysical Methods*, **53**: 193–202.
- Windarsih, A., Irnawati, dan Rohman, A., 2021. The use of FTIR spectroscopy in combination with chemometrics for the authentication of milk fat from palm oil. *IOP Conference Series: Materials Science and Engineering*, **980**: 012025.
- Wu, Z., Li, H., dan Tu, D., 2015. Application of Fourier Transform Infrared (FT-IR) Spectroscopy Combined with Chemometrics for Analysis of Rapeseed Oil Adulterated with Refining and Purificating Waste Cooking Oil. *Food Analytical Methods*, **8**: 2581–2587.
- Yang, H., Irudayaraj, J., dan Paradkar, M.M., 2005. Discriminant analysis of edible oils and fats by FTIR, FT-NIR and FT-Raman spectroscopy. *Food Chemistry*, **93**: 25–32.
- Zhang, C., Garrison, T.F., Madbouly, S.A., dan Kessler, M.R., 2017. *Recent Advances in Vegetable Oil-Based Polymers and Their Composites*, Progress in Polymer Science. Elsevier B.V. hal. 91-143.
- Zuhair, H. Al, Abd El-Fattah, A.A., dan El-Sayed, M.I., 2000. Pumpkin-seed oil

modulates the effect of felodipine and captopril in spontaneously hypertensive rats. *Pharmacological Research*, **41**: 555–563.