

DAFTAR PUSTAKA

- Aboofazeli, R. dan Shafaati, A., 2002. Comparative Bioavailability of Ranitidine Tablets in Healthy Volunteers. *Iranian J. of Pharm*, **1**: 1-6.
- Acharya, S., Patra, S., dan Pani, N.R., 2014. Optimization of HPMC and carbopol concentrations in non effervescent floating tablet through factorial design. *Carbohydrate Polymers*, **102**: 360-368.
- Adedokun, M.O. dan Itiola, O.A., 2011. Disintegrant activities of natural and pregelatinized trifoliolate yams, rice and corn starches in paracetamol tablets. *Journal of Applied Pharmaceutical Science*, **1**: 27-34.
- Aggarwal, M.I., 2002. Mixture Experiments, Design Workshop Lecture Notes, *University of Delhi, Delhi, India*. 77-89.
- Aldana, A.S. dan Quintero, A.F., 2013. Physicochemical characterization of two cassava (*Manihot esculenta* Crantz) starches and flours. *Revista Scientia Agroalimentaria*, **1**:19-25.
- Aleksovski, A., Luštrik, M., Šibanc, R., dan Dreu, R., 2015. Design and evaluation of a specific, bi-phase extended release system based on differently coated mini-tablets. *European Journal of Pharmaceutical Sciences*, **75**: 114–122.
- Alfarisa, S., Rifai, D.A., dan Toruan, P.L., 2018. Studi Difraksi Sinar-X Struktur Nano Seng Oksida (ZnO). *Risalah Fisika*, **2**: 53–57.
- Al-Gousous, J., dan Langguth, P., 2015. Oral Solid Dosage Form Disintegration Testing-The Forgotten Test. *Journal of Pharmaceutical Sciences*, **104**: 2664–2675.
- Al-Khamis, K.I., El-Sayed, Y.M., Al-Rasood, K.A., dan Bawazir, S.A., 1995. High Performance Liquid Chromatographic Determination of Ranitidine In Human Plasma. *J. Liq. Chrom.*, **18**: 277–288.
- Anastasiades, A., Thanou, S., Loulis, D., Stapatoris, A., dan Karapantsios, T.D., 2002. Rheological and physical characterization of pregelatinized maize starches. *Journal of Food Engineering*, **52**: 57–66.
- Anaya García, M.S., Hernández Anaya, J.S., Marrufo Meléndez, O., Velázquez Ramírez, J.L., dan Palacios Aguiar, R., 2015. In vivo study of cerebral white matter in the dog using diffusion tensor tractography. *Veterinary Radiology & Ultrasound: The Official Journal of the American College of Veterinary Radiology and the International Veterinary Radiology Association*, **56**: 188–195.

- Ansel, 2011. *Pharmaceutical Dosage Form and Drug Delivery Systems*. ninth edition. university of georgia.
- Anwar, E., Yusmarlina, D., dan Rahmat, H., 2006. Phosphorylation of pregelatinized maranta starch (*Maranta arundinaceae* L.) as theophyllin tablet matrix controlled release. *Indonesian Journal of Pharmacy*, **17**(1): 37–44.
- AOAC, 2002. *Guidelines for Single Laboratory Validation of Chemical Methods for Dietary Supplements and Botanicals*. 18-19.
- Arora, S., Ali, J., Ahuja, A., Khar, R.K., dan Baboota, S., 2005. Floating drug delivery systems: a review. *Aaps PharmSciTech*, **6**: 372–390.
- Aswatharam, H., Lachake, Prachiti, Kaushik, Ujjwal, dan Shreedhara, C., 2010. Formulation and evaluation of floating tablets of liquorice extract. *Pharmacognosy Research*, **2**: 304-308.
- Azeredo, H.M.C., Rosa, M.F.M., Souza Filho, De Sá, M., dan Waldron, K.W., 2014. The use of biomass for packaging films and coatings. *Woodhead Publishing*, 819-874.
- Biswas, N., Sahoo, R.K., Guha, A., dan Kuotsu, K., 2014. Chronotherapeutic delivery of hydroxypropylmethylcellulose based mini-tablets: An in vitro–in vivo correlation. *International Journal of Biological Macromolecules*, **66**: 179–185.
- Bootklad, M., dan Kaewtatip, K., 2013. Biodegradation of thermoplastic starch/eggshell powder composites. *Carbohydrate Polymers*, **97**: 315–320.
- Chalapathi, V., Reddy, N.L.N., Lokesh, K.V., dan Reddy, S.P.K., 2011. Formulation of Diclofenac Sodium tablets using Tapioca starch powder-A promising binder. *Journal of Applied Pharmaceutical Science*, **01**(03): 125-127.
- Chen, Y.Y., Hughes, L.P., Gladden, L.F., dan Mantle, M.D., 2010. Quantitative Ultra-Fast MRI of HPMC Swelling and Dissolution. *Journal of Pharmaceutical Sciences*, **99**: 3462–3472.
- Chillo, S., Laverse, J., Falcone, P.M., dan Del Nobile, M.A., 2007. Effect of carboxymethylcellulose and pregelatinized corn starch on the quality of amaranthus spaghetti. *Journal of Food Engineering*, **83**: 492–500.
- Choudhary, O.P. dan Ka, P., 2017. Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components. *International Journal of Current Microbiology and Applied Sciences*, **6**: 1877–1882.
- Costa, P. dan Sousa, J.M., 2001. Modeling and comparison of dissolution profiles. *European Journal of Pharmaceutical Sciences: Official Journal of the European Federation for Pharmaceutical Sciences*, **13**: 123–133.
- Dai, M., Wahyuni, A., Dk, I., Azizah, T., Suhendi, A., dan Saifudin, A., 2016. Antioxidant activity of *Phyllanthus niruri* L. herbs: in vitro and in vivo models

and isolation of active compound. *National Journal of Physiology, Pharmacy and Pharmacology*, **6**(1): 32-37.

Dave, B.S., Amin, A.F., dan Patel, M.M., 2004. Gastroretentive drug delivery system of ranitidine hydrochloride: Formulation and in vitro evaluation. *AAPS PharmSciTech*, **5**: 77-82.

Depkes RI, 1995. *Farmakope Indonesia*, 4th ed. Departemen Kesehatan Republik Indonesia, Jakarta.

Dewantara Putra, I. G. N. A., Murwanti, R., Rohman, A., & Sulaiman, T. N. S., 2019. Optimizing formulation of mini tablets floating ranitidine hcl using fully pregelatinized starch (*manihot esculenta crantz*) with simplex lattice design. *International Journal of Applied Pharmaceutics*, **11**(4): 32-40.

Dewi, N.S., Parnanto, N.H.R., dan Ariyantoro, A.R., 2014. Karakteristik Sifat Fisikokimia Tepung Bengkuang (*Pachyrhizus Erosus*) Dimodifikasi Secara Asetilasi Dengan Variasi Konsentrasi Asam Asetat Selama Perendaman. *Jurnal Teknologi Hasil Pertanian*, **7**: 39-47.

Diós, P., Pernecker, T., Nagy, S., Pál, S., dan Dévay, A., 2015. Influence of different types of low substituted hydroxypropyl cellulose on tableting, disintegration, and floating behaviour of floating drug delivery systems. *Saudi Pharmaceutical Journal*, **23**: 658-666.

Ebnesajjad, S., 2014. Surface and Material Characterization Techniques, dalam: *Surface Treatment of Materials for Adhesive Bonding*. Elsevier, 39-75.

Eddershaw, P.J., Chadwick, A.P., Higton, D.M., Fenwick, S.H., Linacre, P., dan Jenner, W.N., 1996. Absorption and disposition of ranitidine hydrochloride in rat and dog. *Xenobiotica*, **26**: 947-956.

El-Zahaby, S.A., Kassem, A.A., dan El-Kamel, A.H., 2014. Design and evaluation of gastroretentive levofloxacin floating mini-tablets-in-capsule system for eradication of *Helicobacter pylori*. *Saudi Pharmaceutical Journal*, **22**: 570-579.

Ermer, J., dan Miller, J.H.M., 2006. Method Validation in Pharmaceutical Analysis: A Guide to Best Practice. *John Wiley & Sons*, 18-27

Faridah, D.N., Fardiaz, D., Andarwulan, N., dan Sunarti, T.C., 2014. Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinaceae*) **34**: 8, 14-21.

Febryanto, H.D., 2016. Optimasi dan Formulasi Tablet Mengapung-Mucoadhesive Glimepiride dengan Kombinasi Polimer Carbopol dan Hydroxypropyl Methylcellulose K4M. 27-57

- Gaber, D.M., Nafee, N., dan Abdallah, O.Y., 2015. Mini-tablets versus pellets as promising multiparticulate modified release delivery systems for highly soluble drugs. *International Journal of Pharmaceutics*, **488**: 86–94.
- Gavrielidou, M.A., Valous, N.A., Karapantsios, T.D., dan Raphaelides, S.N., 2002. Heat transport to a starch slurry gelatinizing between the drums of a double drum dryer. *Journal of Food Engineering*, **54**: 45–58.
- Gharti, K.P., Budhathoki, U., Thapa, P., dan Bhargava, A., 2012. Formulation in vitro evaluation of floating tablets of hydroxypropyl methylcellulose and polyethylene oxide using ranitidine hydrochloride as a model drug. *Journal of Young Pharmacists*, **4**: 201–208.
- Ginting, E., 2005. Penelitian Pertanian Tanaman Pangan. **24**(1): 9-18
- Ginting, E., Widodo, Y., dan Rahayuningsih, S.A., 2005. Karakteristik Pati Beberapa Varietas Ubi Jalar. **24**: 8, 11-18.
- Greene, C.E., 2013. Infectious Diseases of the Dog and Cat. Elsevier Health Sciences. 17-57
- Gudmundsson, M., 1994. Retrogradation of starch and the role of its components. *Thermochimica Acta*, **246**: 329–341.
- Gunawan, C.H., 2014. Formulasi tablet floating efervescent ranitidin HCL dengan kombinasi polimer pektin dan xanthan gum. Disertasi. Widya Mandala Catholic University Surabaya. 37-57
- Gupta, Ramesh C., dan Gupta, Ramesh Chandra, 2012. *Veterinary Toxicology: Basic and Clinical Principles*. Academic Press. 66-85
- Habibah, F., Yasni, S., 2018. Karakteristik Fisikokimia dan Fungsional Pati Hidrotermal Ubi Jalar Ungu. *Jurnal Teknologi dan Industri Pangan*, **29**: 69–76.
- Hadi, M.A., Raghavendra Rao, N.G., dan Srinivasa Rao, A., 2016. Formulation and evaluation of ileo-colonic targeted matrix-mini-tablets of Naproxen for chronotherapeutic treatment of rheumatoid arthritis. *Saudi Pharmaceutical Journal*, **24**: 64–73.
- Haryanti, P., Setyawati, R., dan Wicaksono, R., 2014. Pengaruh Suhu Dan Lama Pemanasan Suspensi Pati Serta Konsentrasi Butanol Terhadap Karakteristik Fisikokimia Pati Tinggi Amilosa Dari Tapioka. *Jurnal Agritech*, **34**(03): 308-315.
- Hastuti, M., 2009. Pengaruh Perbedaan Suhu Dalam Metode Pembuatan Amilum Singkong Pregelatinasi Terhadap Sifat Fisik Tablet Chlorpheniramin Maleat Secara Kempa Langsung. Disertasi. Universitas Muhammadiyah Surakarta. 77-98

- Herawati, H., 2011. Potensi Pengembangan Produk Pati Tahan Cerna Sebagai Pangan Fungsional. 9-18.
- Hindi, S.S.Z., 2016. Birefringence of bio-based liquid crystals. **1**(1): 13-25.
- Holland, B.J., Atkinson, J.R., dan Hay, J.N., 2002. Design and development in self-reference differential scanning calorimetry. 15-74.
- Horváthová, V., Godány, A., Šturdík, E., dan Janeček, Š., 2006. α -Amylase from *Thermococcus hydrothermalis*: Re-cloning aimed at the improved expression and hydrolysis of corn starch. *Enzyme and Microbial Technology*, **39**: 1300–1305.
- Huang, X. dan Brazel, C.S., 2001. On the importance and mechanisms of burst release in matrix-controlled drug delivery systems. *Journal of Controlled Release*, **73**: 121–136.
- Imanningsih, N., 2012. Profil Gelatinisasi Beberapa Formulasi Tepung-Tepungan Untuk Pendugaan Sifat Pemasakan. 10-22.
- Indiarto, R., Nurhadi, B., dan Subroto, E., 2012. Kajian Karakteristik Tekstur (Texture Profil Analysis) dan Organoleptik Daging Ayam Asap Berbasis Teknologi Asap Cair Tempurung Kelapa. *Jurnal Teknologi Hasil Pertanian*, **5**(2):1-11.
- Irwan, A. dan Syabatini, A., 2013. Polimer Superabsorben Berbasis Akrilamida (AAM) Tercangkok Pati Bonggol Pisang (*Musa paradisiaca*). 10-15.
- Ishida, M., Abe, K., Hashizume, M., dan Kawamura, M., 2008. A novel approach to sustained pseudoephedrine release: Differentially coated mini-tablets in HPMC capsules. *International Journal of Pharmaceutics*, **359**: 46–52.
- Isnaeni, 2006. *Fisiologi Hewan*. Kanisius. Yogyakarta, **5**:110-207.
- Iurian, S., Tomuta, I., dan Leucuta, S.E., 2014. Formulation of orodispersible tablets containing meloxicam and their in vitro and in vivo characterization. *Farmacia*, **62**: 1097–1108.
- Jain, A.K., Jain, S.K., Yadav, A., dan Agrawal, G.P., 2006. Contolled Release calcium silicate based floating granular delivery system of ranitidine HCl. *Curr. Drug. Delivery*, **3**: 367–3672.
- Johannes Karl Fink, 2012. Petroleum Engineer's Guide to Oil Field Chemicals and Fluids. *Gulf Professional Publishing*, **17**: 519-583.
- Kadivar, A., Kamalidehghan, B., Javar, H.A., Davoudi, E.T., Zaharuddin, N.D., Sabeti, B., 2015. Formulation and In Vitro, In Vivo Evaluation of Effervescent Floating Sustained-Release Imatinib Mesylate Tablet. *Plos One*, **10**:126-74.
- Kalogianni, E.P., Savopoulos, T., Karapantsios, T.D., dan Raphaelides, S.N., 2004. A dynamic wicking technique for determining the effective pore radius of

pregelatinized starch sheets. *Colloids and Surfaces B: Biointerfaces*, **35**: 159–167.

Karisma Sari, K.L., Anton Prasetya, I.G., dan Sri Arisanti, C.I., 2012. Pengaruh Rasio Amilum: Air dan Suhu Pemanasan terhadap Sifat Fisik Amilum Singkong Pregelatin yang Ditujukan Sebagai Eksipien Tablet. *Jurnal Farmasi Udayana*, **1**: 15-21.

Kartikasari, S.N., Sari, P., dan Subagio, A., 2016. Karakterisasi Sifat Kimia, Profil Amilografi (RVA) dan Morfologi Granula (SEM) Pati Singkong Termodifikasi Secara Biologi. **10**: 13-19.

Kaur, M., Oberoi, D.P.S., Sogi, D.S., dan Gill, B.S., 2011. Physicochemical, morphological and pasting properties of acid treated starches from different botanical sources. *Journal of Food Science and Technology*, **48**: 460–465.

Kementrian Kesehatan RI., 2014. Farmakope Indonesia V. Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan.

Khomsatin, S., 2012. Kajian Pengaruh Pengukusan Bertekanan (Steam Pressure Treatment) Terhadap Sifat Fisikokimia Tepung Jagung. [Study of The Effects of Steam Pressure Treatment on The Physicochemical Properties of Corn Flour]. *Jurnal Teknologi Dan Industri Pangan*, **23**(1), 86.

Kim, J.-Y., Seo, J.-W., Rhee, Y.-S., Park, C.-W., dan Park, E.-S., 2014. Freeze-Dried Highly Porous Matrix as a New Gastroretentive Dosage Form for Ecabet Sodium: In Vitro and In Vivo Characterizations. *Journal of Pharmaceutical Sciences*, **103**: 262–273.

Kriangkrai, W., Puttipipatkachorn, S., Sriamornsak, P., Pongjanyakul, T., dan Sungthongjeen, S., 2012. Magnesium Stearate as Anti-Tacking Agent in Acrylic Polymer Films Intended for Gas-Entrapped Floating Delivery System. *Advanced Materials Research*, **506**: 497–500.

Kumar, P., Singh, S., dan Mishra, B., 2008. Floating Osmotic Drug Delivery System of Ranitidine Hydrochloride: Development and Evaluation—A Technical Note. *AAPS PharmSciTech*, **9**: 480–485.

Laurence, D.R., dan Bacharach, A.L., 1964. *Evaluation of Drugs Activities Pharmacometrics*. Academic Press. 79-95

Lehmann, U., Rössler, C., Schmiedl, D., dan Jacobasch, G., 2003. Production and physicochemical characterization of resistant starch type III derived from pea starch. *Nahrung/Food*, **47**: 60–63.

Li J.Y., dan Yeh A.I., 2001. Relationship between thermal, rheological characteristics, and swelling power for various starches. *J. Food Eng*, **50**: 141–148.

- Lopez-Rubio, A., Flanagan, B.M., Shrestha, A.K., Gidley, M.J., dan Gilbert, E.P., 2008. Molecular Rearrangement of Starch During In Vitro Digestion: Toward A Better Understanding Of Enzyme Resistant Starch Formation In Processed Starches. *Biomacromolecules*, **9**: 1951–1958.
- Mariyani, K.A., Arisanti, C.I.S., dan Setyawan, E.I., 2012. Pengaruh Konsentrasi Amilum Jagung Pregelatinasi Sebagai Bahan Penghancur Terhadap Sifat Fisik Tablet Vitamin E Untuk Anjing. *Jurnal Farmasi Udayana*, **10**: 12-19.
- Mayer, P., Werner, F.J., Lam, C., dan Besemer, J., 1990. In vitro and in vivo activity of human recombinant granulocyte-macrophage colony-stimulating factor in dogs. *Experimental Hematology*, **18**: 1026–1033.
- Meyer L.H., 2003. Food Chemistry. Textbook Publisher, New York.
- Murwanti, R., 2018. Pengembangan Komoditi Non Unggulan Di Kabupaten Blitar Dan Kabupaten Tulungagung Dalam Peningkatan Potensi Sumberdaya Lahan Marjinal. *Jurnal Agribest*, **2**: 107-114.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 145864875, Starch. Retrieved April 6, 2021
- Novitasari, R.D., 2014. Kebijakan Industri Farmasi di Tengah Gempuran Praktek Kapitalisme. *Jurnal Ilmu Administrasi Publik*, **18**(1): 72-83.
- Nugroho, A.K., 2014. Compartmental Modeling Approach Of Losartan Transdermal Transport In Vitro. *Indonesian Journal of Pharmacy*, **25**: 31-37.
- Ockerman dan Herbert W., 1996. *Chemistry of Meat Tissue*. Dept. of Animal Science, Ohio State University.
- Olowosulu, O., Ar, O., Ab, I., dan Ma, I., 2015. The Use of Multifunctional Starch Based Coprocessed Excipients (Starac) in the Formulation of Metronidazole Tablets by Direct Compression. *Controlled Release*, **12**: 35-41
- Parker R., 2003. *Introduction to Food Science*. United States of America: Delmar, Thomson Learning.
- Pawar, V.K., Kansal, S., Garg, G., Awasthi, R., Singodia, D., dan Kulkarni, G.T., 2011. Gastroretentive dosage forms: a review with special emphasis on floating drug delivery systems. *Drug Delivery*, **18**: 97–110.
- Pillay, V., dan Fassihi, R., 1998. Evaluation and comparison of dissolution data derived from different modified release dosage forms: an alternative method. *Journal of Controlled Release: Official Journal of the Controlled Release Society*, **55**: 45–55.
- Polnaya, F.J., Breemer, R., dan Augustyn, G.H., 2015. Karakteristik Sifat-Sifat Fisiko-Kimia Pati Ubi Jalar, Ubi Kayu, Keladi dan Sagu. **5**: 7-13.

- Pratiwi, M., dan Hadisoewignyo, L., 2010. Optimasi formula tablet lepas lambat kaptopril menggunakan metode desain faktorial. *Majalah Farmasi Indonesia*, **21**: 285–295.
- Puspita, Dewantara, I.G.N.A., dan Arisanti, 2013. Formulasi Tablet Parasetamol Kempa Langsung Menggunakan Eksiipien Co-Processing Dari Amilum Singkong Partially Pregelatinized dan Gom Akasia. *Jurnal Farmasi Udayana*, **2**:15-18 .
- Rahman, Pepita H., Retno S., Rumpoko W., 2007. Pengaruh suhu dan lama pemanasan suspensi pati tinggi amilosa dari tapioka. *Jurnal Agritech*, **34**(3): 308-315
- Rahmat, F., 2015. Optimasi Formula Tablet Lepas Lambat Ibuprofen Menggunakan Kombinasi Xanthan Gum Dengan Na Cmc. Disertasi. Universitas Andalas.
- Raini, M., Mutiatikum, D., dan Lastari, P., 2010. Uji Disolusi dan Penetapan Kadar Tablet Loratadin Inovator dan Generik Bermerek. *Media Penelitian dan Pengembangan Kesehatan*, **20**: 17-23.
- Ramteke, Dighe, dan Kharat, 2014. Mathematical Models of Drug Dissolution: A Review. *Scholars Academic Journal of Pharmacy (SAJP)*, **3**(5): 388–396.
- Ren, F., Jing, Q., Shen, Y., Ma, H., dan Cui, J., 2006. Quantitative determination of puerarin in dog plasma by HPLC and study on the relative bioavailability of sustained release tablets. *Journal of Pharmaceutical and Biomedical Analysis*, **41**: 549–553.
- Rohman, A., dan Man, Y.B.C., 2010. Fourier transform infrared (FTIR) spectroscopy for analysis of extra virgin olive oil adulterated with palm oil. *Food Research International*, **43**: 886–892.
- Rosa, J.C., Zia, H., dan Rhodes, C.T., 1994. Design and testing in vitro of a bioadhesive and floating drug delivery system for oral application. *International Journal of Pharmaceutics*, **105**: 65–70.
- Rudiyanto B.I., dan Setiawan, 2006. Algorithm of kalman filter for smoothing measurement data. *Jurnal Keteknikaan Pertanian*, **20**: 287–293.
- Saifullah. 2012. Formulasi Hard Candy Lozenges Ekstrak Daun Legundi (*Vitex Tropicla* L). *Jurnal Majalah Obat Tradisional*. **17**(1): 15-21.
- Sains, P.F., S3, S.P.S., Coto, I.Z., dan Hardjanto, I., 2004. Kloning untuk Menghasilkan Hewan dengan Genotip yang Diinginkan. **5**: 23-27
- Santana, D.P., de, Braga, R.M.C., Strattmman, R., Albuquerque, M.M., Bedor, D.C.G., dan Leal, L.B., 2008. Reversed phase HPLC determination of tamoxifen in dog plasma and its pharmaco-kinetics after a single oral dose administration. *Química Nova*, **31**: 47–52.

- Sari, A.A., 2009. Pengaruh Konsentrasi Carbopol 934 sebagai Matriks Terhadap Sifat Fisik dan Profil Disolusi Tablet Floating Natrium Diklofenak dengan Menggunakan Metode Granulasi Basah. Disertasi. Universitas Muhammadiyah Surakarta.
- Sahoo, B.K., Mukherjee, J., dan Pal, T.K., 2011. Development and validation of a high-performance liquid chromatographic method for bioanalytical application with ranitidine Hcl. *International Journal of Pharmacy and Pharmaceutical Sciences*, **3**: 34-38
- Sevenou, O., Hill, S.E., Farhat, I.A., dan Mitchell, J.R., 2002. Organisation of the external region of the starch granule as determined by infrared spectroscopy. *International Journal of Biological Macromolecules*, **31**: 79-85.
- Severino, P., Silva, H., Souto, E.B., Santana, M.H.A., dan Dalla Costa, T.C.T., 2012. Analysis of in vivo absorption of didanosine tablets in male adult dogs by HPLC. *Journal of Pharmaceutical Analysis*, **2**: 29-34.
- Shafi, N., Siddiqui, F.A., Naseem, H., Sher, N., Zubair, A., dan Hussain, A., 2013. An Overview of Analytical Determination of Diltiazem, Cimetidine, Ranitidine, and Famotidine by UV Spectrophotometry and HPLC Technique. *Journal of Chemistry*, **13**: 1-16.
- Shakya, R., Thapa, P., dan Saha, R.N., 2013. In vitro and in vivo evaluation of gastroretentive floating drug delivery system of ofloxacin. *Asian Journal of Pharmaceutical Sciences*, **8**: 191-198.
- Sheng, L., Chen, H., dan Li, Y., 2007. A HPLC method for determination of nicousamide in dog plasma and its application to pharmacokinetic studies. *Journal of Chromatography B*, **54**: 99-103.
- Shishu, Gupta, N., dan Aggarwal, N., 2008. Bioavailability Enhancement and Targeting of Stomach Tumors Using Gastro-Retentive Floating Drug Delivery System of Curcumin“A Technical Note.” *AAPS PharmSciTech*, **9**: 810-813.
- Shu, X., Jia, L., Gao, J., Song, Y., Zhao, H., dan Nakamura, Y., 2007. The Influences of Chain Length of Amylopectin on Resistant Starch in Rice (*Oryza sativa* L.). *Starch - Stärke*, **59**: 504-509.
- Sjahfirdi, L., Aldi, N., Maheshwari, H., dan Astuti, P., 2015. Aplikasi Fourier Transform Infrared (Ftir) Dan Pengamatan Pembengkakan Genital Pada Spesies Primata, Lutung Jawa (*Trachypithecus Auratus*) Untuk Mendeteksi Masa Subur. *Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences*, **9**: 15-21.
- Soebagio, B., dan Sriwidodo, A.A.S., 2009. Pengujian Sifat Fisikokimia Pati Biji Durian (*Durio Zibethinus* Murr) Alami Dan Modifikasi Secara Hidrolisis Asam. *Fakultas Farmasi, Universitas Padjadjaran*, 2-7.

- Soedarto, J., Sumarno, I., dan Si, M., 2013. Isolasi Amilosa Dan Amilopektin Dari Pati Kentang **2**: 6-21.
- Spesialit Hewan, K., 2011. Spesialite Hewan Kecil Kucing dan Anjing.
- Sri, A., Arianingrum, R., dan Si, M., 2013. Moleculer Target Therapy dari Beberapa Senyawa Flavanon Hasil Isolasi Kunci Pepet (*Kaemfera Rotunda*) Melalui Kajian Secara Invitro dan Invivo Metode Xenograf Pada Kasus Kanker Payudara. *eprints.uny*, 132-145.
- Stefanovski, D., Moate, P.J., dan Boston, R.C., 2003. *WINSAM: A Windows Based Compartemental Modeling System*.
- Strübing, S., Abboud, T., Contri, R.V., Metz, H., dan Mäder, K., 2008. New insights on poly(vinyl acetate)-based coated floating tablets: Characterisation of hydration and CO₂ generation by benchtop MRI and its relation to drug release and floating strength. *European Journal of Pharmaceutics and Biopharmaceutics*, **69**: 708–717.
- Sulaiman, T.S., Fudholi, A., dan Nugroho, A.K., 2011. Optimization formula gastroretentive tablet of ranitidine HCl with floating system. *Indonesian Journal of Pharmacy*, 106–114.
- Sulaiman, T.S., 2012. Optimasi Formula Tablet Lepas Lambat Ranitidin HCl dengan Sistem Floating dan Korelasi In Vitro - Invivo. *Disertasi*, Univeritas Gadjah Mada Yogyakarta
- Surbakti, S., EI, S., dan CIS, A., 2013. Perubahan Sifat Fisik Amilum Singkong (*Manihot Esculenta* Crantz) Akibat Fermentasi Menggunakan *Lactobacillus Acidophilus*. *Jurnal Farmasi Udayana*, **2**: 32-39.
- Tang, H., Ando, H., Watanabe, K., Takeda, Y., dan Mitsunaga, T., 2001. Physicochemical properties and structure of large, medium and small granule starches in fractions of normal barley endosperm. *Carbohydrate Research*, **33**: 241–248.
- Triwantoro, H., 2006. Pengaruh Lama Pencampuran Magnesium Stearat (Dengan Kadar 0, 5% dan 1%) Sebagai Bahan Pelicin Terhadap Sifat Fisik Tablet CTM (Chlorpheniramin maleat) secara kempa langsung. *Disertasi*. Universitas Muhammadiyah Surakarta.
- United States Pharmacopeial Convention, 2014. *The United States Pharmacopeia: The National Formulary*.
- Vallance, C., 2003. Reaction Kinetics. *Hilary term*, 5–15.
- Vemula, S.K., 2015. Formulation and pharmacokinetics of colon-specific double-compression coated mini-tablets: Chronopharmaceutical delivery of ketorolac tromethamine. *International Journal of Pharmaceutics*, **41**: 35–41.

- Wang, A., Zhang, W., Sun, J., Liu, J., Sang, Y., dan Gao, S., 2007. HPLC–MS Analysis of Isoniazid in Dog Plasma. *Chromatographia*, **66**: 741–745.
- Wang, Y.J., Truong, V.D., dan Wang, L., 2003. Structures and rheological properties of corn starch as affected by acid hydrolysis. *Carbohydrate Polymers*, **52**: 327–333.
- Wiguna, Prasetya, dan Arisanti, 2014. Pengaruh Variasi Suhu Pemanasan Terhadap Spesifikasi Amilum Singkong Fully Pregelatinized Sebagai Eksipien Tablet. *Jurnal Farmasi Udayana*, **5**:12-19.
- William P.C., 1995. Apparent amylose content was determined by the method as described by Williams, P.C. *Cereal Chem*, **72**: 182–187.
- Yan, Y., Shi, M., Wang, Q., dan Jiang, Y., 2016. A simplified finite element model for numerical simulation of temperature field and optimization of parameters in single crystal growth by optical floating zone technique. *Journal of Crystal Growth*, **13**:21-28.
- Yang, F.C., Yang, S.L., dan Xu, L.Z., 2005. Determination of picroside II in dog plasma by HPLC and its application in a pharmacokinetics study. *Biomedical Chromatography*, **19**: 279–284.
- Yin, L., Qin, C., Chen, K., Zhu, C., Cao, H., dan Zhou, J., 2013. Gastro-floating tablets of cephalexin: Preparation and in vitro/in vivo evaluation. *International Journal of Pharmaceutics*, **45**: 241–248.
- Yusif, R.M., Hashim, I.I.A., Mohamed, E.A., dan El Rakhawy, M.M., 2016. Investigation and evaluation of an in situ interpolymer complex of carbopol with polyvinylpyrrolidone as a matrix for gastroretentive tablets of ranitidine hydrochloride. *Chemical and Pharmaceutical Bulletin*, **64**: 42–51.
- Yusuf, H., Radjaram, A., dan Setyawan, D., 2008. Modifikasi pati singkong pregelatin sebagai bahan pembawa cetak langsung. *J. Penelit. Med. Eksakta*, **7**: 31–47.
- Zhao, L., Yang, X., Xu, R., Wu, J., Gu, S., dan Zhang, L., 2009. Safety, tolerability and pharmacokinetics of phenoprolamine hydrochloride floating sustained-release tablets in healthy Chinese subjects. *International Journal of Pharmaceutics*, **37**: 99–104.