

DAFTAR PUSTAKA

- Andersson, G. B. J. (1997). The Epidemiology of Spinal Disorders. In *Frymoyer JW (ed.) The Adult Spine: Principles and Practice* (pp. 93–141). Philadelphia: Lippincott-Raven.
- Alperovitch-Najenson, D., Weiner, C., Ribak, J. dan Kalichman, L. (2019) “Sliding Sheet Use in Nursing Practice,” *Workplace Health & Safety*, 20(10), hal. 1–11. doi: 10.1177/2165079919880566.
- Andersen, L. L., Burdorf, A., Fallentin, N., Persson, R., Jakobse, M. D., Mortensen, O. S., Clausen, T. dan Holtermann, A. (2014) “Patient transfers and assistive devices: prospective cohort study on the risk for occupational back injury among healthcare workers,” *Scand J Work Environ Health*, 40(1), hal. 74–81. doi: 10.5271/sjweh.3382.
- Asadi, P., Kasmaei, V. M., Mahdi, S., Ziabari, Z. dan Zohrevandi, B. (2016) “The prevalence of low back pain among nurses working in Poursina hospital in Rasht, Iran,” *Journal of Emergency Practice and Trauma*, 2(1), hal. 11–15. doi: 10.15171/jept.2015.01.
- Atlas SJ, Deyo RA. Evaluating and managing acute low back pain in the primary care setting. *J Gen Intern Med*, Springer. 2001;16: 120–31
- Attarchi, M., Raeisi, S., Namvar, M., & Golabadi, M. (2014). Association between shift working and musculoskeletal symptoms among nursing personnel. *Iranian journal of nursing and midwifery research*, 19(3), 309–314.
- Awosan, K. J., Yikawe, S. S., Oche, O. M. dan Oboirien, M. (2017) “Prevalence, perception and correlates of low back pain among healthcare workers in tertiary health institutions in Sokoto, Nigeria,” *Ghana Med J*, 51(4), hal. 164–174. doi: 10.4314/gmj.v51i4.4.
- Bailey, A. (2009) “Risk factors for low back pain in women: still more questions to be answered,” *Journal of The North American Menopause Society*, 16(1), hal. 3–4. doi: 10.1097/gme.0b013e31818e10a7.
- Biyani, A. dan Andersson, G. B. J. (2004) “Low Back Pain : Pathophysiology and Management,” *Journal of the American Academy of Orthopaedic Surgeons*, 12, hal. 106–115.
- Burdorf, A. dan Sorock, G. (1997) “Positive and negative evidence of risk factors for back disorders,” *Scandinavian Journal of Work, Environment*

& *Health*, 23(4), hal. 243–256. doi: 10.5271/sjweh.217.

Chaiklieng, S., Suggaravetsiri, P. dan Stewart, J. (2019) “Incidence and risk factors associated with low back pain among university office workers,” *International Journal of Occupational Safety and Ergonomics*. Taylor & Francis, 0(0), hal. 1–14. doi: 10.1080/10803548.2019.1706827.

Cheung, K., Gillen, M., Faucett, J., & Krause, N. (2006). The prevalence of and risk factors for back pain among home care nursing personnel in Hong Kong. *American journal of industrial medicine*, 49(1), 14–22. <https://doi.org/10.1002/ajim.20243>

Chou, R. (2011) “Low Back Pain (Chronic),” *Clinical Evidence Handbook*, 84(4), hal. 437–438.

Chou, Y. C., Shih, C. C., Lin, J. G., Chen, T. L. dan Liao, C. C. (2013) “Low back pain associated with sociodemographic factors, lifestyle and osteoporosis: A population-based study,” *Journal of Rehabilitation Medicine*, 45, hal. 76–80. doi: 10.2340/16501977-1070.

Cohen, M. H., Green, D. A., Nelson, G. G., Leib, R., Matz, M. W. dan Thomas, P. A. (2010) *Patient Handling and Movement Assessments: A White Paper*. Diedit oleh C. M. Borden. Dallas: The Facility Guidelines Institute.

Davis, K. G., & Kotowski, S. E. (2015). Prevalence of Musculoskeletal Disorders for Nurses in Hospitals, Long-Term Care Facilities, and Home Health Care: A Comprehensive Review. *Human factors*, 57(5), 754–792. <https://doi.org/10.1177/0018720815581933>

Dawson A. P., Schluter P. J., Hodges P. W., Stewart S, Turner C. (2011). Fear of movement, passive coping, manual handling, and severe or radiating pain increase the likelihood of sick leave due to low back pain. *Pain*, 152, 1517-1524

Depalma, M. T. dan Weisse, C. S. (1997) “Psychological Influences on Pain Perception and Non-pharmacologic Approaches to the Treatment of Pain,” *Journal of Hand Therapy*. Hanley & Belfus, Inc., 10(2), hal. 183–191. doi: 10.1016/S0894-1130(97)80072-5.

Dlungwane, T., Voce, A. dan Knight, S. (2018) “Prevalence and factors associated with low back pain among nurses at a regional hospital in KwaZulu-Natal, South Africa,” *Health SA Gesondheid*, 23, hal. 1–6. doi: 10.4102/hsag.v23i0.1082.

El-Soud, A. M. A., El-Najjar, A. R., El-Fattah, N. A. dan Hassan, A. A.

(2014) "Prevalence of low back pain in working nurses in Zagazig University Hospitals: an epidemiological study," *Egyptian Rheumatology & Rehabilitation*, 41, hal. 109–115. doi: 10.4103/1110-161X.140525.

Emmanuel, N. M., Ezhilarasu, P. dan Bheemaroo, A. B. (2015) "Low Back Pain among Nurses in a Tertiary Hospital, South India," *Osteoporosis & Physical Activity*, 3(4), hal. 1–3. doi: 10.4172/2329-9509.1000161.

Farooq, M. A., Awwal, L. M., Musa, H. A. dan Mustapha, G. A. (2015) "Work-Related Risk Factors for Lower Back Pain Among Nurses In Ahmadu Bello University Teaching Hospital (ABUTH), Zaria - Nigeria," *IOSR Journal of Nursing and Health Science*, 4(3), hal. 20–25. doi: 10.9790/1959-04352025.

Fatmawati, A. Z., Tarwaka dan Suwaji (2016) "HUBUNGAN RISIKO PATIENT HANDLING DENGAN KELUHAN MUSKULOSKELETAL PADA PERAWAT BAGIAN IGD RSUD DR. MOEWARDI DI SURAKARTA NASKAH."

Gim, C. S. (2017) "Factors Associated with Low Back Pain Among Nurses in Critical Care Units, Hospital Universiti Sains Malaysia," *Biomedical Journal of Scientific & Technical Research*, 1(7), hal. 2025–2030. doi: 10.26717/BJSTR.2017.01.000613.

Grevelding, P. dan Bohannon, R. W. (2001) "Reduced push forces accompany device use during sliding transfers of seated subjects," *Journal of Rehabilitation Research and Development*, 38(1), hal. 135–139.

Hakim, S. A. dan Mohsen, A. (2018) "Work-related and ergonomic risk factors associated with low back pain among bus drivers," 92(3), hal. 195–201.

Haniati dan Rayasari, F. (2018) "Jurnal Keperawatan medikal Bedah 1," *Jurnal Keperawatan Medikal Bedah*, hal. 1–10.

Heuch I, Foss IS. Acute low back usually resolves quickly but persistent low back pain often persists. *J Physiother*. 2013;59:127.

Hoy, D., Brooks, P., Blyth, F. dan Buchbinder, R. (2010) "The Epidemiology of low back pain," *Best Practice & Research Clinical Rheumatology*. Elsevier Ltd, 24(6), hal. 769–781. doi: 10.1016/j.berh.2010.10.002.

Institute of Medicine (US) Committee on Advancing Pain Research C, and Education. (2011). *Relieving pain in America: a blueprint for transforming prevention. Care, Education, and Research*. Washington

(DC): The National Academies Press.

Jäger, M., Jordan, C., Theilmeier, A., Wortmann, N., Kuhn, S., Nienhaus, A. dan Luttmann, A. (2013) “Lumbar-Load Analysis of Manual Patient-Handling Activities for Biomechanical Overload Prevention Among Healthcare Workers,” *Annals of Occupational Hygiene*, 57(4), hal. 528–544. doi: 10.1093/annhyg/mes088.

Jordan, C., Luttmann, A., Theilmeier, A., Kuhn, S., Wortmann, N. dan Jäger, M. (2011) “Characteristic values of the lumbar load of manual patient handling for the application in workers’ compensation procedures,” *Journal of Occupational Medicine and Toxicology*. BioMed Central Ltd, 6(17), hal. 1–13. doi: 10.1186/1745-6673-6-17.

Kaplan, W., Wirtz, V. J., Mantel-Teeuwisse, A., Stolk, P., Duthey, B. dan Laing, R. (2013) *Priority Medicines for Europe and the World 2013 Update*.

Keriri, H. M. (2013) “Prevalence and risk factors of low back pain among nurses in operating rooms, Taif, Saudi Arabia,” *American Journal of Research Communication*, 1(11), hal. 45–70.

Lallukka, T., Viikari-Juntura, E., Viikari, J., Kähönen, M., Lehtimäki, T., Raitakari, O. T. dan Solovieva, S. (2017) “Early work-related physical exposures and low back pain in midlife: The Cardiovascular Risk in Young Finns Study,” *Occupational and Environmental Medicine*, 74(3), hal. 163–168. doi: 10.1136/oemed-2016-103727.

Liao Z. T., Pan Y. F., Huang J. L., Huang F., Chi W. J., Zhang K. X., et al. (2009). An epidemiological survey of low back pain and axial spondyloarthritis in a Chinese Han population. *Scand J Rheumatol*, 38(6), 455-9. DOI:10.3109/03009740902978085.

Lin P. H., Tsai Y. A., Chen W. C., Huang S. F. (2012). Prevalence, characteristics, and work-related risk factors of low back pain among hospital nurses in Taiwan: a cross-sectional survey. *Int J Occup Med Environ Health*, 25, 41-50.

Loisel P., Lemaire J., Poitras S., Durand M. J., Champagne .F, Stock S., et al. (2002). Cost-benefit and cost-effectiveness analysis of a disability prevention model for back pain management: a six year follow up study. *Occup Environ Med*, 59(12), 807-15. DOI:10.1136/oem.59.12.807.

Mahmud, Sri, R., Iqbal, M. R., Lukman, W. A. dan Sri, H. N. (2021) “The prevalence and risk factors of low back pain among the nurses at Sardjito Hospital, Yogyakarta, Indonesia,” *Anaesthesia, Pain & Intensive Care*,

25(1), hal. 19–25. doi: 10.35975/apic.v25i1.1432.

Maysyaroh, N. D. (2016) “HUBUNGAN PATIENT HANDLING DENGAN KEJADIAN MUSCULOSKELETAL DISORDERS PADA PERAWAT DI RSU PKU MUHAMMADIYAH DELANGGU,” hal. 1–13.

McGill, S. M. dan Kavcic, N. S. (2005) “Transfer of the horizontal patient: The effect of a friction reducing assistive device on low back mechanics,” *Ergonomics*, 48(8), hal. 915–929. doi: 10.1080/00140130412331331389.

Meepradit, P., Panyadee, K. dan Yingratanasuk, T. (2018) “The Effectiveness of the Lateral Patient Transfer Device to Reduce Musculoskeletal Risk among Practical Nurses in a Hospital, Thailand,” *Journal of Biosciences and Medicines*, 06(05), hal. 45–51. doi: 10.4236/jbm.2018.65006.

Melloh M., Röder C., Elfering A., Theis J. C., Müller U., Staub L. P., et al. (2008). Differences across health care systems in outcome and cost-utility of surgical and conservative treatment of chronic low back pain: a study protocol. *BMC Musculoskelet Disord*, 9, 81. DOI:10.1186/1471-2474-9-81.

Moussa, M. M. M., El-Ezaby, H. H. dan El-Mowafy, R. I. (2015) “Low back pain and coping strategies’ among nurses in Port Said City, Egypt,” *Journal of Nursing Education and Practice*, 5(7), hal. 55–62. doi: 10.5430/jnep.v5n7p55.

Novitasari, D. D., Sadeli, H. A., Soenggono, A., Sofiatin, Y., Sukandar, H. dan Roesli, R. M. A. (2016) “Prevalence and Characteristics of Low Back Pain among Productive Age Population in Jatinangor,” *Althea Medical Journal*, 3(3), hal. 469–476.

Ovayolu, O., Ovayolu, N., Genc, M. dan Col-Araz, N. (2014) “Frequency and severity of low back pain in nurses working in intensive care units and influential factors,” *Pak J Med Sci*, 30(1), hal. 70–76. doi: 10.12669/pjms.301.3455.

Owen, B. D., Keene, K. dan Olson, S. (2002) “An ergonomic approach to reducing back/shoulder stress in hospital nursing personnel: a five year follow up,” *International Journal of Nursing Studies*, 39(3), hal. 295–302. doi: 10.1016/S0020-7489(01)00023-2.

Rezaee, M. dan Ghasemi, M. (2014) “Prevalence of Low Back Pain Among Nurses: Predisposing Factors and Role of Work Place Violence,” *Trauma Mon*, 19(4), hal. 9–14. doi: 10.5812/traumamon.17926.

- Roffey, D. M., Dagenais, S., Findlay, T., Marion, T. E., McIntosh, G., Shamji, M. F. dan Wai, E. K. (2014) "Obesity, Weight Loss, and Low Back Pain: An Overview for Primary Care Providers — Part 1," *Journal of Current Clinical Care*, 4(4), hal. 24–34.
- Rollman, G. B. dan Lautenbacher, S. (2001) "Sex Differences in Musculoskeletal Pain," *The Clinical Journal of Pain*, 17(1), hal. 20–24.
- Roupa, Z., Vassilopoulos, A., Sotiropoulou, P., Makrinika, E., Noula, M., Faros, E. dan Ch.Marvaki (2008) "The Problem of Lower Back Pain in Nursing Staff and Its Effect on Human Activity," *Health Science Journal*, 2(4), hal. 219–225.
- Sharma, S., Shrestha, N. dan Jensen, M. P. (2016) "Pain-related factors associated with lost work days in nurses with low back pain : A cross-sectional study," *Scandinavian Journal of Pain*. Elsevier B.V., 11, hal. 36–41. doi: 10.1016/j.sjpain.2015.11.007.
- Sikiru, L. dan Hanifa, S. (2010) "Prevalence and risk factors of low back pain among nurses in a typical Nigerian hospital," *African Health Sciences*, 10(1), hal. 26–30.
- Sikiru, L., & Shmaila, H. (2009). Prevalence and risk factors of low back pain among nurses in Africa: Nigerian and Ethiopian specialized hospitals survey study. *East African journal of public health*, 6(1), 22–25. <https://doi.org/10.4314/eajph.v6i1.45737>
- Schofield D. J., Shrestha R. N., Passey M. E., Earnest A., Fletcher S. L. (2008). Chronic disease and labour force participation among older Australians. *Med J Aust*, 189, 447–50.
- Statistics and Information Department, Minister's Secretariat, Ministry of Health and Welfare, ed.: Statistical Abstracts on Health and Welfare in Japan (1998) 2000; Health and Welfare Statistics Association, Tokyo.
- Trinkoff A. M., Lipscomb J. A., Geiger-Brown J., Storr C. L., Brady B. A. (2003). Perceived physical demands and reported musculoskeletal problems in registered nurses. *Am J Prev Med*, 24, 270-275
- Umboh, B., Rattu, J. A. M. dan Adam, H. (2017) "HUBUNGAN ANTARA KARAKTERISTIK INDIVIDU DENGAN KELUHAN NYERI PUNGGUNG BAWAH PADA PERAWAT DI RUANGAN RAWAT INAP RSU GMIM PANCARAN KASIH MANADO."
- Wang, Y. X. J. (2015) "ScienceDirect Postmenopausal Chinese women show

accelerated lumbar disc degeneration compared with Chinese men,”
Journal of Orthopaedic Translation. Elsevier Ltd, 3, hal. 205–211. doi:
10.1016/j.jot.2015.09.001.

Widiyanti, E. C. L., Endang, B., & Jannis, J. (2009). Lifting and Transferring Patient as Risk Factors for Low Back Pain among Female Nurses. *Journal of the Indonesian Medical Association : Majalah Kedokteran Indonesia*.

Wong, T. S., Teo, N. dan Kyaw, M. O. (2010) “Prevalence and Risk Factors Associated with Low Back Pain Among Health Care Providers in a District Hospital,” *Malaysian Orthopaedic Journal*, 4(2), hal. 23–28. doi: 10.5704/MOJ.1007.004.