



## DAFTAR PUSTAKA

- Achmadi. 1990. Kimia Kayu. Institut Pertanian Bogor, Bogor.
- Ahmadi M, Latibari AJ, Faezipour M, Hedjazi S. 2010. Neutral sulfite semi-chemical pulping of rapeseed residues. *Turk J Agric For* 34: 11 – 16.
- Ai J, Tschirner U. 2010. Fiber length and pulping characteristics of switchgrass, alfalfa stems, hybrid poplar and willow biomasses. *Bioresource Technology* 101: 215 – 221.
- Ajao O, Jeaidi J, Benali M, Restrepo AM, Mehdi NE, Boumghar Y. 2018. Quantification and variability analysis of lignin optical properties for colour-dependent industrial applications. *Molecules* 23(2): 377.
- Amidon TE. 1981. Effect of the wood properties of hardwoods on kraft paper properties. *Tappi* 64: 123-126.
- Amusant N, Moretti C, Richard B, *et al.* 2007. Chemical compounds from *Eperua falcata* and *Eperua grandiflora* heartwood and their biological activities against wood destroying fungus (*Coriolus versicolor*). *Holz als Roh- und Werkstoff* 65: 23 – 28.
- Aniriani GW, Apriliani NF. 2017. Perbandingan yield neraca massa hasil pretreatment tiga jenis limbah lignoselulosa dalam memproduksi polisakarida menggunakan teknik kimiawi. *Jurnal Ilmiah Sains* 17(2): 135 – 142.
- Anonymous. 1980. Pulping and paper making properties of fast growing plantation wood species. *FAO Forestry Paper*, Food and Agriculture Organization (FAO), Rome.
- Aprianis Y, Rahmayanti S. 2009. Dimensi serat dan nilai turunannya dari tujuh jenis kayu asal Provinsi Jambi. *Jurnal Penelitian Hasil Hutan* 27(1):11 – 20.
- Area MC, Felissia FE, Clermont JE, N nez CE, Venica AD. 2006. Bleached nssc pulps from *Eucalyptus* species. *Cellulose Chem Technol* 41(2-2): 193 – 200.
- Area MC, Felissia FE, Venica AD, Valade JL. 1998. NSSC process optimization: I pulps quality. *Pulping Conference, Proceedings of the Technical Association of the Pulp and Paper Industry* 2: 1 – 11.



- Area MC, Felissia FE, Venica AD, Valade JL. 2001. NSSC process optimization: pulping: Pulps and spent liquors. TAPPI Journal 84(4): 1 – 13.
- Aremu MO, Rafiu MA, Adedeji KK. 2015. Pulp and paper production from nigerian pineapple leaves and corn straw as substitute to wood source. International Research Journal of Engineering and Technology 2(4): 1180–1188.
- Ashori A, Nourbakhsh A. 2009. Studies on Iranian cultivated paulownia: A potential source of fibrous raw material for paper industry. European Journal of Wood and Wood Products 67: 323 – 32.
- Auty D, Achim A, Macdonald E, *et al.* 2014. Models for predicting wood density variation in Scots pine. Journal of Forestry 87(3): 449–458.
- Azadfallah M, Mirshokraei SA, Latibari AJ. 2008. Photodegradation of acidolysis lignin from BCMP. Molecules 13: 3129 – 3139.
- Bahtiar ET, Nugroho N, Surjokusumo S, *et al.* 2016. Pengaruh komponen kimia dan ikatan pembuluh terhadap kekuatan tarik bamboo. Jurnal Teknik Sipil 23(1): 31 – 39.
- Bamber RK. 1985. The wood anatomy of eucalyptus and paper-making. Appita 38(3): 210 – 216.
- Banavath HN, Bhardwaj NK, Ray AK. 2011. A comparative study of the effect of refining on charge of various pulps. Bioresource Technology 102(6): 4544 – 4551.
- Barefoot AC, Hitchings RG, Ellwood EL. 1964. Wood characteristics and kraft paper properties of four selected Loblolly pines: Effect of fiber morphology under identical cooking conditions. TAPPI 47: 343 – 356.
- Bierman JC. 1993. Essentials of pulping and papermaking. Academic Press, San Diego.
- Bierman JC. 1996. Handbook of Pulping and Papermaking. Elsevier Science & Technology Book 123-136. ISBN: 0120973626.
- Biswas D, Misbahuddin, Roy U, Francis RC, Bose SK. 2011. Effect of additives on fiber yield improvement for kraft pulping of kadam (*Anthocephalus chinensis*). Bioresource Technology 102: 1284 – 1288.



- Brandon RE, Schroeder LR, Johnson DC, 1975. Alkaline degradation of a nonreducing cellulose Model: 1,5-anhydrocellobiitol. ACS Symp Ser 10(125).
- Brandon CF. 1981. Properties of paper. Di dalam: Casey JP. Pulp and paper chemistry and chemical technology. John Wiley and Sons, New York.
- Britt KW. 1970. Handbook of wood and paper technology. 2<sup>nd</sup> edition. Van Nostrand Reinhold Company, New York.
- Brown HP, Panshin AJ, Forsaith CC. 1952. Tex book of wood technology. volume ii. Mc GrawHill, New York.
- Browning BL. 1963. The chemistry of wood. Interscience Publisher. A Div. of John Wiley and Sons, New York.
- Burkhardt S. 2018. Does the kappa number method accurately reflect lignin content in nonwood pulps. TAPPI journal 17(11): 611 – 617.
- Buzala KP, Kalinowska H, Borkowski J, Przybysz P. 2018. Effect of xylanases on refining process and kraft pulp properties. Cellulose 25(2): 1319 – 1328.
- Casey JP. 1960. Pulp and paper chemistry and chemical technology. Volume I. Pulping and Bleaching. Interscience, New York.
- Casey JP. 1980. Pulp and paper chemistry and chemical technology. John Wiley & Sons, New Jersey.
- Chafe SC. 1987. Collapse, volumetric shrinkage, specific gravity and extractives in Eucalyptus and other species Part 2: The influence of wood extractives. Wood Science and Technology 21:27 – 4.
- Chaiarekij S, Apirakchaiskul A, Suvarnakich K, Kiatkamjornwong S. 2011. Kapok I: Characteristics of kapok fiber as a potential pulp source for papermaking. BioResources 7(1): 475 – 488.
- Chen Y, Tshabalala MA, Gao J, Stark NM, Fan Y. 2014. Color and surface chemistry changes of extracted wood flour after heating at 120°C. Wood Science and Technology 48: 137 – 150.
- Clark JD. 1985. Pulp technology and treatment for paper. Miller Freeman Publication inc, San Fransisco.



- Daud Z, Kassim ASM, Aripin AM, *et al.* 2013. Chemical composition and morphological of cocoa pod husks and cassava peels for pulp and paper production. *Australian Journal of Basic and Applied Sciences* 7(9): 406 – 411.
- Dewi TK, Wulandari A, Romy. 2009. Pengaruh temperatur, lama pemasakan, dan konsentrasi etanol pada pembuatan pulp berbahan baku jerami padi dengan larutan pemasak NaOH-etanol. *Jurnal Teknik Kimia* 3(16): 11 – 20.
- Dewi TK, Dandy, Akbar W. 2010. Pengaruh konsentrasi NaOH, temperatur pemasakan, dan lama pemasakan pada pembuatan pulp dari batang rami dengan proses soda. *Jurnal Teknik Kimia* 17(2): 68 – 74.
- Djalal DP, Haygreen JG, Bowyer JL, Hadikusumo SA. 1989. Hasil hutan dan ilmu kayu suatu pengantar. Gadjah Mada University Press, Yogyakarta.
- Duke JA, Martinez RV. 1994. Amazonian ethnobotanical dictionary. CRC Press, Boca Raton.
- Dumanauw JF. 2001. Mengenal kayu. Kanisius, Yogyakarta.
- Dutt D, Tyagi CH. 2011. Comparison of various Eucalyptus species for their morphological, chemical, pulp and paper making characteristics. *Indian Journal of Chemical Technology* 18: 145 – 151.
- Ek M, Gellerstedt G, Henriksson G. 2009. Pulp and paper chemistry and technology volume 2. Walter de Gruyter GmbH, Berlin.
- Esteves B, Nunes L, Domingos I, Pereira H. 2014. Comparison between heat treated sapwood and heartwood from *Pinus pinaster*. *European Journal of Wood and Wood Products* 72: 53 – 60.
- Emil N. 2014. Analisis komponen kimia dan dimensi serat kayu jabon. Skripsi (Tidak dipublikasikan). Institut Pertanian Bogor, Bogor.
- Fatimah S, Susanto M, Lukmandaru G. 2013. Studi komponen kimia kayu *Eucalyptus pellita* F. Muell dari pohon plus hasil uji keturunan generasi kedua di Wonogiri, Jawa Tengah. *Jurnal Ilmu Kehutanan* 7(1): 57 – 69.
- Fitriasari W, Hermiati E. 2008. Analisis morfologi serat dan sifat fisis kimia beberapa jenis bambu sebagai bahan baku pulp dan kertas. *Jurnal Ilmu dan Teknologi Hasil Hutan* 1(2): 67 – 72.



- Fitriasari W, Risanto L. 2011. Sifat pulp kraft kayu sengon (*Paraserianthes falcataria*): Perbedaan konsentrasi bahan pemasak dan tahap pemutihan. *Widyariset* 14(3): 589 – 597.
- Fengel D, Wegener G. 1995. Kayu kimia ultrastruktur reaksi – reaksi. Diterjemahkan: Hardjono Sastrohamidjo. UGM, Yogyakarta.
- Fulvio F, Eriksson DG, Bergström D. 2015. Effects of wood properties and chipping length on the operationa efficiency of a 30kw electric disc chipper. *Croatian Journal of Forest Engineering* 36(1): 85 – 100.
- Ginoga B. 1997. Beberapa sifat kayu mangium (*Acacia mangium* Willd.) pada beberapa tingkat umur. *Buletin Penelitian Hasil Hutan* 15(2): 132 – 149.
- Glass SV, Zelinka SI. 2010. Moisture relations and physical properties of wood. Dalam Roos, RJ. *Wood handbook: wood as engineering material*. General technical report FPL-GTR-190. USDA Forest Service, Forest Products Laboratory, Wisconsin
- Gomide JL, Neto HF, Regazzi AJ. 2010. Analysis of wood quality criteria of *Eucalyptus* wood for kraft pulp production. *Revista Arvore* 34(2): 339 – 344.
- González Z, Rodriguez A, Vargas F, Jimenez L. 2013. Refining of soda-AQ, kraft-AQ, and ethanol pulps from orange tree wood. *BioResources* 8(4): 5622 – 5634.
- Gunawan A, Sihotang DE, Thoha MY. 2012. Pengaruh waktu pemasakan dan volume larutan pemasak terhadap viskositas pulp dari ampas tebu. *Jurnal Teknik Kimia Universitas Sriwijaya* 18(2): 1 – 8.
- Hadipernata M, Budiyanto A, Wiraatmadja S, Sugiharto A. 2005. Efisiensi proses pemutinan pulp kraft RDH (*Rapid Displacement Heating*) dengan metode ECF (*Elementally Chlorite Free*). IPB, Bogor.
- Haroen WK, Sugesty S. 1997. Pelestarian sumberdaya alam melalui pemanfaatan abaka dan ramie untuk bahan baku pulp kertas. *Proceeding of The International Workshopon Minimization of Pulp and Paper Waste*. Jakarta 24-25 Februari.



- Haroen WK, Uzair, Bahar N. 1997. Kualitas pulp kertas *Acacia mangium* berbagai umur tanaman. *Berita Selulosa* 4(33): 104 – 109.
- Haroen WK. 2017. Hubungan *specific gravity* kayudaun terhadap serat dan kualitas pulp. *Jurnal Selulosa* 7(2): 59 – 68.
- Harsini T, Susilowati. 2010. pemanfaatan kulit buah kakao dari limbah perkebunan kakao sebagai bahan baku pulp dengan proses organosolv. *Jurnal Ilmiah Teknik Lingkungan* 2(2): 80 – 89.
- Hartoyo. 1989. Pengetahuan dasar kayu sebagai sumber serat. Pusat Penelitian dan Pengembangan Hasil Hutan dalam Rangka Alih Ilmu Pengetahuan dan Teknologi Industri Pulp Kertas dan Papan Serat, Bogor.
- Haryadi F, Susanti CME, Gunawan E. 2017. Dimensi serat daun *Pandanus tectorius* Park. sebagai bahan baku produk serat alam. *Jurnal Kehutanan Papua* 3(1): 33 – 44.
- Haygreen JG, Bowyer JJ. 1989. Hasil hutan dan ilmu kayu, terjemahan. UGM, Yogyakarta.
- Haygreen JG, Bowyer JJ. 1996. Hasil hutan dan ilmu kayu suatu Pengantar. UGM, Yogyakarta.
- Heyne K. 1987. Tumbuhan berguna indonesia cetakan I. Badan Penelitian dan Pengembangan Kehutanan, Departemen Kehutanan, Jakarta.
- Hernańdez RE. 2007. Influence of accessory substances, wood density and interlocked grain on the compressive properties of hardwoods. *Wood Science and Technology* 41:249 – 265.
- Hernandi. 1996. Variasi serat arah radial, longitudinal, dan umur pohon serta penentuan kualitas pulp pada kayu leda. Fakultas Kehutanan UNMUL, Samarinda.
- Hernawan A, Diba A, Mariani Y, Setyawati D, Nurhaida. 2014. Sifat kimia batang kelapa sawit (*Elaeis guinensis* Jacq) berdasarkan letak ketinggian dan kedalaman batang. *Jurnal Hutan Lestari* 2(3): 472 – 481
- Hill RT, Walsh PB, Hollie JA. 1992. Part I: peracetic acid an effective alternative for chlorine compound free delignification of kraft pulp. In: *Proc. Tappi Pulp Conf.*, Boston, 1992: 1219 – 1230.



- Hillis WE. 1987. Heartwood and tree exudates. Springer-Verlag, Berlin.
- Huang X, Kocaefer D, Kocaefer Y, Boluk Y, Pichette A. 2012. A spectrophotometric and chemical study on color modification of heat-treated wood during artificial weathering. *Applied Surface Science* 258(14): 5360 – 5369.
- Holm A, Niklasson R. 2018. The effect on wood components during soda pulping. Tesis. Department of Chemistry and Chemical Engineering, Chalmers University of Technology, Gothenburg.
- Hon DNS, Minemura N. 2001. Color and discoloration dalam: Wood and cellulosic chemistry. DNS Hon & N Shiraishi (Ed). Marcel Dekker, New York.
- Ibrahim, M. 2015. Effect of growth rate on fiber characteristics of *Eucalyptus camaldulensis* wood of coppice origin grown in White Nile State, Sudan. *Natural Res Environment* 6456(3):14 – 23.
- Indrawan DA, Efiyanti L, Tampubolon RM, Roliadi H. 2015. Pembuatan pulp untuk kertas bungkus dari bahan serat alternatif. *Jurnal Penelitian Hasil Hutan* 33(4): 283 – 302.
- Istikowati WT, Ishiguri F, Aiso H, *et al.* 2014. Physical and mechanical properties of woods from three native fast-growing species in a secondary forest in South Kalimantan, Indonesia. *Forest Products Journal* 64: 48 – 54.
- Jyske T, Mäkinen H, Saranpää P. 2008. Wood density within Norway spruce stems. *Silva Fennica* 42(3): 439 – 455.
- Kacíková D, Kacík F, Cabalová I, Durkovic J. 2013. Effects of thermal treatment on chemical, mechanical and colour traits. *Bioresource Technology* 144: 669 – 674.
- Kamoga OLM, Kirabira JB, Byaruhanga JK, Godiyal RD, Kumar N. 2016. Characterisation and evaluation of pulp and paper from selected Ugandan grasses for paper industry. *Cellulose Chemistry and Technology* 50(2): 275 – 284.
- Kamthai S, Puthson P. 2005. The physical properties fiber morphology and chemical compositions of sweet bamboo (*Dendrocalamus asper* Backer). *Kasetsart Journal Natural Science* 39: 581–587.



- Kardiansyah T, Sugesty S. 2020. Pengaruh alkali aktif terhadap karakteristik pulp kraft putih *Acacia mangium* dan *Eucalyptus pellita*. *Jurnal Selulosa* 10(1): 9 – 20.
- Karlsson H, Lorentzen AB, Wettre. 2006. *Fibre guide: fibre analysis and process applications in the pulp and paper industry*. AB Lorentzen & Wettre, Kista.
- Kasmudjo. 1994. Cara-cara penentuan proporsi tipe sel dan dimensi sel kayu. Yayasan Pembina Fakultas Kehutanan Universitas Gadjah Mada, Yogyakarta.
- Kathomdani PDS, Sugesty S. 2018. 2018. Pembuatan pulp kraft dari kapuk dan serat daun nanas sebagai bahan baku kertas khusus. *Jurnal Dinamika Penelitian Industri* 29(2): 108 – 118.
- Kaur H, Dutt D. 2013. Anatomical, morphological and chemical characterization of lignocellulosic by products of lemon and sofia grasses obtained after recuperation of essential oils by steam distillation. *Cell. Chem. Tech.* 47(1-2): 83 – 94.
- Kilulya KF, Msagati TAM, Mamba BB, Ngila JC, Bush T. 2014. Effect of site, species and tree size on the quantitative variation of lipophilic extractives in *Eucalyptus* woods used for pulping in Sout Africa. *Industrial Crops and Products* 56: 166 – 174.
- Kondo R, Imamura H. 1985. The chemistry of the color of wood. I. The phenolic components of Hazenoki (*Rhus succedanea* L.) and their dyeing properties. *Mokuzai Gakkaishi* 31: 927 – 934.
- Krilov A, Gref R. 1986. Mechanism of sawblade corrosion by polyphenolic compounds. *Wood Science and Technology* 20:369 – 375.
- Kumar G, Loganathan, Karthik, Rao KVB. 2014. A review on medicinal properties of *Elaeocarpus ganitrus* Roxb.ex G. Don. (Elaeocarpaceae). *Journal of Pharmacy and Technology* 7(10): 1184 – 1186.
- Kusnandar F. 2010. Mengenal serat pangan. IPB, Bogor.
- Kurniawan, Asep, Frescoe BY. 2013. Pengaruh variasi campuran *Acacia mangium* dan *Eucalyptus pellita* terhadap kualitas *brownstock* pulp. *Akademi*



- Teknologi Pulp dan Kertas Jalan Raya Dayeuhkolot No 132 (Tidak dipublikasikan), Bandung.
- Lubis AA. 2007. Isolasi lignin dari lindi hitam (black liquor) proses pemasakan pulp soda dan sulfat (*kraft*). Institut Pertanian Bogor, Bogor.
- Luce GE. 1970. Transverse collapse of wood pulp fibers: fiber models. In: Page DH (ed) The physics and chemistry of wood pulp fibers (Special Technical Association publication, no. 8). Technical Association of the Pulp and Paper Industry, New York, 278-281.
- Lukmandaru G, Zumaini UF, Soeprijadi D, Nugroho WD, Susanto M. 2016. Chemical properties and fiber dimension of *Eucalyptus pellita* from the 2nd generation of progeny tests in Pelaihari, South Borneo, Indonesia. *Journal Korean Wood Science Technology* 44(4): 571 – 588.
- Lukmandaru G, Sayudha IGND. 2019. Komposisi ekstraktif pada kayu jati juvenil. *Prosiding Seminar Nasional. MAPEKI XIV* 361 – 366.
- Lynd LR, Weimer PJ, van Zyl WH, Pretorius IS. 2002. Microbial cellulose utilization: Fundamentals and biotechnology. *Microbiol. Mol. Biol. Rev* 66(3): 506 – 577.
- Maciulaitis R, Jefimovas A, Zdanevicius P. 2012. Research on natural wood combustion and charring processes. *Journal of Civil Engineering and Management* 18(5): 631 – 641.
- Magaton ADS, Colodette JL, Gouvéa A, *et al.* 2009. Eucalyptus wood quality and its impact on kraft pulp production and use. *TAPPI Journal*: 32–39.
- Malachowska E, Dubowik M, Lipkiewicz A, Przybysz K, Przybysz P. 2020a. Analysis of cellulose pulp characteristics and processing parameters for efficient paper production. *Sustainability* 12(17): 1 – 12.
- Małachowska E, Dubowik M, Boruszewski P, Łojewska J, Przybysz P. 2020b. Influence of lignin content in cellulose pulp on paper durability. *Scientific Reports* 10(1): 1-12.
- Malan FS, Gerischer GFR. 1987. Wood property differences in South African grown *Eucalyptus grandis* trees of different growth stress intensity. *Holzforschung* 41: 331 – 335.



- Marsoem S. 2004. Pemanfaatan hasil hutan tanaman *Acacia mangium*. Universitas Gadjah Mada, Yogyakarta.
- Marsoem SN, Prasetyo VE, Rachman WB. 2009. Pemanfaatan serat monokotil bambu legi (*Gigantochloa atter*) sebagai bahan baku pulp secara mekano-organosolv. Prosiding Seminar Nasional MAPEKI XII, Bandung.
- Massijaya, M.Y. 1992. Pengaruh perlakuan uap air panas (*steam treatment*) pada pulp kayu sengon (*Paraserianthes falcataria* L. Nielsen) dan akasia (*Acacia mangium* Willd.) terhadap kualitas papan serat berkerapatan sedang (MDF). Thesis Ilmu Pengetahuan Kehutanan (Tidak dipublikasikan). Fakultas Pasca Sarjana, IPB, Bogor.
- Matsushita Y, Sano H, Imai M, *et al.* 2007. Phenolization of hardwood sulfuric acid lignin and comparison of the behavior of the syringyl and guaiacyl units in lignin. *Journal of Wood Science* 53(1): 67–70.
- Maximova N, Osterberg M, Koljonen K, Stenius P. 2001. Lignin adsorption on cellulose fibre surfaces: Effect on surface chemistry, surface morphology and paper strength. *Cellulose* 8: 113 – 125.
- Mc.Donald, Franklin. 1969. *Pulp and paper manufacture Vol.1. The pulping of wood*, New York.
- McGovera JN. 1980. Introduction to pulping. Di dalam Casey (ed). *Pulp and chemistry and chemical technology*, third edition, volume I. Interscience Publication, New York.
- Miranda I, Gominho J, Pereira H. 2012. Incorporation of bark and tops in *Eucalyptus globulus* wood pulping. *Bioresources* 7(3): 4350–4361.
- Nawawi DS, Syafii W, Tomoda I, *et al.* 2017. Characteristics and reactivity of lignin in acacia and eucalyptus woods. *Journal of Wood Chemistry and Technology* 37(4): 273–282.
- Nelson, Suparjo, 2011. Penentuan lama fermentasi kulit buah kakao dengan *Phanerochaete chrysosporium*: Evaluasi kualitas nutrisi secara kimiawi. *Agrinak* 1(1): 1 – 10.
- Nuringtyas TR. 2010. *Karbohidrat*. Universitas Gadjah Mada, Yogyakarta.



- Nwiisuator D, Emerhi EA. 2015. Specific gravity as wood quality attribute of *Anthocleista djalonensis* a tree lesser used species in Rivers State. *Journal of Natural Science Research* 5(12): 61 – 64.
- Ona T, Sonoda T, Ito K, *et al.* 2001. Investigation of relationships between cell and pulp properties in *Eucalyptus* by examination of within-tree property variations. *Wood Science and Technology* 35: 229 – 243.
- Ohshima J, Yokota S, Yoshizawa N, Ona T. 2005. Examination of within-tree variations and heights representing whole-tree values of derived wood properties for quasi-non-destructive breeding of *Eucalyptus camaldulensis* and *Eucalyptus globulus* as quality pulpwood. *Journal of Wood Science* 51: 102 – 111.
- Paskawati. 2010. Pengolahan dan pemasaran pisang. *Dinamika Media*, Jakarta.
- Pandit IKN, Ramdan H. 2002. Anatomi kayu: Pengantar sifat kayu sebagai bahan bangunan. Yayasan Penerbit Fakultas Kehutanan IPB, Bogor.
- Panshin AJ, De Zeeuw C. 1964. Textbook of wood technology 4<sup>th</sup> edition. Mc GrawHill, New York.
- Panshin AJ, De Zeeuw C. 1980. Textbook of wood technology vol.1: Structure, identification, Properties, and Use of the Commercial Wood of the United States and Canada. McGraw Hill Book. Company, New York.
- Pasaribu RA, Purba K. 1986. Pengaruh keasaman bahan pembentukan lembaran terhadap sifat papan serat berkerapatan sedang. *Jurnal Penelitian Hasil Hutan* 6(3): 299 – 303.
- Pasaribu RA, Silitonga T. 1977. Percobaan pengolahan kayu daun lebar campuran sebagai bahan baku pulp kertas. Laporan Lembaga Penelitian Hasil Hutan. Bogor.
- Pasaribu RA, Roliadi H. 2005. Teknologi produksi karton skala kecil dari limbah pembalakan hutan alam produksi dan hutan tanaman. Laporan Hasil Penelitian Pusat Penelitian dan Pengembangan Hasil Hutan, Bogor.
- Pasaribu G, Sipayung B, Pari G. 2007. Analisis komponen kimia empat jenis kayu asal sumatera utara. *Jurnal Penelitian Hasil Hutan* 25(4): 327 – 333.



- Pasaribu RA, Tampubulon AP. 2007. Status pemanfaatan serat kayu untuk bahan baku pulp. Workshop Sosialisasi Program dan Kegiatan BPHPS Guna Mendukung Kebutuhan Riset Hutan Tanaman Kayu Pulp dan Jejaring Kerja (Tidak dipublikasikan).
- Patt R, Kordsachia O, Fehr J. 2006. European hardwoods versus *Eucalyptus globulus* as a raw material for pulping. *Wood Science and Technology* 40(1): 39–48.
- Pirralho M, Flores D, Sousa VB, *et al.* 2014. Evaluation on paper making potential of nine *Eucalyptus* species based on wood anatomical features. *Industrial Crops and Products* 54: 327 – 334.
- Prawirohatmodjo S (penyunting). 1995. Kimia kayu; dasar-dasar dan penggunaan edisi kedua. UGM Press, Yogyakarta.
- Prihatini E, Maddu A, Rahayu IS, *et al.* 2020. Sifat dasar kayu ganitri (*Elaeocarpus sphaericus* (Gaertn.) K. Schum.) dari Sukabumi dan potensi penggunaannya. *Jurnal Ilmu Kehutanan* 14: 109 – 118.
- Purba K, Rusfandi DE, Hadi YS, Rosid M. 1989. Sifat papan serat dari kayu *Acacia mangium* Willd., *Eucalyptus deglupta* Blume dan *Eucalyptus urophylla* Blake. *Jurnal Penelitian Hasil Hutan* 6(3): 299 – 303.
- Purba K. 1993. Pembuatan papan serat berkerapatan sedang dari kayu daun lebar dengan proses mekanis. *Jurnal Penelitian Hasil Hutan* 11(8): 333 – 337.
- Rachman AN, Siagian RM. 1976. Dimensi serat jenis kayu indonesia bagian III. Laporan LPHH No. 75. Pusat Litbang Hasil Hutan, Bogor.
- Rachman E, Rohandi A, & Hani A. 2010. Evaluasi penerapan pola tanam jenis pohon potensial pada hutan rakyat. Prosiding Seminar Peningkatan Produktivitas Hutan Rakyat untuk Kesejahteraan Masyarakat. Pusat Penelitian dan Pengembangan Peningkatan Produktivitas Hutan, Balai Penelitian Teknologi Perbenihan Bogor dan Balai Penelitian Kehutanan, Ciamis. Hlm. 27 – 41.
- Rachman E. 2012. Kajian potensi pemanfaatan jenis ganitri (*Elaeocarpus* spp.). *Jurnal Mitra Hutan Tanaman* 7 (2): 39 – 50.



- Rahayu D, Hardiansyah G, Widhanarto GO. 2013. Potensi biomassa dan karbon pada hutan tanaman *Eucalyptus pellita* PT. Finnantara Intiga Kabupaten Sintang. *Jurnal Hutan Lestari* 1(2): 69 – 78.
- Rahmati H, Navaee-Ardeh S, Aminian H. 2007. Influence of sulfidity and active alkali charge on the properties of pulp produce from *Eucalyptus camaldulensis*. *Journal of Plant Sciences* 2(6): 600 – 606.
- Rismijana J, Indriani IN, Pitriyani T. 2002. Penggunaan enzim selulase hemiselulase pada proses deinking kertas koran bekas. *Jurnal Matematika dan Sains*. 8(2): 67 – 71.
- Rohandi A, Gunawan. 2014. Sebaran populasi dan potensi tanaman ganitri (*Elaeocarpus ganitrus* Roxb) di Jawa Tengah. *Jurnal Ilmu Kehutanan* 8(1) : 25 – 33.
- Roliadi H, Dulsalam, Anggraini D. 2010. Penentuan daur teknis optimal dan faktor eksploitasi kayu hutan tanaman jenis *Eucalyptus* hybrid sebagai bahan baku pulp kertas. *Jurnal Penelitian Hasil Hutan* 28(4): 332 – 357.
- Roque RM, Fo MT. 2007. Wood density and fiber dimensions of *Gmelina arborea* in fast growth trees in costarica: relation to the growth rate. *Investigacion Agraria: Sistemas y Recursos Forestales* 6(3): 267 – 276.
- Rowell RM. 2005. *Handbook of wood chemistry and wood composites*. USDA Forest Service Forest Product Laboratory Madison.
- Rudatin S. 1991. Ultrafiltrasi lindi hitam proses sulfat kayu *Acasia Manginum*. *Berita Selulosa* 27(4). Departemen Perindustrian RI. Balai Besar Penelitian dan Pengembangan Industri Selulosa, Bandung.
- Rudi H, Klael M, Samartha A. 2019. Production of nssc cellulosic pulp fibers from *Eucalyptus cameldulensis*. *Journal of Polymer Science* 2(5): 119 – 125.
- Runkel von ROH. 1949. Über die Herstellung von Zellstoff aus Holz der Gattung *Eucalyptus* und Versuche mit zwei unterschiedlichen Eucalyptusarten (On the production of pulp from wood of the genus *Eucalyptus* and experiments with two different *Eucalyptus* types). *Das Papier* 3: 476 – 490.
- Rydholm SA. 1965. *Pulping processing*. Interscience Publisher, New York.



- Sadiku NA, Oluyeye AO, Ajayi B. 2016. Fibre dimension and chemical characterisation of naturally grown *Bambusa vulgaris* for pulp and paper production. *J. Bamboo and Rattan* 15: 33 – 43.
- Santos A, Anjos O, Amaral ME, *et al.* 2012. Influence on pulping yield and pulp properties of wood density of *Acacia melanoxylon*. *Journal of Wood Science* 58(6): 479–486.
- Sari PD, Puri WA, Hanum D. 2018. Delignifikasi bonggol jagung dengan metode *microwave* alkali. *Jurnal Ilmu-Ilmu Pertanian AGRIKA* 12(2): 164 – 172.
- Scheller HV, Ulvskov P. 2010. Hemicelluloses. *Annu. Rev. Plant. Biol* 61: 263-89.
- Schimleck LR, Espey C, Mora CR, *et al.* 2009. Characterization of the wood quality of pernambuco (*Caesalpinia echinata* Lam) by measurements of density, extractives content, microfibril angle, stiffness, color, and NIR spectroscopy. *Holzforschung* 63(4): 457–463.
- Scott WE, Trosset S. 1989. Properties of paper: an introduction. TAPPI Press.
- Seng OD, 1990. Spesific Grafity of Indonesian Woods and Its Significance for Practical Use, Diterjemahkan oleh Suwarsono PH. Pusat Penelitian dan Pengembangan Hasil Hutan, Departemen Kehutanan Indonesia, Bogor.
- Sharma M, Sharma CL, Kumar YB. 2013. Evaluation of fiber characteristics in some weeds of *Arunachal Pradesh*, India for pulp and paper making. *Research Journal of Agriculture and Forestry Science* 1(3): 15 – 21.
- Sheikhi P, Ghobadifar P, Rezaei-Arjomand F. 2013. Investigation on characteristics of bleached bagasse pulp using neutral sulfite and soda solutions. *Lignocellulose* 2(2): 369 – 376.
- Shin S, Schroeder LR, Lai Y. 2007. Impact of residual extractives on lignin determination in kraft pulps. *Journal of Wood Chemistry and Technology* 24(2): 139 – 151.
- Shmulsky R & Jones PD. 2011. Forest products and wood science: an introduction, sixth edition. John Wiley & Sons, New York.
- Siagian, R.M. 1989. Teknologi pemutihan pulp: Pengolahan pulp secara kimia. Pusat Penelitian dan Pengembangan Hasil Hutan dalam rangka Alih Ilmu Pengetahuan dan Teknologi Industri Pulp Kertas dan Papan Serat, Bogor.



- Siagian. R M, Purba K. 1994. Uji coba pembuatan pulp dan kertas *Acacia mangium*  
Diskusi hasil penelitian Pusat Penelitian dan Pengembangan Hasil Hutan  
dan Sosial Ekonomi Kehutanan. Bogor
- Siagian R, Komaryati S. 1998. Pengaruh umur terhadap komposisi kimia kayu  
*Gmelina arborea* Roxb. Buletin Penelitian Hasil Hutan 15(6): 395-404.
- Siau JF. 1971. Flow in wood. Syracuse University, New York.
- Silitonga T, Siagian R, Nurrachman N. 1972. Cara pengukuran serat kayu di  
Lembaga Penelitian Hasil Hutan (LPHH). Publikasi Khusus No.12.  
LPHH. Bogor.
- Simpson W, Wolde AT. 1999. Physical properties and moisture relations of wood.  
USDA Forest Science, USA.
- Siringoringo FD. 2002. Sifat pulp abaka (*Musa textilis* Nee) asal Bogor pada proses  
soda dan semikimia. IPB, Bogor.
- Sixta H. 2008. Handbook of pulp. Wiley-VCH. Weinheim.
- Sjostrom E. 1991. Wood chemistry: fundamentals and applications. Academic  
Press, San Diego.
- Smook GA. 1992. Handbook for pulp and paper technologists (2nd ed.). Angus  
Wilde Publication, Vancouver.
- Soernadi. 1976. Sifat-sifat fisika kayu. Yayasan Pembinaan Fakultas Kehutanan  
Universitas Gadjah Mada, Yogyakarta
- Soenardi, 1978. Pengurangan kadar amilum kayu mahoni dan kayu campanulata  
Beauv sebagai bahan baku pulp kertas melalui uji turunan dimensi serat.  
Jurnal Komunikasi Penelitian 17(6): 62.
- Stephenson J. 1951. Pulp and paper manufacture, preparation of stock for making  
paper. Mc Grow Hill Book Company, New York.
- Sunarti S, Na'iem M, Hardiyanto EB, Indrioko S. 2016. Breeding strategy of *Acacia*  
Hybrid (*Acacia mangium* × *A. auriculiformis*) to increase forest plantation  
productivity in Indonesia. Jurnal Manajemen Hutan Tropika 19(2): 128 –  
137.
- Suparjo. 2008. Degradasi Komponen Lignoselulosa oleh Kapang Pelapuk Putih.  
Universitas Jambi. Jambi.



- Supartini LM, Dewi A, Kholil M, Muchlich. 2013. Struktur anatomi dan kualitas serat kayu *Shorea hopefolia* dari Kalimantan Timur. *Jurnal Ilmu dan Teknologi Kayu Tropis* 11: 29 – 37.
- Supraptiah E, Ninghsih AS, Sofiah, Apriandini R. 2014. Pengaruh rasio cairan pemasak (AA charge) pada proses pembuatan pulp dari kayu sengon (*Albizia falcataria*) terhadap kualitas pulp. *Jurnal Kinetika* 5: 14 – 21.
- Surest AH, Satriawan D. 2010. Pembuatan pulp dari batang rosella dengan proses soda. *Jurnal Teknik Kimia* 3(17): 1 – 7.
- Syafii W, Siregar IZ. 2006. Sifat kimia dan dimensi serat kayu mangium (*Acacia mangium* Willd.) dari tiga provenans. *Jurnal Ilmu dan Teknologi Kayu Tropis* 4(1): 29 – 32.
- Syam NRD, Yuniati AD, Larekeng SH. 2018. Kualitas serat jabon merah (*Anthocephalus macrophyllus*) di provenan Luwu. Skripsi (Tidak dipublikasikan). Fakultas Kehutanan, Universitas Hasanudin Makassar.
- Taherzadeh MJ. 1999. Ethanol from lignocellulose: physiological effects of inhibitors and fermentation strategies. Doctoral thesis (Tidak dipublikasikan). Chalmers University of Technology, Goteborg.
- Tsoumis G. 1991. Science and technology wood structur, properties, utilization. Van Vostrand Reinhold, USA.
- Ulfa A. 2019. Pembuatan dan karakterisasi pulp daun singkut (*Curculigo latifolia* Sp.). Skripsi (Tidak dipublikasikan). Fakultas Matematika Ilmu Pengetahuan Alam, Universitas Sumatera Utara, Medan.
- Usmana AS, Rianda S, Novia. 2012. Pengaruh volume dan waktu fermentasi terhadap kadar etanol (Bahan baku tandan kosong kelapa sawit dengan pretreatment alkali). *Jurnal Teknik Kimia* 18(2): 17 – 25.
- Valades JL, Law KN. 1998. Potential use of *Acacia* species as a raw material for pulp and paper industry. Paper presented at International Conference on *Acacia Species – Wood Properties and Utilization*, 16 – 18 Maret 1998, Penang, Malaysia
- Vu THM, Pakkanen H, Alen R. 2004. Delignification of bamboo (*Bambusa procer* Acher) part 1. kraft pulping and the subsequent oxygen delignification to



- pulp with a low kappa number. *Industrial Crops and Products*. An International Journal 19: 49 – 50.
- Wahno I, Lopez G, Sunarti, S, *et al.* 2014. Teknologi benih akasia hibrida: Upaya peningkatan produktivitas hutan tanaman industri pulp dan kertas di Indonesia. Prosiding seminar nasional: Benih unggul untuk hutan tanaman, restorasi ekosistem, danantisipasi perubahan iklim. Balai Besar Penelitian Bioteknologi dan Pemuliaan Tanaman Hutan, Yogyakarta.
- Wan Rosli WD, Mazlan I, Law KN. 2009. Effects of kraft pulping variables on pulp and paper properties of *Acacia mangium* kraft pulp. *Cellulose Chemistry and Technology* 43(1–3): 9 – 15.
- Wardoyo A. 2001. Pengaruh pemakaian bahan kimia dalam pelunakan serpih terhadap sifat pulp semikimia *Acacia mangium* Willd. Fateta. IPB, Bogor.
- Widsten P. 2002. Oxidate activation of wood fibers for the manufacture of medium-density fiberboard (MDF). Helsinki University of Technology. Espoo.
- Wistara N. 2000. Sifat Penyerapan air oleh pulp akibat perbedaan konsistensi penggilingan dan pendaauran. *Jurnal Teknologi Hasil Hutan* 12(1): 36–43.
- Wistara NJ, *et al.* 2015. Effect of tree age and active alkali on kraft pulping of white jabon. *Journal of the Korean Wood Science and Technology* 43(5): 566–577.
- Wydia K. 2018. Struktur anatomi dan dimensi serat pada arah aksial dan radial kayu ganitri (*Elaeocarpus ganitrus* Roxb.) dari Kabupaten Wonosobo. Skripsi (Tidak dipublikasikan). Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Xu CY, Wang HX, Zhang XY, Fu SY, Wu JE. 2006. Lignocellulose selectivity degradation of white rot fungi in bamboo. *Journal Microbiol* 26: 14 – 18.
- Yahya R, Sugiyama J, Silsia D, Grill J. 2010. Some anatomical features of an Acacia hybrid, *A. mangium* and *A. auriculiformis* grown in Indonesia with regard to pulp yield and paper strength. *Journal of Tropical Forest Science* 22: 343 – 351.
- Yildis S, Yildis UC, Tomak ED. 2011. The effects of natural weathering on the properties of heattreated alder wood. *BioResources* 6(3): 2504 – 2521.



- Yusup AF. 2018. Karakteristik serat pulp bambu bilis (*Schizostachyum lima* (Blanco) Merr.) menggunakan metode mekanik organosolv. Skripsi (Tidak dipublikasikan). Universitas Mataram, Mataram.
- Zhang Y, Yu W, Zhang Y. 2013. Effect of steam heating on the color and chemical properties of *Neosinocalamus affinis* bamboo. *Journal of Wood Chemistry and Technology* 33: 235 – 246.
- Zobel BJ, Sprague JR. 2012. Juvenile wood in forest trees. Springer Science & Business Media. Berlin.
- Zulferiyenni, Nawansih O, Hidayati S. 2009. Proses pembuatan pulp berbasis ampas tebu: batang pisang dengan metode *acetosolve*. *Jurnal Teknologi Industri dan Hasil Pertanian* 14(1): 90 – 96.