



DAFTAR PUSTAKA

- Afif, D. (2015) *Korelasi Antara Cellulae Agger Nasi Dengan Sinusitis Frontalis Pada Pemeriksaan Multi Slice Computed Tomography Scan Kepala.* Universitas Gadjah Mada.
- Ahn, J. C. et al. (2016) “Prevalence and risk factors of chronic rhinosinusitis, allergic rhinitis, and nasal septal deviation results of the Korean national health and nutrition survey 2008-2012,” *JAMA Otolaryngology - Head and Neck Surgery*, 142(2), hal. 162–167. doi: 10.1001/jamaoto.2015.3142.
- Al-Abri, R. et al. (2014) “Clinically significant anatomical variants of the paranasal sinuses,” *Oman Medical Journal*, 29(2), hal. 110–113. doi: 10.5001/omj.2014.27.
- Amelia, N. L., Zuleika, P. dan Utama, D. S. (2017) “Prevalensi Rinosinusitis Kronik di RSUP Dr. Mohammad Hoesin Palembang,” *Majalah Kedokteran Sriwijaya*, 49(2), hal. 75–83.
- Azila, A. et al. (2011) “The Prevalence of Anatomical Variations in Osteomeatal Unit in Patients with Chronic Rhinosinusitis,” *Medical Journal of Malaysia*, 66(3), hal. 191–194.
- Bahemmat, N. dan Hadian, H. (2016) “The frequency of nasal septal deviation and concha bullosa and their relationship with maxillary sinusitis based on CBCT finding,” *International Journal of Medical Research & Health Sciences*, 5(11), hal. 152–156.
- Basith, Y. dan Thiagarajan, B. (2012) “Role of Anatomical Obstruction in The Pathogenesis of Chronic Sinusitis A case series study based on radiological assessment,” *Otolaryngology online journal*, 2(3), hal. 1–9.
- Beule, A. G. (2015) “Epidemiology of chronic rhinosinusitis, selected risk factors, comorbidities and economic burden,” *Laryngo- rhino- otologie*, 94(Figure 1), hal. S1–S23. doi: 10.1055/s-0034-1396869.
- Broek, P. V. . dan Feenstra, L. (2010) *Anatomi dan Fisiologi Sinus Paranasal. Buku Saku Ilmu Kesehatan Tenggorok, Hidung, dan Telinga.* 12 ed. Jakarta: EGC.
- Brook, I. (2018) *Acute Sinusitis.* Tersedia pada: <https://emedicine.medscape.com/article/232670-overview#a4> (Diakses: 11 November 2020).
- Brown, C. (2008) “Chronic rhinosinusitis: ‘It’s my sinus doc!,’” *Australian Family Physician*, 37(4).



Chaudhari, R. S. *et al.* (2019) "Prevalence of Haller's cells: A panoramic study," *Annals of Maxillofacial Surgery*, 9(1), hal. 72–77.

Chen, S. *et al.* (2020) "Systematic literature review of the epidemiology and clinical burden of chronic rhinosinusitis with nasal polyposis," *Current Medical Research and Opinion*, 36(11), hal. 1897–1911. doi: 10.1080/03007995.2020.1815682.

Chen, Y., Dales, R. dan Lin, M. (2003) "The epidemiology of chronic rhinosinusitis in Canadians," *Laryngoscope*. doi: 10.1097/00005537-200307000-00016.

Chmielik, L. P. dan Chmielik, A. (2017) "The prevalence of the Onodi cell – Most suitable method of CT evaluation in its detection," *International Journal of Pediatric Otorhinolaryngology*, 97, hal. 202–205. doi: 10.1016/j.ijporl.2017.04.001.

Christanto, A. (2008) *Variasi Anatomi Sebagai Faktor Risiko Rinosinusitis Maksilaris Kronik*. Universitas Gadjah Mada.

Dasar, U. dan Gokce, E. (2016) "Evaluation of variations in sinonasal region with computed tomography," *World Journal of Radiology*, 8(1), hal. 98. doi: 10.4329/wjr.v8.i1.98.

Dhingra, P. dan Dhingra, S. (2014) *Disease of ear, nose and throat & head and neck surgery*. 6 ed. New Delhi: Elsevier.

Drake, R. L., Vogl, A. W. dan Mitchell, A. W. . (2015) *Gray's Anatomy for Students*. 3 ed. Philadelphia: Churchill Livingstone.

Dua, K. *et al.* (2005) "CT scan variations on chronic sinusitis," *Indian Journal of Radiology and Imaging*, 15(3).

Eschenbacher, W. H. dan Borish, L. (2019) "Nasal polyposis and future risk of sinonasal malignancy," *Journal of Allergy and Clinical Immunology*, 144(4), hal. 933–934. doi: 10.1016/j.jaci.2019.08.015.

Espinosa, W., Genito, R. dan Ramos, R. Z. (2018) "Anatomic variations of the nasal cavity and paranasal sinus and their correlation with chronic rhinosinusitis using Harvard staging system," *Journal of Otolaryngology-ENT Research*, 10(4), hal. 190–193. doi: 10.15406/joentr.2018.10.00343.

Fadda, G. L. *et al.* (2012) "Correlazione statistica multiparametrica tra variazioni anatomiche rinosinusali e rinosinusite cronica," *Acta Otorhinolaryngologica Italica*, 32(4), hal. 244–251.



Ference, E. H. et al. (2015) "Commentary on Gender Differences in Prevalence, Treatment, and Quality of Life of Patients with Chronic Rhinosinusitis," *Allergy & Rhinology*, 6(2), hal. ar.2015.6.0120. doi: 10.2500/ar.2015.6.0120.

Frinadya, N. et al. (2018) "Sinonasal Anatomical Variation in Chronic Rhinosinusitis Patients Based on CT Scan Finding," *International Journal of Health and Medical Sciences*, 4(2), hal. 196–202. doi: 10.20469/ijhms.40003-2.

Güngör, G., Okur, N. dan Okur, E. (2016) "Uncinate process variations and their relationship with ostiomeatal complex: A pictorial essay of multidector computed tomography (MDCT) findings," *Polish Journal of Radiology*, 81, hal. 173–180. doi: 10.12659/PJR.895885.

Hopkins, C. (2019) "Chronic Rhinosinusitis with Nasal Polyps," *New England Journal of Medicine*, 381(1), hal. 55–63. doi: 10.1056/nejmcp1800215.

Hosapatna, M., Ankolekar, V. dan Prasanna, L. (2018) "Size of Bulla Ethmoidalis and Sinonasal Mucosa: Does it Matters in Osteomeatal Complex Obstruction?," *International Journal of Anatomy and Applied Physiology*, hal. 87–90. doi: 10.19070/2572-7451-1800015.

Huang, E. I., Kuo, C. L. dan Lee, L. W. (2020) "A 16-Year Study on Incidence and Progression of Diseased Sphenoethmoidal (Onodi) Cell," *BioMed Research International*, 2020. doi: 10.1155/2020/2410415.

Hwang CS, Lee HS, Kim SN, Kim JH, Park D-J, Kim K-S. (2019) "Prevalence and Risk Factors of Chronic Rhinosinusitis in the Elderly Population of Korea," *American Journal of Rhinology & Allergy*, 33(3), hal. 240-246. doi:10.1177/1945892418813822

Iida, E. dan Anzai, Y. (2017) "Imaging of Paranasal Sinuses and Anterior Skull Base and Relevant Anatomic Variations," *Radiologic Clinics of North America*, 55(1), hal. 31–52. doi: 10.1016/j.rcl.2016.08.009.

Ikatan Dokter Indonesia (2014) *Panduan Praktik Klinis Bagi Dokter di Fasilitas Pelayanan Kesehatan Primer Edisi Revisi Tahun 2014*. 2 ed. Jakarta: Ikatan Dokter Indonesia.

Kalaiarasi, R., Ramakrishnan, V. dan Poyyamoli, S. (2018) "Anatomical variations of the middle turbinate concha bullosa and its relationship with chronic sinusitis: A prospective radiologic study," *International Archives of Otorhinolaryngology*, 22(3), hal. 297–302. doi: 10.1055/s-0038-1625978.

Kamdi, P. et al. (2018) "Evaluation of haller cell on CBCT and its association with maxillary sinus pathologies," *Journal of Indian Academy of Oral Medicine and Radiology*, 30(1), hal. 41. doi: 10.4103/jiaomr.jiaomr_22_18.



Kantarci, M. et al. (2004) “Remarkable anatomic variations in paranasal sinus region and their clinical importance,” *European Journal of Radiology*, 50(3), hal. 296–302. doi: 10.1016/j.ejrad.2003.08.012.

Karki, S. et al. (2016) “Prevalence of anatomical variations of the sinonasal region and their relationship with chronic rhinosinusitis,” *Kathmandu University Medical Journal*, 14(56), hal. 342–346.

Kaya, M. et al. (2018) “Role of Anatomic Variations of Paranasal Sinuses on the Prevalence of Sinusitis: Computed Tomography Findings of 350 Patients,” *Nigerian Journal of Clinical Practice* /, hal. 3–10.

Kaygusuz, A. et al. (2014) “Sinonasal Anatomical Variations: Their Relationship with Chronic Rhinosinusitis and Effect on the Severity of Disease—A Computerized Tomography Assisted Anatomical and Clinical Study,” *Indian Journal of Otolaryngology and Head and Neck Surgery*, 66(3), hal. 260–266. doi: 10.1007/s12070-013-0678-y.

Kazmi, K. dan Shames, J. (2015) “Imaging of the Paranasal Sinuses,” *J Am Osteopath Coll Radiol*, 4(3).

Khojastepour, L., Haghnegahdar, A. dan Khosravifard, N. (2017) “Role of Sinonasal Anatomic Variations in the Development of Maxillary Sinusitis: A Cone Beam CT Analysis,” *The Open Dentistry Journal*, 11, hal. 367–374. doi: 10.2174/1874210601711010367.

Kim, H. J. et al. (2019) “Nasal polyps and future risk of head and neck cancer: A nationwide population-based cohort study,” *Journal of Allergy and Clinical Immunology*, 144(4), hal. 1004–1010.e4. doi: 10.1016/j.jaci.2019.06.024.

Koo, S. K. et al. (2017) “The incidence of concha bullosa, unusual anatomic variation and its relationship to nasal septal deviation: A retrospective radiologic study,” *Auris Nasus Larynx*, 44(5), hal. 561–570. doi: 10.1016/j.anl.2017.01.003.

Lam, K., Schleimer, R. dan Kern, R. C. (2015) “The Etiology and Pathogenesis of Chronic Rhinosinusitis: a Review of Current Hypotheses,” *Current Allergy and Asthma Reports*, 15(7). doi: 10.1007/s11882-015-0540-2.

Mangunkusumo, E. dan Soetjipto, D. (2010) *Buku Ajar Telinga Hidung tenggorokan Kepala & Leher*. 6 ed. Jakarta: Balai Penerbit FKUI.

Moore, K. L., Dalley, A. F. dan Agur, A. M. . (2010) *Clinically Oriented Anatomy*. 6 ed. Philadelphia: Lippincott Williams & Wilkins.

Mustafa, M. et al. (2015) “Acute and Chronic Rhinosinusitis, Pathophysiology and Treatment,” *International Journal of Pharmaceutical Science Invention ISSN*, 4(2), hal. 30–36.



- Orhan, K., Aksoy, S. dan Oz, U. (2017) "CBCT Imaging of Paranasal Sinuses and Variations," *Paranasal Sinuses*. doi: 10.5772/intechopen.69090.
- Ozcan, K. M. et al. (2008) "Anatomical Variations of Nasal Turbinates," *THE JOURNAL OF CRANIOFACIAL SURGERY*, 19(6), hal. 1678–1682.
- Özdemir, A. dan Arslan, S. (2018) "Incidence of agger nasi and frontal cells and their relation to frontal sinusitis in a Turkish population : a CT study," 12(2), hal. 71–75. doi: 10.2399/ana.18.050.
- Patel, P. M. dan Jones, J. R. (2007) "Paranasal Sinus Disease and Infections," in *Ludman H. and Bradley, P.J. ABC of Ear, Nose and Throat*. 5 ed. USA: Blackwell Publishing Inc, hal. 37–38.
- Perić, A. dan Gačeša, D. (2008) "Etiology and pathogenesis of chronic rhinosinusitis," *Vojnosanitetski Pregled*, 65(9), hal. 699–702. doi: 10.2298/VSP0809699P.
- Pittore, B., Al-Safi, W. dan Jarvis, S. J. (2011) "Concha bullosa of the inferior turbinate: An unusual cause of nasal obstruction," *Acta Otorhinolaryngologica Italica*, 31(1), hal. 47–49.
- Prinja, S. et al. (2017) "Role of Concha Bullosa in Etiopathogenesis of Chronic Rhinosinusitis : A Clinical Study," 4(3), hal. 774–776.
- Putri, T. M. (2012) *Variasi anatomi hidung pada rinosinusitis kronik dengan polip hidung di RSUP Dr. Sardjito*. Universitas Gadjah Mada.
- Ramaswamy, P. et al. (2015) "Prevalence of Haller's cells in south Indian population using digital panoramic radiographs," *International Journal of Stomatology & Occlusion Medicine*, 8(1), hal. 12–16. doi: 10.1007/s12548-015-0119-5.
- Reddy, U. D. M. A. dan Dev, B. (2012) "Pictorial essay: Anatomical variations of paranasal sinuses on multidetector computed tomography-How does it help FESS surgeons?," *Indian Journal of Radiology and Imaging*, 22(4), hal. 317–324. doi: 10.4103/0971-3026.111486.
- Reeti, R. et al. (2020) "A CT Scan Study Showing Prevalence of Onodi Cells in Patients with Sinonasal Complaints," 08(12), hal. 209–213.
- Sazgar, A. et al. (2008) "The incidence of concha bullosa and the correlation with nasal septal deviation," *B-Ent*, 4(2), hal. 87–91.
- Sedaghat, A. R. (2017) "Chronic Rhinosinusitis," *American family physician*. doi: 10.1177/1755738019837295.



Senturk, M., et al. (2017). "The role of Onodi cells in sphenoiditis: results of multiplanar reconstruction of computed tomography scanning." *Brazilian Journal of Otorhinolaryngology*, 83(1), 88–93. <https://doi.org/10.1016/j.bjorl.2016.01.011>

Shalini, S. dan Gopal, T. (2018) "Paradoxical Curvature of Middle Turbinate: A Computed Tomographic Study," *International Journal of Contemporary Medical Research [IJCMR]*, 5(9). doi: 10.21276/ijcmr.2018.5.9.22.

Shi, J. B. et al. (2015) "Epidemiology of chronic rhinosinusitis: Results from a cross-sectional survey in seven Chinese cities," *Allergy: European Journal of Allergy and Clinical Immunology*, 70(5), hal. 533–539. doi: 10.1111/all.12577.

Sitinjak, N., Sorimuda dan Hiswani (2016) *Karakteristik Penderita Rinosinusitis Kronik di Rumah Sakit Santa Elisabeth Medan Tahun 2011-2015*. Universitas Sumatera Utara.

Slovick, A., Long, J. dan Hopkins, C. (2014) "Updates in the management of chronic rhinosinusitis," *Clinical Practice*, 11(6), hal. 649–663. doi: 10.2217/cpr.14.71.

Smith, K. D. et al. (2010) "The Prevalence of Concha Bullosa and Nasal Septal Deviation and Their Relationship to Maxillary Sinusitis by Volumetric Tomography," *International Journal of Dentistry*, 2010, hal. 1–5. doi: 10.1155/2010/404982.

Song, W. J. et al. (2019) "Chronic Rhinosinusitis with Nasal Polyps in Older Adults: Clinical Presentation, Pathophysiology, and Comorbidity," *Current Allergy and Asthma Reports*, 19(10). doi: 10.1007/s11882-019-0880-4.

Stevens, W. W. et al. (2015) "Chronic rhinosinusitis pathogenesis," *Journal of Allergy and Clinical Immunology*, 136(6), hal. 1442–1453. doi: 10.1016/j.jaci.2015.10.009.

Stevens, W. W., Schleimer, R. P. dan Kern, R. C. (2016) "Chronic Rhinosinusitis with Nasal Polyps," *Allergy Clin Immunol Pract*, 4(4), hal. 565–572. doi: 10.1016/j.jaip.2016.04.012.

Suh, J. D. dan Kennedy, D. W. (2011) "Treatment options for chronic rhinosinusitis," *Proceedings of the American Thoracic Society*, 8(1), hal. 132–140. doi: 10.1513/pats.201003-028RN.

Suhardi (2015) *Korelasi antara Haller Cell dengan Rhinosinusitis Maxillaris pada Pemeriksaan Multi Sclice Computed Tomography Kepala*. Universitas Gadjah Mada.



- Thimmaiah, V. T. dan Anupama, C. (2017) "Pneumatization patterns of onodi cell on multidetector computed tomography," *Journal of Oral and Maxillofacial Radiology*, 5(3), hal. 63–66. doi: 10.4103/jomr.jomr.
- Tiwari, R. dan Goyal, R. (2014) "Study of Anatomical Variations on CT in Chronic Sinusitis," *Indian Journal of Otolaryngology and Head and Neck Surgery*, 67(1), hal. 18–20. doi: 10.1007/s12070-014-0734-2.
- Tiwari, R. dan Goyal, R. (2019) "Role of Concha Bullosa in Chronic Rhinosinusitis," *Indian Journal of Otolaryngology and Head and Neck Surgery*, 71(1), hal. 128–131. doi: 10.1007/s12070-018-1497-y.
- Trihastuti, H., Budiman, B. J. dan Edison, E. (2015) "Profil Pasien Rinosinusitis Kronik di Poliklinik THT-KL RSUP DR.M.Djamil Padang," *Jurnal Kesehatan Andalas*, 4(3), hal. 877–882. doi: 10.25077/jka.v4i3.380.
- Wackym, P. A. dan Snow, J. B. (2016) *Ballenger's Otorhinolaryngology Head and neck surgery*. 18 ed, *Handbook of Clinical Anaesthesia, Fourth Edition*. 18 ed. Shelton: PMPH USA, Ltd.
- Wang, X. et al. (2016) "Diversity of TH cytokine profiles in patients with chronic rhinosinusitis: A multicenter study in Europe, Asia, and Oceania," *Journal of Allergy and Clinical Immunology*, 138(5), hal. 1344–1353. doi: 10.1016/j.jaci.2016.05.041.
- Won, H. K. et al. (2018) "Age-related prevalence of chronic rhinosinusitis and nasal polyps and their relationships with asthma onset," *Annals of Allergy, Asthma and Immunology*, 120(4), hal. 389–394. doi: 10.1016/j.anai.2018.02.005.
- Xu, Y. et al. (2016) "Prevalence and incidence of diagnosed chronic rhinosinusitis in Alberta, Canada," *JAMA Otolaryngology - Head and Neck Surgery*, 142(11), hal. 1063–1069. doi: 10.1001/jamaoto.2016.2227.
- Yenigün, A. et al. (2016) "Prevalence of pneumatized uncinate process and accompanying neighboring variations," *Kulak burun bogaz ihtisas dergisi : KBB = Journal of ear, nose, and throat*, 26(4), hal. 195–200. doi: 10.5606/kbbihtisas.2016.54280.
- Yurochko, F. (2018) "Chronic rhinosinusitis with polyps in children Przewlekłe zapalenie zatok przynosowych z polipami u dzieci," *Otorynolaryngologia*, 17(4), hal. 165–169.
- Zhang, Y. et al. (2017) "Chronic rhinosinusitis in Asia," *Journal of Allergy and Clinical Immunology*, 140(5), hal. 1230–1239. doi: 10.1016/j.jaci.2017.09.009.