

TABLE OF CONTENTS

COVER	i
RATIFICATION PAGE	ii
STATEMENT PAGE	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENTS	vi
LIST OF ABBREVIATIONS	ix
LIST OF FIGURES	x
LIST OF TABLES	xi
APPENDICES	xii
ABSTRACT	xiii
CHAPTER I. INTRODUCTION	1
1.1. Background	1
1.2. Problem Formulation.....	3
1.3. Study Objectives.....	3
1.4. Study Originality	3
1.5. Research Benefit.....	4
CHAPTER II. LITERATURE REVIEW	5
2.1. Literature Review	5
2.1.1. Hallmarks of Cancer	5
2.1.2. Breast Cancer	6
2.1.3. Butterfly Pea (<i>Clitoria ternatea</i> Linn.)	9
2.1.4. The E-cadherin Gene Expression.....	10
2.1.5. Epithelial to Mesenchymal Transition Role in Breast Cancer Metastasis	12
2.1.6. The E-cadherin and Cancer Progression.....	13
2.1.7. Quercetin Role in Modulating Gene Expression	14
2.2. Theoretical Framework	15
2.3. Conceptual Framework	16
2.4. Hypothesis	16
CHAPTER III. METHODS	15
3.1. Time and Location of The Research	15

3.2. Study Design	15
3.3. Study Variables and Operational Definition of Variables.....	16
3.3.1. Study Variables.....	16
3.3.2. Operational Definition of Variables	16
3.4. Study Flow	17
3.5. Research Tools	17
3.5.1. Tools for Extraction and Phytochemical Analysis	17
3.5.2. Tools for <i>In vitro</i> Assay	17
3.6. Research Materials	18
3.6.1. Materials for Extraction and Phytochemical Analysis	18
3.6.2. Materials for <i>in vitro</i> Assay	18
3.7. Research Procedure	19
3.7.1. Butterfly Pea Determination	19
3.7.2. Butterfly Pea Leaf Extraction	19
3.7.3. Phytochemical Identification	20
3.7.5. The Half Maximal Inhibitory Concentration (IC ₅₀) Determination	23
3.7.6. Cancer Cell Migration Assay	24
3.7.7. The mRNA Expression Assay of E-cadherin.....	26
3.8. Data Analysis	29
3.8.1. The Half Maximal Inhibitory Concentration (IC ₅₀) Determination	29
3.8.2. Cancer Cell Migration Assay	30
3.8.3. The E-cadherin mRNA Expression Assay	31
CHAPTER IV. RESULT AND DISCUSSION	29
4.1. The Half Maximal Inhibitory Concentration (IC ₅₀) Determination	29
4.4. Migration Assay	30
4.5. The mRNA Expression Quantification	33
CHAPTER V. CONCLUSION AND SUGGESTION	40
5.1. Conclusion.....	40
5.2. Suggestion	40
REFERENCES.....	42

APPENDIX	46
Appendix 1. Plant Determination Certificate	47
Appendix 2. Ethical Clearance	48

LIST OF ABBREVIATIONS

E-cadherin	: Epithelial Cadherin
EMT	: Epithelial to Mesenchymal Transition
ER	: Estrogen Receptor
HER2	: Human Epidermal Growth Factor Receptor
PCR	: Polymerase Chain Reaction
PR	: Progesterone Receptor
TNBC	: Triple Negative Breast Cancer
VEGF	: Vascular Endothelial Growth Factor
WNT	: Wingless-related Integration Site

LIST OF FIGURES

Figure 1. Targeted therapy of the hallmarks of cancer	5
Figure 2. Butterfly pea (<i>Clitoria ternatea</i> Linn.)	10
Figure 3. E-cadherin bound to catenin protein.....	11
Figure 4. Hippo-Yap Pathway (Mendonsa <i>et al.</i> , 2018)	12
Figure 5. Theoretical framework	155
Figure 6. Conceptual framework	16
Figure 8. TLC visualized under 254 nm UV and 366 nm UV	22
Figure 9. Three locations of the well where the scratch wound was photographed	26
Figure 10. Butterfly pea leaf extract concentration vs scratch closure in 0-, 24-, 48-, and 72- hours interval	32
Figure 11. Butterfly pea leaf extract vs migration rate of 4T1 breast cancer cell.	33
Figure 12. Butterfly pea leaf extract was shown to modulate the epithelial-mesenchymal transition (EMT) process	36

LIST OF TABLES

Table 1. Several associated studies	3
Table 2. Absorbance of each well of 4T1 cell treated with eight series of concentration of butterfly pea leaf extract	290
Table 3. Total RNA concentration and purity obtained from RNA isolation.....	334
Table 4. The integrated density of E-cadherin, GAPDH, and E-cadherin/GAPDH electrophoresis band.....	346

APPENDICES

Appendix 1. Plant Determination Certificate.....	47
Appendix 2. Ethical Clearance.....	48