

REFERENCES

- Anonymous. 2019. *Breast cancer*. [online] World Health Organization. Available at: <https://www.who.int/cancer/prevention/diagnosis-screening/breast-cancer/en/> [Accessed 22 Nov. 2019].
- Balaji, K. and Shivaprakash, P., 2016. Angio Suppressive Effect of *Clitoria ternatea* Flower Extract is Mediated by HIF-1 α and Down Regulation of VEGF in Murine Carcinoma Model. *Medicinal chemistry*, 6(7).
- Bray F, Ferlay J, Soerjomataram I, Siegel R, Torre L, and Jemal A. 2018. Global Cancer Statistics 2018: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A Cancer Journal for Clinicians*, 0(0), pp.1-31.
- Cory, G., 2011. Scratch-Wound Assay. *Methods in Molecular Biology*, 769, pp.25-30.
- Fearon, E. 2019. Cancer: Context Is Key for E-cadherin in Invasion and Metastasis. *Current Biology*, 29(21), R1140-R1142.
- Feng, Y., Spezia, M., Huang, S., Yuan, C., Zeng, Z., Zhang, L., Ji, X., Liu, W., Huang, B., Luo, W., Liu, B., Lei, Y., Du, S., Vuppapapati, A., Luu, H., Haydon, R., He, T. and Ren, G. 2018. Breast cancer development and progression: Risk factors, cancer stem cells, signaling pathways, genomics, and molecular pathogenesis. *Genes & Diseases*, 5(2), pp.77-106.
- Fried, B. and Sherma, J., 1999. *Thin-Layer Chromatography*. 4th ed. New York, NY: Marcel Dekker.
- Gollen, B., Mehla, J., and Gupta, P. *Clitoria ternatea* Linn.: A Herb with Potential Pharmacological Activities: Future Prospects as Therapeutic Herbal Medicine. *J Pharma Reports*, 3(1), pp. 1-8.
- Hanahan, D. and Weinberg, R. 2011. Hallmarks of Cancer: The Next Generation. *Cell*, 144(5), pp.646-674.
- Hastings, P., 2001. Complementary DNA (cDNA). *Encyclopedia of Genetics*, p.433.
- Hu, Y., Dai, M., Zheng, Y., Wu, J., Yu, B., Zhang, H., Kong, W., Wu, H. and Yu, X. 2018. Epigenetic suppression of E-cadherin expression by Snail2 during the metastasis of colorectal cancer. *Clinical Epigenetics*, 10(1), pp.1-9.

- Jeyaraj, E., Lim, Y. and Choo, W., 2020. Extraction methods of butterfly pea (*Clitoria ternatea*) flower and biological activities of its phytochemicals. *Journal of Food Science and Technology*,.
- Kajabova, V., Smolkova, B., Zmetakova, I., Sebova, K., Krivulcik, T., Bella, V., Kajo, K., Machalekova, K. and Fridrichova, I., 2013. RASSF1A Promoter Methylation Levels Positively Correlate with Estrogen Receptor Expression in Breast Cancer Patients. *Translational Oncology*, 6(3), pp.297-305.
- Karimi, A., Majlesi, M., Rafieian-Kopaei, M. 2015. Herbal Versus Synthetic Drugs; Beliefs and Facts. *J. Nephropharmacol*, 4(1), pp.27-30.
- Kedhari Sundaram, M., Hussain, A., Haque, S., Raina, R. and Afroze, N., 2019. Quercetin modifies 5'CpG promoter methylation and reactivates various tumor suppressor genes by modulating epigenetic marks in human cervical cancer cells. *Journal of Cellular Biochemistry*, 120(10), pp.18357-18369.
- Khatoon, S., Irshad, S., Rawat, A.K.S., Misra, P.K. 2015. Comparative Pharmacognostical Studies of Blue and White Flower Varieties of *Clitoria ternatea*. *J Pharmacogn Nat Prod*, 1(1), pp. 1-6.
- Liang, C., Park, A. and Guan, J., 2007. In vitro scratch assay: a convenient and inexpensive method for analysis of cell migration in vitro. *Nature Protocols*, 2(2), pp.329-333.
- Liao, T. and Yang, M. 2017. Revisiting epithelial-mesenchymal transition in cancer metastasis: the connection between epithelial plasticity and stemness. *Molecular Oncology*, 11(7), pp.792-804.
- Liu, X. and Chu, K. 2014. E-Cadherin and Gastric Cancer: Cause, Consequence, and Applications. *BioMed Research International*, 2014, pp.1-9.
- Lobbezoo, D., van Kampen, R., Voogd, A., Dercksen, M., van den Berkmoortel, F., Smilde, T., van de Wouw, A., Peters, F., van Riel, J., Peters, N., de Boer, M., Peer, P. and Tjan-Heijnen, V. 2015. Prognosis of metastatic breast cancer: are there differences between patients with de novo and recurrent metastatic breast cancer ?. *British Journal of Cancer*, 112(9), pp.1445-1451.
- Mendonsa, A., Na, T. and Gumbiner, B. 2018. E-cadherin in contact inhibition and cancer. *Oncogene*, 37(35), pp.4769-4780.
- Miladiyah, I. 2018. Uji Sitotoksitas dan Kombinasi, Kajian *Quantitative Structure-Activity Relationship* (QSAR) Senyawa Turunan Xanton terhadap Sel Kanker Kolorektal (WiDR) dan Limfoma (Raji) serta Mekanisme Aksinya Secara

Molecular Docking: Kajian Ekspresi mRNA COX-2, VEGF, dan Telomerase. pp. 40-59.

- Momenimovahed, Z. and Salehiniya, H. 2019. Epidemiological Characteristics of and Risk Factors for Breast Cancer in the World. *Dove Press*, 11, pp.151-164.
- Oguis, G., Gilding, E., Jackson, M. and Craik, D. (2019). Butterfly Pea (*Clitoria ternatea*), a Cyclotide-Bearing Plant With Applications in Agriculture and Medicine. *Frontiers in Plant Science*, 10.
- Rebouças, E., Costa, J., Passos, M., Passos, J., Hurk, R. and Silva, J., 2013. Real time PCR and importance of housekeeping genes for normalization and quantification of mRNA expression in different tissues. *Brazilian Archives of Biology and Technology*, 56(1), pp.143-154.
- Rode, H. J. 2008. Apoptosis, Cytotoxicity, and Cell Proliferation 4th Ed. *Roche Diagnostics GmbH*. pp. 1-178.
- Padmanaban, V., Krol, I., Suhail, Y., Szczerba, B., Aceto, N., Bader, J. and Ewald, A. 2019. E-cadherin is required for metastasis in multiple models of breast cancer. *Nature*, 573(7774), pp.439-444.
- Panche, A., Diwan, A. and Chandra, S. (2016). Flavonoids: an overview. *Journal of Nutritional Science*, 5(47), pp.1-15.
- Pubchem, 2020. *Quercetin*. [online] Pubchem.ncbi.nlm.nih.gov. Available at: <<https://pubchem.ncbi.nlm.nih.gov/compound/Quercetin>> [Accessed 17 December 2020].
- Pulaski, B. and Ostrand-Rosenberg, S. 2000. Mouse 4T1 Breast Tumor Model. *Current Protocols in Immunology*, 39(1).
- Ribeiro-Filho, L., Franks, J., Sasaki, M., Shiina, H., Li, L., Nojima, D., Arap, S., Carroll, P., Enokida, H., Nakagawa, M., Yonezawa, S. and Dahiya, R., 2002. CpG hypermethylation of promoter region and inactivation of E-cadherin gene in human bladder cancer. *Molecular Carcinogenesis*, 34(4), pp.187-198.
- Shargh, S., Sakizli, M., Khalaj, V., Movafagh, A., Yazdi, H., Hagigatjou, E., Sayad, A., Mansouri, N., Mortazavi-Tabatabaei, S. and Khorram Khorshid, H., 2014. Downregulation of E-cadherin expression in breast cancer by promoter hypermethylation and its relation with progression and prognosis of tumor. *Medical Oncology*, 31(11).

- Srinivasan, A., Thangavel, C., Liu, Y., Shoyele, S., Den, R., Selvakumar, P. and Lakshmikuttyamma, A. (2015). Quercetin regulates β -catenin signaling and reduces the migration of triple negative breast cancer. *Molecular Carcinogenesis*, 55(5), pp.743-756.
- Srinivas, B. K, Shivamadhhu, M., Siddappaji, K., Krishnappa, D. and Jayarama, S. (2019). Angiosuppressive effects of bio-fabricated silver nanoparticles synthesis using *Clitoria ternatea* flower: an in vitro and in vivo approach. *JBIC Journal of Biological Inorganic Chemistry*, 24(7), pp.1115-1126.
- Srinivas, B. K. and Shivaprakash, P. 2016. Angio Suppressive Effect of *Clitoria ternatea* Flower Extract is Mediated by HIF-1 α and Down Regulation of VEGF in Murine Carcinoma Model. *Medicinal chemistry*, 6(7).
- Stockler, M., Wilcken, N., Coates, A. and Gherzi, D. 2018. Duration of chemotherapy for metastatic breast cancer. *Cochrane Database of Systematic Reviews*, (2).
- Walker, D. and Southgate, J., 2013. The modulatory effect of cell–cell contact on the tumourigenic potential of pre-malignant epithelial cells: a computational exploration. *Journal of The Royal Society Interface*, 10(78), p.20120703.
- Younis, L., Sakka, H. and Haque, I., 2007. The Prognostic Value of E-cadherin Expression in Breast Cancer. *International Journal of Health Sciences*, [online] 1(1). Available at: <<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3068666/>> [Accessed 11 January 2021].