

## REFERENCES

- Aguado, J., Serrano, D.P., San Miguel, G., Castro, M.C., and Madrid, S., 2007, Feedstock recycling of polyethylene in a two-step thermo-catalytic reaction system, *J. Anal. Appl. Pyrolysis*, 79, 415–423.
- Ahmadi, S., Yuan, Z., Rohani, S., and Xu, C., 2016, Effects of nano-structured CoMo catalysts on hydrodeoxygenation of fast pyrolysis oil in supercritical ethanol, *Catal. Today*, 269, 182–194.
- Amin, K.A., Wijaya, K., and Trisunaryanti, W., 2018, The catalytic performance of ZrO<sub>2</sub>-SO<sub>4</sub> and Ni/ZrO<sub>2</sub>-SO<sub>4</sub> prepared from commercial ZrO<sub>2</sub> in Hydrocracking of LDPE plastic waste into liquid fuels, *Orient. J. Chem.*, 34, 3070.
- Anand, M., Sibi, M.G., Verma, D., and Sinha, A.K., 2014, Anomalous hydrocracking of triglycerides over CoMo-catalyst-influence of reaction intermediates, *J. Chem. Sci.*, 126, 473–480.
- Argyle, M.D. and Bartholomew, C.H., 2015, Heterogeneous catalyst deactivation and regeneration: A review, *Catalysts*, 5, 145–269.
- Bezergianni, S. and Kalogianni, A., 2009, Hydrocracking of used cooking oil for biofuels production, *Bioresour. Technol.*, 100, 3927–3932.
- Borowiecki, T., Denis, A., Gac, W., Dziembaj, R., Piwowarska, Z., and Drozdek, M., 2004, Oxidation-reduction of Ni/Al<sub>2</sub>O<sub>3</sub> steam reforming catalysts promoted with Mo, *Appl. Catal. A Gen.*, 274, 259–267.
- Cao, X., Li, L., Shitao, Y., Liu, S., Hailong, Y., Qiong, W., and Ragauskas, A.J., 2019, Catalytic conversion of waste cooking oils for the production of liquid hydrocarbon biofuels using in-situ coating metal oxide on SBA-15 as heterogeneous catalyst, *J. Anal. Appl. Pyrolysis*, 138, 137–144.
- Chai, M., Tu, Q., Lu, M., and Yang, Y.J., 2014, Esterification pretreatment of free fatty acid in biodiesel production, from laboratory to industry, *Fuel Process. Technol.*, 125, 106–113.
- Charmas, B., Kucio, K., Sydoruk, V., Khalameida, S., Zięzio, M., and Nowicka, A., 2018, Characterization of multimodal silicas using TG/DTG/DTA, Q-TG, and DSC methods, *Colloids and Interfaces*, 3, 1–18.
- Corma, A. and Orchillés, A. V., 2000, Current views on the mechanism of catalytic

cracking, *Microporous Mesoporous Mater.*, 35, 21–30.

- De, S., Zhang, J., Luque, R., and Yan, N., 2016, Ni-based bimetallic heterogeneous catalysts for energy and environmental applications, *Energy Environ. Sci.*, 9, 3314–3347.
- Degfie, T.A., Mamo, T.T., and Mekonnen, Y.S., 2019, Optimized biodiesel production from waste cooking oil (WCO) using Calcium Oxide (CaO) nano-catalyst, *Sci. Rep.*, 9, 1–8.
- De Souza, P.M., Rabelo-Neto, R.C., Borges, L.E.P., Jacobs, G., Davis, B.H., Sooknoi, T., Resasco, D.E., and Nooronha, F.B., 2015, Role of keto intermediates in the hydrodeoxygenation of phenol over Pd on oxophilic supports, *ACS Catal.*, 5, 1318–1329.
- Fadhel, A.Z., Pollet, P., Liotta, C.L., and Eckert, C.A., 2010, Combining the benefits of homogeneous and heterogeneous catalysis with tunable solvents and nearcritical water, *Molecules*, 15, 8400–8424.
- Fang, Z., Shi, D., Lin, N., Li, A., Wu, Q., Wang, Q., Zhao, Y., Feng, C., Jiao, Q., and Li, H., 2019, Probing the synergistic effect of Mo on Ni-based catalyst in the hydrogenation of dicyclopentadiene, *Appl. Catal. A Gen.*, 574, 60–70.
- Faro, A.C. and dos Santos, A.C.B., 2006, Cumene hydrocracking and thiophene HDS on niobia-supported Ni, Mo and Ni-Mo catalysts, *Catal. Today*, 118, 402–409.
- Gui, M.M., Lee, K.T., and Bhatia, S., 2008, Feasibility of edible oil vs. non-edible oil vs. waste edible oil as biodiesel feedstock, *Energy*, 33, 1646–1653.
- Guo, F., Guo, S., Qiu, Z., Zhao, L., and Xiang, H., 2014, Effects of impregnation methods and drying conditions on quinoline hydrodenitrogenation over Ni-W based catalysts, *J. Braz. Chem. Soc.*, 25, 750–758.
- Haag, W. C. and Dessau, R.M., 1984, Duality of Mechanism in Acid-Catalyzed Paraffin Cracking. *Proceedings of the 8<sup>th</sup> Congress on Catalysis*, Verlag Chemie: Weinheim.
- Hartati, Trisunaryanti, W., Mukti, R.R., Kartika, I.A., Firda, P.B.D., Sumbogo, S.D., et al., 2020, Highly selective hierarchical ZSM-5 from kaolin for catalytic cracking of Calophyllum inophyllum oil to biofuel, *J. Energy Inst.*, 93, 2238–2246.

- Hasanudin, Said, M., Faizal, M., Dahlan, M.H., and Wijaya, K., 2012, Hydrocracking of oil residue from palm oil mill effluent to biofuel, *Sustain. Environ. Res.*, 22, 395-400.
- Hauli, L., Wijaya, K., and Armunanto, R., 2019, Preparation of Cr Metal supported on sulfated zirconia catalyst, 948, 221–227.
- Hauli, L., Wijaya, K., and Syoufian, A., 2020, Fuel production from LDPE-based plastic waste over chromium supported on sulfated zirconia, *Indones. J. Chem.*, 20, 422–429.
- Huang, D., Zhou, H., and Lin, L., 2012, Biodiesel : an alternative to conventional fuel, *Energy Procedia*, 16, 1874–1885.
- Istadi, I., Riyanto, T., Buchori, L., Anggoro, D.D., Pakpahan, A.W.S., and Pakpahan, A.J., 2021, Biofuels production from catalytic cracking of palm oil using modified by zeolite catalysts over a continuous fixed bed catalytic reactor, *Int. J. Renew. Energy Dev.*, 10, 149–156.
- Jaarin, K. and Kamisah, Y., 2012, Repeatedly heated vegetable oils and lipid peroxidation, *Lipid Peroxidation*, InTech Open, London.
- Khalil, K.M.S., 2007, Cerium modified MCM-41 nanocomposite materials via a nonhydrothermal direct method at room temperature, *J. Colloid Interface Sci.*, 315, 562–568.
- Kharina, A., Searle, S., Rachmadini, D., Kurniawan, A.A., and Prionggo, A., 2018, The potential economic, health and greenhouse gas benefits of incorporating used cooking oil into Indonesia's biodiesel, *White Paper*, 26, 1-20.
- El Khatib, S.A., Hanafi, S.A., Barakat, Y., and Al-Amrousi, E.F., 2018, Hydrotreating rice bran oil for biofuel production, *Egypt. J. Pet.*, 27, 1325–1331.
- Kim, H.J., Kang, B.S., Kim, M.J., Park, Y.M., Kim, D.K., Lee, J.S., and Lee, K.Y., 2004, Transesterification of vegetable oil to biodiesel using heterogeneous base catalyst, *Catal. Today*, 93–95, 315–320.
- Kim, Y., Kim, J., and Kim, D.H., 2018, Investigation on the enhanced catalytic activity of a Ni-promoted Pd/C catalyst for formic acid dehydrogenation: Effects of preparation methods and Ni/Pd ratios, *RSC Adv.*, 8, 2441–2448.
- Knothe, G., 2010, Biodiesel and renewable diesel: A comparison, *Prog. Energy*

*Combust. Sci.*, 36, 364–373.

Kulkarni, M.G. and Dalai, A.K., 2006, Waste cooking oil - An economical source for biodiesel: A review, *Ind. Eng. Chem. Res.*, 45, 2901–2913.

Kumar, C.S.S.R. and Mohammad, F., 2011, Magnetic nanomaterials for hyperthermia-based therapy and controlled drug delivery, *Adv. Drug Deliv. Rev.*, 63, 789–808.

Kurnia, J.C., Jangam, S. V., Akhtar, S., Sasmito, A.P., and Mujumdar, A.S., 2016, Advances in biofuel production from oil palm and palm oil processing wastes: A review, *Biofuel Res. J.*, 3, 332–346.

Kusumastuti, H., 2017, Sintesis silika alumina mesopori dari lumpur lapindo sebagai pengemban logam Ni, Mo, dan MoNi untuk katalis hidrroengkah hasil pirolisis  $\alpha$ -Selulosa, *Tesis*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam UGM, Yogyakarta.

Lee, H.W., Jun, B.R., Kim, H., Kim, D.H., Jeon, J.K., Park, S.H., Ko, C.H., Kim, T.W., and Park, Y.K., 2015, Catalytic hydrodeoxygenation of 2-methoxy phenol and dibenzofuran over Pt/mesoporous zeolites, *Energy*, 81, 33–40.

Lee, S. and Aris, R., 1985, The distribution of active ingredients in supported catalysts prepared by impregnation, *Catal. Rev. Sci. Eng.*, 27, 207–340.

Li, J., Wang, X., Zhu, W., and Cao, F., 2009, Zn<sub>1.2</sub>H<sub>0.6</sub>PW<sub>12</sub>O<sub>40</sub> nanotubes with double acid sites as heterogeneous catalysts for the production of biodiesel from waste cooking oil, *ChemSusChem*, 2, 177–183.

Li, X., Luo, X., Jin, Y., Li, J., Zhang, H., Zhang, A., and Xie, J., 2018, Heterogeneous sulfur-free hydrodeoxygenation catalysts for selectively upgrading the renewable bio-oils to second generation biofuels, *Renew. Sustain. Energy Rev.*, 82, 3762–3777.

Lu, M., Liu, X., Li, Y., Nie, Y., Lu, X., Deng, D., Xie, Q., and Ji, J., 2016, Hydrocracking of bio-alkanes over Pt/Al-MCM-41 mesoporous molecular sieves for bio-jet fuel production, *J. Renew. Sustain. Energy*, 8, 1–12.

Malaibari, Z.O., Croiset, E., Amin, A., and Epling, W., 2015, Effect of interactions between Ni and Mo on catalytic properties of a bimetallic Ni-Mo/Al<sub>2</sub>O<sub>3</sub> propane reforming catalyst, *Appl. Catal. A Gen.*, 490, 80–92.

Mampuru, M.B., Nkazi, D.B., and Mukaya, H.E., 2020, Hydrocracking of waste

cooking oil into biogasoline in the presence of a bi-functional Ni-Mo/alumina catalyst. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 42(20), 2564-2575.

Masykuroh, A., Trisunaryanti, W., Falah, I.I., and Sutarno, 2016, Preparation and characterization of Co and Co-Mo loaded on mesoporous silica for hydrocracking of waste lubricant, *Int. J. ChemTech Res.*, 9, 598–606.

Melo-Espinosa, E.A., Piloto-Rodríguez, R., Goyos-Pérez, L., Sierens, R., and Verhelst, S., 2015, Emulsification of animal fats and vegetable oils for their use as a diesel engine fuel: An overview, *Renew. Sustain. Energy Rev.*, 47, 623–633.

Narayan, R., Nayak, U.Y., Raichur, A.M., and Garg, S., 2018, Mesoporous silica nanoparticles: A comprehensive review on synthesis and recent advances, *Pharmaceutics*, 10, 1–49.

Niwa, M., 2005, IRMS – TPD of ammonia for characterization of acid site in zeolite, *Microporous Mesoporous Mater.*, 82, 105–112.

No, S.Y., 2011, Inedible vegetable oils and their derivatives for alternative diesel fuels in CI engines: A review, *Renew. Sustain. Energy Rev.*, 15, 131–149.

Nurmalasari, Trisunaryanti, W., Sutarno, and Falah, I.I., 2016, Mesoporous silica impregnated by Ni and NiMo as catalysts for hydrocracking of waste lubricant, *Int. J. ChemTech Res.*, 9, 607–614.

Ooi, X.Y., Gao, W., Ong, H.C., Lee, H.V., Juan, J.C., Chen, W.H., and Lee, K.T., 2019, Overview on catalytic deoxygenation for biofuel synthesis using metal oxide supported catalysts, *Renew. Sustain. Energy Rev.*, 112, 834–852.

Pal, N. and Bhaumik, A., 2015, Mesoporous materials: Versatile supports in heterogeneous catalysis for liquid phase catalytic transformations, *RSC Adv.*, 5, 24363–24391.

Parlett, C.M.A., Wilson, K., and Lee, A.F., 2013, Hierarchical porous materials: Catalytic applications, *Chem. Soc. Rev.*, 42, 3876–3893.

Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2014, *Introduction to spectroscopy*, Nelson Education.

Pisal, A.A. and Rao, A.V., 2016, Comparative studies on the physical properties of TEOS, TMOS and Na<sub>2</sub>SiO<sub>3</sub> based silica aerogels by ambient pressure drying

method, *J. Porous Mater.*, 23, 1547–1556.

Peng, P., Gao, X. H., Yan, Z. F., and Mintova, S., 2020, Diffusion and catalyst efficiency in hierarchical zeolite catalysts. *National Science Review*, 7(11), 1726-1742.

Ramya, G., Sudhakar, R., Joice, J.A.I., Ramakrishnan, R., and Sivakumar, T., 2012, Liquid hydrocarbon fuels from jatropha oil through catalytic cracking technology using AIMCM-41/ZSM-5 composite catalysts, *Appl. Catal. A Gen.*, 433–434, 170–178.

Reshetnikov, S.I., Ivanov, E.A., and Startsev, A.N., 2007, Benzene hydrogenation in the thiophene presence over the sulfide Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalyst under periodic operation: Kinetics and process modelling, *Chem. Eng. J.*, 134, 100–105.

Salamah, S., Trisunaryanti, W., Kartini, I., and Purwono, S., 2021, Hydrocracking of Waste Cooking Oil into Biofuel using Mesoporous Silica from Parangtritis Beach Sand Synthesis by Sonochemistry, 1-19.

Satterfield, C.N., 1991, *Heterogeneous catalysis in industrial practice*, 2<sup>nd</sup> edition, United States.

Setyawan, H. and Balqis, R., 2012, Mesoporous silicas prepared from sodium silicate using gelatin templating, *Asia-Pacific J. Chem. Eng.*, 7, 448–454.

Sie, S.T., 1992, Acid-Catalyzed cracking of paraffinic hydrocarbons. 1. discussion of existing mechanisms and proposal of a new mechanism, *Ind. Eng. Chem. Res.*, 31, 1881–1889.

Sierra-Salazar, A.F., Li, W.S.J., Bathfield, M., Ayril, A., Abate, S., Chave, T., Nikitenko, S.I., Hulea, V., Perathoner, S., and Lacrorx-Desmazes. P., 2018, Hierarchically porous Pd/SiO<sub>2</sub> catalyst by combination of miniemulsion polymerisation and sol-gel method for the direct synthesis of H<sub>2</sub>O<sub>2</sub>, *Catal. Today*, 306, 16–22.

Silverstein, Bassler dan Morrill, 1981, *Spectroscopic Identification of Organic Compound*, 4<sup>th</sup> Edition, New York, John Wiley & Sons.

Sing, K.S.W., 1982, Reporting physisorption data for gas/solid systems, *Pure Appl. Chem.*, 57, 603–619.

Singh, D., Sharma, D., Soni, S.L., Sharma, S., Kumar Sharma, P., and Jhalani, A.,

- 2019, A review on feedstocks, production processes, and yield for different generations of biodiesel, *Fuel*, 262, 116553
- Srivastava, A. and Prasad, R., 2000, Triglycerides-based diesel fuels, *Renew. Sustain. energy Rev.*, 4, 111–133.
- Srivastava, R.K., Shetti, N.P., Reddy, K.R., and Aminabhavi, T.M., 2020, Biofuels, biodiesel and biohydrogen production using bioprocesses. A review, *Environ. Chem. Lett.*, 18, 1049–1072.
- Sumbogo, S.D., 2019, Sintesis hierarki karbon aktif dari kayu merbau manokwari untuk pengemban logam Co, Ni, dan Pd sebagai katalis hidrerenkahan minyak nyamplung menjadi fraksi bensin dan solar synthesis, *Skripsi*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam UGM, Yogyakarta.
- Tamura, M., Shimizu, K. I., and Satsuma, A., 2012, Comprehensive IR study on acid/base properties of metal oxides. *Applied Catalysis A: General*, 433, 135–145.
- Thakur, A.K., Nisola, G.M., Limjuco, L.A., Parohinog, K.J., Torrejos, R.E.C., Shahi, V.K., and Chung, W.J., 2017, Polyethylenimine-modified mesoporous silica adsorbent for simultaneous removal of Cd(II) and Ni(II) from aqueous solution, *J. Ind. Eng. Chem.*, 49, 133–144.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J.P., Rodriguez-Reinoso, F., Rouquerol, J., and Sing, K.S.W., 2015, Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report), *Pure Appl. Chem.*, 87, 1051–1069.
- Ting, C.C., Wu, H.Y., Vetrivel, S., Saikia, D., Pan, Y.C., Fey, G.T.K., and Kao, H.M., 2010, A one-pot route to synthesize highly ordered mesoporous carbons and silicas through organic-inorganic self-assembly of triblock copolymer, sucrose and silica, *Microporous Mesoporous Mater.*, 128, 1–11.
- Trisunaryanti, W., Kartika, I.A., Mukti, R.R., Hartati, H., Triyono, T., Widyawati, R., and Suarsih, E., 2019, Preparation of Ni- and Mo-based catalysts supported on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> for hydrocracking of Calophyllum inophyllum oil, *Biofuels*, 7269, 1–6.
- Tušar, N.N., Kaučič, V., and Logar, N.Z., 2013, Functionalized porous silicates as catalysts for water and air purification, *New Futur. Dev. Catal. Hybrid Mater. Compos. Organocatalysts*, 22, 365–383.

- Utami, M., Trisunaryanti, W., Shida, K., Tsushida, M., Kawakita, H., Ohto, K., Wijaya, K., and Taminaga, M., 2019, Hydrothermal preparation of a platinum-loaded sulphated nanozirconia catalyst for the effective conversion of waste low density polyethylene into gasoline-range hydrocarbons, *RSC Adv.*, 9, 41392–41401.
- Utami, M., Wijaya, K., and Trisunaryanti, W., 2018, Pt-promoted sulfated zirconia as catalyst for hydrocracking of LDPE plastic waste into liquid fuels, *Mater. Chem. Phys.*, 213, 548–555.
- Vinoda, B.M., Vinuth, M., Bodke, Y., and Manjanna, J., 2015, Photocatalytic degradation of toxic methyl red dye using silica nanoparticles synthesized from rice husk ash, *J. Environ. Anal. Toxicol.*, 05, 1–4.
- Wang, J.X., Li, Y.Z., Mao, Y.F., Li, E.H., Ning, X., and Ji, X.Y., 2018, Comparative study of the heating surface impact on porous-material-involved spray system for electronic cooling – an experimental approach, *Appl. Therm. Eng.*, 135, 537–548.
- Wang, X., Saleh, R.Y., and Ozkan, U.S., 2005, Reaction network of aldehyde hydrogenation over sulfided Ni-Mo/Al<sub>2</sub>O<sub>3</sub> catalysts, *J. Catal.*, 231, 20–32.
- Whitmore, F.C., 1934, Mechanism of the Polymerization of Olefins by Acid Catalysts, *Ind. Eng. Chem.*, 26, 94–95.
- Wijaya, K., Hadi, K., Herlina, I, and Kurnia, A. T., 2016, *Nanomaterial Aplikasinya dalam Pembuatan Biofuel*, Yogyakarta: Gajah Mada University Press.
- Wijaya, K., Saputri, W.D., Aziz, I.T.A., Wangsa, Heraldly, E., Hakim, L., Suseng, A, and Utami, M., 2021, Mesoporous silica preparation using sodium bicarbonate as template and application of the silica for hydrocracking of used cooking oil into biofuel, *Silicon*, 1–9.
- Wijaya, K., Syoufian, A., and Ariantika, S., 2014, Hydrocracking of used cooking oil into biofuel catalyzed by nickel-bentonite, *Asian J. Chem.*, 26, 6097–6100.
- Williams, S., Neumann, A., Bremer, I., Su, Y., Dräger, G., Kasper, C., and Behrens, different strategies for the functionalization with polysialic acid by step-by-step cytocompatibility testing, *J. Mater. Sci. Mater. Med.*, 26, 125.
- Xian, X., Ran, C., Yang, P., Chu, Y., Zhao, S., and Dong, L., 2018, Effect of the acidity of HZSM-5/MCM-41 hierarchical zeolite on its catalytic performance in supercritical catalytic cracking of n-dodecane: experiments and

mechanism. *Catalysis Science & Technology*, 8, 4241-4256.

- Yang, H.H., Chien, S.M., Lo, M.Y., Lan, J.C.W., Lu, W.C., and Ku, Y.Y., 2007, Effects of biodiesel on emissions of regulated air pollutants and polycyclic aromatic hydrocarbons under engine durability testing, *Atmos. Environ.*, 41, 7232–7240.
- Yang, Y., Wang, Q., Zhang, X., Wang, L., and Li, G., 2013, Hydrotreating of C18 fatty acids to hydrocarbons on sulphided NiW/SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, *Fuel Process. Technol.*, 116, 165–174.
- Yin, F., Blumenfeld, A.L., Gruver, V., and Fripiat, J.J., 1997, NH<sub>3</sub> as a probe molecule for NMR and IR study of zeolite catalyst acidity, *J. Phys. Chem. B*, 101, 1824–1830.
- Youn, M.H., Seo, J.G., Kim, P., and Song, I.K., 2007, Role and effect of molybdenum on the performance of Ni-Mo/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts in the hydrogen production by auto-thermal reforming of ethanol, *J. Mol. Catal. A Chem.*, 261, 276–281.
- Zhang, K., Mukhriza, T., Liu, X., Greco, P.P., and Chiremba, E., 2015, A study on CO<sub>2</sub> and CH<sub>4</sub> conversion to synthesis gas and higher hydrocarbons by the combination of catalysts and dielectric-barrier discharges, *Appl. Catal. A Gen.*, 502, 138–149.
- Zhang, X., Wang, T., Ma, L., Zhang, Q., Yu, Y., and Liu, Q., 2013, Characterization and catalytic properties of Ni and NiCu catalysts supported on ZrO<sub>2</sub>-SiO<sub>2</sub> for guaiacol hydrodeoxygenation, *Catal. Commun.*, 33, 15–19.
- Zhao, C.X. and Middelberg, A.P.J., 2013, Microfluidic synthesis of monodisperse hierarchical silica particles with raspberry-like morphology, *RSC Adv.*, 3, 21227–21230.
- Zhao, X., Wei, L., Cheng, S., Huang, Y., Yu, Y., and Julson, J., 2015, Catalytic cracking of camelina oil for hydrocarbon biofuel over ZSM-5-Zn catalyst, *Fuel Process. Technol.*, 139, 117–126.
- Zhu, X., Cho, H.R., Pasupong, M., and Regalbuto, J.R., 2013, Charge-enhanced dry impregnation: A simple way to improve the preparation of supported metal catalysts, *ACS Catal.*, 3, 625–630.