

DAFTAR PUSTAKA

Abdel-Rahman, N. *et al.* (2019) 'Vitamin D3 abates BDL-induced cholestasis and fibrosis in rats via regulating Hedgehog pathway', *Toxicology and Applied Pharmacology*, 380, p. 114697. doi: 10.1016/j.taap.2019.114697.

Abramovitch, S. *et al.* (2011) 'Vitamin D inhibits proliferation and profibrotic marker expression in hepatic stellate cells and decreases thioacetamide-induced liver fibrosis in rats', *Gut*, 60(12), pp. 1728–1737. doi: 10.1136/gut.2010.234666.

Annes, J. P., Munger, J. S. and Rifkin, D. B. (2003) 'Making sense of latent TGF β activation', *Journal of Cell Science*, 116(Pt 2), pp. 217–224. doi: 10.1242/jcs.00229.

Anty, R. *et al.* (2016) 'Severe Vitamin D Deficiency Is Not Associated with Liver Damage in Morbidly Obese Patients', *Obesity Surgery*, 26(9), pp. 2138–2143. doi: 10.1007/s11695-016-2070-y.

Arfian, N. *et al.* (2016) 'Vitamin D Attenuates Kidney Fibrosis via Reducing Fibroblast Expansion, Inflammation, and Epithelial Cell Apoptosis', *The Kobe Journal of Medical Sciences*, 62(2), pp. E38-44.

Arfian, N. *et al.* (2018) 'Vitamin D Reduces Myofibroblast Formation and Collagen 1 Expression Through Upregulating eNOS Expression in Kidney Fibrosis Model in Mice', in *2018 1st International Conference on Bioinformatics, Biotechnology, and Biomedical Engineering - Bioinformatics and Biomedical Engineering. 2018 1st International Conference on Bioinformatics, Biotechnology, and Biomedical Engineering - Bioinformatics and Biomedical Engineering*, pp. 1–6. doi: 10.1109/BIOMIC.2018.8610552.

Bataller, R. and Brenner, D. A. (2005) 'Liver fibrosis', *The Journal of Clinical Investigation*, 115(2), pp. 209–218. doi: 10.1172/JCI24282.

Becker, M. A. and Jolly, M. (2006) 'Hyperuricemia and associated diseases', *Rheumatic Diseases Clinics of North America*, 32(2), pp. 275–293, v–vi. doi: 10.1016/j.rdc.2006.02.005.

Beilfuss, A. *et al.* (2015) 'Vitamin D counteracts fibrogenic TGF- β signalling in human hepatic stellate cells both receptor-dependently and independently', *Gut*, 64(5), pp. 791–799. doi: 10.1136/gutjnl-2014-307024.

Bieghs, V. and Trautwein, C. (2013) 'The innate immune response during liver inflammation and metabolic disease', *Trends in Immunology*, 34(9), pp. 446–452. doi: 10.1016/j.it.2013.04.005.

Bookout, A. L. *et al.* (2006) 'Anatomical Profiling of Nuclear Receptor Expression Reveals a Hierarchical Transcriptional Network', *Cell*, 126(4), pp. 789–799. doi: 10.1016/j.cell.2006.06.049.

Chen, J. *et al.* (2013) 'Plasma membrane Pdia3 and VDR interact to elicit rapid responses to $1\alpha,25(\text{OH})_2\text{D}_3$ ', *Cellular Signalling*, 25(12), pp. 2362–2373. doi: 10.1016/j.cellsig.2013.07.020.

Christakos, S. *et al.* (2016) 'Vitamin D: Metabolism, Molecular Mechanism of Action, and Pleiotropic Effects', *Physiological Reviews*, 96(1), pp. 365–408. doi: 10.1152/physrev.00014.2015.

Dijke, P. ten and Hill, C. S. (2004) 'New insights into TGF- β -Smad signalling', *Trends in Biochemical Sciences*, 29(5), pp. 265–273. doi: 10.1016/j.tibs.2004.03.008.

Ding, N. *et al.* (2013) 'A vitamin D receptor/SMAD genomic circuit gates hepatic fibrotic response', *Cell*, 153(3), pp. 601–613. doi: 10.1016/j.cell.2013.03.028.

Elangovan, H., Chahal, S. and Gunton, J. E. (2017) 'Vitamin D in liver disease: Current evidence and potential directions', *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1863(4), pp. 907–916. doi: 10.1016/j.bbadis.2017.01.001.

Eroschenko, V. P. and Fiore, M. S. H. di (2013) *diFiore's atlas of histology with functional correlations*. 12th ed. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.

Friedman, S. L. (2008) 'Mechanisms of Hepatic Fibrogenesis', *Gastroenterology*, 134(6), pp. 1655–1669. doi: 10.1053/j.gastro.2008.03.003.

Ganz, M. *et al.* (2015) 'Progression of non-alcoholic steatosis to steatohepatitis and fibrosis parallels cumulative accumulation of danger signals that promote inflammation and liver tumors in a high fat-cholesterol-sugar diet model in mice', *Journal of Translational Medicine*, 13, p. 193. doi: 10.1186/s12967-015-0552-7.

Garsen, M. *et al.* (2015) 'Vitamin D attenuates proteinuria by inhibition of heparanase expression in the podocyte', *The Journal of Pathology*, 237(4), pp. 472–481. doi: 10.1002/path.4593.

Glud, C. (2005) 'Mortality from cirrhosis: lack of progress over the last 35 years', *Gut*, 54(11), pp. 1523–1526. doi: 10.1136/gut.2005.072876.

Gressner, A. M. *et al.* (2002) 'Roles of TGF-beta in hepatic fibrosis', *Front Biosci*, 7(1), pp. d793–807.

Hakoda, M. (2012) 'Recent trends in hyperuricemia and gout in Japan', *Japan Medical Association journal: JMAJ*, 55(4), pp. 319–323.

Hediger, M. A. *et al.* (2005) 'Molecular Physiology of Urate Transport', *Physiology*, 20(2), pp. 125–133. doi: 10.1152/physiol.00039.2004.

Ikejima, K. *et al.* (2007) 'Role of adipocytokines in hepatic fibrogenesis', *Journal of Gastroenterology and Hepatology*, 22 Suppl 1, pp. S87-92. doi: 10.1111/j.1440-1746.2007.04961.x.

Jin, M. *et al.* (2012) 'Uric acid, hyperuricemia and vascular diseases', *Frontiers in Bioscience (Landmark Edition)*, 17, pp. 656–669. doi: 10.2741/3950.

Kaviratne, M. *et al.* (2004) 'IL-13 activates a mechanism of tissue fibrosis that is completely TGF-beta independent', *Journal of Immunology (Baltimore, Md.: 1950)*, 173(6), pp. 4020–4029. doi: 10.4049/jimmunol.173.6.4020.

Keane, J. T. *et al.* (2018) 'Vitamin D and the Liver—Correlation or Cause?', *Nutrients*, 10(4), p. 496. doi: 10.3390/nu10040496.

Kelly, J. D. *et al.* (1991) 'Platelet-derived growth factor (PDGF) stimulates PDGF receptor subunit dimerization and intersubunit trans-phosphorylation.', *Journal of Biological Chemistry*, 266(14), pp. 8987–8992.

Ko, B. J. *et al.* (2016) 'Relationship between 25-Hydroxyvitamin D Levels and Liver Fibrosis as Assessed by Transient Elastography in Patients with Chronic Liver Disease', *Gut and Liver*, 10(5), pp. 818–825. doi: 10.5009/gnl15331.

Kono, H. *et al.* (2010) 'Uric acid promotes an acute inflammatory response to sterile cell death in mice', *The Journal of Clinical Investigation*, 120(6), pp. 1939–1949. doi: 10.1172/JCI40124.

Lanaspa, M. A. *et al.* (2012) 'Uric acid induces hepatic steatosis by generation of mitochondrial oxidative stress: potential role in fructose-dependent and -independent fatty liver', *The Journal of Biological Chemistry*, 287(48), pp. 40732–40744. doi: 10.1074/jbc.M112.399899.

Li, J. *et al.* (2019) 'Quantification of Degree of Liver Fibrosis Using Fibrosis Area Fraction Based on Statistical Chi-Square Analysis of Heterogeneity of Liver Tissue Texture on Routine Ultrasound Images', *Academic Radiology*, 26(8), pp. 1001–1007. doi: 10.1016/j.acra.2018.10.004.

Maiuolo, J. *et al.* (2016) 'Regulation of uric acid metabolism and excretion', *International Journal of Cardiology*, 213, pp. 8–14. doi: 10.1016/j.ijcard.2015.08.109.

Mescher, A. L. and Junqueira, L. C. U. (2018) *Junqueira's basic histology: text and atlas*. Available at: <http://www.vlebooks.com/vleweb/product/openreader?id=none&isbn=9781260026184> (Accessed: 27 January 2021).

Meyer, D. H., Bachem, M. G. and Gressner, A. M. (1990) 'Modulation of hepatic lipocyte proteoglycan synthesis and proliferation by Kupffer cell-derived transforming growth factors type beta 1 and type alpha', *Biochemical and Biophysical Research Communications*, 171(3), pp. 1122–1129. doi: 10.1016/0006-291x(90)90801-s.

Moore, K. L., Dalley, I. A. F. and Agur, A. M. R. (no date) 'Clinically Oriented Anatomy', p. 2788.

Nakatsukasa, H. *et al.* (1990) 'Cellular distribution of transforming growth factor-beta 1 and procollagen types I, III, and IV transcripts in carbon tetrachloride-induced rat liver fibrosis.', *Journal of Clinical Investigation*, 85(6), pp. 1833–1843.

Pradere, J.-P. *et al.* (2010) 'Toll-like receptor 4 and hepatic fibrogenesis', *Seminars in liver disease*, 30(3), pp. 232–244. doi: 10.1055/s-0030-1255353.

Qiao, J.-L. *et al.* (2018) 'Liver dual arterial blood supply maintains liver regeneration: Analysis of signaling pathways in rats', *Molecular Medicine Reports*, 17(1), pp. 979–987. doi: 10.3892/mmr.2017.7961.

Ramirez, A. M. *et al.* (2010) 'Vitamin D inhibition of pro-fibrotic effects of transforming growth factor beta1 in lung fibroblasts and epithelial cells', *The Journal of Steroid Biochemistry and Molecular Biology*, 118(3), pp. 142–150. doi: 10.1016/j.jsbmb.2009.11.004.

Roberts, A. B. (1998) 'Molecular and cell biology of TGF-beta', *Mineral and Electrolyte Metabolism*, 24(2–3), pp. 111–119. doi: 10.1159/000057358.

Rodés, J. (ed.) (2007) *Textbook of hepatology: from basic science to clinical practice*. 3rd ed. Malden, Mass: Blackwell.

Sahin, H., Trautwein, C. and Wasmuth, H. E. (2010) 'Functional role of chemokines in liver disease models', *Nature Reviews. Gastroenterology & Hepatology*, 7(12), pp. 682–690. doi: 10.1038/nrgastro.2010.168.

Sari, D. C. R. *et al.* (2020) 'Uric acid induces liver fibrosis through activation of inflammatory mediators and proliferating hepatic stellate cell in mice', *The Medical Journal of Malaysia*, 75(Suppl 1), pp. 14–18.

Sautin, Y. Y. *et al.* (2007) 'Adverse effects of the classic antioxidant uric acid in adipocytes: NADPH oxidase-mediated oxidative/nitrosative stress', *American Journal of Physiology. Cell Physiology*, 293(2), pp. C584-596. doi: 10.1152/ajpcell.00600.2006.

Sepanlou, S. G. *et al.* (2020) 'The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017', *The Lancet Gastroenterology & Hepatology*, 5(3), pp. 245–266. doi: 10.1016/S2468-1253(19)30349-8.

Shi, Y. and Massagué, J. (2003) 'Mechanisms of TGF- β Signaling from Cell Membrane to the Nucleus', *Cell*, 113(6), pp. 685–700. doi: 10.1016/S0092-8674(03)00432-X.

Silva, M. C. *et al.* (2015) 'Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis', *Annals of Hepatology*, 14(1), pp. 99–107. doi: 10.1016/S1665-2681(19)30806-3.

So, A. and Thorens, B. (2010) 'Uric acid transport and disease', *Journal of Clinical Investigation*, 120(6), pp. 1791–1799. doi: 10.1172/JCI42344.

Verrecchia, F. and Mauviel, A. (2007) 'Transforming growth factor- β and fibrosis', *World Journal of Gastroenterology: WJG*, 13(22), pp. 3056–3062. doi: 10.3748/wjg.v13.i22.3056.

Wahsh, E. *et al.* (2016) 'The vitamin D receptor agonist, calcipotriol, modulates fibrogenic pathways mitigating liver fibrosis in-vivo: An experimental study', *European Journal of Pharmacology*, 789, pp. 362–369. doi: 10.1016/j.ejphar.2016.07.052.

Wang, L. *et al.* (2014) 'The impact of 1,25-dihydroxyvitamin D3 on the expression of connective tissue growth factor and transforming growth factor- β 1 in the myocardium of rats with diabetes', *Diabetes Research and Clinical Practice*, 104(2), pp. 226–233. doi: 10.1016/j.diabres.2014.01.031.

Wang, Y. *et al.* (2010) 'New insights into the antifibrotic effects of sorafenib on hepatic stellate cells and liver fibrosis', *Journal of Hepatology*, 53(1), pp. 132–144. doi: 10.1016/j.jhep.2010.02.027.

Watanabe, A. *et al.* (2007) 'Apoptotic hepatocyte DNA inhibits hepatic stellate cell chemotaxis via toll-like receptor 9', *Hepatology (Baltimore, Md.)*, 46(5), pp. 1509–1518. doi: 10.1002/hep.21867.

Wells, R. G. (2008) 'Cellular Sources of Extracellular Matrix in Hepatic Fibrosis', *Clinics in Liver Disease*, 12(4), pp. 759–768. doi: 10.1016/j.cld.2008.07.008.

Yang, Y. *et al.* (2016) 'Effect of uric acid on mitochondrial function and oxidative stress in hepatocytes', *Genetics and molecular research: GMR*, 15(2). doi: 10.4238/gmr.15028644.

Ym, M. *et al.* (2017) 'Vitamin D and Immune System', *Vitamins & Minerals*, 06(01). doi: 10.4172/2376-1318.1000151.

Yuan, W. and Varga, J. (2001) 'Transforming Growth Factor- β Repression of Matrix Metalloproteinase-1 in Dermal Fibroblasts Involves Smad3', *Journal of Biological Chemistry*, 276(42), pp. 38502–38510. doi: 10.1074/jbc.M107081200.