

REFERENSI

- Alsaif, A. *et al.* (2018) 'Patient satisfaction and experience with anesthesia: A multicenter survey in Saudi population', *Saudi Journal of Anaesthesia*, 12(2), pp. 304–310. doi: 10.4103/sja.SJA_656_17.
- Barnett, S. F. *et al.* (2013) 'Patient-Satisfaction Measures in Anesthesia', *Anesthesiology*, 119(2), pp. 452–478. doi: 10.1097/ALN.0b013e3182976014.
- Batbaatar, E. *et al.* (2017) 'Determinants of patient satisfaction: A systematic review', *Perspectives in Public Health*. SAGE Publications Ltd, pp. 89–101. doi: 10.1177/1757913916634136.
- Bell, D. M., Halliburton, J. R. and Preston, J. C. (2004) 'An evaluation of anesthesia patient satisfaction instruments', *AANA Journal*, 72(3), pp. 211–217.
- Bitzer, E. M. *et al.* (2012) 'Patient satisfaction in pediatric outpatient settings from the parents perspective - The Child ZAP: A psychometrically validated standardized questionnaire', *BMC Health Services Research*. BMC Health Services Research, 12(1), p. 1. doi: 10.1186/1472-6963-12-347.
- Braz, L. G. *et al.* (2009) 'Mortality in anesthesia: a systematic review.', *Clinics (Sao Paulo, Brazil)*. Hospital das Clinicas da Faculdade de Medicina da Universidade de Sao Paulo, 64(10), pp. 999–1006. doi: 10.1590/S1807-59322009001000011.
- Brown, E. N., Lydic, R. and Schiff, N. D. (2010) 'General anesthesia, sleep, and coma.', *The New England journal of medicine*. NIH Public Access, 363(27), pp. 2638–50. doi: 10.1056/NEJMra0808281.
- Caljouw, M. A. A., Van Beuzekom, M. and Boer, F. (2008) 'Patient's satisfaction with perioperative care: Development, validation, and application of a questionnaire', *British Journal of Anaesthesia*, 100(5), pp. 637–644. doi: 10.1093/bja/aen034.
- Costi, D. *et al.* (2014) 'Effects of sevoflurane versus other general anaesthesia on emergence agitation in children', *Cochrane Database of Systematic Reviews*, 2014(9). doi: 10.1002/14651858.CD007084.pub2.
- Cronjé, L. (2015) 'A review of paediatric anaesthetic-related mortality, serious adverse events and critical incidents', *Southern African Journal of Anaesthesia and Analgesia*, 21(6), pp. 5–11. doi: 10.1080/22201181.2015.1119503.
- Dahmani, S., Delivet, H. and Hilly, J. (2014) 'Emergence delirium in children: An update', *Current Opinion in Anaesthesiology*, 27(3), pp. 309–315. doi:

10.1097/ACO.0000000000000076.

- Darwito (2019) *RKT-RSUP-Dr.-Sardjito-Tahun-2019.pdf*. Available at: <https://sardjito.co.id/sardjitowp/wp-content/uploads/2020/04/RKT-RSUP-Dr.-Sardjito-Tahun-2019.pdf>.
- David (2016) 'Insidensi Terjadinya Post-Operative Nausea and Vomitting pada Pasien yang Dilakukan Anestesi Umum di RSUP Haji Adam Malik Medan pada Bulan Oktober 2016'.
- Eka Nur Kamilah, 2015 (2015) 'DISTRIBUSI NILAI r', *Pengaruh keterampilan mengajar guru terhadap hasil belajar siswa pada mata pelajaran Akuntansi Universitas*, p. 91.
- Forman, S. A. and Chin, V. A. (2008) 'General anesthetics and molecular mechanisms of unconsciousness.', *International anesthesiology clinics*. NIH Public Access, 46(3), pp. 43–53. doi: 10.1097/AIA.0b013e3181755da5.
- Gan, T. J. *et al.* (2001) '2001 Tong-how much to pay.pdf', (4), pp. 393–400.
- Habibzadeh, F., Habibzadeh, P. and Yadollahie, M. (2016) 'On determining the most appropriate test cut-off value: The case of tests with continuous results', *Biochemia Medica*, 26(3), pp. 297–307. doi: 10.11613/BM.2016.034.
- Harris, M. and Chung, F. (2013) 'Complications of general anesthesia', *Clinics in Plastic Surgery*. Elsevier Inc, 40(4), pp. 503–513. doi: 10.1016/j.cps.2013.07.001.
- Hauben, M., Hung, E. and Hsieh, W. Y. (2017) 'An exploratory factor analysis of the spontaneous reporting of severe cutaneous adverse reactions', *Therapeutic Advances in Drug Safety*, 8(1), pp. 4–16. doi: 10.1177/2042098616670799.
- Heidegger, T., Saal, D. and Nuebling, M. (2006) 'Patient satisfaction with anaesthesia care: What is patient satisfaction, how should it be measured, and what is the evidence for assuring high patient satisfaction?', *Best Practice and Research: Clinical Anaesthesiology*, 20(2), pp. 331–346. doi: 10.1016/j.bpa.2005.10.010.
- Hendro, R. T., Pradian, E. and Indriasari, I. (2018) 'Penggunaan Skor Apfel Sebagai Prediktor Kejadian Mual dan Muntah Pascaoperasi di RSUP Dr. Hasan Sadikin Bandung', *Jurnal Anestesi Perioperatif*, 6(2), pp. 89–97. doi: 10.15851/jap.v6n2.1425.
- Jenkins, K. *et al.* (2001) 'Post-operative recovery: Day surgery patients' preferences', *British Journal of Anaesthesia*, 86(2), pp. 272–274. doi: 10.1093/bja/86.2.272.
- Jones, T. L., Baxter, M. A. J. and Khanduja, V. (2013) 'A quick guide to survey

- research.’, *Annals of the Royal College of Surgeons of England*. Royal College of Surgeons of England, 95(1), pp. 5–7. doi: 10.1308/003588413X13511609956372.
- Kim, J. H. (2011) ‘Mechanism of emergence agitation induced by sevoflurane anesthesia’, *Korean Journal of Anesthesiology*, 60(2), pp. 73–74. doi: 10.4097/kjae.2011.60.2.73.
- Kruszecka-Krówka, A. *et al.* (2019) ‘Determinants of parental satisfaction with nursing care in paediatric wards—a preliminary report’, *International Journal of Environmental Research and Public Health*. MDPI AG, 16(10). doi: 10.3390/ijerph16101774.
- Magaret, N. D. *et al.* (2002) ‘Patient satisfaction in the emergency department—a survey of pediatric patients and their parents’, *Academic Emergency Medicine*, 9(12), pp. 1379–1388. doi: 10.1197/aemj.9.12.1379.
- Milliken-Glabe, S. J. *et al.* (2017) ‘First steps in validating the pediatric anesthesia parent satisfaction (PAPS) survey’, *Paediatric Anaesthesia*, 27(2), pp. 153–161. doi: 10.1111/pan.13053.
- Moon, Y. E. (2014) ‘Postoperative nausea and vomiting’, *Korean Journal of Anesthesiology*. Korean Society of Anesthesiologists, pp. 164–170. doi: 10.4097/kjae.2014.67.3.164.
- Murat, I., Constant, I. and Maud’Huy, H. (2004) ‘Perioperative anaesthetic morbidity in children: A database of 24 165 anaesthetics over a 30-month period’, *Paediatric Anaesthesia*, 14(2), pp. 158–166. doi: 10.1111/j.1460-9592.2004.01167.x.
- Nugraha, A. (2014) ‘Studi Tentang Tingkat Kepuasan Pasien Terhadap Pelayanan Anestesi Umum Di Rsup Dr. Sardjito Yogyakarta’. Universitas Gadjah Mada. Available at: http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=73931&obyek_id=4 (Accessed: 4 September 2019).
- Nunnally, J.C., 1978. *Psychometric Theory*. New York: McGraw-Hill.
- Pignaton, W. *et al.* (2016) ‘Perioperative and Anesthesia-Related Mortality: An 8-Year Observational Survey From a Tertiary Teaching Hospital.’, *Medicine*. Wolters Kluwer Health, 95(2), p. e2208. doi: 10.1097/MD.0000000000002208.
- Rizki, R. F. (2014) ‘Studi Tentang Tingkat Kepuasan Pasien Terhadap Pelayanan

Anestesi Regional Di Rsup Dr. Sardjito Yogyakarta'. Universitas Gadjah Mada. Available at: http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=73918&obyek_id=4 (Accessed: 4 September 2019).

Ruopp, M. D. *et al.* (2008) 'Youden Index and optimal cut-point estimated from observations affected by a lower limit of detection', *Biometrical Journal*, 50(3), pp. 419–430. doi: 10.1002/bimj.200710415.

Santoso, S., 2014. *Statistik Multivariat: Konsep dan Aplikasi dengan SPSS*. Jakarta: Gramedia.

Sarwono, J., 2006. *Metode Penelitian Kuantitatif dan Kualitatif*. Jakarta: Graha Ilmu.

Schiff, J. H. *et al.* (2011) 'Paediatric Perianesthesia questionnaire: development and data from eight hospitals across Germany.', *British journal of anaesthesia*, 106(1), pp. 88–95. doi: 10.1093/bja/aeq297.

Sholihah, A., Sikumbang, K. M. and Husairi, A. (2015) 'Gambaran Angka Kejadian Post Operative Nausea and Vomiting (PONV) di RSUD Ulin Banjarmasin Mei - Juli 2014', *Berkala Kedokteran Unlam*, 11(1), pp. 119–129.

Smith, G. and Goldman, J. (2019) *General Anesthesia for Surgeons*, StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29630251> (Accessed: 24 August 2019).

Soriano, B. J. N. *et al.* (2020) 'Validation of a questionnaire developed to evaluate a pediatric ehealth website for parents', *International Journal of Environmental Research and Public Health*, 17(8). doi: 10.3390/ijerph17082671.

Wijaya, A. A. *et al.* (2014) 'Efektivitas Pemberian Cairan Praoperatif Ringer Laktat 2 mL/kgBB/jam Puasa untuk Mencegah Mual Muntah Pascaoperasi', *Jurnal Anestesi Perioperatif*, 2(3), pp. 200–207. doi: 10.15851/jap.v2n3.332.

Ygge, B. M. and Arnetz, J. E. (2001) 'Quality of paediatric care: Application and validation of an instrument for measuring parent satisfaction with hospital care', *International Journal for Quality in Health Care*, 13(1), pp. 33–43. doi: 10.1093/intqhc/13.1.33.