

DAFTAR PUSTAKA

- Ahmed, S. U., Vallejo, R., & Daniela Hord, E. (2004). Seizures after a bier block with clonidine and lidocaine. *Anesthesia and Analgesia*. <https://doi.org/10.1213/01.ANE.0000123011.00161.C9>
- American Psychiatric Association Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). (2012). In *SpringerReference*. https://doi.org/10.1007/springerreference_179660
- Berg, A. T. *et al.* (2012) ‘Age at onset of epilepsy, pharmacoresistance, and cognitive outcomes: A prospective cohort study’, *Neurology*, 79(13), pp. 1384–1391. doi: 10.1212/WNL.0b013e31826c1b55.
- Brodie, M. J. *et al.* (2012) ‘Patterns of treatment response in newly diagnosed epilepsy’, *Neurology*, 78(20), pp. 1548–1554. doi: 10.1212/WNL.0b013e3182563b19.
- Bromfield E.B., *Epileptiform Discharge*, emedicine world library, 2002.
- Budiarto, E., *Penelitian Kasus-Kontrol dalam Metodologi Penelitian Kedokteran*, Penerbit Buku Kedokteran EGC, Jakarta, 2004.
- Burneo, J. G., Tellez-Zenteno, J., & Wiebe, S. (2005). Understanding the burden of epilepsy in Latin America: A systematic review of its prevalence and incidence. *Epilepsy Research*. <https://doi.org/10.1016/j.eplepsyres.2005.07.002>
- Canadian Attention Deficit Hyperactivity Disorder Resource Alliance, & (CADDRA). (2011). Canadian ADHD Practice Guidelines. In *Third Edition*.
- Chadwick, D. W. (2008). The treatment of the first seizure: The benefits. *Epilepsia*. <https://doi.org/10.1111/j.1528-1167.2008.01446.x>
- Chung HK, Park SS. The effect of sugar intake on attention deficit

hyperactivity disorder of school children. *Korean J Nutr* 1995;28: 644-52.

Cockerrel O.C., Shorvon S.D. 1996. *Epilepsy : current concepts*. London: Current Medical Literature Ltd.101:182-190

Conway JM, H. T. (2012). *Antiepilepsy Drugs : Mechanisms of Action and Pharmacokinetics Antiepilepsy Drugs : Mechanisms of Action and Pharmacokinetics. Epilepsy.*

Dailey, J. W., Mishra, P. K., Ko, K. H., Penny, J. E., & Jobe, P. C. (1992). Serotonergic abnormalities in the central nervous system of seizure-naive genetically epilepsy-prone rats. *Life Sciences*. [https://doi.org/10.1016/0024-3205\(92\)90340](https://doi.org/10.1016/0024-3205(92)90340)

Del-Ponte, B., Anselmi, L., Assunção, M. C. F., Tovo-Rodrigues, L., Munhoz, T. N., Matijasevich, A., Rohde, L. A., & Santos, I. S. (2019). Sugar consumption and attention-deficit/hyperactivity disorder (ADHD): A birth cohort study. *Journal of Affective Disorders*. <https://doi.org/10.1016/j.jad.2018.09.051>

Dragoumi, P., Tzetzis, O., Vargiami, E., Pavlou, E., Krikonis, K., Kontopoulos, E., & Zafeiriou, D. I. (2013). Clinical course and seizure outcome of idiopathic childhood epilepsy: Determinants of early and long-term prognosis. *BMC Neurology*. <https://doi.org/10.1186/1471-2377-13-206>

Dunn, D. W., Austin, J. K., & Harezlak, J. (2007). ADHD and epilepsy in childhood. *Developmental Medicine & Child Neurology*. <https://doi.org/10.1111/j.1469-8749.2003.tb00859.x>

Dykman, K. D., & Dykman, R. A. (1998). Effect of Nutritional Supplements on Attentional-Deficit Hyperactivity Disorder. *Integrative Physiological and Behavioral Science*. <https://doi.org/10.1007/BF02688675>

- El-Sayed EM. Brain maturation, cognitive tasks, and quantitative electroencephalography : a study in children with attention deficit hyperactivity disorder, Karolinska Institutet, Department of Woman and Child Health, Child and Adolescent Psychiatric Unit, Stockholm, 2002.
- Emerson R.D., Souza B, Vinning E. Stopping medication in children with epilepsy. *N Engl J Med*,1981;304:1125-1129.
- Engel, J. (2006). Report of the ILAE classification core group. *Epilepsia*. <https://doi.org/10.1111/j.1528-1167.2006.00215.x>
- Freeman, C. R., Zehra, A., Ramirez, V., Wiers, C. E., Volkow, N. D., & Wang, G. J. (2018). Impact of sugar on the body, brain, and behavior. *Frontiers in Bioscience - Landmark*. <https://doi.org/10.2741/4704>
- Gallagher, D., Post-traumatic epilepsy :An Overview, *J Biol Med*.2003; (19): 5-9. Glauser, T. A., Cnaan, A., Shinnar, S., Hirtz, D. G., Dlugos, D., Masur, D., Clark, P. O., Capparelli, E. V., & Adamson, P. C. (2010). Ethosuximide, valproic acid, and lamotrigine in childhood absence epilepsy. *New England Journal of Medicine*. <https://doi.org/10.1056/NEJMoa0902014>
- Grace, A. A. (2001). Psychostimulant actions on dopamine and limbic system function: Relevance to the pathophysiology and treatment of ADHD. In *Stimulant drugs and ADHD: Basic and clinical neuroscience*.
- Gray, S., Woltering, S., Mawjee, K., & Tannock, R. (2014). The adult ADHD self-report scale (ASRS): Utility in college students with attention-deficit/hyperactivity disorder. *PeerJ*. <https://doi.org/10.7717/peerj.324>
- Harsono. (2005). Buku Ajar Neurologis Klinis. *University Press:Gajah Mada*.

- Johnson, R. J., Gold, M. S., Johnson, D. R., Ishimoto, T., Lanasp, M. A., Zahniser, N. R., & Avena, N. M. (2011). Attention-deficit/hyperactivity disorder: Is it time to reappraise the role of sugar consumption? *Postgraduate Medicine*.
<https://doi.org/10.3810/pgm.2011.09.2458>
- Kim, Y., & Chang, H. (2011). Correlation between attention deficit hyperactivity disorder and sugar consumption, quality of diet, and dietary behavior in school children. *Nutrition Research and Practice*.
<https://doi.org/10.4162/nrp.2011.5.3.236>
- Land, M. A., Jeffery, P., Webster, J., Crino, M., Chalmers, J., Woodward, M., Nowson, C., Smith, W., Flood, V., & Neal, B. (2014). Protocol for the implementation and evaluation of a community-based intervention seeking to reduce dietary salt intake in Lithgow, Australia. *BMC Public Health*. <https://doi.org/10.1186/1471-2458-14-357>
- Lee JK, Rhie SG. The effect of carbohydrate processed snacks on middle school students' emotional intelligence. *Korean J Community Living Sci* 2008;19:335-51.
- Lim KH, Cho BH. The prevalence of ADHD in elementary school children. *J Elementary Educ* 2004;17:235-60.
- Lumbantobing. 1999. Etiologi dan Faal Sakitan Epilepsi. Dalam: Soetomenggolo TS. Ismael S, penyunting. *Buku Ajar Neurologi Anak*. Jakarta. BP IDAI.197- 203
- Malik, V. S., Pan, A., Willett, W. C., & Hu, F. B. (2013). Sugar-sweetened beverages and weight gain in children and adults: A systematic review and meta-analysis. *American Journal of Clinical Nutrition*.
<https://doi.org/10.3945/ajcn.113.058362>
- Matsuzuki, H., Muto, T., & Haruyama, Y. (2008). School children's salt intake is correlated with salty taste preference assessed by their

mothers. *Tohoku Journal of Experimental Medicine*.
<https://doi.org/10.1620/tjem.215.71>

Mayor P.Thiele EA. Seizure in children: laboratory, diagnosis and management. *Pediatr Rev*. 2007;28:405-14.

Mikati MA. 2011. Seizures in childhood. Dalam: Kleigman RM, Stanton BF, Schor NF, Geme JW, Berhman RE, penyunting. *Nelson textbook of Pediatrics*. Edisi ke 19. Philadelphia. Elsevier Saunders. 2013-33

Miller A., Lee S., Raina P., Klases A., Zupancic J. & Olsen L., A review of therapies for attention- deficit/hyperactivity disorder, Canadian Coordinating Office for Health Technology Assessment, Ottawa 1998.

Moshe S.L., Pedley T.A. 2008. Overview : Diagnostic Evaluation in Epilepsy, A Comprehensive Textbook/editors Jerome Engel JR., Tomothy A. Pedley, 2 nd ed. Vol I. Lippincott Williams & Wilkins, pp 783-784

Nardone, R., Brigo, F., & Trinka, E. (2016). Acute symptomatic seizures caused by electrolyte disturbances. In *Journal of Clinical Neurology (Korea)*. <https://doi.org/10.3988/jcn.2016.12.1.21>

Panayiotopoulos C.P. 2005. The Epilepsy Seizure, Syndromes and Management. Blandom Medical Publishing. UK;1-26

Patel, M., & Rho, J. M. (2012). Sweets Are BAD for Seizures. *Epilepsy Currents*. <https://doi.org/10.5698/1535-7511-12.6.218>

Pinzon R. Karakteristik Epidemiologi Onset Anak-Anak; Telaah Pustaka Terkini. *Dexa Media* 2006; 19(3) : 131 – 3.

Pliszka S.R., McCracken J.T. & Maas J.W., Catecholamines in attention-deficit hyperactivity disorder. *J Am Acad Child Adolesc Psychiatry*, 1996;(35):264- 272.

Preux, P. M., & Druet-Cabanac, M. (2005). Epidemiology and aetiology of epilepsy in sub-Saharan Africa. In *Lancet Neurology*.

[https://doi.org/10.1016/S1474-4422\(04\)00963-9](https://doi.org/10.1016/S1474-4422(04)00963-9)

Reilly, C. J. (2011). Attention deficit hyperactivity disorder (ADHD) in childhood epilepsy. In *Research in Developmental Disabilities*.
<https://doi.org/10.1016/j.ridd.2011.01.019>

Reinivuo, H., Valsta, L. M., Laatikainen, T., Tuomilehto, J., & Pietinen, P. (2006). Sodium in the Finnish diet: II trends in dietary sodium intake and comparison between intake and 24-h excretion of sodium. *European Journal of Clinical Nutrition*.
<https://doi.org/10.1038/sj.ejcn.1602431>

Scheffer, I. E., Berkovic, S., Capovilla, G., Connolly, M. B., French, J., Guilhoto, L., Hirsch, E., Jain, S., Mathern, G. W., Moshé, S. L., Nordli, D. R., Perucca, E., Tomson, T., Wiebe, S., Zhang, Y. H., & Zuberi, S. M. (2017). ILAE classification of the epilepsies: Position paper of the ILAE Commission for Classification and Terminology. *Epilepsia*. <https://doi.org/10.1111/epi.13709>

Schnoll, R., Burshteyn, D., & Cea-Aravena, J. (2003). Nutrition in the treatment of attention-deficit hyperactivity disorder: A neglected but important aspect. In *Applied Psychophysiology/Biofeedback*.
<https://doi.org/10.1023/A:1022321017467>

Sillanpää, M., Schmidt, D., Saarinen, M. M., & Shinnar, S. (2017). Remission in epilepsy: How long is enough? *Epilepsia*.
<https://doi.org/10.1111/epi.13732>

Steinlein, O. K. (2004). Genetic mechanisms that underlie epilepsy. In *Nature Reviews Neuroscience*. <https://doi.org/10.1038/nrn1388>

Sudigdo Sastroasmoro, Sofyan I. (2011). Dasar-Dasar Metodologi Penelitian Klinis Edisi Ke-4. *Sagung Seto*.

- Sukiandra, R. (2017). Epilepsi dan Attention-Deficit / Hyperactivity Disorder (ADHD) pada Anak. *Jurnal Ilmu Kedokteran*. <https://doi.org/10.26891/jik.v10i2.2016.80-83>
- Supriasa,dkk, 2016. Penilaian Status Gizi, Ed 2. Buku Kedokteran EGC. Jakarta
- Tsai, F. J., Liu, S. T., Lee, C. M., Lee, W. T., Fan, P. C., Lin, W. S., Chiu, Y. N., & Gau, S. S. F. (2013). ADHD-related symptoms, emotional/behavioral problems, and physical conditions in Taiwanese children with epilepsy. *Journal of the Formosan Medical Association*. <https://doi.org/10.1016/j.jfma.2011.08.022>
- Triono, A., Herini, E. S., & Mangunatmadja, I. (2019). Luaran Klinis Anak dengan Epilepsi yang Mengalami Relaps Setelah Penghentian Obat Antiepilepsi. *Sari Pediatri*. <https://doi.org/10.14238/sp20.6.2019.335-41>
- Vera, R., Dewi, M., & Nursiah, N. (2014). Sindrom Epilepsi Pada Anak. *Majalah Kedokteran Sriwijaya*.
- Webster, J. L., Dunford, E. K., & Neal, B. C. (2010). A systematic survey of the sodium contents of processed foods. *American Journal of Clinical Nutrition*. <https://doi.org/10.3945/ajcn.2009.28688>
- World Health Organization. (2012). Guideline: Sodium intake for adults and children. *World Health Organization*.
- World Health Organization. (2015). WHO Guideline: Sugars intake for adults and children. *WHO Library Cataloguing-in-Publication Data*. https://doi.org/978_92_4_154902_8
- Yu, C. J., Du, J. C., Chiou, H. C., Feng, C. C., Chung, M. Y., Yang, W., Chen, Y. S., Chien, L. C., Hwang, B., & Chen, M. L. (2016). Sugar-sweetened beverage consumption is adversely associated with childhood attention deficit/hyperactivity disorder. *International*

Journal of Environmental Research and Public Health.

<https://doi.org/10.3390/ijerph13070678>

Yun JJ, Kim YH. Problem behaviors related to attention-deficit
hyperactivity disorder children. *J Hum Ecol* 1999;2:39-5