

DAFTAR PUSTAKA

- Ahrendsen, J. T., Anderson, K. R., & Anderson, M. P. (2019). Lymphocytic ganglionitis leading to megacolon in lymphocyte-rich glioblastoma. *Journal of neuroimmunology*, 337, 577075.
- Akazawa, Y., Hayashi, T., Saito, T., Niwa, K., Kamiyama, H., Sasahara, N., & Yao, T. (2019). Histological characteristics of eosinophilic myenteric ganglionitis: an under-recognised cause of chronic intestinal pseudo-obstruction. *Virchows Archiv*, 474(3), 395-400.
- Alfadda, A. A., Storr, M. A., & Shaffer, E. A. (2011). Eosinophilic colitis: epidemiology, clinical features, and current management. *Therapeutic advances in gastroenterology*, 4(5), 301-309.
- Ashworth, M., & Rampling, D. (2015). Paediatric gastrointestinal motility disorders. *Diagnostic Histopathology*, 21(6), 223-231.
- Bandré, E., Kaboré, R. A. F., Ouedraogo, I., Soré, O., Tapsoba, T., Bambara, C., & Wandaogo, A. (2010). Hirschsprung's disease: Management problem in a developing country. *African Journal of Paediatric Surgery*, 7(3), 166.
- Behjati, S., Zilbauer, M., Heuschkel, R., Phillips, A., Salvestrini, C., Torrente, F., & Bates, A. W. (2009). Defining eosinophilic colitis in children: insights from a retrospective case series. *Journal of pediatric gastroenterology and nutrition*, 49(2), 208-215.
- Bischoff, A., Bealer, J., & Peña, A. (2016). Critical analysis of fecal incontinence scores. *Pediatric surgery international*, 32(8), 737-741.
- Bjørnland, K., Pakarinen, M.P., Stenstrøm, P., Stensrud, K.J., Neuvonen, M., Granström, A.L., Graneli, C., Pripp, A.H., Arnbjörnsson, E., Emblem, R. and Wester, T., 2017. A Nordic multicenter survey of long-term bowel function after transanal endorectal pull-through in 200 patients with rectosigmoid Hirschsprung disease. *Journal of pediatric surgery*, 52(9), pp.1458-1464.
- Catto-Smith, A. G., Trajanovska, M., & Taylor, R. G. (2007). Long-term continence after surgery for Hirschsprung's disease. *Journal of gastroenterology and hepatology*, 22(12), 2273-2282.
- Catto-Smith, A.G., Trajanovska, M. and Taylor, R.G., 2006. Long-term continence in patients with Hirschsprung's disease and Down syndrome. *Journal of gastroenterology and hepatology*, 21(4), pp.748-753.
- Cheng, Z., Wang, X., Dhall, D., Zhao, L., Bresee, C., Doherty, T. M., & Frykman, P. K. (2011). Splenic lymphopenia in the endothelin receptor B-null mouse: implications for Hirschsprung associated enterocolitis. *Pediatric surgery international*, 27(2), 145-150.

Coyle, D., O'Donnell, A. M., Gillick, J., & Puri, P. (2016). Altered neurotransmitter expression profile in the ganglionic bowel in Hirschsprung's disease. *Journal of pediatric surgery*, 51(5), 762-769.

De La Torre, L., & Langer, J. C. (2010, May). Transanal endorectal pull-through for Hirschsprung disease: technique, controversies, pearls, pitfalls, and an organized approach to the management of postoperative obstructive symptoms. In *Seminars in pediatric surgery* (Vol. 19, No. 2, pp. 96-106). WB Saunders.

De La Torre-Mondragon, L. and Ortega-Salgado, J.A., 1998. Transanal endorectal pull-through for Hirschsprung's disease. *Journal of pediatric surgery*, 33(8), pp.1283-1286.

de Lorijn, F., Kremer, L.C., Reitsma, J.B. and Benninga, M.A., 2006. Diagnostic tests in Hirschsprung disease: a systematic review. *Journal of pediatric gastroenterology and nutrition*, 42(5), pp.496-505.

DeBrosse, C. W., Case, J. W., Putnam, P. E., Collins, M. H., & Rothenberg, M. E. (2006). Quantity and distribution of eosinophils in the gastrointestinal tract of children. *Pediatric and developmental pathology*, 9(3), 210-218.

Faverdin, C., Dornic, C., Arhan, P., Devroede, G., Jehannin, B., Revillon, Y., & Pellerin, D. (1981). Quantitative analysis of anorectal pressures in Hirschsprung's disease. *Diseases of the Colon & Rectum*, 24(6), 422-427.

Fosby, M. V., Stensrud, K. J., & Bjørnland, K. (2020). Bowel function after transanal endorectal pull-through for Hirschsprung disease—does outcome improve over time?. *Journal of pediatric surgery*, 55(11), 2375-2378.

Friesen, C. A., Sandridge, L., Andre, L., Roberts, C. C., & Abdel-Rahman, S. M. (2006). Mucosal eosinophilia and response to H1/H2 antagonist and cromolyn therapy in pediatric dyspepsia. *Clinical pediatrics*, 45(2), 143-147.

Gosain, A. (2016). Established and emerging concepts in Hirschsprung's-associated enterocolitis. *Pediatric surgery international*, 32(4), 313-320.

Guajardo, J. R., & Rothenberg, M. E. (2003). Eosinophilic esophagitis, gastroenteritis, gastroenterocolitis, and colitis. *Food allergy: adverse reactions to foods and additives*, 217-226.

Gunadi, Kapoor, A., Ling, A. Y., Makhmudi, A., Herini, E. S., Sosa, M. X., Chatterjee, S., & Chakravarti, A. (2014). Effects of RET and NRG1 polymorphisms in Indonesian patients with Hirschsprung disease. *Journal of pediatric surgery*, 49(11), 1614-1618.

Halland, M., Talley, N. J., Jones, M., Murray, J. A., Cameron, R., & Walker, M. M. (2019). Duodenal pathology in patients with rumination syndrome: duodenal eosinophilia and increased intraepithelial lymphocytes. *Digestive diseases and sciences*, 64(3), 832-837.

Haricharan, R. N., & Georgeson, K. E. (2008, November). Hirschsprung disease. In *Seminars in Pediatric Surgery* (Vol. 17, No. 4, pp. 266-275). WB Saunders.

Hentschel, F., Jansen, A. F., Günther, M., Pauli, R., & Lüth, S. (2018). Eosinophil counts in mucosal biopsies of the ileum and colon: interobserver variance affects diagnostic accuracy. *Pathology research international*, 2018.

Holschneider, A., Hutson, J., Peña, A., Beket, E., Chatterjee, S., Coran, A., Davies, M., Georgeson, K., Grosfeld, J., Gupta, D. and Iwai, N., 2005. Preliminary report on the International Conference for the Development of Standards for the Treatment of Anorectal Malformations. *Journal of pediatric surgery*, 40(10), pp.1521-1526.

Imamura, A., Puri, P., O'Briain, D. S., & Reen, D. J. (1992). Mucosal immune defence mechanisms in enterocolitis complicating Hirschsprung's disease. *Gut*, 33(6), 801-806.

Jacoby, D. B., Gleich, G. J., & Fryer, A. D. (1993). Human eosinophil major basic protein is an endogenous allosteric antagonist at the inhibitory muscarinic M2 receptor. *The Journal of clinical investigation*, 91(4), 1314-1318.

Jawairia, M., Shahzad, G., & Mustacchia, P. (2012). Eosinophilic gastrointestinal diseases: review and update. *International Scholarly Research Notices*, 2012.

Keshtgar, A., Ward, H., Clayden, G., & de Sousa, N. (2003). Investigations for incontinence and constipation after surgery for Hirschsprung's disease in children. *Pediatric surgery international*, 19(1-2), 4-8.

Makrufardi, F., Arifin, D. N., Afandy, D., Yulianda, D., & Dwihantoro, A. (2020). Anorectal malformation patients' outcomes after definitive surgery using Krickenbeck classification: A cross-sectional study. *Heliyon*, 6(2), e03435.

Mark, J., Fernando, S. D., Masterson, J. C., Pan, Z., Capocelli, K. E., Furuta, G. T., & De Zoeten, E. F. (2018). Clinical implications of pediatric colonic eosinophilia. *Journal of pediatric gastroenterology and nutrition*, 66(5), 760.

Medrano, G., Cailleux, F., Guan, P., Kuruvilla, K., Barlow-Anacker, A.J. and Gosain, A., 2019. B-lymphocyte-intrinsic and-extrinsic defects in secretory immunoglobulin A production in the neural crest-conditional deletion of endothelin receptor B model of Hirschsprung-associated enterocolitis. *The FASEB Journal*, 33(6), pp.7615-7624.

Meinds, R. J., Eggink, M. C., Heineman, E., & Broens, P. M. (2014). Dyssynergic defecation may play an important role in postoperative Hirschsprung's disease patients with severe persistent constipation: analysis of a case series. *Journal of pediatric surgery*, 49(10), 1488-1492.

Montalban-Arques, A., Chaparro, M., Gisbert, J. P., & Bernardo, D. (2018). The innate immune system in the gastrointestinal tract: role of intraepithelial lymphocytes and lamina propria innate lymphoid cells in intestinal inflammation. *Inflammatory bowel diseases*, 24(8), 1649-1659.

Nagasaki, A., Ikeda, K., & Suita, S. (1980). Postoperative sequential anorectal manometric study of children with Hirschsprung's disease. *Journal of pediatric surgery*, 15(5), 615-619.

Najarian, R. M., Hait, E. J., Leichtner, A. M., Glickman, J. N., Antonioli, D. A., & Goldsmith, J. D. (2009). Clinical significance of colonic intraepithelial lymphocytosis in a pediatric population. *Modern Pathology*, 22(1), 13-20.

O'Donnell, A. M., Coyle, D., & Puri, P. (2016). Deficiency of platelet-derived growth factor receptor- α -positive cells in Hirschsprung's disease colon. *World journal of gastroenterology*, 22(12), 3335.

Ochi, T., Okazaki, T., Miyano, G., Lane, G. J., & Yamataka, A. (2012). A comparison of clinical protocols for assessing postoperative fecal continence in anorectal malformation. *Pediatric surgery international*, 28(1), 1-4.

Okpara, N., Aswad, B., & Baffy, G. (2009). Eosinophilic colitis. *World journal of gastroenterology: WJG*, 15(24), 2975.

Pacilli, M., Eaton, S., Clarke, A., Whitehead, A., Nagy, A., & Brain, J. L. (2012). Clinical significance of eosinophilia and chronic inflammatory infiltrate in children's rectal biopsies. *Journal of pediatric gastroenterology and nutrition*, 55(5), 519-522.

Peña, A. (1995). Anorectal malformations. *Journal of the Japanese Society of Pediatric Surgeons*, 31(5), 718-731.

Pensabene, L., Brundler, M. A., Bank, J. M., & Di Lorenzo, C. (2005). Evaluation of mucosal eosinophils in the pediatric colon. *Digestive diseases and sciences*, 50(2), 221-229.

Prato, A. P., Gentilino, V., Giunta, C., Avanzini, S., Parodi, S., Mattioli, G., & Jasonni, V. (2008). Hirschsprung's disease: 13 years' experience in 112 patients from a single institution. *Pediatric surgery international*, 24(2), 175-182.

Saad, S.A., Elseed, M.M.G., AbouZeid, A.A., Ibrahim, E.A., Radwan, A.B., Hay, S.A. and El-Behery, M.M., 2020. Histopathological perspective of the pulled-through colon in Hirschsprung disease: Impact on clinical outcome. *Journal of Pediatric Surgery*.

Schäppi, M. G., Smith, V. V., Milla, P. J., & Lindley, K. J. (2003). Eosinophilic myenteric ganglionitis is associated with functional intestinal obstruction. *Gut*, 52(5), 752-755.

Selby, W. S., Janossy, G., Goldstein, G., & Jewell, D. P. (1981). T lymphocyte subsets in human intestinal mucosa: the distribution and relationship to MHC-derived antigens. *Clinical and experimental immunology*, 44(3), 453.

Singh, S.J., Croaker, G.D.H., Manglick, P., Wong, C.L., Athanasakos, H., Elliott, E. and Cass, D., 2003. Hirschsprung's disease: the Australian Paediatric Surveillance Unit's experience. *Pediatric surgery international*, 19(4), pp.247-250.

Snyder, J. D., Rosenblum, N., Wershil, B., Goldman, H., & Winter, H. S. (1987). Pyloric stenosis and eosinophilic gastroenteritis in infants. *Journal of pediatric gastroenterology and nutrition*, 6(4), 543-547.

Sola, R., Poola, A.S., Memon, R., Singh, V., Hendrickson, R.J., Peter, S.D.S. and Fraser, J.D., 2019. The relationship of eosinophilia with outcomes of Hirschsprung disease in children. *Pediatric surgery international*, 35(4), pp.425-429.

Stamm, D., Hait, E., Litman, H. J., Mitchell, P. D., & Duggan, C. (2016). High prevalence of eosinophilic gastrointestinal disease in children with intestinal failure. *Journal of pediatric gastroenterology and nutrition*, 63(3), 336.

Stensrud, K.J., Emblem, R. and Bjørnland, K., 2010. Functional outcome after operation for Hirschsprung disease—transanal vs transabdominal approach. *Journal of pediatric surgery*, 45(8), pp.1640-1644.

Straumann, A., & Simon, H. U. (2004). The physiological and pathophysiological roles of eosinophils in the gastrointestinal tract. *Allergy*, 59(1), 15-25.

Suita, S., Taguchi, T., Ieiri, S., & Nakatsuji, T. (2005). Hirschsprung's disease in Japan: analysis of 3852 patients based on a nationwide survey in 30 years. *Journal of pediatric surgery*, 40(1), 197–202.

Talley, N. J., Walker, M. M., Aro, P., Ronkainen, J., Storskrubb, T., Hindley, L. A., & Agréus, L. (2007). Non-ulcer dyspepsia and duodenal eosinophilia: an adult endoscopic population-based case-control study. *Clinical Gastroenterology and Hepatology*, 5(10), 1175-1183.

Tani, G., Tomuschat, C., O'Donnell, A. M., Coyle, D., & Puri, P. (2017). Increased population of immature enteric glial cells in the resected proximal ganglionic bowel of Hirschsprung's disease patients. *Journal of Surgical Research*, 218, 150-155.

Thakkar, H.S., Bassett, C., Hsu, A., Manuele, R., Kufeji, D., Richards, C.A., Agrawal, M. and Keshtgar, A.S., 2017. Functional outcomes in Hirschsprung disease: a single institution's 12-year experience. *Journal of pediatric surgery*, 52(2), pp.277-280.

Vanderwinden, J.M., Rumessen, J.J., Liu, H., Descamps, D., De Laet, M.H. and Vanderhaeghen, J.J., 1996. Interstitial cells of Cajal in human colon and in Hirschsprung's disease. *Gastroenterology*, 111(4), pp.901-910.

Walker, M. M., Salehian, S. S., Murray, C. E., Rajendran, A., Hoare, J. M., Negus, R., & Talley, N. J. (2010). Implications of eosinophilia in the normal duodenal biopsy—an association with allergy and functional dyspepsia. *Alimentary pharmacology & therapeutics*, 31(11), 1229-1236.

Wester, T., & Granström, A. L. (2017, October). Hirschsprung disease—Bowel function beyond childhood. In *Seminars in pediatric surgery* (Vol. 26, No. 5, pp. 322-327). WB Saunders.

Widyasari, A., Pravitasari, W.A. and Dwihantoro, A., 2018. Functional outcomes in Hirschsprung disease patients after transabdominal Soave and Duhamel procedures. *BMC gastroenterology*, 18(1), p.56.

Yantiss, R. K. (2015). Eosinophils in the GI tract: how many is too many and what do they mean?. *Modern pathology*, 28(1), S7-S21.

Zammit, S. C., Cachia, M., Sapiano, K., Gauci, J., Montefort, S., & Ellul, P. (2018). Eosinophilic gastrointestinal disorder: is it what it seems to be?. *Annals of gastroenterology*, 31(4), 475.