DAFTAR PUSTAKA

2015. Pedoman Tatalaksana Gagal Jantung. 1st ed. Jakarta: Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

2018. Data Dan Informasi Profil Kesehatan Indonesia. Jakarta: Kementrian Kesehatan Republik Indonesia.

2018. Mengenali Tanda Dan Gejala Serangan Dini Penyakit Jantung Koroner Oleh Dr. Bambang Dwiputra, Spjp. Jakarta.

Al-daydamony, M. M., & Mustafa, T. M. 2017. Egyptian Society of Cardiology The relation between coronary artery disease severity and fragmented QRS complex in patients with left bundle branch block. The Egyptian Heart Journal, 69(2), pp. 119–126. http://doi.org/10.1016/j.ehj.2016.09.003

Almeida, S. and Budoff, M., 2019. Effect of statins on atherosclerotic plaque. Trends in Cardiovascular Medicine, 29(8), pp.451-455.

Avci, A., Fidan, S., Tabakçı, M., Toprak, C., Alizade, E., Acar, E., Bayam, E., Tellice, M., Naser, A. and Kargın, R., 2016. Association between the Gensini Score and Carotid Artery Stenosis. Korean Circulation Journal, 46(5), p.639.

Badimon, L., & Vilahur, G. 2014. Thrombosis formation on atherosclerotic lesions and plaque rupture. Journal of Internal Medicine, 276(6), pp. 618–632. http://doi.org/10.1111/joim.12296

Bays HE, McCarthy W, Christensen S, Seger J, Wells S, Long J, Shah NN, Primack C. Obesity Algorithm Slides, presented by the Obesity Medicine Association. www.obesityalgorithm.org. 2019. https://obesitymedicine.org/obesity-algorithm/ (Accessed 9 July 2020)

Benedetto, U., et al. 2016. The effect of obesity on survival in patients undergoing coronary artery bypass graft surgery who receive a radial artery. European Journal of Cardio-Thoracic Surgery, p.323.

C Sag, M Ozkan, et al. 2006. Relationship between coronary risk calculation and distribution of the coronary artery lesions and risk factors. The National Center for Biotechnology Information. [online] Available from: www. ncbi.nlm.nih.gov/pubmed/17162284

C.J. Vaughan, A.M. Gotto, C.T. Basson., 2000. The evolving role of statins in the management of atherosclerosis. J Am Coll Cardiol, 35 (January (1)) , pp. 1-10

Carr, M. and Brunzell, J., 2004. Abdominal Obesity and Dyslipidemia in the Metabolic Syndrome: Importance of Type 2 Diabetes and Familial Combined Hyperlipidemia in Coronary Artery Disease Risk. The Journal of Clinical Endocrinology & Metabolism, 89(6), pp.2601-2607.

Centers for Disease Control and Prevention. 2019. Valvular Heart Disease | Cdc.Gov. [online] Available at: <https://www.cdc.gov/heartdisease/valvular_disease.htm> [Accessed 8 November 2020].

Chen, Z., Chen, Y., Qian, J., Ma, J. and Ge, J., 2014. Validation of a Novel Clinical Prediction Score for Severe Coronary Artery Diseases before Elective Coronary Angiography. PLoS ONE, 9(4), p.e94493.

Chieng, D., Pang, J., Ellis, K. L., Hillis, G. S., Watts, G. F., & Schultz, C. J. 2018. Elevated lipoprotein(a) and low-density lipoprotein cholesterol as predictors of the severity and complexity of angiographic lesions in patients with premature coronary artery disease. Journal of Clinical Lipidology, 12(4), 1019–1026. https://doi.org/10.1016/j.jacl.2018.03.090

Czernichow, S., Kengne, A., Stamatakis, E., Hamer, M. and Batty, G., 2011. Body mass index, waist circumference and waist-hip ratio: which is the better discriminator of

cardiovascular disease mortality risk? Evidence from an individual-participant meta-analysis of 82 864 participants from nine cohort studies. Obesity Reviews.

Direktorat P2PTM. 2018. Klasifikasi Obesitas Setelah Pengukuran IMT - Direktorat P2PTM. [online] Available at: <http://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/klasifikasi-obesitas-setelah-pengukuran-imt> [Accessed 7 September 2020].

Djanggan, S., 2015. Patogenesis Aterosklerosis. Malang: UB Press.

Dorland., 2011. Dorland's Illustrated Medical Dictionary. 32nd ed. London: Elsevier Health Sciences.

Eliyani, N., 2019. Hubungan antara Hipertensi dengan Keparahan Lesi Arteri Koroner pada Pasien yang Menjalani Angiografi Koroner.

Ellis, H., 2007. Clinical Anatomy. Oxford: WileyBlackwell.

Fazio, S., 2005. Fibrates – The Other Life-saving Lipid Drugs. US Endocrinology, 00(01), p.1.

Forssmann-Falck, R. 1997. Werner Forssmann: A Pioneer of Cardiology. The American Journal of Cardiology, 79(5), pp.651-660.

Fuster, V., Badimon, L., Badimon, J., & Chesebro, J. 1992. The Pathogenesis of Coronary Artery Disease and the Acute Coronary Syndromes. The New England Journal of Medicine, 326(5), pp. 310-318. https://www.nejm.org/doi/full/10.1056/NEJM199201303260506?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Gadde, K., Martin, C., Berthoud, H. and Heymsfield, S., 2018. Obesity. Journal of the American College of Cardiology, 71(1), pp.69-84.

Ge, W., Parvez, F., Wu, F., Islam, T., Ahmed, A., Shaheen, I., Sarwar, G., Demmer, R., Desvarieux, M., Ahsan, H. and Chen, Y., 2014. Association between anthropometric

measures of obesity and subclinical atherosclerosis in Bangladesh. Atherosclerosis, 232(1), pp.234-241.

Gensini, G., 1983. A more meaningful scoring system for determining the severity of coronary heart disease. The American Journal of Cardiology, 51(3), p.606.

Ghani, L., Susilawati, M. and Novriani, H., 2016. Faktor Risiko Dominan Penyakit Jantung Koroner di Indonesia. Buletin Penelitian Kesehatan, 44(3).

Gotera, W et al., Jurnal Penyakit Dalam FK Unud, 2006. HUBUNGAN ANTARA OBESITAS SENTRAL DENGAN ADIPONEKTIN PADA PASIEN GERITARI DENGAN PENYAKIT JANTUNG KORONER. 7(2).

Gotera, W., Aryana, S., Suastika, K., Santoso, A. and Kuswardhani, T., 2018. Hubungan Antara Obesitas Sentral Dengan Adiponektin Pada Pasien Geritari Dengan Penyakit Jantung Koroner. Jurnal Penyakit Dalam, 7(2), pp.102-107.

Gray, et al. 2005. Lecture Notes Kardiologi edisi 4. Jakarta, Erlangga Medical Series.

Herman, et al., 2015. Hubungan Faktor Risiko yang dapat Dimodifikasi dengan Kejadian Penyakit Jantung Koroner di RS Dr. M. Djamil Padang. Jurnal Kesehatan Andalas, 4(2).

Husmann, L., Leschka, S., Desbiolles, L., Schepis, T., Gaemperli, O., Seifert, B., Cattin, P., Frauenfelder, T., Flohr, T., Marincek, B., Kaufmann, P. and Alkadhi, H., 2007. Coronary Artery Motion and Cardiac Phases: Dependency on Heart Rate—Implications for CT Image Reconstruction. Radiology, 245(2), pp.567-576.

Internet Archive. 2020. Laporan Riset Kesehatan Dasar (Riskesdas) 2018 : Kemenkes RI : Free Download, Borrow, And Streaming : Internet Archive. [online] Available at: <https://archive.org/details/LaporanRiskesdas2018NasionalPromkes.net> [Accessed 17 August 2020].

Jiangping, S., Zhe, Z., Wei, W. et al (2013). Assessment of Coronary Artery Stenosis by Coronary Angiography. Circulation: Cardiovaskular Interventions, 6, pp. 262–268. http://doi.org/10.1161/CIRCINTERVENTIONS.112.000205

Jin, J., Guo, Y. and Li, J., 2017. Plasma free fatty acids in relation with the severity of coronary artery disease in non-diabetics: A Gensini score assessment. IJC Metabolic & Endocrine, 14, pp.48-52.

Kamso, S., 2007. Dislipidemia dan Obesitas Sentral pada Lanjut Usia di Kota Padang. Kesmas: National Public Health Journal, 2(2), p.73.

Kashani H, Zeraati H, Mohammad K, et al., 2017. Analyzing Gensini Score as a Semi-Continuous Outcome. J Tehran Heart Cent, 11(2) p.55-61.

Kemkes.go.id. 2019. Kementerian Kesehatan Republik Indonesia. [online] Available at: <https://www.kemkes.go.id/folder/view/01/structure-publikasi-pusdatin-info-datin.html> [Accessed 10 July 2020].

Kidney Disease: Improving Global Outcomes (KDIGO) CKD-MBD Update Work Group. KDIGO 2018 Clinical Practice Guideline Update for the Diagnosis, Evaluation, Prevention, and Treatment of Chronic Kidney Disease–Mineral and Bone Disorder (CKD-MBD). Kidney Int Suppl. 2018

Lindmark E., et al. 2001. Relationship between interleukin 6 and mortality in patients with unstable coronary artery disease: effects of an early invasive or noninvasive strategy. JAMA. 7;286(17):2107-13. doi: 10.1001/jama.286.17.2107. PMID: 11694151.

Loscalzo, J., 2010. Harrison's Cardiovascular Medicine. 17th ed. McGraw-Hill.

Lyer, A., et al. 2010. Uncontrolled hypertension and increased risk for incident heart failure in older adults with hypertension: findings from a propensity-matched prospective population study. Journal of the American Society of Hypertension, 4(1), pp.22-31.

Maimaituxun, G., Shimabukuro, M., Fukuda, D., Yagi, S., Hirata, Y., Iwase, T., Takao, S., Matsuura, T., Ise, T., Kusunose, K., Tobiume, T., Yamaguchi, K., Yamada, H., Soeki, T., Wakatsuki, T., Harada, M. and Sata, M., 2018. Local Thickness of Epicardial Adipose Tissue Surrounding the Left Anterior Descending Artery Is a Simple Predictor of Coronary Artery Disease ― New Prediction Model in Combination With Framingham Risk Score ―. Circulation Journal, 82(5), pp.1369-1378.

Manish Barman, B. D. (2014). Clinical Spectrum of Acute Coronary Syndromes in Qatar. *Journal of Cardiovaskular Diseases & Diagnosis*. http://doi.org/10.4172/2329-9517.1000149

Marselina NMT, Purnomo HD, (2014) Gambaran Klinis Pasien Sirosis Hati: Studi Kasus Di Rsup Dr Kariadi Semarang Periode 2010-2012. Jurnal Kedokteran Diponegoro 3(1).

Nakamura, K., Fuster, J. and Walsh, K., 2014. Adipokines: A link between obesity and cardiovascular disease. Journal of Cardiology, 63(4), pp.250-259.

National Cancer Institute. n.d. NCI Dictionary Of Cancer Terms. [online] Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/malignancy> [Accessed 8 November 2020].

Neeland, I. J., Patel, R. S., Eshtehardi, P. et al. (2012). Coronary angiographic scoring systems: An evaluation of their equivalence and validity. American Heart Journal, 164(4), 547–552. https://doi.org/10.1016/j.ahj.2012.07.007

Ntaios, G., Gatselis, N., Makaritsis, K. and Dalekos, G., 2013. Adipokines as mediators of endothelial function and atherosclerosis. Atherosclerosis, 227(2), pp.216-221.

Ozaki, Y., Imanishi, T., Taruya, A., Aoki, H., Masuno, T., Shiono, Y., Komukai, K., Tanimoto, T., Kitabata, H. and Akasaka, T., 2012. Circulating CD14+CD16+ Monocyte Subsets as Biomarkers of the Severity of Coronary Artery Disease in Patients With Stable Angina Pectoris. Circulation Journal, 76(10), pp.2412-2418.

P2ptm.kemkes.go.id. 2020. [online] Available at: <http://p2ptm.kemkes.go.id/uploads/N2VaaXIxZGZwWFpEL1VlRFdQQ3ZRZz09/2018/02/FactSheet_Obesitas_Kit_Informasi_Obesitas.pdf> [Accessed 10 July 2020].

Parsa, A. and Jahanshahi, B., 2015. Is the relationship of body mass index to severity of coronary artery disease different from that of waist-to-hip ratio and severity of coronary artery disease? Paradoxical findings : cardiovascular topic. Cardiovascular Journal Of Africa, 26(1), pp.13-16.

Porth, C. and Matfin, G., 2012. Pathophysiology. Vancouver, B.C.: Langara College.

Rafieian-Kopaei, M., Setorki, M., Doudi, M., Baradaran, A., & Nasri, H. 2014. Atherosclerosis: process, indicators, risk factors and new hopes. International journal of preventive medicine, 5(8), pp. 927-946. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4258672/

Rössner, S., 2002. Obesity: the disease of the twenty-first century. International Journal of Obesity, 26(S4), pp.S2-S4.

Rostami R, Najafi M, Sarami R, Bozorgi A, Soltani M, Salamati P., 2017. Gensini scores and well-being states among patients with coronary artery disease: A comparison study. ARYA Atheroscler, 13(5):205-210.

Saybolt, M., Lilly, S., Patel, D., Hamamdzic, D., Llano, R., Fenning, R., Madden, S. and Wilensky, R., 2016. The vulnerable artery: early and rapid deposition of lipid in coronary arteries is associated with subsequent development of thin-cap fibroatheromas. EuroIntervention, 11(14), pp.e1612-e1618.

Setyono, J., Nugroho, D., Mustofa and Saryono, 2014. EFEK ORLISTAT, EKSTRAK BIJI KOPI HIJAU, DAN KOMBINASINYA TERHADAP KADAR ADIPONEKTIN DAN PROFIL LIPID. Jurnal Ners, 9(1), pp.26–34.

Sinning, C., Lillpopp, L., Appelbaum, S., Ojeda, F., Zeller, T., Schnabel, R., Lubos, E., Jagodzinski, A., Keller, T., Munzel, T., Bickel, C. and Blankenberg, S., 2013. Angiographic score assessment improves cardiovascular risk prediction: the clinical value of SYNTAX and Gensini application. Clinical Research in Cardiology, 102(7), pp.495-503.

Sparrow, C.P., Olszewski J. 1993. Cellular oxidation of low density lipoprotein is caused by thiol production in media containing transition metal ions. J Lipid Res, 34, pp. 1219-1228

Sri Rahayu, M., 2018. Hubungan Indeks Massa Tubuh dengan Penyakit Jantung Koroner di Rumah Sakit Umum Cut Meutia Kabupaten Aceh Utara. AVERROUS: Jurnal Kedokteran dan Kesehatan Malikussaleh, 2(1), p.7.

Sudikno, S. and Tuminah, S., 2020. Hubungan Indeks Massa Tubuh, Lingkar Perut, Tekanan Darah, dan Profil Lipid dengan Kejadian Penyakit Jantung Koroner: analisis Data Studi Faktor Resiko Penyakit Tidak Menular di Kota Bogor. Penelitian Gizi dan Makanan (The Journal of Nutrition and Food Research), 43(1), pp.21-29.

Wiyono, S., K. Bangs; R.D Hatrna, S.Wahjoe. 2004. Hubungan antara rasio lingkar pinggang-panggul dengan kadar kolesterol pada orang dewasa di kota Surakarta. Cermin Dunia Kedokteran, 143:44-48.

Who.int. 2020. WHO | Obesity. [online] Available at: <https://www.who.int/topics/obesity/en/> [Accessed 10 July 2020].

Wolk, R., Berger, P., Lennon, R., Brilakis, E. and Somers, V., 2003. Body Mass Index. Circulation, 108(18), pp.2206-2211.

Xu, R., Li, S., Li, X., Zhang, Y., Guo, Y., Zhu, C., Wu, N., Qing, P., Sun, J., Dong, Q. and Li, J., 2015. High-density lipoprotein subfractions in relation with the severity of coronary artery disease: A Gensini score assessment. Journal of Clinical Lipidology, 9(1), pp.26-34.

Yalcin, G., Ozsoy, E. and Karabag, T., 2020. The relationship of body composition indices with the significance, extension and severity of coronary artery disease. Nutrition, Metabolism and Cardiovascular Diseases,.

Yoo, H., 2014. Adipokines as a novel link between obesity and atherosclerosis. World Journal of Diabetes, 5(3), p.357.

Zahrawardani, D., Sri Herlambang, K. and Dewi Anggraheny, H., 2013. Analisis Faktor Risiko Kejadian Penyakit Jantung Koroner di RSUP Dr Kariadi Semarang. Jurnal Kedokteran Muhammadiyah, 1(2).