

DAFTAR PUSTAKA

- Asif, M. (2013) ‘Role of various vitamins in the patients with epilepsy’, *International Journal of Pharmacological Research*, 3(1), pp. 1–9. doi: 10.7439/ijpr.
- Berg, A. T. *et al.* (2012) ‘Age at onset of epilepsy, pharmacoresistance, and cognitive outcomes: A prospective cohort study’, *Neurology*, 79(13), pp. 1384–1391. doi: 10.1212/WNL.0b013e31826c1b55.
- Botez, M. I. *et al.* (1993) ‘Thiamine and folate treatment of chronic epileptic patients: a controlled study with the Wechsler IQ scale’, *Epilepsy Research*, 16(2), pp. 157–163. doi: 10.1016/0920-1211(93)90030-B.
- Brodie, M. J. *et al.* (2012) ‘Patterns of treatment response in newly diagnosed epilepsy’, *Neurology*, 78(20), pp. 1548–1554. doi: 10.1212/WNL.0b013e3182563b19.
- Crepin, S. *et al.* (2009) ‘Malnutrition and epilepsy: A two-way relationship’, *Clinical Nutrition*. Elsevier Ltd, 28(3), pp. 219–225. doi: 10.1016/j.clnu.2009.03.010.
- Fitrina, R. (2018) *Epilepsi, 2018*. Available at: <http://yankes.kemkes.go.id/read-epilepsi-4812.html> (Accessed: 20 January 2020).
- Fox, T. and Tullidge, G. (1946) ‘Pyridoxine (Vitamin B6) in Epilepsy, clinical trial’, *Pyridoxine (Vitamin B6) in Epilepsy, clinical trial*, p. 4000.
- Gascon, G. *et al.* (1989) ‘N,N Dimethylglycine and Epilepsy’, *Epilepsia*, 30(1), pp. 90–93. doi: 10.1111/j.1528-1157.1989.tb05288.x.
- ILAE (2019a) *GENETIC ETIOLOGY, 2019*. Available at: <https://www.epilepsydiagnosis.org/aetiology/genetic-groupoverview.html> (Accessed: 22 January 2020).
- ILAE (2019b) *METABOLIC ETIOLOGY, 2019*. Available at: <https://www.epilepsydiagnosis.org/aetiology/metabolic-groupoverview.html> (Accessed: 22 January 2020).
- ILAE (2019c) *STRUCTURAL ETIOLOGY, 2019*. Available at: <https://www.epilepsydiagnosis.org/aetiology/structural-groupoverview.html> (Accessed: 22 January 2020).
- ILAE (2019d) *UNKNOWN ETIOLOGY, 2019*. Available at: <https://www.epilepsydiagnosis.org/aetiology/unknown-groupoverview.html> (Accessed: 22 January 2020).
- Jiao, F. Y. *et al.* (1997) ‘Randomized, controlled trial of high-dose intravenous pyridoxine in the treatment of recurrent seizures in children’, *Pediatric Neurology*, 17(1), pp. 54–57. doi: 10.1016/S0887-8994(97)00035-0.



UNIVERSITAS
GADJAH MADA

Pengaruh Penambahan Multivitamin (Vitamin B1, B6, B12) terhadap Capaian Fase Bebas Kejang Pasien

Epilepsi Anak di RSUP Dr. Sardjito Tahun 2015-2019

GINA SAFITRI, dr. Dian K. Nurputra, M.Sc, Ph.D, Sp.A ; dr. Dhite Bayu Nugroho, Ph.D

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Kementerian Kesehatan Republik Indonesia (2017) *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Epilepsi pada Anak*. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kunnanayaka, V. et al. (2018) ‘Addition of pyridoxine to prednisolone in the treatment of infantile spasms: A pilot, randomized controlled trial’, *Neurology India*, 66(2), p. 385. doi: 10.4103/0028-3886.227281.

Lee, D.-G. et al. (2015) ‘Seizures Related to Vitamin B6 Deficiency in Adults’, *Journal of Epilepsy Research*, 5(1), pp. 23–24. doi: 10.14581/jer.15006.

Leibrandt, R., Nabet, E. and Harrington, M. (2018) *SEIZURE AS A PRESENTING SYMPTOM OF VITAMIN B12 DEFICIENCY: A CASE REPORT – SHM Abstracts, 2018*. Available at: <https://www.shmabstracts.com/abstract/seizure-as-a-presenting-symptom-of-vitamin-b12-deficiency-a-case-report/> (Accessed: 29 January 2020).

Livingston, S. (2020) ‘Ineffectiveness of Pyridoxine (Vitamin B6) in the Treatment of Epilepsy’, *Ineffectiveness of Pyridoxine (Vitamin B6) in the Treatment of Epilepsy*. doi: 10.7765/9781526124982.00008.

Prilipko, L., Saxena, S. and Boer, H. (2005) ‘Atlas : epilepsy care in the world’, *Buch*, 129, p. 91. doi: 10.1017/CBO9781107415324.004.

Satrosamoro, S. and Ismael, S. (2011) ‘Dasar-Dasar Metodologi Penelitian Klinis’, in. Jakarta: Sagung Seto.

Scheffer, I. E. et al. (2017) ‘ILAE classification of the epilepsies: Position paper of the ILAE Commission for Classification and Terminology’, *Epilepsia*, 58(4), pp. 512–521. doi: 10.1111/epi.13709.

Sillanpää, M. et al. (2017) ‘Remission in epilepsy: How long is enough?’, *Epilepsia*, 58(5), pp. 901–906. doi: 10.1111/epi.13732.

Soetomenggolo, T. S. and Ismael, S. (eds) (1999) *Buku Ajar Neurologi Anak*. Jakarta: Ikatan Dokter Anak Indonesia.

Trinka, E. et al. (2015) ‘A definition and classification of status epilepticus - Report of the ILAE Task Force on Classification of Status Epilepticus’, *Epilepsia*, 56(10), pp. 1515–1523. doi: 10.1111/epi.13121.

Triono, A., Herini, E. S. and Mangunatmadja, I. (2019) ‘Luaran Klinis Anak dengan Epilepsi yang Mengalami Relaps Setelah Penghentian Obat Antiepilepsi’, *Sari Pediatri*, 20(6), p. 335. doi: 10.14238/sp20.6.2019.335-41.

Wang, H. S. and Kuo, M. F. (2007) ‘Vitamin B6 related epilepsy during childhood’, *Chang Gung Medical Journal*, 30(5), pp. 396–401.

Wei, S. H. and Lee, W. T. (2015) ‘Comorbidity of childhood epilepsy’, *Journal of the Formosan Medical Association*. Elsevier Taiwan LLC, 114(11), pp. 1031–1038. doi: 10.1016/j.jfma.2015.07.015.

WHO (2011) *Preventing and treating hypoglycaemia in severely malnourished children*.



UNIVERSITAS
GADJAH MADA

Pengaruh Penambahan Multivitamin (Vitamin B1, B6, B12) terhadap Capaian Fase Bebas Kejang Pasien

Epilepsi Anak di RSUP Dr. Sardjito Tahun 2015-2019

GINA SAFITRI, dr. Dian K. Nurputra, M.Sc, Ph.D, Sp.A ; dr. Dhite Bayu Nugroho, Ph.D

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

WHO (2019) *Epilepsy, 2019*. Available at: <https://www.who.int/news-room/fact-sheets/detail/epilepsy>
(Accessed: 20 January 2020).

Zhou, T. et al. (2018) ‘Effects of carbamazepine combined with vitamin B12on levels of plasma homocysteine, hs-CRP and TNF- α in patients with epilepsy’, *Experimental and Therapeutic Medicine*, 15(3), pp. 2327–2332. doi: 10.3892/etm.2018.5698.