

DAFTAR PUSTAKA

- [1] L. F. Bachman, *Fundamental considerations in language testing*. Oxford University Press, 1990.
- [2] L. G. The, *Dictionary of Logic*. Karya Kencana, 1980.
- [3] J. S. Surjasumantri, *Filsafat Ilmu: Sebuah Pengantar Populer*. Jakarta: Pustaka Sinar Harapan, 1998.
- [4] D. Bennouar, "An automatic grading system based on dynamic corpora," *Int. Arab J. Inf. Technol.*, vol. 14, no. 4A Special Issue, pp. 552–564, 2017.
- [5] M. J. Gierl, H. Lai, and S. R. Turner, "Using automatic item generation to create multiple-choice test items," *Med. Educ.*, vol. 46, no. 8, pp. 757–765, 2012.
- [6] J. L. Gilles, P. Detroz, and J. G. Blais, "An international online survey of the practices and perceptions of higher education professors with respect to the assessment of learning in the classroom," *Assess. Eval. High. Educ.*, vol. 36, no. 6, pp. 719–733, 2011.
- [7] S. Ramesh, S. M. Sidhu, and G. K. Watugala, "Exploring the Potential of Multiple Choice Questions in Computer-Based Assessment of Student Learning," *Malaysian Online J. Instr. Technol.*, vol. 2, no. 1, 2005.
- [8] M. A. Sultan, C. Salazar, and T. Sumner, "Fast and easy short answer grading with high accuracy," in *2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL HLT 2016 - Proceedings of the Conference*, 2016, pp. 1070–1075.
- [9] M. Liu, V. Rus, and L. Liu, "Automatic Chinese Multiple Choice Question Generation Using Mixed Similarity Strategy," *IEEE Trans. Learn. Technol.*, vol. 11, no. 2, pp. 193–202, 2018.
- [10] M. Gierl and H. Lai, "Using Automated Processes to Generate Test Items And Their Associated Solutions and Rationales to Support Formative Feedback," *Interact. Des. Archit. J.*, pp. 9–20, 2015.
- [11] M. von Davier, "Automated Item Generation with Recurrent Neural Networks," *Psychometrika*, vol. 83, no. 4, pp. 847–857, 2018.
- [12] G. Kurdi, J. Leo, B. Parsia, U. Sattler, and S. Al-Emari, "A Systematic Review of Automatic Question Generation for Educational Purposes," *Int. J. Artif. Intell. Educ.*, 2019.
- [13] S. Burrows, I. Gurevych, and B. Stein, "The Eras and Trends of Automatic Short Answer Grading," in *International Journal of Artificial Intelligence in Education*, 2015, vol. 25, pp. 60–117.
- [14] G. Conole and B. Warburton, "A review of computer-assisted assessment,"

- Alt-J Res. Learn. Technol.*, vol. 13, no. 1, pp. 17–31, 2005.
- [15] K. Y. Chang, W. P. Chuang, Y. C. Li, and Y. C. Lin, “Online math word problem test system based on dynamic item generation mechanism,” *ICS 2010 - Int. Comput. Symp.*, pp. 354–357, 2010.
- [16] M. Arendasy and M. Sommer, “Using psychometric technology in educational assessment: The case of a schema-based isomorphic approach to the automatic generation of quantitative reasoning items,” *Learn. Individ. Differ.*, vol. 17, no. 4, pp. 366–383, 2007.
- [17] S. E. Prasetyo, T. B. Adji, and I. Hidayah, “Automated Item Generation: Model and Development Technique,” in *7th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*, 2020, pp. 64–69.
- [18] E. Ras, A. Baudet, and M. Foulonneau, “A Hybrid Engineering Process for Semi-automatic Item Generation A Hybrid Engineering Process for Semi-automatic Item Generation The manual creation of assessment items by humans suffers a number of limitations . It,” no. November, 2017.
- [19] A. Prasetyanto, T. B. Adji, and I. Hidayah, “Automatic Question Generator System Conceptual Model for Mathematic and Geometry Parallel Question Replication,” in *The 2nd 2019 ICERA: International Conference on Electronics Representation and Algorithm*, 2020.
- [20] T. Bharata Adji, F. Setio Pribadi, H. Eko Prabowo, R. Rosnawati, and A. Wijaya, “Generating Parallel Mathematic Items Using Automatic Item Generation,” in *Proceeding Book of 1st International Conference on Educational Assessment and Policy*, 2018, vol. 1, pp. 89–93.
- [21] M. J. Gierl, M. M. Ball, V. Vele, and H. Lai, “A method for generating nonverbal reasoning items using n-layer modeling,” *Commun. Comput. Inf. Sci.*, vol. 571, no. June, pp. 12–21, 2015.
- [22] B. Žitko, S. Stankov, M. Rosić, and A. Grubišić, “Dynamic test generation over ontology-based knowledge representation in authoring shell,” *Expert Syst. Appl.*, vol. 36, no. 4, pp. 8185–8196, 2009.
- [23] M. Al-Yahya, “Ontology-based multiple choice question generation,” *Sci. World J.*, vol. 2014, 2014.
- [24] E. V. Vinu and S. Kumar P., “A novel approach to generate MCQs from domain ontology: Considering DL semantics and open-world assumption,” *J. Web Semant.*, vol. 34, pp. 40–54, 2015.
- [25] M. K. Kim and H. J. Kim, “Design of question answering system with automated question generation,” in *Proceedings - 4th International Conference on Networked Computing and Advanced Information Management, NCM 2008*, 2008, vol. 2, pp. 365–368.
- [26] M. Liu, R. A. Calvo, A. Aditomo, and L. A. Pizzato, “Using Wikipedia and conceptual graph structures to generate questions for academic writing

- support,” *IEEE Trans. Learn. Technol.*, vol. 5, no. 3, pp. 251–263, 2012.
- [27] M. Liu, R. A. Calvo, and V. Rus, “G-Asks: An Intelligent Automatic Question Generation System for Academic Writing Support G-Asks: An Intelligent Automatic Question Generation System for Academic Writing Support Ming Liu When students are asked to write a literature review or an essay,” *Dialogue and Discourse*, vol. 3, no. January 2012, pp. 101–124, 2014.
- [28] Z. Sun, Z. Zhang, M. Wang, and Q. Wang, “An approach on the automatic generation of concept weights for test items,” *PACIA 2009 - 2009 2nd Asia-Pacific Conf. Comput. Intell. Ind. Appl.*, vol. 2, pp. 92–95, 2009.
- [29] B. Liu, “SARAC: A framework for automatic item generation,” in *Proceedings - 2009 9th IEEE International Conference on Advanced Learning Technologies, ICALT 2009*, 2009, no. 25, pp. 556–558.
- [30] M. J. Gier and H. Lai, “Using automated processes to generate test items and their associated solutions and rationales to support formative feedback,” *Interact. Des. Archit.*, vol. 25, no. 1, pp. 9–20, 2015.
- [31] F. Skopljanac-Macina, B. Blaskovic, and D. Pintar, “Automated generation of questions for basic electrical engineering education,” in *Annals of DAAAM and Proceedings of the International DAAAM Symposium*, 2016, vol. 27, no. 1, pp. 377–385.
- [32] M. Heilman and N. A. Smith, “Good question! Statistical ranking for question generation,” in *NAACL HLT 2010 - Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics, Proceedings of the Main Conference*, 2010, no. June, pp. 609–617.
- [33] G. Gunabushanam, C. R. Taylor, M. Mathur, J. Bokhari, and L. M. Scutt, “Automated Test-Item Generation System for Retrieval Practice in Radiology Education,” *Acad. Radiol.*, vol. 26, no. 6, pp. 851–859, 2019.
- [34] R. Raja and P. C. Nagasubramani, “Impact of modern technology in education,” in *Journal of Applied and Advanced Research*, 2018, vol. 3, pp. 33–35.
- [35] F. Pisanu, “Educational Innovation and Technology: A Need for Integration,” *Perspect. Innov. Econ. Bus.*, vol. 14, no. 2, pp. 103–108, 2014.
- [36] V. E. Pryanichnikov *et al.*, “New creative educational technologies for inter-university network,” *Procedia Eng.*, vol. 100, no. January, pp. 259–268, 2015.
- [37] R. Florian, A. Ittycheriah, H. Jing, and T. Zhang, “Named entity recognition through classifier combination,” in *Proceedings of the Seventh Conference on Natural Language Learning at HLT-NAACL 2003*, 2003, pp. 168–171.
- [38] E. F. T. K. Sang and F. De Meulder, “Introduction to the CoNLL-2003 Shared Task: Language-Independent Named Entity Recognition,” in

Proceedings of the Seventh Conference on Natural Language Learning at HLT-NAACL 2003, 2003, pp. 142–147.

- [39] A. Papasalouros and M. Chatzigiannakou, “Semantic web and question generation: An overview of the state of the art,” *MCCSIS 2018 - Multi Conf. Comput. Sci. Inf. Syst. Proc. Int. Conf. e-Learning 2018*, vol. 2018-July, pp. 189–192, 2018.
- [40] Ankita and K. A. Abdul Nazeer, “Part-of-speech tagging and named entity recognition using improved hidden markov model and bloom filter,” *2018 Int. Conf. Comput. Power Commun. Technol. GUCON 2018*, pp. 1072–1077, 2019.
- [41] M. A. Moni, “Application of Natural Language Processing Techniques in e-Governance,” in *8th International Conference on Language and Development*, 2009.
- [42] L. Araujo, “Genetic programming for natural language processing,” *Genet. Program. Evolvable Mach.*, vol. 21, no. 1–2, pp. 11–32, 2019.
- [43] M. McShane, “Natural language understanding (NLU, not NLP) in cognitive systems,” *AI Mag.*, vol. 38, no. 4, pp. 43–56, 2017.
- [44] R. Perera and P. Nand, “Recent Advances in Natural Language Generation: A Survey And Classification of The Empirical Literature,” *Comput. Informatics*, vol. 36, pp. 1–32, 2017.
- [45] A. Khorsi, “An overview of content-based spam filtering techniques,” *Informatica*, vol. 31, no. 3, pp. 269–277, 2007.
- [46] Z. B. Nezhad and M. A. Deihimi, “A combined deep learning model for Persian Sentiment Analysis,” *IJUM Eng. J.*, vol. 20, no. 1, pp. 129–139, 2019.
- [47] M. Pota, F. Marulli, M. Esposito, G. De Pietro, and H. Fujita, “Multilingual POS tagging by a composite deep architecture based on character-level features and on-the-fly enriched Word Embeddings,” *Knowledge-Based Syst.*, vol. 164, no. xxxx, pp. 309–323, 2019.
- [48] S. Amri, L. Zenkouar, and M. Outahajala, “Combination POS taggers on Amazigh texts,” in *Proceedings of 2017 International Conference of Cloud Computing Technologies and Applications, CloudTech 2017*, 2018, pp. 1–6.
- [49] J. Singh, N. Joshi, and I. Mathur, “Development of Marathi part of speech tagger using statistical approach,” *Proc. 2013 Int. Conf. Adv. Comput. Commun. Informatics, ICACCI 2013*, pp. 1554–1559, 2013.
- [50] V. Dhanalakshmi, G. Shivapratap, D. S. K. P, S. Rajendran, and M. A. Kumar, “Tamil POS tagging using Linear Programming,” *Int. J. Recent Trends Eng.*, vol. 1, no. 2, 2009.
- [51] D. Kumawat and V. Jain, “POS Tagging Approaches: A Comparison,” *Int. J. Comput. Appl.*, vol. 118, no. 6, pp. 32–38, 2015.

- [52] E. Brill, "A simple rule-based part of speech tagger," p. 112, 1992.
- [53] A. Dinakaramani, F. Rashel, A. Luthfi, and R. Manurung, "Designing an Indonesian part of speech tagset and manually tagged Indonesian corpus," in *Proceedings of the International Conference on Asian Language Processing 2014, IALP 2014*, 2014, pp. 66–69.
- [54] A. Sharma, F. Khan, D. Sharma, F. Y. Student, and S. I. Area, "Python : The Programming Language of Future," *Int. J. Innov. Res. Technol.*, vol. 6, no. 12, pp. 115–118, 2020.
- [55] K. Adawadkar, "Python Programming-Applications and Future," *Int. J. Adv. Eng. Res. Dev.*, vol. 4, no. 04, pp. 1–4, 2017.
- [56] X. U. Shukla and D. J. Parmar, "Python – A comprehensive yet free programming language for statisticians," *J. Stat. Manag. Syst.*, vol. 19, no. 2, pp. 277–284, 2016.
- [57] J. Boesen, J. Lithner, and T. Palm, "The relation between types of assessment tasks and the mathematical reasoning students use," *Educ. Stud. Math.*, vol. 75, no. 1, pp. 89–105, 2010.
- [58] S. Wardhani, *Analisis SI dan SKL Mata Pelajaran Matematika SMP/MTS Untuk Optimalisasi Pencapaian Tujuan*. 2008.
- [59] Utari Sumarmo, "Kemandirian Belajar: Apa, Mengapa, dan Bagaimana dikembangkan pada Peserta Didik," in *Makalah disajikan dalam Seminar Nasional*, 2004.
- [60] S. N. Sharma, N. Widiastuti, and C. Himawan, *Jelajah Matematika SMA Kelas XI Program Wajib*. Jakarta: Yudisthira, 2017.
- [61] T. S. Tullis and J. N. Stetson, "A Comparison of Questionnaires for Assessing Website Usability ABSTRACT : Introduction," *Usability Prof. Assoc. Conf.*, pp. 1–12, 2004.
- [62] J. Broke, *SUS: A 'quick and dirty' usability scale*. London: Taylor & Francis, 1996.
- [63] A. Bangor *et al.*, "An Empirical Evaluation of the System Usability Scale Usability Scale," vol. 7318, 2008.