

DAFTAR PUSTAKA

Abbott. Point of Care (2017) ‘*The Essential Benefit of with Patient Testing in CVICU Transformation*’.

Almashrafi, A., Elmontsri, M. and Aylin, P. (2016) ‘Systematic review of factors influencing length of stay in ICU after adult cardiac surgery’, *BMC Health Services Research*, 16. doi: 10.1186/s12913-016-1591-3.

Alrddadi, S., Morsy, M., Albakri, J., Mohammed, M., Alnajjar, G., Fawaz, M., *et al.* (2019). Risk factors for prolonged mechanical ventilation after surgical repair of congenital heart disease. Experience from a single cardiac center. *Saudi Medical Journal*. [Online] 40 (4), 367–371. Available from: doi:10.15537/smj.2019.4.23682.

Anon 2017. Evaluating Cardiomegaly by Radiological Cardiothoracic Ratio as Compared to Conventional Echocardiography. [Online] 9 (2). Available from: doi:10.15406/jccr.2017.09.00319 [Accessed 3 April 2021].

Bellos, I., Iliopoulos, D.C. & Perrea, D.N, (2020). Association of postoperative fluid overload with adverse outcomes after congenital heart surgery: a systematic review and dose-response meta-analysis. *Pediatric Nephrology*. [Online] 35 (6), 1109–1119. Available from: doi:10.1007/s00467-020-04489-4.

Blum FE, Lund ET, Hall HA, Tachauer AD, Chedrawy EG, Zilberstein J., (2015) ‘Reevaluation of the utilization of arterial blood gas analysis in the Intensive Care Unit: Effects on patient safety and patient outcome. *J Crit Care*. Apr;30(2):438.e1-438.e5. Available from: doi:10.1016/j.jcrc.2014.10.025

Borde, D., Gandhe, U., Hargave, N., Pandey, K., and Khullar, V., (2013) ‘The Application of European System for Cardiac Operative Risk Evaluation II (EuroSCORE II) and Society of Thoracic Surgeons (STS) Risk-Score for Risk Stratification in Indian Patients Undergoing Cardiac Surgery’. *Annals of Cardiac Anaesthesia* 16, no.3 : 163. <https://doi.org/10.4103/0971-9784.114234>.

Chin, P., Adeline, N., Wai, Y., Swee, H., Edward, J., (2011) ‘Assessing Performance of i-STAT at the Point of Care in the Emergency Room’. *Proceedings of Singapore Healthcare*, Vol.20:3.

Cove, M.E., Chen, Y., Taculod, J.M., Oon, S.E., Kollengode, R., Maclaren, G., Tan, C.S., (2016) ‘Multidisciplinary Extubation Protocol in Cardiac Surgical Patients Reduces Ventilation Time and Length of Stay in the Intensive Care Unit’, *The*

Annals of Thoracic Surgery, 102(1), pp. 28–34. doi:
10.1016/j.athoracsur.2016.02.071.

Emilia, N., Eliane, K., Marta, E., Maria, I., Jose, O., (2003) ‘Assessment of factors that influence weaning from long-term mechanical ventilation after cardiac surgery’. *Arquivos Brasileiros de Cardiologia*, Vol.80:3.

Eui, J., Sang Do, S., Seung, C., Jin, S., (2011) ‘A point-of-care chemistry test for reduction of turnaround and clinical decision time’. *American Journal of Emergency Medicine*, Vol.29:489-495.

Florkowski, C., Wauchope, A.D., Gimenez, N., Capote, K.R., Wils, J., Zemlin, A., (2017) ‘Point-of-care testing (POCT) and evidence-based laboratory medicine (EBLM) – does it leverage any advantage in clinical decision making?’, *Critical Reviews in Clinical Laboratory Sciences*, 54(7–8), pp. 471–494. doi: 10.1080/10408363.2017.1399336.

Fonseca L, Vieira FN, Azzolin KDO, Fonseca L, Vieira FN, Azzolin KDO., (2014) ‘Factors associated to the length of time on mechanical ventilation in the postoperative period of cardiac surgery. *Rev Gaúcha Enferm.* Jun;35(2):67–72. Available from: doi:10.1590/1983-1447.2014.02.44697

Goyal, A., Chhabra, L., Sciammarella, J.C. & Cooper, J.S., (2020). Defibrillation. In: *StatPearls*. [Online]. Treasure Island (FL), StatPearls Publishing. p. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK499899/> [Accessed 17 February 2021]

Grawe, E., Wojciechowski, P. J. and Hurford, W. E. (2015) ‘Balancing Early Extubation and Rates of Reintubation in Cardiac Surgical Patients: Where Does the Fulcrum Lie?’, *Journal of Cardiothoracic and Vascular Anesthesia*, 29(3), pp. 549–550. doi: 10.1053/j.jvca.2015.02.024.

Harlan, J., Sutjiati, R., (2018) ‘*Metode Penelitian Kesehatan*’. 2nd edition. Jakarta : Universitas Gunadarma.

James, P., Stephen, M., Robert, J., Hope, N., (2006) ‘Course of Weaning from Prolonged Mechanical Ventilation after Cardiac Surgery’. *Texas Heart Institute Journal*, vol.33 : 2.

Joshua, L., Justin, G., Mandy, M., Ann, G., Keith, A., (2018) ‘A Multidisciplinary Protocol-Driven Approach to Improve Extubation Times After Cardiac Surgery’. *Cardiothoracic Anesthesiology*, Vol.105 :1684-90.

- Kahar, H. (2018) 'Keuntungan Dan Kerugian Penjaminan Mutu Berdasarkan Uji Memastikan Kecermatan (Poct)', *Indonesian Journal Of Clinical Pathology And Medical Laboratory*, 13(1), p. 38. doi: 10.24293/ijcpml.v13i1.898.
- Kantekin, Ç. U., Ercan, M., Oguz, E.F., Demirdas, E., Atilgan, K., Sipahi, M., Cicekcioglu, F., (2018) 'Evaluation of the i-STAT Blood Gas Analysis System in Cardiovascular Surgery', *Medical Laboratory Technology Journal*, 4(2), p. 35. doi: 10.31964/mltj.v4i2.190.
- Kapoor, D., Srivastava, M. and Singh, P. (2014) 'Point of care blood gases with electrolytes and lactates in adult emergencies', *International Journal of Critical Illness and Injury Science*, 4(3), pp. 216–222. doi: 10.4103/2229-5151.141411.
- Koc, V., Delmas Benito, L., de With, E. & Boerma, E.C., (2020) 'The Effect of Fluid Overload on Attributable Morbidity after Cardiac Surgery: A Retrospective Study Samuel A. Tisherman (ed.)'. *Critical Care Research and Practice*. [Online] 2020, 1–7. Available from: doi:10.1155/2020/4836862.
- Kusuma, D.A. & Rachmawati, B., (2019). Perbedaan parameter analisa gas darah (AGD) pada mixing sampel sesuai dan tidak sesuai standar Clinical and Laboratory Standards Institute (CLSI). *Intisari Sains Medis*. [Online] 10 (1). Available from: doi:10.15562/ism.v10i1.344 [Accessed 12 April 2021].
- Lubis, I.K, Susilawati, (2017) 'Analisis Length Of Stay (Los) Berdasarkan Faktor Prediktor Pada Pasien DM Tipe II di RS PKU Muhammadiyah Yogyakarta.jurnal kesehatan vokasional'. Vol.2 no.2
- Malik, M., Chauhan S., Malik, V., Gharde, P., Kiran, U., and Pandey, R.M., (2010) 'Is EuroSCORE Applicable to Indian Patients Undergoing Cardiac Surgery?' *Annals of Cardiac Anaesthesia* 13, no.3 : 241. <https://doi.org/10.4103/0971-9784.69082>.
- Nadeem, R., Agarwal, S., Jawed, S., Yasser, A. & Altahmody, K. n.d. 'Impact of Cardiopulmonary Bypass Time on Postoperative Duration of Mechanical Ventilation in Patients Undergoing Cardiovascular Surgeries: A Systemic Review and Regression of Metadata. *Cureus*'. [Online] 11 (11). Available from: doi:10.7759/cureus.6088 [Accessed 17 February 2021].
- Novabio., (2020) 'BioProfile pHox Analyzer' available from <https://www.novabio.us/phox/>. Accessed on March 10th 2020.
- Noyez, L., Kievit, P.C., Van Swieten, H.A and De Boer, M.J., (2012) 'Cardiac Operative Risk Evaluation: The EuroSCORE II, Does It Make a Real

Difference?’ *Netherlands Heart Journal* 20, no.12: 494–98.
<https://doi.org/10.1007/s12471-012-0327-1>.

Nuri, D.I., Jessica, P., Ninik, S., (2019) ‘Comparison of point-of-care and central laboratory analyzers for blood gas and lactate measurements’. *J Clin Lab Anal*, 33.

Parmar, J., Clarke, J., Porter, R., Allsager, C., (2014) ‘Delays in extubation following elective adult cardiac surgery’, *Critical Care*, 18(Suppl 1), p. P185. doi: 10.1186/cc13375.

Petrou, A., Tzimas, P. & Siminelakis, S., (2016) ‘Massive bleeding in cardiac surgery’. Definitions, predictors and challenges. *Hippokratia*. 20 (3), 179–186

Puri, S., Paul, G. and Sood, P., (2010) ‘Interpretation of arterial blood gas’, *Indian Journal of Critical Care Medicine*, 14(2), pp. 57–64. doi: 10.4103/0972-5229.68215.

Raul A., Gustavo O., Carlos A., Janina M., Sabrina V., Maria X. (2016) ‘Routine operation theatre extubation after cardiac surgery in the elderly’. *Interactive CardioVascular and Thoracic Surgery*, Vol.22 : 627-632.

Sastroasmoro, S. and Ismael, S. (2016) ‘*Dasar-dasar Metodologi Penelitian Klinis*’. 5th edn. Jakarta: Sagung Seto.

Salam A, Smina M, Gada P, Tilluckdharry L, Upadya A, Amoateng-Adjepong Y, *et al.*, (2003) ‘The effect of arterial blood gas values on extubation decisions. *Respir Care*. Nov;48(11):1033–7.

Shahzad A., Akunuri S., Rajesh G., Rufaida M., Akanksha J. (2018) ‘Predictors and Outcome of Early Extubation in Infants Postcardiac Surgery : A Single-center Observational Study’. *Annals of Cardiac Anaesthesia*, Vol. 21:402-6.

Song, Young, Dong Wook Kim, Young Lan Kwak, Beom Seok Kim, Hyung Min Joo, Jin Woo Ju, and Young Chul Yoo., (2016) “Urine Output During Cardiopulmonary Bypass Predicts Acute Kidney Injury After Cardiac Surgery” *Medicine* 95, no. 22. <https://doi.org/10.1097/MD.0000000000003757>.

Tchou, M.J., May, S., Holcomb, J., Tanner-Edwards, E., Good, K., Frazier, M., *et al.* (2020) ‘Reducing Point-of-care Blood Gas Testing in the Intensive Care Unit through Diagnostic Stewardship: A Value Improvement Project. *Pediatric Quality & Safety*’. [Online] 5 (4), e284. Available from: doi:10.1097/pq9.0000000000000284.

Totonchi, Z., Baazm, F., Chitsazan, M., Seifi, S. & Chitsazan, M. (2014) ‘Predictors of Prolonged Mechanical Ventilation after Open Heart Surgery. *Journal of Cardiovascular and Thoracic Research*’. [Online] 6 (4), 211–216. Available from: doi:10.15171/jcvtr.2014.014

WHO, (2002) ‘*Use Of Anticoagulants In Diagnostic Laboratory Investigations*’. Stability Of Blood, Plasma And Serum Samples. 2002

Williamson, C.M., Fitton T.P., Smaroff, G., Teague, P., Shaff, D.A., (2017) ‘Early Extubation Protocol Following Valve and Coronary Artery Bypass Surgery’. *Clinics in Cardiovascular Surgery*, Vol 3:210-2015.

Widyastuti, Y., Stenseth, R., Wahba, A., Pleym, H., Videm, V., (2012) ‘Length of intensive care unit stay following cardiac surgery: is it impossible to find a universal prediction model?’, *Interactive Cardiovascular and Thoracic Surgery*, 15(5), pp. 825–832. doi: 10.1093/icvts/ivs302.