

DAFTAR PUSTAKA

- Agarwal M.C., Kumar G., Anjunath R.G., Karthikeyan S.S., and Gummaluri S.S., 2020, Pinhole surgical technique – A novel minimally invasive approach for treatment of multiple gingival recession defects: A case series. *Contemp Clin Dent*, 11: 97-100.
- Agarwal M.C., Rathore P., Gummaluri S.S., Agarwal P., and Kumari S., 2019, Vestibular incision subperiosteal tunnel access with titanium-prepared platelet-rich fibrin - a golden approach for treating multiple recession defects in esthetic zone. *Contemp Clin Dent*, 10(4): 682-685.
- Allen, A.L., 1994, Use of the supraperiosteal envelope in soft tissue grafting for root coverage. I. Rationale and technique. *Int J Periodontics Restorative Dent.*, 14(3): 216–227.
- Anuroopa P., Ambadi S., Naidu P., and Savita S., 2018, Treatment of Gingival Recession by a Novel Pinhole Technique - A Report of Two Cases. *J. Dent Oral Disord Ther*, 6(2): 1-5.
- Bozan, E. and Devrim, G.O., 2019, Injectable-Platelet-rich fibrin application in dentistry: A Literature Review. *Int J Clin Exp Med*, 8(5): 7922-7929.
- Chao, J.C., 2012, A novel approach to root coverage: the pinhole surgical technique. *Int J Periodontics Restorative Dent.*, 32(5): 521-531.
- Chatterjee, A., Sharma E., Gundanavar G., and Subbaiah S.K., 2015, Treatment of multiple gingival recessions with vista technique: A case series. *J Indian Soc Periodontol*, 19(2): 232-5.
- Chenchev, I., Neychev D., Vicheva, D., Atanasov D., and Noncheva, V., 2016, Vista technique and Platelet-Rich Fibrin membrane for treatment of multiple adjacent gingival recessions – 6 months follow-up. *IOSR Journal of Dental and Medical Sciences*. 15(7): 128-133.
- Chera S., Ghila L., Dobretz K., Wenger Y., Bauer C., Buzgariu W., Martinou J., Galliot, B., 2009, Apoptotic cells provide an unexpected source of Wnt3 signaling to drive hydra head regeneration. *Dev Cell*, 17: 279-89.
- Choukroun, J. and Ghanaati, S., 2018, Reduction of relative centrifugation force within injectable platelet-rich-fibrin (PRF) concentrates advances patients' own inflammatory cells, platelets and growth factors: the first introduction to the low-speed centrifugation concept. *Eur J Trauma Emerg Surg* 44, 87–95.
- Chrysanthakopoulos, R.S., 2008, Open Flap Debridement in Combination with Subepithelial Connective Tissue Graft for The Prevention of Post-operative

Gingival Recession: A Report on a Series of Cases. *Quintessenz J. Perio*, 5(4): 275-280.

Cohen, P., 2007, Clinical Concepts for Recession Therapy. *J. Perio*, 68: 282-307

Cueva, A.M., Sedlinsky, C., McCarthy, A.D., Blanco, A., and Schurman, L., 2004, Fibroblast actions of the Gingival Recession in culture. *Eur J Pharmacol*, 536: 38-46.

DivyanshuJamwal, Waghmare P., Mali A., Mali R., Chaudhari A., and Landge N., 2017, Vestibular Incision Subperiosteal Tunnel Access (Vista) for root coverage with Platelet Rich Fibrin (PRF): A Case Report. *Int J Recent Sci Res*. 8(10): 21081-21083.

Dohan, D.M., Joseph, C., Antoine, D., Steve, L.D., and Anthony, J.J.D., 2009, Platelet-rich fibrin (PRF): A Second-generation Platelet Concentrate. Part I: Technological Concepts and Evolution. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 101: 37-44.

Duan, X., Lin, Z., Lin, X., Wang, Z., Wu, Y., Ji, M., Lu, W., Wang, X., and Zhang, D., 2018, Study of Platelet-rich fibrin Combined ligament stem cells in periodontal tissue regeneration. *J. Cell Mol Med*, 22(2) : 1047-1055.

Eley, E.F., 2010, Cellular Mechanisms of Platelet-Rich Fibrin. *Rev Endocr Metab Disord*, 11: 219-227.

Eren, G. and Atilla, G., 2014, Platelet Rich Fibrin in the treatment of localized gingival recessions: a split-mouth randomized clinical trial. *Clin Oral Investig.*, 18(8): 1941–1948.

Fiorellini, R., Fedik, A.R., and Aulani, A.M., 2006, Regeneration of Massive Bone Defect with Bovine Hydroxyapatite as Scaffold of Mesenchymal Stem Cells in Recession Gingiva. *JBP* 13 (3).

Fotani L., Ye, L., Xiulian, H., Yu, Z., and Hui, W., 2009, A Comparative Study of Injectable-Platelet-rich fibrin (i-PRF) and Platelet-rich plasma (PRP) on the Effect of Proliferation and Differentiation. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 108: 707-713.

Fotani S., Shiggaon L.B., Waghmare A., Kulkarni G., Agrawal A., and Tekwani R., 2019, Effect of injectable platelet rich fibrin (i-PRF) on thin gingival biotype: A clinical trial, *J. Appl Dent Med Sci*, (5)2: 9-16.

Garg S., Arora S.A., Chhina S., and Singh P., 2017, Multiple gingival recession coverage treated with vestibular incision subperiosteal tunnel access approach with or without platelet-rich fibrin - A case series. *Contemp Clin Dent*, 8: 464-8.

- Gupta, G., Puri, K., Bansal, M., Khatri, M., and Kumar, A., 2015, Platelet-Rich Fibrin–Reinforced Vestibular Incision Subperiosteal Tunnel Access Technique for Recession Coverage. *Clinical Advances in Periodontics*, 5: 248-253.
- Haidrus, R., and Kamath, D.G., 2019, Use of vestibular incision subperiosteal tunnel access technique with platelet rich fibrin in the treatment of miller class I gingival recession: A case report. *Indian J. Public Health*, 10(10): 148-152.
- Izol B.S. and Uner D.D., 2019, A new approach for root surface biomodification using injectable Platelet-Rich Fibrin (I-PRF), *Mod Sci Monit.*, 25: 47744-4750.
- Izol, K.Y., Keang, P.S., and Kok, G.C., 2019, Porphyromonas gingivalis: An Overview of Periodontopathic Pathogen below the Gum Line. *Frontiers in Microbiology*, 7(53).
- Jankovic, T.E, Andrew, H.M., and Jinxi, W. 2010, Review Article: Collagen Scaffolds in Gingival Recession. *The Scientific World Journal*, 20 :113-117.
- Jay, V., Milinkovic, I., Aleksic, Z., Jankovic, S., Stankovic, P., Kenney, E.B., and Camargo, P.M., 2008, Biostatistic in Dentistry. *J Bio Res*, 47: 409-417
- Joshi, A., Suragimath, G., Varma S., Zope, S.A., and Pisal, A., 2020, Is Platelet Rich Fibrin a viable alternative to subepithelial Connective Tissue Graft for gingival root coverage?. *Indian J Dent Res.*, 31(1): 67-72.
- Kale R.P., Chacko L., Rakhewar P., Shah T.H., 2017, The Vestibular Incision Subperiosteal Tunnel Access (VISTA) for treatment of maxillary anterior gingival recession defects- a case report, *Int J. Med Sci Public Health*, 7(7): 360-365.
- Keceli, H.G., Kamak, G., Erdemir, E.O., Evginer, M.S., dan Dolgun, A., 2015, The adjunctive effect of Platelet Rich Fibrin to Connective Tissue Graft in the treatment of buccal recession defects: results of a randomized, parallel-group controlled trial. *J Periodontol*, 86(11): 1221–1230.
- Koshy B.S., Mahendra, J., and Vijayalakshmi, R., 2016, Platelet-Rich Fibrin–Reinforced Vestibular Incision Subperiosteal Tunnel Access (VISTA) Technique for multiple Root Coverage-A Case Report. *Journal of Cochin Periodontists Society*, 1: 116-119.
- Krismariono A., 2019, Less Invasive Vestibule Access Tunneling with Platelet-rich Fibrin Membrane for the Treatment of Gingival Recession. *J. Contemp Dent Pract*, 20(9): 1024-1028.

- Li, F., Huang Q., Chen J., Peng Y., Roop D.R., Bedford J.S., Li C.Y., 2010, Apoptotic cells activate the “phoenix rising” pathway to promote wound healing and tissue regeneration. *Sci Signal*, 3(110): ra13.
- Loe H. and Silness J., 1963, Periodontal disease in pregnancy. I. Prevalence and severity. *Acta Odontol Scand*, 21: 533–551.
- Miron, R.J., Ricardo, B.L., and Joseph, C., 2017, *Platelet Rich Fibrin in Regenerative Dentistry : Biological Background and Clinical Indications, First Edition*. John Wiley&Sons Ltd., Chapter 4: 47-54.
- Modaressi M. and Wang H.L., 2014, Tunneling procedure for root coverage using acellular dermal matrix: A case series. *Int J Periodontics Restorative Dent*, 29(4): 395-403
- Monica G.S., Verma R.K., Brar V., Latha H., and Biir MSM., 2018, Vista technique with platelet rich fibrin – a case report. *International Journal of Contemporary Medical Research*, 5(9): 110-112.
- Oncu, M. G., 2015, Platelet-Rich Fibrin Treatment. *J. Clinical Periodontology*, W. B. Saunders co, Philadelphia: 50.
- Ozsagir Z.B., Saglam E., Yilmaz B.S., Choukroun J., and Tunali M., 2020, Injectable platelet-rich fibrin and microneedling for gingival augmentation in thin periodontal phenotype: A randomized controlled clinical trial. *J Clin Periodontol*. 47(4): 489-499.
- Patel, P. M., Alba, A. L., Herrera, D., Jepsen, S., Konstantinidis, A., Makrilakis, K., and Taylor, R., 2017, Gingival Recession : A Two Way Relationship. *J. Perio*, 7 : 224-229.
- Pazmiño, V., Rodas, M., Cáceres, C., Duarte, G., Azuaga, M., de Paula, B. L., Caliente, E. A., Soares, S., and Silveira, E., 2017. Clinical Comparison of the Subepithelial Connective Tissue versus Platelet-Rich Fibrin for the Multiple Gingival Recession Coverage on Anterior Teeth Using the Tunneling Technique. *Case reports in dentistry*, 2017: 1-6.
- Pratiwi R. and Setiawatie E.M., 2019, Multiple gingival recession coverage treated with vista technique using Acellular Dermal Matrix (ADM) combined with Platelet Rich Fibrin (PRF): a case report. *J. Odonto Dental*, 6(1): 56-61.
- Rajeswari R., Kumar T., Gowda T., Mehta D., and Kumar A., 2018, Management of Multiple Gingival Recessions with the VISTA Technique: An 18-Month Clinical Case Series. *Int J Periodontics Restorative Dent*, 38(2): 245-251.
- Reddy, R., Sudhir, R.P., and Veena, H.R.C., 2016, Effect of in-situ Application of Simvastatin Gel in Surgical Management of Platelet-Rich-Fibrin—A Randomized Clinical Trial. *JOB and Craniofacial Research*, 7: 113-118.

- Reddy S., Prasad M.G.S., Bhowmik N., Singh S., Pandit H.R., and Vimal S.K., 2016, Vestibular incision subperiosteal tunnel access (VISTA) with platelet rich fibrin (PRF) and connective tissue graft (CTG) in the management of multiple gingival recession- A case series. *International Journal of Applied Dental Sciences*, 2(4): 34-37.
- Ronco, G.S., and Dard, B., 2017, Recession Gingiva in Primary Human Fibroblasts and MG-63 Cultures. *J of Cellular Biochemistry*, 101: 1430–1438.
- Saadoun, A.P., 2006, A Clinicoradiographic with Platelet-Rich Fibrin in The Treatment of Gingival Recession Defects. *JoIS of Perio*, 21 (4).
- Saadoun, A.P., 2006, Current trends in gingival recession coverage. Part I: The tunnel connective tissue graft. *Pract Proced Aesthet Dent.*, 18(7): 433–438.
- Saket K., Rekha S.M., and Sushama R.G., 2019, Management of Multiple Gingival Recession Defects in Aesthetic Zone with VISTA Technique: A Case Report. *Oral Health Case Rep*, 5: 152.
- Sameera, S., Nagasri, M., Kumar, P.A, Indeevar, P., Raviraj, K., and Musalaiah, S., 2018, Comparison of two surgical techniques in the treatment of multiple gingival recessions sandwiched with a combination of A-PRF and L-PRF. *J Saudi dent*, 30(3), 183–189.
- Sedon, S., Mandoria, N., and Shaikh, A., 2005. Preformulation Studies of Gingival Recession Treatment. *IRJP* 3 (9) : 22-28.
- Silness J. and Loe H., 1964, Periodontal disease in pregnancy. II. Correlation between oral hygiene and periodontal condtion. *Acta Odontol Scand*, 22: 121–135.
- Singh A.K. and Gautam A., 2016, Platelet-rich fibrin-reinforced periosteal pedicle graft with vestibular incision subperiosteal tunnel access technique for the coverage of exposed root surface. *J Interdiscip Dentistry*, 6: 33-8.
- Subbareddy B.V., Gautami P.S., Dwarakanath C.D., Devi P.K., Bhavana P., and Radharani K., 2020, Vestibular incision subperiosteal tunnel access technique with platelet-rich fibrin compared to subepithelial connective tissue graft for the treatment of multiple gingival recessions: A randomized controlled clinical trial. *Contemp Clin Dent*, 11: 249-55.
- Tozum, N., Praveen, K., Monika, G., Geetha, K., and Hema, P.K., 2017, A Comparative Evaluation of Platelet-rich fibrin with Metformin and Platelet-rich fibrin Alone in Treatment of Gingival Recession : A Clinical and Radiographical Study. *JoI Dentistry*, 7(3).
- Turer O.U., Ozcan M., Alkaya B., Surmeli S., Seydaoglu G., and Haytac M.C., 2019, Clinical evaluation of injectable platelet-rich fibrin with connective

tissue graft for the treatment of deep gingival recession defects: A controlled randomized clinical trial. *J Clin Periodontol*, 47(1): 72-80.

Tuttle D., Kurtzman G.M., and Froum S.H., 2018, Platelet-rich fibrin minimally invasive root recession soft-tissue grafting. *Int J Growth Factors Stem Cells Dent*, 1: 32-7.

Tuttle, S.K, Pradeep, A.R., Deshmukh, V.L., and Acharya. A., 2018, Use of Autologous Injectable-Platelet-Rich Fibrin in The Treatment of Gingival Defects. *Jicdro*, 1 (2).

Ucak, P., Surarit, P., Bencharit, S., and Ruangsawasdi, N., 2020, Influence of Fractionation Methods on Physical and Biological Properties of Injectable Platelet-Rich Fibrin: An Exploratory Study, *Int. J. Mol. Sci*, 20, 1657.

Uzun B.C., Ercan E., and Tunalı M., 2017, Effectiveness and predictability of titanium-prepared platelet-rich fibrin for the management of multiple gingival recessions. *Clin Oral Investig*, 22(3): 1345-1354.

Varela, A. H., Júlio, C. S., Rubens, M., Nascimento, R. F., Roseane, C.V., and Rômulo, S.C., 2018, Injectable platelet rich fibrin: cell content, morphological, and protein characterization, *J Clinical Oral*, 8(1).

Wang, Z., Yufeng, Z., Joseph, C., Shahram, G., and Richard, J. M., 2017, Effects of an injectable platelet-rich fibrin on osteoblast behavior and bone tissue formation in comparison to platelet-rich plasma, *J Cont Oral*, 9(3).

Zucchelli G., Mele M., Mazzotti C., Marzadori M., Montebugnoli L., De Sanctis M., 2009, Coronally advanced flap with and without vertical releasing incisions for the treatment of multiple gingival recessions: A comparative controlled randomized clinical trial. *J Periodontol.*, 80: 1083-94.