

DAFTAR PUSTAKA

- Abdi, G., Shokrpour, M., & Salami, S. A. (2019). Essential Oil Composition at Different Plant Growth Development of Peppermint (*Mentha x piperita* L.) Under Water Deficit Stress. *Journal of Essential Oil Bearing Plants*, 22(22), 1-10.
- Alharbi, B. M., Mahmoud, A. A., Astatkie, T., & Said-Al Ahl, H. A. (2019). Growth and essential oil composition responses of parsley cultivars to phosphorus fertilization and harvest date. *Journal of Plant Nutrition*, 42(18), 2395-2405.
- Aoyagi, H., Kobayashi, Y., Yamada, K., Yokoyama, M., Kusakari, K., & Tanaka, H. (2001). Efficient production of saikosaponins in *Bupleurumfalcatum* root fragments combined with signal transducers. *Applied Microbiology and Biotechnology*, 57(4), 482-488.
- Aziz, S.A., Ghulamahdi, M. and Afrida, A., 2011. The Effect of Phosphorous Fertilization on Indian Pennyworth (*Centella asiatica* L. Urban) in High Altitude. *Jurnal Hortikultura Indonesia*, 2(1), pp.1-5.
- Aziz, Z. A., Davey, M. R., Power, J. B., Anthony, P., Smith, R. M., & Lowe, K. C. (2007). Production of asiaticoside and madecassoside in *Centella asiatica* in vitro and in vivo. *Biologia Plantarum*, 51(1), 34-42.
- Bajji, M., Lutts, S., & Kinet, J. M. (2001). Water deficit effects on solute contribution to osmotic adjustment as a function of leaf ageing in three durum wheat (*Triticum durum* Desf.) cultivars performing differently in arid conditions. *Plant Science*, 160(4), 669-681.
- Belwal, T., Andola, H. C., Atanassova, M. S., Joshi, B., Suyal, R., Thakur, S., Bisht, A., Jatwal, A., Bhatt, I. D., & Rawal, R. S. (2019). Gotu Kola (*Centella asiatica*). In *Nonvitamin and Nonmineral Nutritional Supplements*. 2(1), 265-275.
- Bermawie, N., Purwiyanti, S., & Mardiana, M. (2016). Keragaan Sifat Morfologi, Hasil Dan Mutu Plasma Nutfah Pegagan (*Centella asiatica* (L.) Urban.). *Buletin Penelitian Tanaman Rempah dan Obat*, 19(1), 1-17.
- Beseli, A. L., Shekoofa, A., Ali, M., & Sinclair, T. R. (2020). Temporal water use by two maize lines differing in leaf osmotic potential. *Crop Science*, 60(2), 945-953.
- Besung, I. N. K. (2009). Pegagan (*Centella asiatica*) sebagai alternatif pencegahan penyakit infeksi pada ternak. *Buletin veteriner udayana*. 2(1), 11-14.

Bhatnagar-Mathur, P., Vadez, V., & Sharma, K. K. (2008). Transgenic approaches for abiotic stress tolerance in plants: retrospect and prospects. *Plant cell reports*, 27(3), 411-424.

Blanch, J. S., Peñuelas, J., & Llusà, J. (2007). Sensitivity of terpene emissions to drought and fertilization in terpene-storing *Pinus halepensis* and non-storing *Quercus ilex*. *Physiologia Plantarum*, 131(2), 211-225.

Boughalleb, F., Abdellaoui, R., Ben-Brahim, N. and Neffati, M., 2014. Anatomical adaptations of *Astragalus gombiformis* Pomel. under drought stress. *Open Life Sciences*, 9(12), pp.1215-1225.

Bylka, W., Znajdek-Awizeń, P., Studzińska-Sroka, E., & Brzezińska, M. (2013). *Centella asiatica* in cosmetology. *Advances in Dermatology and Allergology/Postępy Dermatologii I Alergologii*, 30(1), 46.

Chapman, J.M., Muhlemann, J.K., Gayomba, S.R. and Muday, G.K.(2019). RBOH-dependent ROS synthesis and ROS scavenging by plant specialized metabolites to modulate plant development and stress responses. *Chemical research in toxicology*, 32(3), pp.370-396.

Devi, M. J., & Reddy, V. R. (2020). Stomatal closure response to soil drying at different vapor pressure deficit conditions in maize. *Plant Physiology and Biochemistry*, 154, 714-722.

Devkota, A. and Jha, P.K., 2011. Influence of water stress on growth and yield of *Centella asiatica*. *International Agrophysics*, 25(3). 114-117.

Farooq, M., Wahid, A., Kobayashi, N., Fujita, D. B. S. M. A., & Basra, S. M. A. (2009). Plant drought stress: effects, mechanisms and management. In *Sustainable agriculture*. 23(2). 153-188.

Gallego, A., Ramirez-Estrada, K., Vidal-Limon, H. R., Hidalgo, D., Lalaleo, L., Khan Kayani, W., Palazon, J. (2014). Biotechnological production of centellosides in cell cultures of *Centella asiatica* (L) Urban. *Engineering in Life Sciences*, 14(6), 633-642.

Gandjar, I.G. dan Rohman, A., 2007, *Kimia Farmasi Analisis*, 353-356, Pustaka Pelajar, Yogyakarta.

Gritter, R. J., Bobbitt, J. M., & Schwarting, A. E. (1991). *Introduction To Chromatography*. Holden Day.

Hashim, P. (2011). *Centella asiatica* in food and beverage applications and its potential antioxidant and neuroprotective effect. *International Food Research Journal*, 18(4), 1215.

- Isah, T. (2019). Stress and defense responses in plant secondary metabolites production. *Biological research*, 52(1), 39.
- ITIS (2011). *Centella asiatica* L. Urb. Taxonomic Serial No.:29612. <http://www.itis.gov>.
- Jamalluddin, N., Massawe, F. J., & Symonds, R. C. (2019). Transpiration efficiency of *Amaranth* (*Amaranthus* sp.) in response to drought stress. *The Journal of Horticultural Science and Biotechnology*, 94(4), 448-459.
- James, J. T., & Dubery, I. A. (2009). Pentacyclic triterpenoids from the medicinal herb, *Centella asiatica* (L.) Urban. *Molecules*, 14(10), 3922-3941.
- James, J., & Dubery, I. (2011). Identification and quantification of triterpenoid centelloids in *Centella asiatica* (L.) Urban by densitometric TLC. *JPC-Journal of Planar Chromatography-Modern TLC*, 24(1), 82-87.
- Jan, M., Singh, S., Maqbool, F., & Nawchoo, I. A. (2019). Effect of explant source and different hormonal combinations on in vitro regeneration of *Heracleum candicans* Wall: An important medicinal herb. *African Journal of Biotechnology*, 18(28), 707-712.
- Jat, R. S., & Gajbhiye, N. A. (2017). Secondary Metabolites Production Influenced with Soil Fertility and Irrigation in Medicinal Plant; Mandukaparni (*Centella asiatica* L.). *National Academy Science Letters*, 40(2), 87-90.
- Kleiner, K. W., Abrams, M. D., & Schultz, J. C. (1992). The impact of water and nutrient deficiencies on the growth, gas exchange and water relations of red oak and chestnut oak. *Tree Physiology*, 11(3), 271-287.
- Lestari, E. G. Hubungan antara Kerapatan Stomata dengan Ketahanan Kekeringan pada Somaklon Padi Gajahmungkur. Towuti dan IR-64. *Biodiversitas*. 7(1). 44-48
- Li Y, Sperry JS, Shao M (2009) Hydraulic conductance and vulnerability to cavitation in corn (*Zea mays* L.) hybrids of differing drought resistance. *Environ Exp Bot*. 66:341–346
- Ling, A. P. K., Chin, M. F., & Hussein, S. (2009). Adventitious Root Production of *Centella asiatica* in response to plant growth regulators and sucrose concentration. *Medicinal Aromatic Plant Sci Biotechnol*, 3(1), 36-41.
- Mansoor, U., Fatima, S., Hameed, M., Naseer, M., Ahmad, M.S.A., Ashraf, M., Ahmad, F. and Waseem, M., (2019). Structural modifications for drought tolerance in stem and leaves of *Cenchrus ciliaris* L. ecotypes from the Cholistan Desert. *Flora*, 261, p.151485.

Marshall, A.H., Lowe, M. and Collins, R.P., 2015. Variation in response to moisture stress of young plants of interspecific hybrids between white clover (*T. repens* L.) and Caucasian clover (*T. ambiguum* M. Bieb.). *Agriculture*, 5(2), pp.353-366.

Müller, V., Lankes, C., Zimmermann, B. F., Noga, G., & Hunsche, M. (2013). Centelloside accumulation in leaves of *Centella asiatica* is determined by resource partitioning between primary and secondary metabolism while influenced by supply levels of either nitrogen, phosphorus or potassium. *Journal Of Plant Physiology*, 170(13), 1165-1175.

Mundim, F. M., & Pringle, E. G. (2018). Whole-plant metabolic allocation under water stress. *Frontiers In Plant Science*, 9, 852.

Pasini, D., & Mirjalili, V. (2006). The optimized shape of a leaf petiole. *Comparing Design in Nature with Science and Engineering*, 87, 35-45.

Patra, A., Rai, B., Rout, G. R., & Das, P. (1998). Successful plant regeneration from callus cultures of *Centella asiatica* (Linn.) Urban. *Plant Growth Regulation*, 24(1), 13-16.

Plengmuankhae, W., & Tantitadapitak, C. (2015). Low temperature and water dehydration increase the levels of asiaticoside and madecassoside in *Centella asiatica* (L.) Urban. *South African Journal of Botany*, 97, 196-203.

Poorter L, Bongers F. 2006. Leaf traits are good predictors of plant performance across 53 rain forest species. *Ecology* 87: 1733–1743

Pramono, S., & Ajiastuti, D. (2004). Standardisasi ekstrak herba Pegagan (*Centella asiatica* (L) Urban) berdasarkan kadar asiaticosida secara KLT-densitometri. *Majalah Farmasi Indonesia*, 15(3), 119-123.

Prasad, A., Dhawan, S.S., Mathur, A.K., Prakash, O., Gupta, M.M., Verma, R.K., Lal, R.K. and Mathur, A., (2014). Morphological, chemical and molecular characterization of *Centella asiatica* germplasm for commercial cultivation in the Indo-Gangetic plains. *Natural Product Communications*, 9(6), 56-60.

Prihastanti, E., Soegihardjo, C.J., & Purbaningsih, S. (2005). Protoplast Suspension Culture of Leaves Mesophyllof *Centella asiatica* (L.) Urban and Qualitative Analysis Asiaticoside. *Indonesian Journal of Pharmacy*, 5, 10-19.

Rahardjo, M., Smd, R., Fathan, R., & Sudiarto, S. (2017). Pengaruh Cekaman Air Terhadap Mutu Simplisia Pegagan (*Centella asiatica* L). *Jurnal Penelitian Tanaman Industri*, 5(3), 92-97.

Ramadhan, R., Nihayati, E., & Sitawati, S. (2017). Pengaruh Aplikasi Cendawan Mikoriza dan Perlakuan Pemberian Air terhadap Peningkatan Kadar Asiatikosida

- Tanaman Pegagan (*Centella asiatica* (L.) Urban). *Biotropika: Journal of Tropical Biology*, 5(3), 138-142.
- Ray, J. D., & Sinclair, T. R. (1997). Stomatal closure of maize hybrids in response to drying soil. *Crop Science*, 37(3), 803-807.
- Ray, J. D., & Sinclair, T. R. (1998). The effect of pot size on growth and transpiration of maize and soybean during water deficit stress. *Journal of Experimental Botany*, 49(325), 1381-1386.
- Sastrohamidjojo, H. (1985). *Kromatografi*, edisi I. Liberty, Yogyakarta, 1, 26-30.
- Schachtman, D. P., Reid, R. J., & Ayling, S. M. (1998). Phosphorus uptake by plants: from soil to cell. *Plant physiology*, 116 (2), 447-453.
- Sharma, A., Kaur, R., & Sharma, N. (2014). In vitro morphogenic response of different explants of *Gentiana kurroo* Royle from Western Himalayas—an endangered medicinal plant. *Physiology and Molecular Biology of Plants*, 20(2), 249-256.
- Siddiqui, Y., Islam, T. M., Naidu, Y., & Meon, S. (2011). The conjunctive use of compost tea and inorganic fertiliser on the growth, yield and terpenoid content of *Centella asiatica* (L.) urban. *Scientia Horticulturae*, 130(1), 289-295.
- Sondari, D., Harmami, S. B., Ghozali, M., Randy, A., & Irawan, Y. (2011). Determination of the active asiaticoside content in *Centella asiatica* as anti-cellulite agent. *Indonesian Journal of Cancer Chemoprevention*, 2(2), 222-227.
- Souza TC, Castro EM, Pereira FJ, Parentoni SN, Magalhães PC. (2009) Morpho-anatomical characterization of root in recurrent selection cycles for flood tolerance of maize (*Zea mays* L.). *Plant Soil Environ*. 55:504–510
- Sutikno. (2016). *Buku Panduan Mikroteknik Tumbuhan (BIO 30603)*. Laboratorium Struktur dan Perkembangan Tumbuhan. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta
- Stahl, E., (1985), *Analisis Obat Secara Kromatografi dan Mikroskopi*, diterjemahkan oleh Kosasih Padmawinata & Iwang Sudiro, 3-18, Penerbit ITB, Bandung.
- Sudhakaran, M. V. (2017). Botanical Pharmacognosy of *Centella asiatica* (Linn.) Urban. *Pharmacognosy Journal*, 9(4), 546-558.
- Sutardi, S. (2016). Kandungan Bahan Aktif TanKandungan Bahan Aktif Tanaman Pegagan Dan Khasiatnya Untuk Meningkatkan Sistem Imun Tubuhman Pegagan

dan Khasiatnya untuk Meningkatkan Sistem Imun Tubuh. *Jurnal Penelitian Dan Pengembangan Pertanian*, 35(3), 121-130.

Vinolina, N. S. (2018). Centelloside content of cultivated pegagan (*Centella asiatica*) with application of phosphorus fertilizer. In *Journal of Physics: Conference Series* (Vol. 1116, No. 5, p. 052072). IOP Publishing.

Wagner, H., & Bladt, S. (2001). *Plant drug analysis: a thin layer chromatography atlas*. Second edition. Springer Science & Business Media, 55-61

Wu, F., Bao, W., Li, F. and Wu, N., 2008. Effects of drought stress and N supply on the growth, biomass partitioning and water-use efficiency of *Sophora davidii* seedlings. *Environmental And Experimental Botany*, 63(1-3), 248-255.

Yegappan, T.M., D.M. Paton, C.T. Gates and W.J. Muller, (1996). Water stress in sunflower (*Helianthus annuus* L.), 1.Effect on plant development. *Annals of Botany*, 46: 61-70.

Zhu, Z., Liang, Z., Han, R., & Wang, X. (2009). Impact of fertilization on drought response in the medicinal herb *Bupleurum chinense* DC.: growth and saikosaponin production. *Industrial Crops And Products*, 29(2-3), 629-633.

Zimmermann, M. H., & Milburn, J. A. (1982). Transport and storage of water. In *Physiological Plant Ecology II* (pp. 135-151). Springer, Berlin, Heidelberg.