

## DAFTAR PUSTAKA

- Adam, M., McMahon, S.A., Prober, C., & Bärnighausen, T., 2019. Human-Centered Design of Video-Based Health Education: An Iterative, Collaborative, Community-Based Approach. *J. Med. Internet Res.* 21: e12128. doi:10.2196/12128
- Agampodi, T.C., Rheinländer, T., Agampodi, S.B., Glozier, N., & Siribaddana, S., 2017. Social capital and health during pregnancy; An in-depth exploration from rural Sri Lanka. *Reprod. Health* 14: 1–19. doi:10.1186/s12978-017-0349-7
- Akbarian, Z., Kohan, S., Nasiri, H., & Ehsanpour, S., 2018. The Effects of Mental Health Training Program on Stress, Anxiety, and Depression during Pregnancy. *Iran. J. Nurs. Midwifery Res.* 23: 93–97. doi:10.4103/ijnmr.IJNMR\_207\_16
- Aktas, S., Yesilcicek Calik, K., & S., A., 2015. Factors affecting depression during pregnancy and the correlation between social support and pregnancy depression. *Iran. Red Crescent Med. J.* 17: no pagination. doi:10.5812/ircmj.16640
- Al-Azri, M., Al-Lawati, I., Al-Kamyani, R., Al-Kiyumi, M., Al-Rawahi, A., Davidson, R., et al., 2016. Prevalence and risk factors of antenatal depression among Omani women in a primary care setting: Cross-sectional study. *Sultan Qaboos Univ. Med. J.* 16: e35–e41. doi:10.18295/squmj.2016.16.01.007
- Alderdice, F., & Mcneill, J., 2013. A systematic review of systematic reviews of interventions to improve maternal mental health and well-being (Chair in Perinatal Health and Well-being). *Midwery* 29: 389–399. doi:10.1016/j.midw.2012.05.010
- Andrews, G., Cuijpers, P., Craske, M.G., McEvoy, P., & Titov, N., 2010. Computer therapy for the anxiety and depressive disorders is effective, acceptable and practical health care: a meta-analysis. *PLoS One* 5. doi:10.1371/journal.pone.0013196
- Annerangi, W., & Helda, H., 2013. Prevalensi dan Determinan Ansietas dan Depresi Antenatal di Puskesmas Kecamatan Pasar Minggu tahun 2013. Universitas Indonesia, Jakarta.
- Arango, C., Díaz-Caneja, C.M., McGorry, P.D., Rapoport, J., Sommer, I.E., Vorstman, J.A., et al., 2018. Preventive strategies for mental health. *The Lancet Psychiatry* 5: 591–604. doi:10.1016/S2215-0366(18)30057-9
- Asadzadeh, L., Jafari, E., Kharaghani, R., & Taremian, F., 2020. Effectiveness of midwife-led brief counseling intervention on post-traumatic stress disorder , depression , and anxiety symptoms of women experiencing a traumatic childbirth :

- a randomized controlled trial. *BMC Pregnancy Childbirth* 1: 1–9.  
doi:<https://doi.org/10.1186/s12884-020-2826-1>
- Ashford, M.T., Olander, E.K., & Ayers, S., 2016. Computer- or web-based interventions for perinatal mental health: A systematic review. *J. Affect. Disord.* doi:10.1016/j.jad.2016.02.057
- Austin, M.-P.M.-P.P., Colton, J., Priest, S., Reilly, N., Hadzi-Pavlovic, D., & Austin, M.-P.M.-P.P., 2013. The antenatal risk questionnaire (ANRQ): Acceptability and use for psychosocial risk assessment in the maternity setting. *Women and Birth* 26. doi:10.1016/j.wombi.2011.06.002
- Ayre, C., & Scally, A.J., 2014. Critical values for Lawshe's content validity ratio: Revisiting the original methods of calculation. *Meas. Eval. Couns. Dev.* 47: 79–86. doi:10.1177/0748175613513808
- Azwar, S., 2018. Reliabilitas dan Validitas, IV. ed. Pustaka Pelajar, Yogyakarta.
- Badan Penelitian dan Pengembangan Kesehatan, K.K.R., 2010. Riset Kesehatan Dasar (RISKESDAS 2010). *Riskesdas* 1–431. doi:1 Desember 2013
- Badan Pusat Statistik, 2017. Surakarta dalam Angka. Surakarta.
- Bandura, A., 2006. Guide for constructing self-efficacy scales, in: Self-Efficacy Beliefs of Adolescents. pp. 307–337. doi:10.1017/CBO9781107415324.004
- Bandura, A., 2004. Health Promotion by Social Cognitive Means Bandura / Health Promotion Health Promotion by Social Cognitive Means. *Heal. Educ Behav UNIV ILLINOIS CHICAGO Sept. Heal. Educ. Behav.* 31. doi:10.1177/1090198104263660
- Bandura, A., 1998. Health Promotion from the Perspective of Social Cognitive Theory, in: Psychology and Health. stanford University, pp. 623–649.
- Barker, G., 2007. Adolescents , social support and help-seeking behaviour consultation with recommendations for action. *World Heal. Organ.* 1–64.
- Baron, E.C., Hanlon, C., Mall, S., Honikman, S., Breuer, E., Kathree, T., et al., 2016. Maternal mental health in primary care in five low- and middle-income countries: a situational analysis. *BMC Heal. Serv. Res.* 16: 16–53. doi:10.1186/s12913-016-1291-z
- Basri, A.H., Zulkifli, A., & Abdullah, M.T., 2014. Efektivitas Psikoedukasi terhadap Depresi Postpartum di RSIA Siti Fatimah dan RSIA Pertiwi Makassar Tahun 2014. Universitas Hasanudin Makasar.
- Bernard, O., Gibson, R.C., McCaw-Binns, A., Reece, J., Coore-Desai, C., Shakespeare-Pellington, S., et al., 2018. Antenatal depressive symptoms in

- Jamaica associated with limited perceived partner and other social support: A cross-sectional study. *PLoS One* 13: e0194338. doi:10.1371/journal.pone.0194338
- Biaggi, A., Conroy, S., Pawlby, S., & Pariante, C.M., 2016. Identifying the women at risk of antenatal anxiety and depression: A systematic review. *J. Affect. Disord.* 191: 62–77. doi:10.1016/j.jad.2015.11.014
- Breland-Noble, A.M., 2013. African American Youth Mental Health: Individual, Environmental and Clinical Factors in Context. *J. Child Fam. Stud.* 22: 1–3. doi:10.1007/s10826-012-9693-y
- Breland-Noble, A.M., Bell, C.C., & Burriss, A., 2011. “Mama just won’t accept this”: Adult perspectives on engaging depressed African American teens in clinical research and treatment. *J. Clin. Psychol. Med. Settings* 18: 225–234. doi:10.1007/s10880-011-9235-6
- Brindis, C.D., 2017. Advancing the Field of Teenage Pregnancy Prevention Through Community-Wide Pregnancy Prevention Initiatives. *J. Adolesc. Heal.* 60: S1–S2. doi:10.1016/j.jadohealth.2016.11.027
- Brummelte, S., & Galea, L.A.M.M., 2016. Postpartum depression: Etiology, treatment and consequences for maternal care. *Horm. Behav.* 77: 153–166. doi:10.1016/j.yhbeh.2015.08.008
- Burns, A., O ’mahen, H., Baxter, H., Bennert, K., Wiles, N., Ramchandani, P., et al., 2013. A pilot randomised controlled trial of cognitive behavioural therapy for antenatal depression. *BMC Psychiatry* 13: 1. doi:10.1186/1471-244X-13-33
- Cankorur, V.S., Abas, M., Berksun, O., & Stewart, R., 2015. Social support and the incidence and persistence of depression between antenatal and postnatal examinations in Turkey: a cohort study. *BMJ Open* 5: e006456. doi:10.1136/bmjopen-2014-006456
- Caudron, M., Emeriault, F., Kastner, R., & Heib, M. Al, 2006. Sinkhole and soil-structure interactions : Development of an experimental model. *Iran. J. Nurs. Midwifery Res.* 23: 1261–1268. doi:10.4103/ijnmr.IJNMR\_207\_16
- Ceulemans, M., Hompes, T., & Foulon, V., 2020. Mental health status of pregnant and breastfeeding women during the COVID-19 pandemic: A call for action. *Int. J. Gynecol. Obstet.* 1–4. doi:10.1002/ijgo.13295
- Chen, J., Sun, M., Qin, C., Tang, S., Cross, W., Lam, L., et al., 2019. The risk factors of antenatal depression: A cross-sectional survey. *J. Clin. Nurs.* 28. doi:10.1111/jocn.14955
- Clarke, K., King, M., Prost, A., & Tomlinson, M., 2013. Psychosocial Interventions

for Perinatal Common Mental Disorders Delivered by Providers Who Are Not Mental Health Specialists in Low-and Middle-Income Countries: A Systematic Review and Meta-Analysis. *PLoS Med.* 10: e1001541. doi:10.1371/journal.pmed.1001541

Coates, D., & Foureur, M., 2019. The role and competence of midwives in supporting women with mental health concerns during the perinatal period: A scoping review. *Heal. Soc. Care Community.* doi:10.1111/hsc.12740

Cobb, S., 1976. Social support as a moderator of life stress. *Psychosom. Med.* 38: 300–314. doi:10.1097/00006842-197609000-00003

Cohen, J., 1992. Quantitative Methods In Psychology : A Powe Primer. *Psychol. Bull.* 112: 155–159. doi:10.1016/j.jorganchem.2011.01.025

Cragg, L., Maggie, D., & Wendy, M. (Eds.), 2013. Health Promotion Theory, Second. ed. Mc Graw Hill Education.

Creswell, J.W., & Clark, V.L.P., 2011. Designing and Conducting Mixed Methods Research, Second Edi. ed. London, United Kingdom.

Curry, S.J., Krist, A.H., Owens, D.K., Barry, M.J., Caughey, A.B., Davidson, K.W., et al., 2019. Interventions to Prevent Perinatal Depression: US Preventive Services Task Force Recommendation Statement. *JAMA - J. Am. Med. Assoc.* doi:10.1001/jama.2019.0007

Daley, A.J., Foster, L., Long, G., Palmer, C., Robinson, O., Walmsley, H., et al., 2014. The effectiveness of exercise for the prevention and treatment of antenatal depression: systematic review with meta-analysis. *BJOG An Int. J. Obstet. Gynaecol.* 57–62. doi:10.1111/1471-0528.12909

Davenport, M.H., Meyer, S., Meah, V.L., Strynadka, M.C., & Khurana, R., 2020. Moms Are Not OK: COVID-19 and Maternal Mental Health. *Front. Glob. Women's Heal.* 1: 1–6. doi:10.3389/fgwh.2020.00001

Dennis, C.-L., Falah-Hassani, K., & Shiri, R., 2017. Prevalence of antenatal and postnatal anxiety: systematic review and meta-analysis. *Br. J. Psychiatry* bjp.bp.116.187179. doi:10.1192/bjp.bp.116.187179

Dennis, C., Brown, H.K., & Morrell, J., 2016. Interventions ( other than psychosocial , psychological and pharmacological ) for preventing postpartum depression ( Protocol ). *Cochrane Libr.* doi:10.1002/14651858.CD012201.www.cochranelibrary.com

Dennis, C., & Dowswell, T., 2013. Psychosocial and psychological interventions for preventing postpartum depression ( Review ). *Cochrane database Syst. Rev.* 79. doi:10.1002/14651858.CD001134.pub3.www.cochranelibrary.com

- Depkes, 2010. Pedoman Antenatal Care Terpadu. Departemen Kesehatan RI, Jakarta.
- Dibaba, Y., Fantahun, M., & Hindin, M.J., 2013. The association of unwanted pregnancy and social support with depressive symptoms in pregnancy: Evidence from rural Southwestern Ethiopia. *BMC Pregnancy Childbirth* 13. doi:10.1186/1471-2393-13-135
- Dietz, P.M., Selvi Williams, M.B., William Callaghan, M.M., Donald Bachman, M.J., Evelyn Whitlock, M.P., & Mark Hornbrook, M.C., 2007. Clinically Identified Maternal Depression Before, During, and After Pregnancies Ending in Live Births. *Am J Psychiatry* 164.
- Dinas Kesehatan Kota Surakarta, 2018. Profil Kesehatan Kota Surakarta 2018, Profil Kesehatan Kota Surakarta. Surakarta.
- Donker, T., Griffiths, K.M., Cuijpers, P., & Christensen, H., 2009. Psychoeducation for depression, anxiety and psychological distress: A meta-analysis. *BMC Med.* 7: 1–9. doi:10.1186/1741-7015-7-79
- Dubber, S., Reck, C., Müller, M., & Gawlik, S., 2015. Postpartum bonding: the role of perinatal depression, anxiety and maternal–fetal bonding during pregnancy. *Arch. Womens. Ment. Health* 18. doi:10.1007/s00737-014-0445-4
- Eastwood, J., Ogbo, F.A., Hendry, A., Noble, J., & Page, A., 2017. The impact of antenatal depression on perinatal outcomes in Australian women. *PLoS One* 12: 1–16. doi:10.1371/journal.pone.0169907
- Eaton, M.M., 2008. Self-efficacy in first-time mothers. *Diss. Abstr. Int.* 69: 392A.
- Edmond, K., 2016. The Importance of Interventions to Improve Maternal Mental Health. *J. Trop. Pediatr.* 63: 1–3. doi:10.1093/tropej/fmw073
- Edwards, G.D., Shinfuku, N., Gittelman, M., Ghozali, E.W., Haniman, F., Wibisono, S., et al., 2006. Postnatal depression in Surabaya, Indonesia. *Int. J. Ment. Health* 35: 62–74. doi:10.2753/IMH0020-7411350105
- Elsenbruch, S., Benson, S., Rucke, M., Rose, M., Dudenhausen, J., Pincus-Knackstedt, M.K., et al., 2007. Social support during pregnancy: Effects on maternal depressive symptoms, smoking and pregnancy outcome. *Hum. Reprod.* 22: 869–877. doi:10.1093/humrep/del432
- Fathi, F., Mohammad-Alizadeh-Charandabi, S., & Mirghafourvand, M., 2018. Maternal self-efficacy, postpartum depression, and their relationship with functional status in Iranian mothers. *Women Health* 58: 188–203. doi:10.1080/03630242.2017.1292340
- Fenwick, J., Toohill, J., Gamble, J., Creedy, D.K., Buist, A., Turkstra, E., et al., 2015. Effects of a midwife psycho-education intervention to reduce childbirth fear on

- women's birth outcomes and postpartum psychological wellbeing. *BMC Pregnancy Childbirth* 15: 284. doi:10.1186/s12884-015-0721-y
- Field, A., 2013. *Discovering Statistics Using IBM SPSS Statistics*, Fourth. ed. SAGE Publications Asia-Pacific Pte Ltd, Singapore.
- Flach, C., Leese, M., Heron, J., Evans, J., Feder, G., Sharp, D., et al., 2011. Antenatal domestic violence, maternal mental health and subsequent child behaviour: A cohort study. *BJOG An Int. J. Obstet. Gynaecol.* 118: 1383–1391. doi:10.1111/j.1471-0528.2011.03040.x
- Flay, B.R., & Petraitis, J., 1994. the Theory of Triadic Influence: a New Theory of Health Behavior With Implications for Preventive Interventions. *Adv. Med. Sociol.* 4: 19–44.
- Fonseca, A., Gorayeb, R., & Canavarro, M.C., 2015. Women's help-seeking behaviours for depressive symptoms during the perinatal period: Socio-demographic and clinical correlates and perceived barriers to seeking professional help. *Midwifery* 31. doi:10.1016/j.midw.2015.09.002
- Fontein-Kuipers, Y.J., Nieuwenhuijze, M.J., Ausems, M., Budé, L., & De Vries, R., 2014. Antenatal interventions to reduce maternal distress: A systematic review and meta-analysis of randomised trials. *BJOG An Int. J. Obstet. Gynaecol.* 121: 389–397. doi:10.1111/1471-0528.12500
- Forsell, E., Bendix, M., Holländare, F., Szymanska Von Schultz, B., Nasiell, J., Blomdahl-Wetterholm, M., et al., 2017. Internet delivered cognitive behavior therapy for antenatal depression: A randomised controlled trial. doi:10.1016/j.jad.2017.06.013
- Francis, L., Weiss, B.D., Senf, J.H., Heist, K., & Hargraves, R., 2007. Does literacy education improve symptoms of depression and self-efficacy in individuals with low literacy and depressive symptoms? A preliminary investigation. *J. Am. Board Fam. Med.* 20: 23–27. doi:10.3122/jabfm.2007.01.060058
- Friedman, L.E., Gelaye, B., Sanchez, S.E., & Williams, M.A., 2020. Association of social support and antepartum depression among pregnant women. *J. Affect. Disord.* 264: 201–205. doi:10.1016/j.jad.2019.12.017
- Gan, Y., Xiong, R., Song, J., Xiong, X., Yu, F., Gao, W., et al., 2019. The effect of perceived social support during early pregnancy on depressive symptoms at 6 weeks postpartum: A prospective study. *BMC Psychiatry* 19: 2–8. doi:10.1186/s12888-019-2188-2
- Garcia, E.R., & Yim, I.S., 2017. A systematic review of concepts related to women's empowerment in the perinatal period and their associations with perinatal depressive symptoms and premature birth. *BMC Pregnancy Childbirth* 17.

doi:10.1186/s12884-017-1495-1

- Gelaye, B., Rondon, M., Araya, R., Williams, M.A., & Author, C., 2016. Epidemiology of maternal depression, risk factors, and child outcomes in low-income and middle-income countries HHS Public Access. *Lancet Psychiatry* 3: 973–982. doi:10.1016/S2215-0366(16)30284-X
- Gökçe İsbir, G., İnci, F., Önal, H., & Yıldız, P.D., 2016. The effects of antenatal education on fear of childbirth, maternal self-efficacy and post-traumatic stress disorder (PTSD) symptoms following childbirth: an experimental study. *Appl. Nurs. Res.* 32: 227–232. doi:10.1016/j.apnr.2016.07.013
- Gondo, H.K., 2012. Skrining Edinburgh Postnatal Depression Scale (EPDS) Pada Postpartum Blues. *J. Ilm. Kedokt.* 1: 7–19.
- Goossens, G., Kadji, C., & Delvenne, V., 2015. Teenage pregnancy: a psychopathological risk for mothers and babies? *Psychiatr. Danub.* 27: S499–S503.
- Gottlieb, B., 2010. Maternal mental Health Experience, Lesson Learned and Recommendation. America.
- Green, J., Tones, K., Cross, R., & Woodall, J., 2008a. Health Promotion Planning and Strategies, 3th ed. SAGE Publications India Pvt Ltd, New Delhi.
- Green, J., Tones, K., & J, C.R. dan W., 2008b. Health Promotion Planning and Strategies, third. ed. Sage, London, United Kingdom.
- Guy, S., Sterling, B.S., Walker, L.O., & Harrison, T.C., 2014. Mental health literacy and postpartum depression: A qualitative description of views of lower income women. *Arch. Psychiatr. Nurs.* 28: 256–262. doi:10.1016/j.apnu.2014.04.001
- Hallgren, M., Kraepelien, M., Ojehagen, A., Lindefors, N., Zeebari, Z., Kaldo, V. and, et al., 2015. Physical exercise and internet-based cognitive-behavioural therapy in the treatment of depression: randomised controlled trial. *Br. J. Psychiatry* 207: 227–234. doi:10.1192/bjp.bp.114.160101
- Handayani, F.P., & Fourianalistyawati, E., 2018. Depresi dan Kesejahteraan Spiritual pada Ibu Hamil Risiko Tinggi Depression and Spiritual Well-Being Among High-Risk Pregnant Women Fitriyas Putri Handayani, Endang Fourianalistyawati Fakultas Psikologi Universitas YARSI, Jakarta. *Psikologis Teor. Dan Terap.* 8: 145–153.
- Handayani, R., & Yulaikah, S., 2020. Effectiveness of Booklet and Video As a Prenatal Health Education Media for Readiness and Decrease in Childbirth Anxiety. *J. Midwifery* 4: 39. doi:10.25077/jom.4.2.39-49.2019
- Hapisah, Dasuki, D., & Prabandari, Y., 2010. Depressive Symptoms pada Ibu Hamil

- dan Bayi Berat Lahir Rendah. *Ber. Kedokt. Masy.* 26: 916–918.
- Hartono, B., 2010. Promosi Kesehatan di Puskesmas dan Rumah Sakit, Pertama. ed. Rineka Cipta, Jakarta.
- Hayati, U.F., & Fevriasanty, F.I., 2018. the Effect of Health Education With Audio-Visual Media Toward External Genital Hygiene Behaviors To Pregnant Women in Primary Health Care of Malang Working Area. *J. Ilmu Keperawatan (Journal Nurs. Sci.* 6: 124–135. doi:10.21776/ub.jurnalilmukeperawatan(journalofnursingscience).2018.006.01.12
- Hendryadi, 2014. CONTENT VALIDITY (Validitas Isi). *Teor. Pers. Pap.* 01: 1–5.
- Higgins, A., Downes, C., Monahan, M., Gill, A., Lamb, S.A., & Carroll, M., 2018. Barriers to midwives and nurses addressing mental health issues with women during the perinatal period: The Mind Mothers study. *J. Clin. Nurs.* 27: 1872–1883. doi:10.1111/jocn.14252
- Hight, N.J., Gemmill, A.W., & Milgrom, J., 2011. Depression in the perinatal period: Awareness, attitudes and knowledge in the Australian population. *Aust. N. Z. J. Psychiatry* 45: 223–231. doi:10.3109/00048674.2010.547842
- Hoffmann, T., Glasziou, P., Boutron, I., Milne, R., Perera, R., Moher, D., et al., 2014. Better reporting of interventions: Template for intervention description and replication (TIDieR) checklist and guide. *Fac. Heal. Sci. Med. ePublication@bond.*
- Hopkins, J., & Campbell, S.B., 2008. Development and validation of a scale to assess social support in the postpartum period. *Arch. Womens. Ment. Health* 11: 57–65. doi:10.1007/s00737-008-0212-5
- Howard, L.M., Oram, S., Galley, H., Trevillion, K., & Feder, G., 2013. Domestic Violence and Perinatal Mental Disorders: A Systematic Review and Meta-Analysis. *PLoS Med.* 10. doi:10.1371/journal.pmed.1001452
- Hutauruk, I., 2011. Indonesian Version of the Edinburgh Postnatal Depression Scale: Cross-Cultural Adaptation and Validation. *J. Ilm. Psikol. Gunadarma* 5: 98480.
- Idaiani, S., & Basuki, B., 2012. Postpartum depression in Indonesian women: a national study. *Heal. Sci. Indones.* 3.
- IMPAC, 2017. Provision of Effective antenatal care, in: Standart for MAternal and Neonatal Care Developed by Rhe Departement of Making Pregnancy Safer, WHO. WHO, Geneva.
- Institute of Mental Health, N., 2017. Depression during pregnancy. *J. Midwefery Women's Heal.* 62: 1–2.

- Izadirad, H., Sc, M., Niknami, S., Ph, D., Zareban, I., Ph, D., et al., 2017. Effects of Social Support and Self-Efficacy on Maternal Prenatal Cares Among the First-Time Pregnant Women , Iranshahr , Iran. *J. Fam. Reprod. Heal.* 11: 67–73.
- Jeong, H.G., Lim, J.S., Lee, M.S., Kim, S.H., Jung, I.K., & Joe, S.H., 2013. The association of psychosocial factors and obstetric history with depression in pregnant women: Focus on the role of emotional support. *Gen. Hosp. Psychiatry* 35: 354–358. doi:10.1016/j.genhosppsy.2013.02.009
- Jones, C.J., Creedy, D.K., & Gamble, J.A., 2012. Australian midwives' awareness and management of antenatal and postpartum depression. *Women and Birth* 25: 23–28. doi:10.1016/j.wombi.2011.03.001
- Jorm, A.F., & Kelly, C.M., 2007. Improving the public's understanding and response to mental disorders. *Aust. Psychol.* 42: 81–89. doi:10.1080/00050060701280565
- Joshi, D., Shrestha, S., & Shrestha, N., 2019. Understanding the antepartum depressive symptoms and its risk factors among the pregnant women visiting public health facilities of Nepal. *PLoS One* 14: e0214992. doi:10.1371/journal.pone.0214992
- Kazi, A., Fatmi, Z., Hatcher, J., Masood, M., Niaz, U., & Wasserman, G.A., 2006. Social environment and depression among pregnant women in urban areas of Pakistan: Importance of social relations. *Soc. Sci. Med.* 63: 1466–1476. doi:10.1016/j.socscimed.2006.05.019
- Keleher, H., MacDougall, C. and, & Murphy, B., 2007. Understanding Health Promotion. Oxford University Press, Victoria Asutralia.
- Kemendes RI, 2010. Pedoman Pelayanan Antenatal Terpadu. *Kementrian Kesehatan, Direktur Jendral Bina Kesehat. Masy.* 1 of 40.
- Kemendes RI, 2018. Laporan Riskesdas 2018. *Lap. Nas. Riskesdas 2018* 53: 154–165.
- Kemendes RI, 2016. Kurikulum Berbasis Kompetensi Diploma III Kebidanan Politeknik Kesehatan. Kementrian Kesehatan RI, Jakarta.
- Kemendes RI, 2014. Permenkes RI.No. 97 Tahun 2014. Indonesia.
- Kemendes RI, 2013a. Riset Kesehatan Dasar 2013. Indonesia.
- Kemendes RI, 2013b. Pedoman Penyelenggaraan Puskesmas Mampu PONED. *Kementeri. Kesehat. RI* 15-19,21,22.
- Kemendes RI, 2011. PROMOSI KESEHATAN di Daerah Bermasalah Kesehatan, Panduan Bagi Petugas Kesehatan Di Puskesmas, in: Pedoman. Kementrian Kesehatan RI, Jakarta, p. 114.

- Kim, D.R., Hantsoo, L., Thase, M.E., Sammel, M., & Epperson, C.N., 2014. Computer-assisted cognitive behavioural therapy for pregnant women with major depressive disorder. *J Womens Heal.* 23. doi:10.1089/jwh.2014.4867
- Kingston, D.E., Mcdonald, S., Austin, M.P., Hegadoren, K., Lasiuk, G., & Tough, S., 2014. The Public's views of mental health in pregnant and postpartum women: A population-based study. *BMC Pregnancy Childbirth* 14: 1–9. doi:10.1186/1471-2393-14-84
- Kuipers, F, Y., 2016. WazzUp Mama ?! The development of an intervention to prevent and reduce maternal distress. University of Michigan.
- Kurniawan, E.S., Ratep, N., Bagian, W.W., Smf, /, Fakultas, P., Universitas, K., et al., 2013. Factors Lead To Depression During Antenatal Care Every Trimester of Pregnant Mother. *E-Jurnal Med. Udayana* 1–13.
- Kusumawati, Y., Widyawati, W., & Dewi, F.S.T., 2021a. Implementation of Psychoeducation Interventions in Overcoming Maternal Mental Health Problems: A Scoping Review. *Bangladesh J. Med. Sci.* 20: 483–493.
- Kusumawati, Y., Widyawati, W., & Dewi, F.S.T., 2021b. Development and Validation of a Survey to Evaluate Mental Health Knowledge: The Casus of Indonesian Pregnant Women. *Open Access Maced. J. Med. Sci.* 9: 1–10. doi:<https://doi.org/10.3889/oamjms.2021.5844>
- Kusumawati, Y., & Zulaekah, S., 2020. Pengetahuan Kesehatan Mental Ibu Hamil di Puskesmas Wilayah Kota Surakarta, in: Proceeding of The URECOL. Universitas Aisyiyah, Yogyakarta, Indonesia, pp. 111–115.
- Lakens, D., 2013. Calculating and reporting effect sizes to facilitate cumulative science: A practical primer for t-tests and ANOVAs. *Front. Psychol.* 4: 1–12. doi:10.3389/fpsyg.2013.00863
- Lancaster, C.A., Gold, K.J., Flynn, H.A., Yoo, H., Marcus, S.M., & Davis, M.M., 2010. Risk factors for depressive symptoms during pregnancy: a systematic review. *Am. J. Obstet. Gynecol.* 202: 5–14. doi:10.1016/j.ajog.2009.09.007
- Lawshe, C.H., 1975. a Quantitative Approach To Content Validity. *Pers. Psychol.* 28: 563–575. doi:10.1111/j.1744-6570.1975.tb01393.x
- Leahy-Warren, P., Mccarthy, G., & Corcoran, P., 2012. First-time mothers: Social support, maternal parental self-efficacy and postnatal depression. *J. Clin. Nurs.* 21: 388–397. doi:10.1111/j.1365-2702.2011.03701.x
- Lebel, C., Mackinnon, A., & Bagshawe, M., 2020. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre

- is hosted on Elsevier Connect , the company ' s public news and information. *J. Affect. Disord.* doi:<https://doi.org/10.1016/j.jad.2020.07.126>
- Lederman, R., & Weis, K., 2009. Psychosocial Adaptation to Pregnancy Seven Dimension of Maternal Role Development, Third Eiti. ed. Springer Berlin Heidelberg, London,. doi:10.1007/978-1-4419-0288-7
- Leigh, B., & Milgrom, J., 2008. Risk factors for antenatal depression, postnatal depression and parenting stress. *BMC Psychiatry* 8: 1–11. doi:10.1186/1471-244X-8-24
- Lemeshow, S., David, W., Hosmes, J., & Klar, J., 1997. Adequacy of Sample Size in Health Study, First. ed. John Wiley and Sons Ltd WHO Press, England.
- Li, T., Guo, N., Jiang, H., Eldadah, M., & Zhuang, W., 2019. Social support and second trimester depression. *Midwifery* 69: 158–162. doi:10.1016/j.midw.2018.11.012
- Lindayani, I.K., & Marhaeni, G.A., 2019. Prevalensi dan Faktor Risiko Depresi Postpartum di Kota Bali Tahun 2019. *J. Midwifery Updat.* 8511: 100–109.
- Liu, S., Yan, Y., Gao, X., Xiang, S., Sha, T., Zeng, G., et al., 2017. Risk factors for postpartum depression among Chinese women: path model analysis. *BMC Pregnancy Childbirth* 17: 133. doi:10.1186/s12884-017-1320-x
- Luke, S., Salihi, H.M., Alio, A.P., Mbah, A.K., Jeffers, D., Berry, E. Lo, et al., 2009. Risk factors for major antenatal depression among low-income African American women. *J. Women ' s Heal.* 18. doi:10.1089/jwh.2008.1261
- Lukens, E.P., & McFarlane, W.R., 2004. Psychoeducation as Evidence-Based Practice: Considerations for Practice, Research, and Policy. *Br. Treat. Cris. Interv.* 4: 205–225. doi:10.1093/brief-treatment/mhh019
- Luxton, D.D., McCann, R.A., Bush, N.E., Mishkind, M.C., & Reger, G.M., 2011. MHealth for mental health: Integrating smartphone technology in behavioral healthcare. *Prof. Psychol. Res. Pract.* 42: 505–512. doi:10.1037/a0024485
- Madlala, S.S., & Kassier, S.M., 2018. Antenatal and postpartum depression: Effects on infant and young child health and feeding practices. *South African J. Clin. Nutr.* 31: 1–7. doi:10.1080/16070658.2017.1333753
- Mahayati, A., 2015. Pengaruh psikoedukasi terhadap pencegahan terjadinya depresi postpartum di Rumah Sakit Panti Rapih Yogyakarta. Gadjah Mada Yogyakarta.
- Målqvist, M., Clarke, K., Matsebula, T., Bergman, M., & Tomlinson, M., 2016. Screening for Antepartum Depression Through Community Health Outreach in Swaziland. *J. Community Health* 41: 946–952. doi:10.1007/s10900-016-0175-9
- Masitoh, M., & Setiyawati, D., 2019. Modul Literasi Kesehatan Mental.

- Masyuni, P.U.S., Nata, I.W.S., & Aryani, P., 2020. Kejadian Depresi pada Ibu Hamil di Wilayah Kerja Puskesmas I Negara, Kabupaten Jembara, Bali 2017. *E-Jurnal Med. Udayana* 8.
- Matthews, J., Altman, D., Campbell, M., & Royston, P., 1990. Analysis of serial measurements in medical research. *Bmj* 300: 230–236.
- Maulana, H., 2009. Promosi Kesehatan, Kesatu. ed. EGC, Jakarta.
- Milgrom, J., Hirshler, Y., Reece, J., Charlene, C.H., & Gemmill Alan, A.W., 2019. Social support—a protective factor for depressed perinatal women? *Int. J. Environ. Res. Public Health* 16. doi:10.3390/ijerph16081426
- Miller, A.M., Hogue, C.J., Knight, B.T., Rock, L., & Newport, D.J., 2015. Maternal expectations of postpartum social support: validation of the postpartum social support questionnaire during pregnancy. *Arch Women Ment. Heal.* 15: 307–311. doi:10.1007/s00737-012-0287-x.Maternal
- Mohammad, K.I., Gamble, J., Creedy, D.K., Hinson, J., Starrenburg, S., & Roberts, J., 2011. Prevalence and factors associated with the development of antenatal and postnatal depression among Jordanian women. *Midwifery* 27: e238-45. doi:10.1016/j.midw.2010.10.008
- Muñoz, R.F., 2019. Prevent depression in pregnancy to boost all mental health. *Nature* 574: 631–633. doi:10.1038/d41586-019-03226-8
- Nakamura, A., van der Waerden, J., Melchior, M., Bolze, C., El-Khoury, F., & Pryor, L., 2019. Physical activity during pregnancy and postpartum depression: Systematic review and meta-analysis. *J. Affect. Disord.* 246: 29–41. doi:10.1016/j.jad.2018.12.009
- Nasreen, H.E., Kabir, Z.N., Forsell, Y., & Edhborg, M., 2011. Prevalence and associated factors of depressive and anxiety symptoms during pregnancy: a population based study in rural Bangladesh. *BMC Womens. Health* 11: 22. doi:10.1186/1472-6874-11-22
- Nasreen, H.E., Kabir, Z.N., Forsell, Y., & Edhborg, M., 2010. Low birth weight in offspring of women with depressive and anxiety symptoms during pregnancy: results from a population based study in Bangladesh. *BMC Public Health* 10: 515. doi:10.1186/1471-2458-10-515
- Nice, 2007. Antenatal and postnatal mental health: Clinical management and Service Guidance (NICE Clinical Guideline 45), February 2. ed. MidCity Place 71 High Holborn London WC1V 6NA.
- Notoadmodjo, S., 2012. Promosi Kesehatan dan Ilmu Perilaku, Tiga. ed. Rineka Cipta, Jakarta.

- O'Brien, B.C., Harris, I.B., Beckman, T.J., Reed, D.A., & Cook, D.A., 2014. Standards for reporting qualitative research: A synthesis of recommendations. *Acad. Med.* 89: 1245–1251. doi:10.1097/ACM.0000000000000388
- Ogbo, F.A., Eastwood, J., Hendry, A., Jalaludin, B., Agho, K.E., Barnett, B., et al., 2018. Determinants of antenatal depression and postnatal depression in Australia. *BMC Psychiatry* 18: 1–11. doi:10.1186/s12888-018-1598-x
- Ormel, J., Jeronimus, B.F., Kotov, R., Riese, H., Bos, E.H., Hankin, B., et al., 2013. Neuroticism and common mental disorders: Meaning and utility of a complex relationship. *Clin. Psychol. Rev.* 33: 686–697. doi:10.1016/j.cpr.2013.04.003
- Painter, J.E., Borba, C.P.C., Hynes, M., Mays, D., & Glanz, K., 2008. The Use of Theory in Health Behavior Research from 2000 to 2005: A Systematic Review. *Ann. Behav. Med.* 35: 358–362. doi:10.1007/s12160-008-9042-y
- Park, J.H., Karmaus, W., & Zhang, H., 2015. Prevalence of and risk factors for depressive symptoms in Korean women throughout pregnancy and in postpartum period. *Asian Nurs. Res. (Korean. Soc. Nurs. Sci).* 9. doi:10.1016/j.anr.2015.03.004
- Park, S., Kim, J., Oh, J., & Ahn, S., 2020. Effects of psychoeducation on the mental health and relationships of pregnant couples: A systemic review and meta-analysis. *Int. J. Nurs. Stud.* 104: 103439. doi:10.1016/j.ijnurstu.2019.103439
- Pearlstein, T., 2015. Depression during Pregnancy. *Best Pract. Res. Clin. Obstet. Gynaecol.* 29: 754–764. doi:10.1016/j.bpobgyn.2015.04.004
- Pike, K., Susser, E., Galea, S., & Pincus, H., 2013. Towards a healthier 2020: Advancing mental health as a global health priority. *Public Health Rev.* 35: no pagination. doi:10.1007/BF03391692
- Preis, H., Mahaffey, B., Heiselman, C., & Lobel, M., 2020. Pandemic-related pregnancy stress and anxiety among women pregnant during the COVID-19 pandemic, *American Journal of Obstetrics & Gynecology* MFM. doi:10.1016/j.ajogmf.2020.100155
- Profil Kesehatan Provinsi Jawa Tengah, 2016. Provinsi Jawa Tengah 3511351: 47–83.
- Puspita, T., Jerayingmongkol, P., & Sanganprasit, B., 2015. Factors Predicting Self-Care Behaviors among Pregnant Women In Garut District, West Java Province, Indonesia. *ASEAN/Asian Acad. Soc. Int. Conf. Proceeding Ser.* 0: 107–111.
- Putra, L., 2016. Kompas.com dengan judul "2016, Ada 259.150 Kasus Kekerasan Terhadap Perempuan. *Kompas* 1.
- Rashid, A., & Mohd, R., 2017. Poor social support as a risk factor for antenatal depressive symptoms among women attending public antenatal clinics in Penang,

Malaysia. *Reprod. Health* 14. doi:10.1186/s12978-017-0404-4

- Reavley, N.J., & Jorm, A.F., 2011. Recognition of mental disorders and beliefs about treatment and outcome: Findings from an Australian National Survey of Mental Health Literacy and Stigma. *Aust. N. Z. J. Psychiatry* 45: 947–956. doi:10.3109/00048674.2011.621060
- Redinger, S., Norris, S.A., Pearson, R.M., Richter, L., & Rochat, T., 2017. First trimester antenatal depression and anxiety: prevalence and associated factors in an urban population in Soweto, South Africa. *J. Dev. Orig. Health Dis.* 1–11. doi:10.1017/S204017441700071X
- Roomruangwong, C., Withayavanitchai, S., & Maes, M., 2016. Antenatal and postnatal risk factors of postpartum depression symptoms in Thai women: A case-control study. *Sex. Reprod. Healthc.* doi:10.1016/j.srhc.2016.03.001
- Rosmawatia, I., & Das, M., 2018. Management of perinatal depression by non-health specialist workers in Indonesia. *J. Heal. Technol. Assess. Midwifery* 1: 29–34. doi:10.31101/jhtam.444
- Rowe, H.J., & Fisher, J.R.W., 2010. Development of a universal psycho-educational intervention to prevent common postpartum mental disorders in primiparous women: a multiple method approach. *BMC Public Health* 10: 499–513. doi:10.1186/1471-2458-10-499
- Rwakarema, M., Premji, S.S., Nyanza, E.C., Riziki, P., & Palacios-Derflingher, L., 2015. Antenatal depression is associated with pregnancy-related anxiety, partner relations, and wealth in women in Northern Tanzania: a cross-sectional study. *BMC Womens. Health* 15: 68. doi:10.1186/s12905-015-0225-y
- Saeed, A., Raana, T., Saeed, A.M., & Humayun, A., 2016. Effect of antenatal depression on maternal dietary intake and neonatal outcome: A prospective cohort. *Nutr. J.* 15: 1–9. doi:10.1186/s12937-016-0184-7
- Schwartz, L., Toohill, J., Creedy, D.K., Baird, K., Gamble, J., & Fenwick, J., 2015. Factors associated with childbirth self-efficacy in Australian childbearing women. *BMC Pregnancy Childbirth* 15: 1–9. doi:10.1186/s12884-015-0465-8
- Senturk, V., Abas, M., Berksun, O., & Stewart, R., 2011. Social support and antenatal depression in extended and nuclear family environments in Turkey: a cross-sectional survey. *BMC Psychiatry* 11: 11–48. doi:10.1186/1471-244X-11-48
- Shorey, S., Chan, S., Seng, C., & Hong-Gu, H., 2013. The effectiveness of a postnatal psychoeducation program on self-efficacy, social support and postnatal depression among primiparas: A randomised controlled trial. *J. Chem. Inf. Model.* 53: 1689–1699. doi:10.1017/CBO9781107415324.004

- Shrestha, S.D., Pradhan, R., Tran, T.D., Gualano, R.C., & Fisher, J.R.W., 2016. Reliability and validity of the Edinburgh Postnatal Depression Scale (EPDS) for detecting perinatal common mental disorders (PCMDs) among women in low-and lower-middle-income countries: a systematic review. *BMC Pregnancy Childbirth* 16: 72. doi:10.1186/s12884-016-0859-2
- Sieber, S., Germann, N., Barbir, A., & Ehlert, U., 2006. Emotional well-being and predictors of birth-anxiety, self-efficacy, and psychosocial adaptation in healthy pregnant women. *Acta Obstet. Gynecol. Scand.* 85: 1200–1207. doi:10.1080/00016340600839742
- Snelling, A., 2014. Introduction of Health Promotion. Jossey-Bass A. Wiley Brands, USA.
- Snyder, F.J., 2012. Brief Introduction to the Theory of Triadic Influence.
- Solhi, M., Abbasi, K., Azar, F.E.F., & Hosseini, A., 2019. Effect of health literacy education on self-care in pregnant women: A randomized controlled clinical trial. *Int. J. Community Based Nurs. Midwifery* 7: 2–12. doi:10.30476/IJCBNM.2019.40841.2
- Staneva, A., Bogossian, F., Pritchard, M., & Wittkowski, A., 2015. The effects of maternal depression, anxiety, and perceived stress during pregnancy on preterm birth: A systematic review. *Women and Birth* 28: 179–193. doi:10.1016/j.wombi.2015.02.003
- Statista, 2018. Number of online video usage by country.
- Stein, A., Pearson, R.M., Goodman, S.H., Rapa, E., Rahman, A., McCallum, M., et al., 2014. Effects of perinatal mental disorders on the fetus and child, *The Lancet*. Lancet Publishing Group. doi:10.1016/S0140-6736(14)61277-0
- Stewart, R.C., Umar, E., Tomenson, B., & Creed, F., 2014. A cross-sectional study of antenatal depression and associated factors in Malawi. *Arch. Womens. Ment. Health.* doi:10.1007/s00737-013-0387-2
- Stewart, R.C., Umar, E., Tomenson, B., & Creed, F., 2013. Validation of screening tools for antenatal depression in Malawi-A comparison of the Edinburgh postnatal depression scale and self reporting questionnaire. *J. Affect. Disord.* 150. doi:10.1016/j.jad.2013.05.036
- Stotland, N.L., 2010. Mental health aspects of women's reproductive health A global review of the literature. *Psychiatr. Serv.* 61: 421–421. doi:10.1176/appi.ps.61.4.421
- Supraja, T.A., Thennarasu, K., Satyanarayana, V.A., Seenaa, T.K., Desai, G., Jangam, K. V., et al., 2016. Suicidality in early pregnancy among antepartum mothers in

- urban India. *Arch. Womens. Ment. Health* 19. doi:10.1007/s00737-016-0660-2
- Tachibana, Y., Koizumi, T., Takehara, K., Kakee, N., Tsujii, H., Mori, R., et al., 2015. Antenatal risk factors of postpartum depression at 20 weeks gestation in a Japanese sample: Psychosocial perspectives from a cohort study in Tokyo. *PLoS One* 10. doi:10.1371/journal.pone.0142410
- Thomas, N., Komiti, A., & Judd, F., 2014. Pilot early intervention antenatal group program for pregnant women with anxiety and depression. *Arch. Womens. Ment. Health*. doi:10.1007/s00737-014-0447-2
- Thombs, B.D., Benedetti, A., Kloda, L.A., Levis, B., Riehm, K.E., Azar, M., et al., 2015. Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses Diagnostic accuracy of the Edinburgh Postnatal. *BMJ Open* 5. doi:10.1136/
- Thompson, O., & Ajayi, I., 2016. Prevalence of Antenatal Depression and Associated Risk Factors among Pregnant Women Attending Antenatal Clinics in Abeokuta North Local Government Area, Nigeria. *Depress. Res. Treat.* 2016: 1–15. doi:10.1155/2016/4518979
- Toohill, J., Fenwick, J., Gamble, J., Creedy, D.K., Buist, A., Turkstra, E., et al., 2014. A Randomized Controlled Trial of a Psycho-Education Intervention by Midwives in Reducing Childbirth Fear in Pregnant Women. *Birth* 41. doi:10.1111/birt.12136
- Tripathy, P., Nair, N., Barnett, S., Mahapatra, R., Borghi, J., Rath, Shibnand, et al., 2010. Effect of a participatory intervention with women's groups on birth outcomes and maternal depression in Jharkhand and Orissa, India: a cluster-randomised controlled trial. *Lancet* 375: 1182–1192. doi:10.1016/S0140
- Tsai, A.C., Scott, J.A., Hung, K.J., Zhu, J.Q., Matthews, L.T., Psaros, C., et al., 2013. Reliability and validity of instruments for assessing perinatal depression in African settings: Systematic review and meta-analysis. *PLoS One* 8. doi:10.1371/journal.pone.0082521
- Tsai, A.C., Tomlinson, M., Comulada, W.S., & Rotheram-Borus, M.J., 2016. Intimate Partner Violence and Depression Symptom Severity among South African Women during Pregnancy and Postpartum: Population-Based Prospective Cohort Study. *PLoS Med.* 13. doi:10.1371/journal.pmed.1001943
- Uebelacker, L.A., Battle, C.L., Sutton, K.A., Magee, S.R., & Miller, I.W., 2016. A pilot randomized controlled trial comparing prenatal yoga to perinatal health education for antenatal depression. *Arch. Womens. Ment. Health* 19: 543–547. doi:10.1007/s00737-015-0571-7
- Underwood, L., Waldie, K., D'Souza, S., Peterson, E.R., & Morton, S., 2016. A review

- of longitudinal studies on antenatal and postnatal depression. *Arch. Womens. Ment. Health*. doi:10.1007/s00737-016-0629-1
- Vigod, S.N., Wilson, C.A., & Howard, L.M., 2016. Depression in pregnancy. *Br. Med. J.* 4912–504.
- Visger, J.M., 2013. Predictors of Psychosocial Adaptation To Pregnancy Among Urban African-American Primiparas. Wayne State.
- Viveiros, C.J., & Darling, E.K., 2019. Perceptions of barriers to accessing perinatal mental health care in midwifery: A scoping review. *Midwifery*. doi:10.1016/j.midw.2018.11.011
- Wadephul, F., Jones, C., & Jomeen, J., 2016. The Impact of Antenatal Psychological Group Interventions on Psychological Well-Being: A Systematic Review of the Qualitative and Quantitative Evidence. *Healthcare* 4: 32. doi:10.3390/healthcare4020032
- Walsh, J., 2010. *Psycheducation In Mental Health*, First Edit. ed. Lyceum Books, Chicago.
- Wei, Y., McGrath, P.J., Hayden, J., & Kutcher, S., 2015. Mental health literacy measures evaluating knowledge, attitudes and help-seeking: A scoping review. *BMC Psychiatry* 15. doi:10.1186/s12888-015-0681-9
- Westdahl, C., Milan, S., Magriples, U., Kershaw, T.S., Rising, S.S., Ickovics, J.R., et al., 2007. Social Support and Social Conflict as Predictors of Prenatal Depression, *Obstet Gynecol.*
- WHO, 2017. Depression and other common mental disorders Global: health estimates. *World Heal. Organ.* 1–24. doi:CC BY-NC-SA 3.0 IGO
- WHO, 2005. Promoting mental health: concepts, emerging evidence, practice: a report of the World Health Organization, Departamento de Saúde Mental e Uso de Substâncias. ushita Graphic Vision Sàrl, CH-1226 Thônex, Geneva.
- WHO, D. of R.H. and R., 2016. WHO recommendations on antenatal care for a positive pregnancy experience WHO Library Cataloguing-in-Publication Data WHO recommendations on antenatal care for a positive pregnancy experience. *I. World Heal. Organ. from World Heal. Organ.*
- WHO, & World Health Organisation, 2008. Maternal mental health and child health and development in low and middle income countries. *World Health* 1–34.
- Wigunawati, E., 2019. Faktor yang Memengaruhi Asertivitas Perempuan di Kabupaten Nias. *J. Ina. Kaji. Peremp. Indones. di Drh. Tertinggal, Terdepan, dan Terluar* 1: 191–201. doi:10.33541/ji.v1i2.936

- Williams, C.J., Turner, K.M., Burns, A., Evans, J., & Bennert, K., 2016. Midwives and women's views on using UK recommended depression case finding questions in antenatal care. *Midwifery* 35: 39–46. doi:10.1016/j.midw.2016.01.015
- Windsor, R., 2015. Evaluation of Health Promotion and Disease Preventin Programs (imoroving opulation Helath through Evidence-Based Practice), Fifth. ed. Oxford University Press, New York.
- Woolhouse, H., Gartland, D., Mensah, F., & Brown, S.J., 2015. Maternal depression from early pregnancy to 4 years postpartum in a prospective pregnancy cohort study: Implications for primary health care. *BJOG An Int. J. Obstet. Gynaecol.* 122: 312–321. doi:10.1111/1471-0528.12837
- Wu, Y., Zhang, C., Liu, H., Duan, C., Li, C., Fan, C., et al., 2020. Perinatal depressive and anxiety symptoms of pregnantwomen during the coronavirus disease 2019 outbreak inChina. *Am. J. Obstet.* 240. doi:<https://doi.org/10.1016/j.ajog.2020.05.009>
- Yanikkerem, E., Ay, S., & Piro, N., 2013. Planned and unplanned pregnancy: Effects on health practice and depression during pregnancy. *J. Obs. Gynaecol. Res.* 39: 180–187. doi:10.1111/j.1447-0756.2012.01958.x
- Zhang, S., Wang, L., Yang, T., Chen, Lizhang, Qiu, X., Wang, T., et al., 2019. Maternal violence experiences and risk of postpartum depression: A meta-analysis of cohort studies. *Eur. Psychiatry.* doi:10.1016/j.eurpsy.2018.10.005
- Zhao, Y., Munro-Kramer, M.L., Shi, S., Wang, J., & Luo, J., 2017. A randomized controlled trial: effects of a prenatal depression intervention on perinatal outcomes among Chinese high-risk pregnant women with medically defined complications. *Arch. Womens. Ment. Health* 20: 333–344. doi:10.1007/s00737-016-0712-7
- Zulaekah, S., & Kusumawati, Y., 2021. Kecemasan sebagai Penyebab Gangguan Kesehatan Mental pada Kehamilan di Layanan Kesehatan Primer Kota Surakarta. *J. Kebidanan dan Keperawatan Aisyiyah* 17.