

## DAFTAR PUSTAKA

- Bracco, G. & Holst, B., 2013, *Surface science techniques*, Springer Series in Surface Sciences 51, DOI 10.1007/978-3-642-34243-1\_1
- Chen, Q., Tang, W., Wang, D., Wu, X., Li, N. & Liu, F., 2010, Biosensors and Bioelectronics Amplified QCM-D biosensor for protein based on aptamer-functionalized gold nanoparticles, 26, 575–579.
- Chen, Q., Xu, S., Liu, Q., Masliyah, J. & Xu, Z., 2016, QCM-D study of nanoparticle interactions, *Adv. Colloid Interface Sci.*, 233, 94–114.
- Dapson, R.W., 2005, Dye-tissue interactions: Mechanisms, quantification and bonding parameters for dyes used in biological staining, *Biotech. Histochem.*, 80, 2, 49–72.
- Deng, M., Xu, Z. & Liu, Q., 2014, Impact of gypsum supersaturated process water on the interactions between silica and zinc sulphide minerals, *Miner. Eng.*, 55, 172–180.
- Eissa, S., Alshehri, N., Rahman, A.M.A., Dasouki, M., Salah, K.M.A. & Zourob, M., 2018, Electrochemical immunosensors for the detection of survival motor neuron (SMN) protein using different carbon nanomaterials-modified electrodes, *Biosens. Bioelectron.*, 101, July 2017, 282–289.
- Finkel, R.S., Chiriboga, C.A., Vajsar, J., Day, J.W., Montes, J., Vivo, D.C. De, Yamashita, M., Rigo, F., Hung, G., Schneider, E., Norris, D.A., Xia, S., Bennett, C.F. & Bishop, K.M., Treatment of infantile-onset spinal muscular atrophy with nusinersen: a phase 2 , open-label , dose-escalation study, *Lancet*, 388, 10063, 3017–3026.
- Hawari, H.F., Samsudin, N.M., Shakaff, A.Y.M., Wahab, Y., Hashim, U., Zakaria, A., Ghani, S.A. & Ahmad, M.N., 2013, Highly selective molecular imprinted polymer (MIP) based sensor array using interdigitated electrode (IDE) platform for detection of mango ripeness, *Sensors Actuators, B Chem.*, 187,

434–444.

Höök, F. & Kasemo, B., 2007, The QCM-D Technique for Probing Biomacromolecular Recognition Reactions, *Piezoelectric Sensors*, July 2006, 425–447.

Howard, P.L., 1981, Principles of antibody elution, *Transfusion*, 21, 5, 477–482.  
DOI:10.1046/j.1537-2995.1981.21582040807.x

Hsieh-Li, H.M., Chang, J.G., Jong, Y.J., Wu, M.H., Wang, N.M., Tsai, C.H. & Li, H., 2000, A mouse model for spinal muscular atrophy, *Nat. Genet.*, 24, 1, 66–70.

Jin, Xuefang, Jin, Xiaoyong, Liu, X., Chen, L., Jiang, J., Shen, G. & Yu, R., 2009, Biocatalyzed deposition amplification for detection of aflatoxin B1 based on quartz crystal microbalance, *Anal. Chim. Acta*, 645, 1–2, 92–97.

Jodelka, F.M., Ebert, A.D., Duelli, D.M. & Hastings, M.L., 2010, A feedback loop regulates splicing of the spinal muscular atrophy-modifying gene, SMN2, *Hum. Mol. Genet.*, 19, 24, 4906–4917.

Lefebvre, S., Bürglen, L., Reboullet, S., Clermont, O., Burlet, P., Viollet, L., Benichou, B., Cruaud, C., Millasseau, P., Zeviani, M., Le Paslier, D., Frézal, J., Cohen, D., Weissenbach, J., Munnich, A. & Melki, J., 1995, Identification and characterization of a spinal muscular atrophy-determining gene, *Cell*, 80, 1, 155–165.

Markowitz, J.A., Singh, P. & Darras, B.T., 2012, Spinal muscular atrophy: A clinical and research update, *Pediatr. Neurol.*, 46, 1, 1–12.

McAndrew, P.E., Parsons, D.W., Simard, L.R., Rochette, C., Ray, P.N., Mendell, J.R., Prior, T.W. & Burghes, A.H.M., 1997, Identification of proximal spinal muscular atrophy carriers and patients by analysis of SMN(T) and SMN(C) gene copy number, *Am. J. Hum. Genet.*, 60, 6, 1411–1422.

Mendell, J.R., Zaidy, S. Al, Shell, R., Arnold, W.D., Klapac, L.R.R., Prior, T.W.,

- Lowes, L., Alfano, L., Berry, K., Church, K., Kissel, J.T., Nagendran, S., Italien, J.L., Sproule, D.M., Wells, C., Cardenas, J.A., Heitzer, M.D., Kaspar, A., Corcoran, S., Braun, L., Likhite, S., Miranda, C., Meyer, K., Foust, K.D., Burghes, A.H.M. & Kaspar, B.K., 2017, new england journal, 1713–1722.
- Morris, A.S., 2001, Measurement and Instrumentation Principles, *Meas. Sci. Technol.*, 12, 10, 1743–1744.
- Nurputra, D.K., Lai, P.S., Harahap, N.I.F., Morikawa, S., Yamamoto, T., Nishimura, N., Kubo, Y., Takeuchi, A., Saito, T., Takeshima, Y., Tohyama, Y., Tay, S.K.H., Low, P.S., Saito, K. & Nishio, H., 2013, Spinal muscular atrophy: From gene discovery to clinical trials, *Ann. Hum. Genet.*, 77, 5, 435–463.
- Onky, Y., Wijaya, S., Purevsuren, J., Imma, N., Harahap, F., Rochmah, M.A., Thursina, C., Hapsara, S. & Yamaguchi, S., 2020, Assessment of Spinal Muscular Atrophy Carrier Status by Determining SMN1 Copy Number Using Dried Blood Spots, 1–12.
- Otsuki, N., Arakawa, R., Kaneko, K., Aoki, R., Arakawa, M. & Saito, K., 2018, A new biomarker candidate for spinal muscular atrophy: Identification of a peripheral blood cell population capable of monitoring the level of survival motor neuron protein, *PLoS One*, 13, 8, 1–20.
- Prior, T.W., Snyder, P.J., Rink, B.D., Pearl, D.K., Pyatt, R.E., Mihal, D.C., Conlan, T., Schmalz, B., Montgomery, L., Ziegler, K., Noonan, C., Hashimoto, S. & Garner, S., 2010, Newborn and carrier screening for spinal muscular atrophy, *Am. J. Med. Genet. Part A*, 152, 7, 1608–1616.
- Rianjanu, A., Hasanah, S.A., Nugroho, D.B., Kusumaatmaja, A. & Roto, R., 2019, Polyvinyl Acetate Film-Based Quartz Crystal Microbalance for the Detection of Benzene , Toluene , and Xylene Vapors in Air, 1–10. *Chemosensors* 2019, 7, 20; doi:10.3390/chemosensors7020020
- Rodahl, M. & Kasemo, B., 1995, On the measurement of thin liquid overlayers with

the quartz-crystal microbalance, *Int. Conf. Solid-State Sensors Actuators, Eurosensors IX, Proc.*, 2, 743–746.

Roto, R., Rianjanu, A., Amaliya, I., Kusumaatmaja, A. & Triyana, K., 2020, Sensors and Actuators A : Physical Enhanced sensitivity and selectivity of ammonia sensing by QCM modified with boric acid-doped PVAc nanofiber, *Sensors Actuators A. Phys.*, 304, 111902.

Smith, A.L., 2008, Chapter 5, 5, 133–169. Handbook of Thermal Analysis and Calorimetry Vol. 5: Recent Advances, Techniques and Applications M.E. Brown and P.K. Gallagher, editors 9 2008 Elsevier B.V

Sudiono, J., 2014, Sistem Kekebalan Tubuh, *Penerbit Buku Kedokt. EGC*, June, 1–86.

Tonda-Turo, C., Carmagnola, I. & Ciardelli, G., 2018, Quartz crystal microbalance with dissipation monitoring: A powerful method to predict the in vivo behavior of bioengineered surfaces, *Front. Bioeng. Biotechnol.*, 6, OCT, 1–7.

Vashist, S.K. & Luong, J.H.T., 2018, *Quartz Crystal Microbalance e Based Sensors*, Elsevier Inc.

Veerabhadraiah, A., Ramakrishna, S., Angadi, G., Venkatram, M., Kanivebagilu Ananthapadmanabha, V., Hebbale NarayanaRao, N.M. & Munishamaiah, K., 2017, Development of polyvinyl acetate thin films by electrospinning for sensor applications, *Appl. Nanosci.*, 7, 7, 355–363.

Woof, J.M. & Burton, D.R., 2004, Human antibody-Fc receptor interactions illuminated by crystal structures, *Nat. Rev. Immunol.*, 4, 2, 89–99.