

DAFTAR PUSTAKA

Aaltonen, R. *et al.* (2005) 'Transfer of proinflammatory cytokines across term placenta', *Obstetrics and Gynecology*, 106(4), pp. 802–807.

Adatara, P. *et al.* (2018) 'Risk Factors for Neonatal Sepsis: A Retrospective Case-Control Study among Neonates Who Were Delivered by Caesarean Section at the Trauma and Specialist Hospital, Winneba, Ghana', *BioMed Research International*. Hindawi, 2018, pp. 1–7.

Akdis, M. *et al.* (2016) 'Interleukins (from IL-1 to IL-38), interferons, transforming growth factor β , and TNF- α : Receptors, functions, and roles in diseases', *Journal of Allergy and Clinical Immunology*, 138(4), pp. 984–1010.

El Bakry, M. *et al.* (2016) 'Cord blood interleukin-6 as a predictor of early-onset sepsis in preterm babies', *Benha Medical Journal*, 33(1), p. 37.

Beeram, M. R. *et al.* (2012) 'Utilization of umbilical cord blood for the evaluation of group B streptococcal sepsis screening', *Clinical Pediatrics*, 51(5), pp. 447–453.

Belachew, A. and Tewabe, T. (2020) 'Neonatal sepsis and its association with birth weight and gestational age among admitted neonates in Ethiopia : systematic review and meta-analysis'. *BMC Pediatrics*, pp. 1–7.

Benitz, W. E., Gould, J. B. and Druzin, M. L. (1999) 'Risk Factors for Early-onset Group B Streptococcal Sepsis : Estimation of Odds Ratios by Critical Literature Review', 103(6), pp. 1–14.

Bentlin MR. Late-onset Sepsis : Epidemiology , Evaluation , and Outcome. 2020;11(8).

Boekitwetan, P. (2000) 'Komplikasi Bakteriuria pada Kehamilan', *J Kedokter Trisakti*, 19(3), pp. 89–95.

Borders, N., Lawton, R. and Martin, S. R. (2012) 'A Clinical Audit of the Number of Vaginal Examinations in Labor: A NOVEL Idea', *Journal of Midwifery and Women's Health*, 57(2), pp. 139–144.

Boskabadi, H. and Zakerihamidi, M. (2018) 'Evaluate the diagnosis of neonatal sepsis by measuring interleukins: A systematic review', *Pediatrics and Neonatology*. Elsevier Taiwan LLC, 59(4), pp. 329–338.

Braun, D., Bromberger, P. and Ho, N. J. (2016) 'Low Rate of Perinatal Sepsis in Term Infants of Mothers with Chorioamnionitis', 1(212).

Byna, P. *et al.* (2015) 'A study of risk factors and consequences of asymptomatic bacteriuria in pregnant women and feto-maternal outcome', *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 4(5), pp. 1300–1305.

Camacho-gonzalez, A. *et al.* (2013) 'Neonatal infections Disease: Evluation of Neonatal Sepsis', *Pediatric Clinical North America North America*, 60(2), pp. 367–389.

Campos, D. P. *et al.* (2010) 'Early-onset neonatal sepsis: Cord blood cytokine levels at diagnosis and during treatment', *Jornal de Pediatria*, 86(6), pp. 509–514.

Carroll, P. D. *et al.* (2012) 'Umbilical cord blood as a replacement source for admission complete blood count in premature infants', *Journal of Perinatology*. Nature Publishing Group, 32(2), pp. 97–102.

Carroll, P. D. and Christensen, R. D. (2015) 'New and underutilized uses of umbilical cord blood in neonatal care', *Maternal Health, Neonatology and Perinatology*. ???, 1(1), pp. 1–7.

Cavazos-rehg, P. A. *et al.* (2016) 'Maternal age and risk of labor and delivery complications', 19(6), pp. 1202–1211.

Cernada, M. *et al.* (2012) 'Cord blood interleukin-6 as a predictor of early-onset neonatal sepsis', *Acta Paediatrica, International Journal of Paediatrics*, 101(5), pp. 203–207.

Chan, G. J. *et al.* (2013) 'Risk of Early-Onset Neonatal Infection with Maternal Infection or Colonization : A Global Systematic Review and Meta-Analysis', 10(8).

Chen, F., Huang, F. and Zhan, F. (2019) 'Correlation between serum transforming growth factor β 1, interleukin-6 and neonatal respiratory distress syndrome', *Experimental and Therapeutic Medicine*, pp. 671–677.

Christopher, U. *et al.* (2019) 'Multiple vaginal examinations and early neonatal sepsis', *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 8(3), p. 876.

Chu, S. *et al.* (2014) 'Neurological Complications after Neonatal Bacteremia : The Clinical Characteristics , Risk Factors , and Outcomes', 9(11), pp. 1–8.

Ciulianto, R. *et al.* (2017) 'Peran Interleukin-6 Dalam Menilai Respon Pengobatan Pada Sepsis Neonatorum Awitan Dini', *Sari Pediatri*, 19(1), p. 32.

Cutland ACL, Schrag SJ. Maternal HIV Infection and Vertical Transmission of Pathogenic Bacteria. 2021;130(3):1-10.

Data, U. (2016) 'Maternal and Newborn Health Disparities in Indonesia', *Report UNICEF 2016*, pp. 135–140.

Dessole, S. *et al.* (2004) 'Accidental fetal lacerations during cesarean delivery : Experience in an Italian level III university hospital', *American Journal of Obstetrics and Gynecology*, pp. 1673–1677.

Døllner, H. *et al.* (2001) 'Inflammatory mediators in umbilical plasma from neonates who develop early-onset sepsis', *Biology of the Neonate*, 80(1), pp. 41–47.

Dong, Y. and Speer, C. P. (2015) 'Late-onset neonatal sepsis:Recent developments', *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 100(3), pp. 257–263.

Eduardo Villamor *et al.* (2020) 'Maternal obesity and risk of early-onset neonatal bacterial sepsis: Nationwide cohort and sibling-controlled studies', *Oxford University Press for the Infectious Diseases Society of America*, pp. 1–28.

Eric Ž. and Konjević S (2017) 'Proinflammatory cytokines in a newborn: a literature review', *Signa Vitae*, 13(4), pp. 10-13p.

Esaiassen, E. *et al.* (2017) 'Antibiotic exposure in neonates and early adverse outcomes: A systematic review and meta-analysis', *Journal of Antimicrobial Chemotherapy*, 72(7), pp. 1858–1870.

El Farargy, M. S., El-Sharkawy, H. M. and Attia, G. F. (2018) 'Study of some cord blood markers as early predictors of neonatal sepsis', *Current Pediatric Research*, 22(3), pp. 232–238.

Gebremedhin, D., Berhe, H. and Gebrekirstos, K. (2016) 'Risk factors for neonatal sepsis in public hospitals of Mekelle City, North Ethiopia, 2015: Unmatched case control study', *PLoS ONE*, 11(5), pp. 1–10.

Gharehbaghi, M. M. *et al.* (2007) 'Immediate diagnosis of early onset sepsis in premature newborns by measurement of cord C-reactive protein and interleukin-6', *Iranian Journal of Medical Sciences*, 32(4), pp. 217–221.

Grappone, L. and Messina, F. (2014) 'Hyaline membrane disease or respiratory distress syndrome ? A new approach for an old disease', 3(2), pp. 1–7.

Hammad, E. (2018) 'and Research Meta-Analysis on Factors Influencing Early Onset Neonatal Sepsis', 1, pp. 4–6.

Henning, C. *et al.* (2019) 'Detailed analysis of the characteristics of sample volume in blood culture bottles', *Journal of Clinical Microbiology*, 57(8), pp. 1–9.

Hotchkiss, R. S. and Karl, I. E. (2003) 'The pathophysiology and treatment of sepsis', *New England Journal of Medicine*, 348(2), pp. 138–150.

James.L.Wynn. Defining neonatal sepsis HHS Public access. *Curr Opin paediatr.* 2016;28(2):135-140.

Johansson Gudjónsdóttir, M. *et al.* (2019) 'Changes in incidence and etiology of early-onset neonatal infections 1997-2017 - a retrospective cohort study in western Sweden', *BMC Pediatrics*. BMC Pediatrics, 19(1), pp. 1–10.

Jones, S. A. *et al.* (2018) 'Interleukin 6: The biology behind the therapy', *Considerations in Medicine*, 2(1), pp. 2–6. doi: 10.1136/conmed-2018-000005.
Khaertynov, K. S. *et al.* (2017) 'Comparative Assessment of Cytokine Pattern in Early and Late Onset of Neonatal Sepsis', *Journal of Immunology Research*, 2017.

KSM Ilmu Kesehatan Anak. PPK sepsis neonatorum awitan dini. 2019:1-8

Kenis G, Teunissen C, Jongh R De, Steinbusch H, Maes M. STABILITY OF INTERLEUKIN 6 , SOLUBLE INTERLEUKIN 6 RECEPTOR , INTERLEUKIN 10 AND CC16 IN HUMAN SERUM. 2002;19(5):228-235.

Khalesi, N. *et al.* (2014) 'Evaluation of Maternal Urinary Tract Infection as a Potential Risk Factor for Neonatal Urinary Tract Infection', 8(2), pp. 59–62.

Klingenberg, C. *et al.* (2018) 'Culture-negative early-onset neonatal sepsis - at the crossroad between efficient sepsis care and antimicrobial stewardship', *Frontiers in Pediatrics*, 6(October), pp. 1–9.

Kosim, M. S. (2009) 'Infeksi Neonatal Akibat Air Ketuban Keruh', 11(3).

Krywko, A. and Arustowicz, Z. (1971) 'Newborns with low birth weight', *Wiadomosci Lekarskie*, 24(4), pp. 320–326.

Masanja, P. P., Kibusi, S. M. and Mkhoyi, M. L. (2020) 'Predictors of Early Onset Neonatal Sepsis among Neonates in Dodoma, Tanzania: A Case Control Study', *Journal of tropical pediatrics*, 66(3), pp. 257–266.

Mbukani r, kakoma j. is nulliparity a risk factor for poor obstetrical and neonatal outcomes in rwandan district hospitals? a prospective observational study at

muhi district hospital. 2012;69(march):50-53.

Mate, S. *et al.* (2014) 'International Journal of Research In Medical and Health Sciences Neonatal Sepsis in Rural Ghana: A case control', *International Journal of Research In Medical and Health Sciences*, 4(5), pp. 77–88.

Meena, J. *et al.* (2015) 'Utility of cord blood culture in early onset neonatal sepsis', *Australasian Medical Journal*, 8(8), pp. 263–267.

Mirzarahimi, M. *et al.* (2017) 'The role of interleukin-6 in the early diagnosis of sepsis in premature infants', *Pediatric Reports*, 9(3), pp. 55–57.

Niehues T. C-reactive protein and other biomarkers—the sense and non-sense of using inflammation biomarkers for the diagnosis of severe bacterial infection. *LymphoSign J.* 2018;5(2):35-47.

Nguyen, D. P., Li, J. and Tewari, A. K. (2014) 'Inflammation and prostate cancer: The role of interleukin 6 (IL-6)', *BJU International*, 113(6), pp. 986–992.

Okazaki K, Metropolitan T, Kondo M, Metropolitan T, Taniguchi K, Kimura H. Serum Cytokine and Chemokine Profiles in Neonates With Meconium Aspiration Syndrome Serum Cytokine and Chemokine Profiles in Neonates With Meconium Aspiration Syndrome 2008;(January 2016).

Oza, S. *et al.* (2015) 'Neonatal cause-of-death estimates for the early and late neonatal periods for 194 countries: 2000–2013', *Bulletin of the World Health Organization*, 93(1), pp. 19–28.

Palmeira, P. *et al.* (2012) 'IgG placental transfer in healthy and pathological pregnancies', *Clinical and Developmental Immunology*, 2012.

Polin, R. A. *et al.* (2012) 'Management of Neonates with Suspected or Proven Early-Onset Bacterial Sepsis', *Pediatrics*, 129(5), pp. 1006–1015.

Polin, R. A. (2012) 'Management of Neonates With Suspected or Proven Early-Onset Bacterial Sepsis abstract', *American Academy of Pediatrics*, pp. 1006–1013.

Prashant, A. *et al.* (2013) 'Comparative Assessment of Cytokines and Other Inflammatory Markers for the Early Diagnosis of Neonatal Sepsis-A Case Control Study', *PLoS ONE*, 8(7).

Pusponegoro, T. S. (2016) 'Sepsis pada Neonatus', *Sari Pediatri*, 2(2), p. 96.

Quinn, J. *et al.* (2016) 'Preterm birth: Case definition & guidelines for data collection, analysis, and presentation of immunisation safety data q', *Vaccine*, 34(49), pp. 6047–6056.

Ramesh, T. V *et al.* (2018) 'Outcome of neonates born to mothers with premature rupture of membranes', 5(4), pp. 1190–1194.

Raqib R, Alam DS, Sarker P, et al. Low birth weight is associated with altered immune function in rural Bangladeshi children: a birth cohort study 1 – 3. 2018;(May).

Reed, B. D. *et al.* (2019) 'HHS Public Access', pp. 97–103.

Reis Machado, J. *et al.* (2014) 'Neonatal sepsis and inflammatory mediators', *Mediators of Inflammation*, 2014(April 2015).

Rincon, M. and Irvin, C. G. (2012) 'Role of IL-6 in asthma and other inflammatory pulmonary diseases', *International Journal of Biological Sciences*, 8(9), pp. 1281–1290.

Schultz, C. *et al.* (2002) 'Enhanced interleukin-6 and interleukin-8 synthesis in term and preterm infants', *Pediatric Research*, 51(3), pp. 317–322.

Sharma D, Farahbakhsh N, Shastri S, Sharma P. Biomarkers for diagnosis of neonatal sepsis: a literature review. *J Matern Neonatal Med.* 2018;31(12):1646-1659.

Sonawane, V. (2015) 'Study of Interleukin-6 Levels in Early Diagnosis of Neonatal Sepsis', *International Journal of Research in Medical Sciences*, 3(1), p. 1.

Stoll, B. J. *et al.* (2004) 'Neurodevelopmental and growth impairment among extremely low-birth-weight infants with neonatal infection', *Journal of the American Medical Association*, 292(19), pp. 2357–2365.

Uchiyama, T. (2012) 'IL-6 Plays Crucial Roles in Sporadic Colorectal Cancer through the Cytokine Networks including CXCL7', *Journal of Cancer Therapy*, 03(06), pp. 874–879.

Wang, K. *et al.* (2010) 'Expression of interleukin 6 in brain and colon of rats with TNBS-induced colitis', *World Journal of Gastroenterology*, 16(18), pp. 2252–2259.

Ye, Q. *et al.* (2017) 'Utility of cytokines to predict neonatal sepsis', *Pediatric Research*, 81(4), pp. 616–621.

Yeh, T. F. (2010) ‘Core Concepts : Meconium Aspiration Syndrome : Pathogenesis and Current Management’, 11(9).

Yismaw, A. E. *et al.* (2019) ‘Proportion of neonatal sepsis and determinant factors among neonates admitted in University of Gondar comprehensive specialized hospital neonatal Intensive care unit Northwest Ethiopia 2017’, *BMC Research Notes*. BioMed Central, 12(1), pp. 3–7.

Zdravkovic, N. *et al.* (2018) ‘Physiology and Pathology of Cytokine: Commercial Production and Medical Use’, *Intech*, i(tourism), p. 13.