

DAFTAR PUSTAKA

- Akamatsu, M., 2011, Importance of Physicochemical Properties for the Design of New Pesticides, *J. Agric. Food Chem.*, 59(7), 2909–2917.
- Arthur, D.E., Uzairu, A., Mamza, P., and Abechi, S., 2016, Quantitative structure–activity relationship study on potent anticancer compounds against MOLT-4 and P388 leukemia cell lines, *J. Adv. Res.*, 7, 823–837.
- Bastos, C.C., and Leite, B.S., 2017, Analysis and Validation of Dipole Moment Calculations in Chemistry Teaching, *Orbital: Electron. J. Chem.*, 9(5), 360–368.
- Bingul, M., Tan, O., Gardner, C.R., Sutton, S.K., Arndt, M.G., Marshall, G.M., Cheung, B.B., Kumar, N., Black, D.S., 2016, Synthesis, Characterization and Anti-Cancer Activity of Hydrazone Derivatives Incorporating a Quinoline Moiety, *Molecules*, 21(7), 916.
- Daoud, J.I., 2017, Multicollinearity and Regression Analysis, *J. Phys. Conf. Ser.*, 949(1).
- Delsen, M.SN., Wattimena, A.Z., Saputri, S.D., 2017, Penggunaan Metode Analisis Komponene Utama Untuk Mereduksi Faktor-Faktor Inflasi di Kota Ambon, *Jurnal Ilmu Matematika dan Terapan*, 11(2), 109 – 118.
- Dwivedi, N., Mishra, B.N., Katoch, V.M., 2011, 2D-QSAR Model Development and Analysis on Variant Groups of Anti-Tuberculosis Drugs, *Chem-Bio Inf. J.*, 7(2), 82–90.
- Free, S.M. & Wilson, J.W., 1964, A Mathematical Contribution to Structure-Activity Studies, *J. Med. Chem.*, 7(4), 395–399.
- Ghasemi, G., Arshadi, S., Rashtehroodi, A. N., Nirouei, M., Shariati, S., dan Rastgoo, Z., 2013, QSAR Investigation on Quinolizidinyl Derivatives in Alzheimer’s Disease, *J. Comp. Med.*, 1–8.
- Guo, Q., Wu, W., Questier, F., Massart, D., Boucon, C., dan De Jong, S., 2000 Sequential Projection Pursuit using Genetic Algorithms for Data Mining of Analytical Data, *Anal. Chem.*, 72(13), 2846–2855.
- Iswanto, P., Rosdiyana I.T., Tahir, I., 2007., Quantitative Structure and Activity Relationship (QSAR) Analysis of Estradiol Compounds as Anticancer Based on Electronic Descriptors Using PM3 Semiempirical Methods, *Jurnal Berkala MIPA*, 17(1), 12–21.

- Jensen, D.R., dan Ramirez, D.E., 2013, Variance Inflation in Regression, *Advances in Decision Sciences*, 2013(2), 1-15.
- Kaplánek, R., Jakubek, M., Rak, J., Kejík, Z., Havlík, M., Dolenský, B., Frydrych, I., Hajdúch, M., Kolář, M., Bogdanová, K., Králová, J., Džubák, P., Král, V., 2015, Caffeine–Hydrazones as Anticancer agents with Pronounced Selectivity toward T-lymphoblastic Leukaemia Cells, *J. Bio. Chem.*, 60, 19-29.
- Katrizky, A.R., Lobanov, V.S., & Karelson, M., 1996, Quantum-Chemical Descriptors in QSAR/QSPR studies, *Chem. Rev.*, 96, 1027-1043.
- Kier, L.B., Tute, M.S., & Foye, O.W., 1989, *Principle of Medicinal Chemistry Theoretical Aspect of Drug Design*, Lea & Febiger, Philadelphia.
- Kohn, W., and Sham, L.J., 1965, Self-Consistent Equations including Exchange and Correlation Effects, *Phys. Rev.*, 140, A1133.
- Kumar, P., Narasimhan, B., Ramasamy, K., Mani, V., Mishra, R.K., Majeed, A.B.A., 2017, Synthesis, antimicrobial, anticancer evaluation and QSAR studies of 2/3-bromo-N'-(substituted benzylidene/3-phenylallylidene) benzohydrazides, *Arab. J. Chem.*, 10(2), S3740-S3748.
- Leach, A.R., 2001, *Molecule Modelling: Principle and Application 2nd ed.*, Longman, Singapore.
- Lewis, R.A., and Wood, D., 2014, Modern 2D QSAR for drug discovery, *Wiley Interdiscip. Rev. Comput. Mol. Sci.*, 4, 505–522.
- Liu, P., dan Long, W., 2009, Current Mathematical Methods Used in QSAR/QSPR Studies, *Int. J. Mol. Sci.*, 10(5), 1978-1998.
- Namboori, K., Ramachandran K.I., Deepa, G., 2008, *Computational Chemistry and Molecular Modelling*, Springer, Berlin Heidelberg.
- Noogady, T., dan Weaver, D.F., 2005, *Medicinal Chemistry: A Molecular and Biochemical Approach 3rd ed.*, Oxford University Press, Inc.Cary.
- Padron, J.A., Carrasco, R., and Pellon, R.F., 2002, Molecular Descriptor based on a Molar Refractivity partition using Ranhic-Type Graph- Theoretical Invariant, *J. Pharm. Sci.*, 5(3), 267- 274.

- Patole, J., Sandbhor, U., Padhye, S., Deobagkar, D.N., Anson, C.E., Powell, A., 2003, Structural chemistry and in vitro antitubercular activity of acetylpyridine benzoyl hydrazone and its copper complex against Mycobacterium smegmatis, *Bioorg. Med. Chem. Lett.*, 13(1),51–55.
- Pranowo, H.D., 2003, *Kimia Komputasi*, Pusat Kimia Komputasi Indonesia- Austria, Kimia FMIPA UGM, Yogyakarta.
- Pranowo, H.D., dan Hetadi, A.K.R., 2010, *Pengantar Kimia Komputasi*, CV Lubuk Agung, Bandung.
- Pratiwi, D.E., Harjoko, A., 2013, Implementasi Pengenalan Wajah Menggunakan PCA (Principal Component Analysis), *Indonesian J. Electron. Instrum. Syst.*, 3(2), 175-184.
- Roy, K., and Roy, P.P., 2009, Comparative Chemometrics Modeling of Cytochrome 3a4 Inhibitory Activity of Structurally Diverse Compounds Using Stepwise MLR, FA-MLR, PLS, GFA, G/PLS and ANN Techniques, *Eur. J. Med. Chem.*, 44, 2913-2922.
- Saini, D., Gupta, M., 2018, Hydrazones as potential anticancer agents: an update, *Asian. J. Pharm. Pharmacol.*, 4, 116–122.
- Santa, E.W., 2008, *Analisis Hubungan Kuantitatif antara Struktur dan Aktivitas Insektisida Turunan Pirol Menggunakan Deskriptor Muatan Bersih Atom, Momen Dwikutub dan Log P*, Thesis, UGM, Yogyakarta.
- Seydel, J.K., 1990, *Mild Career Training in Pharmacochemistry, Summary Lecture Course QSAR*, Fakultas Farmasi UGM, Yogyakarta.
- Siswandono dan Seokardjo, B., 1995, *Kimia Medisinal*, Airlangga University Press, Surabaya.
- Siswandono dan Seokardjo, B., 2000, *Prinsip-Prinsip Rancangan Obat*, Airlangga University Press, Surabaya.
- Suh, M.E., 2002, Comparison of QSAR Methods (CoMFA, CoMSIA, HQSAR) of Anticancer 1-N-Substituted Iidazoquinoline-4, 9-dione Derivatives, *Bull. Korean Chem.*, 23(3), 417-422.
- Syahputra, A., Mudasir, Nuryono, Aziz, A., dan Tahir, I., 2014, QSAR Study of Insecticides of Phthalamide Derivatives using Multiple Linear Regression and Artificial Neural Network Methods, *Indo. J. Chem.*, 14(1), 94-101.

- Taha, M., Shah, S.A.A., Afifi, M., Zulkeflee, M., Sultan, S., Wadood, A., Rahim, F., Ismail, N.H., 2017, Morpholine hydrazone scaffold: Synthesis, anticancer activity and docking studies, *J. Chin. Chem. Lett.*, 28(3), 607-611.
- Taha, M., Sultan, S., Herizal M., Fatmi M.Q., Selvaraj, M., Ramasamy K., Halim S.A., Lim, S.M., Rahim F., Ashraf, K., Shehzad A., 2019, Synthesis, anticancer, molecular docking and QSAR studies of benzoylhydrazone, *J. Saudi Chem. Soc.*, 23, 1168-1179.
- Tromba, and Hambley, 2001, *Molecular Modeling of Inorganic Compounds*, Wiley-VHC, Weinheim.
- Vastrad, C.M., 2012, Predictive Comparative QSAR Analysis of Sulfathiazole Analogues as Mycobacterium Tuberculosis H37Rv, *J. Adv. Bionforma appl. Res.*, 3(3), 379-390.
- Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P., and Agrawal, R.K., 2011, Validation of QSAR Models-Strategies and Importance, *Int.J. Drug Des. Discovery*, 2, 511-519.
- Verma, R. P., and Hansch, C., 2009, Camphothecins: A SAR/QSAR Study, *Chem. Rev.*, 109(1), 213-235.