

DAFTAR PUSTAKA

- Aarnio, K., E Haapaniemi., S Melkas., M Kaste., T Tatlisumak & J Putaala. 2014. Long-term mortality after first-ever and recurrent stroke in young adults. *Stroke*, 45: 2670-2676
- Aho, K., P. Harmsen., S. Hatanto., J. Marquardsen., V. E Sminrnov., T. Strasser. 1980. Cerebrovascular disease in the community: results of a WHO collaborative study , *Bulletin of the World Health Organization*, 58(1), pp. 113–130.
- Alexander, R.W., 1995. Hypertension and the Pathogenesis of Atherosclerosis Oxidative Stress and the Mediation of Arterial Inflammatory Response: A New Perspective. *Hypertension*, 25:155-161.
- Atkinson, P., Baker, C., Baszanger, I., Bloor, M. 2004. Qualitative Research: Theory, Method, and Practice. (2nd edition) . David Silverman (ed.). London, Sage Publications.
- Ayerbe L, S Ayis, S Crichton, C.D.A Wolfe ,& A.G Rudd., 2014. The long-term outcomes of depression up to 10 years after stroke; the South London Stroke Register. *J Neurol Neurosurg Psychiatry* ;85:514–521
- Bachri, B.S. 2010. Meyakinkan Validas Data Melalui Tringulasi Pada Peniltian Kualitatif. *Jurnal Teknologi Pendidikan*. 10 (1), 46–62.
- Bang, O.Y., B Ovbiagele., & J.S Kim., 2015. Non traditional risk factors for ischemic stroke: An update. *Stroke*, 46(12): 3571-3578.
- Bastawrous, M., Gignac M., Kapral M., Cameron J., 2015. Adult daughters providing post-stroke care to a parent: A qualitative study of the impact that role overload has on lifestyle, participation and family relationships, *Clinical Rehabilitation*, 29(6), pp. 592–600. doi: 10.1177/0269215514552035.
- Bentsen, L., I Christensen., A Christensen., & H Christensen., 2014. Outcome and risk factors presented in old patients above 80 years of age versus younger patients after ischemic stroke. *Journal of Stroke and Cerebrovascular Diseases*, 23(7): 1944-1948.
- Bland, M.D., M Whitson., H Harris., J Edmiaston., L.T Connor., R Fucetola.,& C.E Lang., 2015. Descriptive Data Analysis Examining How Standardized Assessments Are Used to Guide Post-Acute Discharge Recommendations for Rehabilitation Services After Stroke. *Physical Therapy*, 95(5): 710-719.
- Boehme, A. K., Esenwa, C. and Elkind, M. S. V. 2017. Stroke Risk Factors, Genetics, and Prevention, *Circulation Research*, 120(3), pp. 472–495. doi: 10.1161/CIRCRESAHA.116.308398.

- Boehme, A. K., Esenwa, C. and Elkind, M. S. V. 2017. Stroke Risk Factors, Genetics, and Prevention, *Circulation Research*, 120(3), pp. 472–495. doi: 10.1161/CIRCRESAHA.116.308398.
- Booth, J., L Connelly.,M Lawrence., C Chalmers., S Joice.,C Becker., &N Dougall, 2015. Evidence of perceived psychosocial stress as a risk factor for stroke in adults: a meta-analysis. *BMC Neurology*, 15(1): 233.
- Bottacchi E, G Corso , P Tosi , M.V Morosini , G.D Filippis., L Santoni., G Furneri & C Negrini., 2012.The cost of first-ever stroke in Valle d’Aosta, Italy: linking clinical registries and administrative data. *BMC Health Services Research*. 12:372
- Bushnell, C. D. Reeves M., Pan W., Janet P., Zimmer L., Olson D., Peterson E., 2014. *Sex differences in quality of life after ischemic stroke*.
- Capes, S.E.,D Hunt.,K Malmberg.,P Patha., & H.C Gerstein., 2001. Sistematic Overview Stress Hyperglycemia and Prognosis of Stroke in Nondiabetic and Diabetic Patients: A Stress Hyperglycemia and Prognosis of Stroke in Nondiabetic and Diabetic Patients A Sistematic Overview. *Stroke*, 32: 2426-2432.
- Caplan, L. R. .2016. *Caplan’s Stroke: A Clinical Approach 5th Edition*. Cambridge: Cambridge University Press.
- Caplan, L.R. & van Gijn, J. 2012. *Stroke Syndromes 3rd Edition*. Cambridge, Cambridge University Press.
- Caplan, L.R. .2005. *Stroke*. New York, AAN Press.
- Chen, L., Sit, J. W. H. and Shen, X. 2016. Quasi-experimental evaluation of a home care model for patients with stroke in China, *Disability and Rehabilitation*, 38(23), pp. 2271–2276. doi: 10.3109/09638288.2015. 1123305.
- Chen, Q., Zhang X., Wang T., gu J., Zhang Y., zhu S. 2013. General practitioners hypertension knowledge and training needs: a survey in Xuhui district, Shanghai.’, *BMC family practice*, 14(April 2007), p. 16. doi: 10.1186/1471-2296-14-16.
- Day, C. B., Bierhals C, Santos N., Mocellin D., Predebon M., Pizzol F., Pasculin L. 2018. Nursing home care educational intervention for family caregivers of older adults post stroke (SHARE): *Study protocol for a randomised trial, Trials*. *Trials*, 19(1), pp. 1–9. doi: 10.1186/s13063-018-2454-5.
- De Carvalho, J.J.F., M.B Alves., G.A.A Viana., C.B Machado.,, B.F.C Dos Santos., A.H Kanamura, & G.S Silva. 2011. *Stroke epidemiology, patterns of management, and outcomes in Fortaleza, Brazil: A hospital-based multicenter prospective study*. *Stroke*, 42(12): 3341-3346.
- Dehlendorff, C., K.K Andersen., & T.S Olsen. 2014. Body Mass Index and Death by Stroke. *JAMA Neurology*, 71(8): 978.

- Deng, Y., Y Jiao., R Hu.,Y Wang., Y Wang., & X Zhao. 2014. Reduction of length of stay and costs through the implementation of clinical pathways for stroke management in China. *Stroke*, 45(5): 81-84.
- DEPKES RI. 2006. *Panduan pelayanan keperawatan kesehatan di rumah*.Direktorat Bina Pelayanan Keperawatan. Direktorat Jenderal Bina Pelayanan Medik. Jakarta
- Depkes, R.I. 2002 .*Pedoman Penerapan Home care Jakarta* : Dirjen PelayananMedik.
- Di Carlo, A., M Lamassa., M Baldereschi., G Pracucci., A.M Basile, C.D Wolfe., M Giroud., A Rudd.,A Ghetti., D Inzitari.; European BIOMED Study of Stroke Care Group, 2003. Sex differences in the clinical presentation, resource use, and 3-month outcome of acute stroke in Europe: data from a multicenter multinational hospital-based registry. *Stroke*; 34(5):1114-9. Epub 2003 Apr 10.
- Donnan, G. A. Fisher M., Macleod M., Davis SM. 2008. Secondary prevention of stroke - Authors' reply, *The Lancet*, 372(9643), p. 1036. doi: 10.1016/S0140-6736(08)61439-7.
- Edwards, J.D., Kapral, M.K., Fang, J. & Swartz, R.H. 2017 Long-term morbidity and mortality in patients without early complications afer stroke or transient ischemic attack. *CMAJ*. [Online] 189 (July 24), E954–E961. Available from: doi:10.1503/cmaj.161142.
- Feigin, V.L., Roth, G.A., Naghavi, M., Parmar, P. 2016 Global burden of stroke and risk factors in 188 countries, during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet Neurology*. [Online] 15 (9), 913–924. Available from: doi:10.1016/S1474-4422(16)30073-4.
- Frost, S. B., S. Barbay., K. M. Friel., E. J. Plautz., R. J. Nudo. 2003. Reorganization of remote cortical regions after ischemic brain injury: A potential substrate for stroke recovery, *Journal of Neurophysiology*, 89(6), pp. 3205–3214. doi: 10.1152/jn.01143.2002.
- Gbiri, C. A., Olawale, O. A. and Isaac, S. O. 2015 Stroke management: Informal caregivers' burdens and strians of caring for stroke survivors. *Annals of Physical and Rehabilitation Medicine*. *Elsevier Masson SAS*, 58(2), pp. 98–103. doi: 10.1016/j.rehab.2014.09.017.
- Gialdini, G., nearing K., Bhave P., Bonuccelli U. (2014). Perioperative atrial fibrillation and the long-term risk of ischemic stroke, *JAMA - Journal of the American Medical Association*, 312(6), pp. 616–622. doi: 10.1001/jama.2014.9143.
- Giorgi, A. 1985. Sketch of a psychological phenomenological method. In A. Giorgi (Ed.), *Phenomenology and psychological research* (pp. 8-22). Pittsburgh, PA: Duquesne. University Press.

- Girijala, R. L., Sohrabji, F. and Bush, R. L. 2016. Sex differences in stroke : *Review of current knowledge and evidence*. doi: 10.1177/1358863X16668263.
- Hajsic, S. H gothe., HH Borba. 2019. Economic burden of stroke: a systematic review on post-stroke care, *European Journal of Health Economics. Springer Berlin Heidelberg*, 20(1), pp. 107–134. doi: 10.1007/s10198-018-0984-0.
- Hara, Y. (2015). *Brain Plasticity and Rehabilitation in Stroke Patients.*, 82(1).
- Hope, T. M. H., Seghing M., Leff A., Price C. 2013. Predicting outcome and recovery after stroke with lesions extracted from MRI images, *NeuroImage: Clinical*. The Authors, 2(1), pp. 424–433. doi: 10.1016/j.nicl.2013.03.005.
- Howard, G., Chusman M., Howard V., Kiseela B., Kliendorfer D., Moy C., Switzer J. 2013, Risk factors for intracerebral hemorrhage: The reasons for geographic and racial differences in stroke (REGARDS) study, *Stroke*, 44(5), pp. 1282–1287. doi: 10.1161/STROKEAHA.111.000529.
- Ingeman, A., Andersen G., Thomsen R.W., Hundborg H., Ramussen H., Jhonsen. 2017. *Lifestyle Factors and Early Clinical Outcome in Patients With Acute Stroke*. doi: 10.1161/STROKEAHA.116.015784.
- Itrat, A., Ahmed B., Khan M., Muhammad M., Thaver D., Khawaja Z., Ali S., Bawa Z., Rahat M., Kamal A. 2011. Risk factor profiles of South Asians with cerebrovascular disease., *International Journal of Stroke*, 6(4), pp. 346–348. doi: 10.1111/j.1747-4949.2011.00622.x.
- Johnston, K. C. and Wagner, D. P. (2006) ‘Relationship between 3-month National Institutes of Health Stroke Scale score and dependence in ischemic stroke patients’, *Neuroepidemiology*, 27(2), pp. 96–100. doi: 10.1159/000095245.
- Joundi, R. A. et al. (2017) ‘Predictors and Outcomes of Dysphagia Screening After Acute Ischemic Stroke’, pp. 1–8. doi: 10.1161/STROKEAHA.116.015332.
- Kalkonde, Y.V., M.D Deshmukh., V Sahane., J Puthran., S Kakarmath., V Agavane, & A Bang, 2015. Stroke Is the Leading Cause of Death in Rural Gadchiroli, India: A Prospective Community-Based Study. *Stroke*, 46(7): 1764-1768.
- Kamal, A. K., A Itrat., M Murtaza., M Khan., A Rasheed., A ALi., A Akber et al. .2009. The burden of stroke and transient ischemic attack in Pakistan: A community-based prevalence study’, *BMC Neurology*, 9, pp. 1–11. doi: 10.1186/1471-2377-9-58.
- Karlsson, L. O. S Nilsson., E Charistakis., M Bang., G Johansson, L Nilson. 2017. Clinical decision support for stroke prevention in atrial fibrillation (CDS-AF): Rationale and design of a cluster randomized trial in the primary care setting’, *American Heart Journal. Elsevier Inc.*, 187, pp. 45–52. doi: 10.1016/j.ahj.2017.02.009.

- Khan, F. Y. (2007) 'Risk factors of young ischemic stroke in Qatar', *Clinical Neurology and Neurosurgery*, 109(9), pp. 770–773. doi: 10.1016/j.clineuro.2007.07.006.
- Kim, A. S. and Johnston, S. C. (2011) 'Global variation in the relative burden of stroke and ischemic heart disease', *Circulation*, 124(3), pp. 314–323. doi: 10.1161/CIRCULATIONAHA.111.018820.
- Kuptniratsaikul, V., Kovindha, A., Suethanapornkul, S., Manimmanakorn, N. 2013. Long-term morbidities in stroke survivors: A prospective multicenter study of Thai stroke rehabilitation registry. *BMC Geriatrics*. [Online] 13 (33). Available from: doi:10.1186/1471-2318-13-33.
- Kwon, H., Lee, Y. and Bae, H. 2014. *Homocysteine as a Predictor of Early Neurological Deterioration in Acute Ischemic Stroke*. doi: 10.1161/STROKEAHA.113.004099.
- Lau, K., Wong Y., Teo K., Chang R., Hon S.F., Chan K., Cheung R., Wai Li L. Tse H., Ho S., Siu C. 2014. Stroke Patients with a Past History of Cancer Are at Increased Risk of Recurrent Stroke and Cardiovascular Mortality, 9(2). doi: 10.1371/journal.pone.0088283.
- Lawrence, E.S., C Coshall., R Dundas, J Stewart., A.G Rudd., R Howar., & C.D.A Wolfe., 2001. Estimates of the Prevalence of Acute Stroke Impairments and Disability in a Multiethnic Population. *Stroke*, 32(6): 1279-84.
- Lee, K. and Cho, E. 2017. Activities of daily living and rehabilitation needs for older adults with a stroke: *A comparison of home care and nursing home care*, *Japan Journal of Nursing Science*, 14(2), pp. 103–111. doi: 10.1111/jjns.12139.
- Mazzone, P., W Tierney., M Hossain., V Puvenna., D Janigro., & L Cucullo., 2010. Pathophysiological Impact of Cigarette Smoke Exposure on the Cerebrovascular Sistem with a Focus on the Blood-brain Barrier: *Expanding the Awareness of Smoking Toxicity in an Under appreciated Area*. *International Journal of Environmental Research and Public Health*, 7(12): 4111-4126. <http://doi.org/10.3390/ijerph7124111>
- Neergaard, M. A., Oelsen F., Jensen A.B., Sondergaard J. 2010. Shared care in basic level palliative home care: Organizational and interpersonal challenges, *Journal of Palliative Medicine*, 13(9), pp. 1071–1077. doi: 10.1089/jpm.2010.0036.
- Neis, M.A., & M McEwen. 2001. Community health nursing: promoting the health of populations, (USA): W.B. Saunders Company.
- Oliver, J. 2013. Home Base Care, *Journal of Chemical Information and Modeling*. doi: 10.1017/CBO9781107415324.004.

- Ostwald, S.K., G Hearsch., C Kelley, & K.M Godwin, 2008. Evidence-Based Educational Guidelines for Stroke Survivors After Discharge Home. *Journal Neurosci Nurs*, 40 (1), 173-191.
- Parsons, J., Pouse P., robinson E.M., Sheridan N., Connolly M.J. 2012. Goal setting as a feature of homecare services for older people: Does it make a difference?, *Age and Ageing*, 41(1), pp. 24–29. doi: 10.1093/ageing/afr118.
- Pokdi Stroke Perdossi 2011 *Guideline Stroke 2011*. Jusuf Misbach, Rusdi Lamsudin, Amiruddin Allah, Basyiruddin A, et al. (eds.). Jakarta, Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI)
- Pusat KP-MAK, 2016. Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Rhee, J. J. O., N Zwarm., S Vagholkarm., S Dennis., A M Broadbent., G Mitchell. 2008. Attitudes and barriers to involvement in palliative care by Australian urban general practitioners, *Journal of Palliative Medicine*, 11(7), pp. 980–985. doi: 10.1089/jpm.2007.0251.
- Ri, K. S., Jenderal, D. and Sosial, R. (2014) ‘Modul pendampingan pelayanan sosial lanjut usia’.
- Roderick, R Day., T Peasgood., M Mulle., J Turnbull. 2001. Stroke rehabilitation after hospital discharge: A randomized trial comparing domiciliary and day-hospital care, *Age and Ageing*, 30(4), pp. 303–310. doi: 10.1093/ageing/30.4.303.
- Ropper, A.H., Samuels, M.A., Klein, J.P. & Prasad, S. (2019) *Adams and Victor’s Principles of Neurology 11th Edition*. (11th edition) . Allan H Ropper, Martin A Samuels, Joshua P Klein, & Sashank Prasad (eds.). New York, McGraw-Hill.
- Sablot, D., F Belahsen., F Cuiller., J Cassarini., P Decafel., L Tatu., T Moulin., E Butos. 2011. *Predicting Acute Ischaemic Stroke Outcome Using Clinical and Temporal Thresholds*, 2011. doi: 10.5402/2011/354642.
- Saint, S., T.P Hofer., J.S Rose., & S.R Kaufman, 2003. Use of Critical Pathways to Improve Efficiency. *The American Journal of Managed Care*; 9(11):758-765.
- Schilling, C., D Mortimer, K Dalziel., E Heeley .2016. Using Classification and Regression Trees (CART) to Identify Prescribing Thresholds for Cardiovascular Disease, *PharmacoEconomics. Springer International Publishing*, 34(2), pp. 195–205. doi: 10.1007/s40273-015-0342-3.
- Seale, C., Gobo, G., Gubrium, J., Silverman, D. 2007. Qualitative Research Practice: Concise Paperback Edition. [Online]. London, *Sage Publications*. Available from: doi:10.4135/9781848608191.d26.
- Sellars, M., Detering, K. M. and Silvester, W. (2015) ‘Current advance care planning practice in the Australian community: An online survey of home care package case managers and service managers Knowledge, education and

- training', *BMC Palliative Care*. ???, 14(1), pp. 1–7. doi: 10.1186/s12904-015-0018-y.
- Setyawati. 2004. Pengembangan Model Praktek Mandiri Keperawatan di Rumah (Home care). Makalah Seminar Keperawatan Home care, Alternatif Model Perawatan Kesehatan di Era Global. *Continuing Nursing Education* PSIK FK UMY
- Setyopranoto, I. .2016. Role of oxidative stress on acute ischaemic stroke. *Jurnal Kedokteran dan Kesehatan Indonesia*. [Online] 7 (4), 151–160. Available from: doi:10.20885/JKKI.Vol7.Iss4.art6.
- Setyopranoto, I., Bayuangga, H.F., Panggabean, A.S., Alifaningdyah, S., et al. .2019. Prevalence of Stroke and Associated Risk Factors in Sleman District of Yogyakarta Special Region, Indonesia. *Stroke Research and Treatment*. [Online] 20191–8. Available from: doi:10.1155/2019/2642458.
- Sharma, N. and Cohen, L. G. 2012. Recovery of motor function after stroke', *Developmental Psychobiology*, 54(3), pp. 254–262. doi: 10.1002/dev.20508.
- Shrestha, S., R Pudel, D Khawtiwada., L Thapa. (2015). Stroke subtype , age , and baseline NIHSS score predict ischemic stroke outcomes at 3 months : a preliminary study from Central Nepal, pp. 443–448.
- Smith, C.M & F.A Maurer. 2000. *Community Health Nursing: Theory and Practice*. Philadelphia: W.B. Saunders Company.
- Soesanto E, Chanif., & B Supradono., 2015. Peningkatan Kualitas Kesehatan Masyarakat Melalui Jasa Layanan Kesehatan Holistik On Delivery; *Cendikia Utama journal keperawatan dan kesehatan masyarakat*, Universitas Muhammadiyah Semarang,.Vol 1:(53-62)
- Soufi, S., S Chabire., L Baeroletti., S Laporte., S Darteyre. 2017. Lived experience of having a child with stroke: A qualitative study., *European Journal of Paediatric Neurology*. Elsevier Ltd, 21(3), pp. 542–548. doi: 10.1016/j.ejpn.2017.01.007.
- Steiner, B. D., A Denbam., E Asbkin., W Newton., R Wroth. 2008. Community care of North Carolina: *Improving care through community health networks*, *Annals of Family Medicine*, 6(4), pp. 361–367. doi: 10.1370/afm.866.
- Strauss, A. & Corbin, J. 1994. Grounded Theory Methodology: An Overview. In: Norman K Denzin & Yvonna S Lincoln (eds.). *Handbook of Qualitative Research*. (1st edition) . Sage Publications. pp. 273–284.
- Streubert, H., & D Carpenter. 1999. *Qualitative Research in Nursing: Advancing the Humanistic Perspective* (2nd ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Study, A. H. M. P, A. Viana., C. Machado., B. Forunato., A. Kanamura., M. Tento., G silva. 2011. *Stroke Epidemiology, Patterns of Management, and Outcomes in Fortaleza, Brazil*. doi: 10.1161/STROKEAHA.111.626523.

- Sutton, J. & Austin, Z. 2015. Qualitative Research: Data Collection, Analysis, and Management. *Can J Hosp Pharm.* 68 (3), 226–231.
- Tim RISKESDAS. 2013. *Laporan Nasional RISKESDAS 2013*. Jakarta, Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia.
- Tim RISKESDAS. 2018. *Laporan Nasional RISKESDAS 2018*. Jakarta, Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia.
- Timmermans, S. and Mauck, A. 2005). The promises and pitfalls of evidence-based medicine. *Health Affairs*, 24(1), pp. 18–28. doi: 10.1377/hlthaff.24.1.18.
- Todd, R. D., R Roberts., C Joyner., A heathf, P Neuman, W Reich. 2003. Reliability and stability of a semistructured DSM-IV interview designed for family studies, *Journal of the American Academy of Child and Adolescent Psychiatry. The American Academy of Child and Adolescent Psychiatry*, 42(12), pp. 1460–1468. doi: 10.1097/00004583-200312000-00013.
- Toole, J.F., 1990. Cerebrovascular Disorders. 4th Edition, *Raven Press, New York*; 318-319.
- Tsai, P. C., P Yip., J Jen., M Lou. 2015. Needs of family caregivers of stroke patients: A longitudinal study of caregivers perspectives, *Patient Preference and Adherence*, 9, pp. 449–457. doi: 10.2147/PPA.S77713.
- Tummers,J.F., A.J Schrijvers.,J.M & Visser-Meily ,2012.Economic Evidence On Integrated Care For Stroke Patients; A Sistematic Review. *International Journal Of Integrated Care*,vol 12
- Varona, J. F. 2011. Long-term prognosis of ischemic stroke in young adults, *Stroke Research and Treatment*, 2011. doi: 10.4061/2011/879817.
- Wade, D.T. 1992 Stroke: rehabilitation and long-term care. *The Lancet. [Online]* 339 (8796), 791–793. Available from: doi:10.1016/0140-6736(92)91906-O.
- Wahyuni, S.2012. *Qualitative Research Method Theory and Practice*. (1st edition) . Dedy A. Halim (ed.). Salemba Empat.
- Wang, J. L., Langille, D. B. and Patten, S. B. (2003) ‘Mental health services received by depressed persons who visited general practitioners and family doctors’, *Psychiatric Services*, 54(6), pp. 878–883. doi: 10.1176/appi.ps.54.6.878.
- Wechsler, L. R., A Furlan., R higashida., W Dillon., H roberts., H Rowley., C Pettigrew., et al. 2003. *Factors Influencing Outcome and Treatment Effect in PROACT II*. doi: 10.1161/01.STR.0000068782.15297.28.
- Weimar, C., A Ziegler., I.R König, &NH.C Diener, 2002. Predicting functional outcome and survival after acute ischemic stroke. *J Neurol*; 249(7):888-95.

- Yang, S. and Jia, J. 2015. *Factors Related to Long-Term Post-Stroke Cognitive Impairment in Young Adult Ischemic Stroke*, pp. 654–660. doi: 10.12659/MSM.892554.
- Young, M. E., B Lutz., K R Creasy., K Cox., C Martz. 2014. A comprehensive assessment of family caregivers of stroke survivors during inpatient rehabilitation , *Disability and Rehabilitation*, 36(22), pp. 1892–1902. doi: 10.3109/09638288.2014.881565.
- Yu-Zhi,, Y Tao Xiang., S Lin Wu., N Zhang., J Zhou, Y Bai, S Wang, Y Long Wang,, X.Q Zhao, G S. Ungvari, H.F.K. Chiu.. YJ Wang, C Wang 2014. The Relationship between Frontal Lobe Lesions, Course of Post-Stroke Depression, and 1-year Prognosis in Patients with First-Ever Ischemic Stroke. e. PLoS ONE 9(7) and strians of caring for stroke survivors', *Annals of Physical and Rehabilitation Medicine. Elsevier Masson SAS*, 58(2), pp. 98–103. doi: 10.1016/j.rehab.2014.09.017.