

DAFTAR PUSTAKA

- Baucom, R.S., Estill, J.C., Chaparro, C., Upshaw, N., Jogi, A., Deragon, J.M., Westerman, R.P., SanMiguel, P.J. and Bennetzen, J.L. (2009) Exceptional diversity, non-random distribution, and rapid evolution of retroelements in the B73 maize genom. *PLoS Genet.* 5, e1000732.
- Branco CJS, Vieira EA, Malone G., Kopp MM, Malone E, Bernardes A, Mistura C, Carvalho FIF, Oliveira CA (2007) IRAP and REMAP assessments of genetk similarity in rice. *J Appl Genet* 107 – 113.
- Burger Y, Paris HS, Cohen R, Katzir N, Tadmor Y, Lewinsohn E, Schaffer AA (2010) Genetik diversity of Cucumis melo. In: Janick J (ed) *Horticultural reviews* 36:165–198
- C._elegans_Sequencing_Consortium (1998) Genom sequence of the nematode *C. elegans*: a platform for investigating biology. *Science* 282(5396):2012–2018
- Carvalho N, Canela F, Leite P. 2017. Analysis of genetk variability of commercial melon cultivars using ISSR molecular markers. *Genet. Mol. Res.* 16 (3)
- Chaveerach A, Alongkod T, Runglawan S, and Tawatchai T. 2006. Genetik diversity among geographically separated populations of *Nepenthes Mirabilis*. *Springer* 61(3):295-298
- Daryono B, Subiastuti A, Fatmadanni A, Sartika D. Phenotypic and genetk stability of new Indonesian melon cultivar based on ISSR markers. *Biodiversitas* 20: 1069-1075
- Daryono, B.S. dan Maryanto, S.D. 2018. Keanekaragaman dan Potensi Sumber Daya Genetik Melon. Gadjah Mada University Press. Yogyakarta. 2 p.
- Deragon, J.M. and Zhang, X. (2006) Short interspersed elements (SINEs) in plants: origin, classification, and use as phylogenetk markers. *Syst. Biol.* 55, 949–956.
- Devi, S P, Suman K, Satyawada R, and Pramod T. 2014. Single primer amplification reaction (SPAR) methods reveal subsequent increase in genetk variation 98 in micropropagated plants of *Nepenthes khasiana* maintained for threeconsecutive regenerations. *Elsevier* 538 :23-29
- Direktorat Jenderal Hortikultura. 2015. Indonesia Kaya Berbagai Melon Unggulan. Direktorat Jenderal Hortikultura - Kementerian Pertanian. Jakarta, Indonesia
- Esteras C, Formisano G, Roig C, Blanca J, Garciamas J. 2013. SPN Genotyping in melons: genetk variation, population structure, and linkage disequilibrium. *Theor Appl Genetik* 126 (5): 1285-303
- Finnegan, D.J. (1989) Eukaryotic transposable elements and genom evolution. *Trends Genet.* 5, 103–107.



- Grover, D., Mukerji, M., Bhatnagar, P., Kannan, K. and Brahmachari, S.K. (2004) Alu repeat analysis in the complete human genom: trends and variations with respect to genomic composition. *Bioinformatics*, 20, 813– 817.
- Heslop-Harrison JS. Comparative genom organization in plants: from sequence and markers to chromatin and chromosomes. *Plant Cell* 2000; 112:617 – 635
- Hill P, Burford D, Martin DMA, Flavell AJ. 2005. Retrotransposon populations of *Vicia* species with varying genom size. *Mol Genet Genomics* 273: 371–381.
- IPGRI. 2003. Descriptors for Melon (*Cucumis melo* L). International Plant Genetik Resources Institute, Rome, Italy.
- Kalendar R, Grob T, Regina M, Suoniemi A, Schulman AH (1999) IRAP and REMAP: two new retrotransposon-based DNA fingerprinting techniques. *Theoretical and Applied Genetiks* 98: 704-711.
- Kalendar R, Schuman A (2006). IRAP and REMAP for retrotransposon-based genotyping and fingerprinting. *Nat Protoc* 1: 2478–2484.
- Kerje T, GrumM (2000) The origin of melon, *Cucumis melo*: A review of the literature. *Acta Hortic* 510:34–37.
- Khoei, S.G., Mandoulakani, A., Bernousi, I. 2015. Genetik Diversity in Iranian Melon Populations and Hybrids Assessed by IRAP and REMAP Markers. *Journal Agr. Sci. Tech* Vol 17 : 1267 – 1277
- Kirkbride JH Jr (1993) Biosystematic monograph of the genus *Cucumis* (Cucurbitaceae). Parkway, Boone, NC
- Kramerov, D.A. and Vassetzky, N.S. (2011) SINEs. *Wiley Interdiscip. Rev. RNA*, 2, 772–786.
- Lander, E.S., Linton, L.M., Birren, B. *et al.*, (2001) Initial sequencing and analysis of the human genom. *Nature*, 409, 860–921.
- Leigh F, Kalendar R, Lea V, Lee D, Donini P, Schulman AH (2003) Comparison of the utility of barley retrotransposon families for genetik analysis by molecular marker techniques. *Molecular Genetiks Genomics* 269: 464-474.
- Li YC, Korol AB, Fahima T (2002) Microsatellites: genomic distribution, putative functions and mutational mechanisms: a review. *Molecular Ecology* 11: 2453-2465.
- Lopez M & Perez J (2010) DNA Transposons: Nature and Aplications in Genomics. *Curr Genomics*. 11(2): 115-128.
- Luan F, Delannay I, Staub JE (2008) Chinese melon (*Cucumis melo* L.) diversity analyses provide strategies for germplasm curation, genetik improvement, and evidentiary

- M.L.S., N. Narain, & P.S. Bora 2000. Characterization of some nutritional constituents of melon (*C. melo* hybrid AF-522) seeds. *Food Chemistry* 68(4): 411-414.
- Marakli, S. 2019. Retrotransposon analysis in Cucurbitaceae family. *International Journal of Science Letters*. 1 (1): 68 – 76.
- Moreno L, Gonzales V, Benjak A, Marti M (2011). Determination of the melon chloroplast and mitochondrial genom sequences reveals that the largest reported mitochondrial genom in plants contains a significant amount of DNA having a nuclear origin. *BMC Genomic* 12(1):424
- Naudin CV (1859) Essais d'une monographie des espees et des varieties du genre Cucumis *Ann Sci Nat Bot Ser* 4(11):5–87
- Ohshima, K., Hamada, M., Terai, Y. and Okada, N. (1996) The 30 ends of tRNA-derived short interspersed repetitive elements are derived from the 30 ends of long interspersed repetitive elements. *Mol. Cell. Biol.* 16, 3756–3764.
- Novakova A, Simackova K, Barta J, Curn V. 2009. Potato variety Identification by molecular markers based on retrotransposon Analyses. *Czech J. Genet. Plant Breed.*, 45 (1): 1- 10
- Okada, N., Hamada, M., Ogiwara, I. and Ohshima, K. (1997) SINEs and LINEs share common 30 sequences: a review. *Gene*, 205, 229–243.
- Pearce S.R., Harrison G., Li D., Heslop-Harrison J., Kumar A. and Flavell A.J. (1996) The Ty1-copia group retrotransposons in *Vicia* species: copy number, sequence heterogeneity and chromosomal localisation. *Mol. Gen. Genet.* 250: 305–315.
- Pearce, S.R. *et al.*,. (2000) Pea Ty1-copia group retrotransposons: transpositional activity and use as markers to study genetk diversity in *Pisum*. *Mol. Gen. Genet.* 263, 898–907
- Périn C, *et al.*,. (2002) A reference map of Cucumis melo based on two recombinant inbred line populations. *Theor Appl Genet* 104:1017–1034.
- Pitrat M (2008) Melon. In: Prohens J, Nuez F (eds) *Handbook of plant breeding*. Springer, New York, pp 283–315 Pitrat M (2012) Domestication and diversification of melon. In:
- Pitrat M, Hanelt P, Hammer K (2000) Some comments on infraspecific classification of cultivars of melon. *Acta Hort* 510:29–36
- Provan, J. *et al.*,. (1999) *Copia*-ISSR: a simple marker technique which can be used on total genomic DNA. *Genom* 42, 363–366
- Ramsay L, Macaulay M, Cardle L, Morgante M, degli Ivanissevich S, Maestri E, Powell W, Waugh R (1999) Intimate association of microsatellite repeats with retrotransposons and other dispersed repetitive elements in barley. *Plant Journal* 17: 415-425
- Robinson RW, Walters DS. 1999. Cucurbits. Cambridge: CAB International.

- Saha S, Karaca M, Jenkins JN, Zipf AE, Reddy OUK, Kantety RV (2003) Simple sequence repeats as useful resources to study transcribed genes of cotton. *Euphytica* 130: 355-364.
- Samadi, Budi. 2007. *Melon, Usaha Tani dan Penanganan Pasca Panen*. Kanisius: Yogyakarta. 21 p.
- SanMiguel P, Tikhonov A, Jin YK, Motchoulskaia N, Zakharov D, Melake-Berhan A, Springer PS, Edwards KJ, Lee M, Avramova Z, Bennetzen JL (1996) Nested retrotransposons in the intergenic regions of the maize genome. *Science*
- Santini, S, Cavallini A, Natali L, Minelli S, Maggini F, Cionini PG. Ty1Copia dan Ty3/gypsy like DNA sequences in *Helianthus* species. *Chromosoma* 2002;111:192-200
- Sari N Solmaz I Aras V (eds) *Cucurbitaceae 2012, proceedings of the Xth EUCARPIA meeting on genetics and breeding of Cucurbitaceae, Antalya (Turkey)*, pp 31–39, 15–18 Oct 2012
- Schwichtenberg, K., Wenke, T., Zakrzewski, F., Seibt, K.M., Minoche, A., Dohm, J.C., Weisshaar, B., Himmelbauer, H. and Schmidt, T. (2016) Diversification, evolution and methylation of short interspersed nuclear element families in sugar beet and related *Amaranthaceae* species. *Plant J.*, 85, 229–244.
- Seibt, K., Wenke T., Muders K., Truberg B., Schmidt T. 2016. Short interspersed nuclear elements (SINEs) are abundant in *Solanaceae* and have a family-specific impact on gene structure and genome organization. *The Plant Journal* 86, 268-285
- Seibt, K., Wenke, T., Wollrab, C., Junghans, H., Muders, K., Dehmer, K., Dlekmen, K., Schmidt, T. 2012. Development and application of SINE-based markers for genotyping of potato varieties. *Theor Appl Genet* (2012) 125:185–196
- Setiawan AB, Teo CH, Kikuchi S, Sassa H, Kato K, Koba T (2018) Cytogenetic variation among *Cucumis* accessions revealed by fluorescence *in situ* hybridization using ribosomal RNA genes as the probes. *Chromosome Science* 21:67-73.
- Sobir dan Firmansyah. 2014. *Berkebun Melon Unggul*. Penebar Swadaya: Jakarta
- Sormin SYM, Purwantoro A, Setiawan AB, Teo CH. 2021. Application of Inter-SINE Amplified Polymorphism (ISAP) markers for genotyping of *Cucumis melo* accessions and its transferability in *Coleus* spp. *Biodiversitas & Nusantara Biosci.* Vol 22, 2918 - 2929
- Toshiyuki M, Yusuke K, Yanagi T, Haruo S. 2002. Classification of Oriental Melon by RAPD Analysis. *Pakistan Journal of Biological Science*
- Vassetzky, N.S. dan Kramerov, D.A. (2013) SINEBase: a database and tool for SINE analysis. *Nucleic Acids Res.* 41, D83–D89.



- Vicient CM, Suoniemi A, Anamthawat-Johnsson K, Tanskanen J, Beharav A, Nevo E, Schulman AH (1999) Retrotransposon *BARE-1* and its role in genom evolution in the genus *Hordeum*. Plant Cell 11: 1769-1784.
- Waring M, Britten RJ (1966) Nucleotide sequence repetition - a rapidly reassociating fraction of mouse DNA. Science 154(3750):791–794
- Wenke T, Seibt K, Dobel T, Muders K, Schimdt T (2015). Inter-SINE Amplified Polymorphism (ISAP) for Rapid and Robust Plant Genotyping. Methods in Molecular Biology, vol 1245
- Wenke, T., Dobel, T., Sorensen, T.R., Junghans, H., Weisshaar, B. and Schmidt, T. (2011) Targeted identification of short interspersed nuclear element families shows their widespread existence and extreme heterogeneity in plant genomes. Plant Cell, 23, 3117–3128.
- Whitaker TW, Bemis WP (1976) Cucurbits, Cucumis, Citrullus, Cucurbita, Lagenaria (Cucurbitaceae). Evolution of Crop Plants, ed Simmonds NW (Longman, London), 64–69.
- Whitaker, T. W., Davis, G. N., 1962: Cucurbits - botany, cultivation and utilization. New York: London Leonard Hill Ltd., Interscience Publishers Inc.
- Yulita K S and M Mansur. 2012. The occurrence of Hybrid in *Nepenthes hookeriana* from Central Kalimantan can be detected by RAPD and ISSR Markers. Hayati Journal of Biosciences. 19(1):18-24
- Zulfahmi. 2013. Penanda DNA untuk Analisis Genetik Tanaman. Jurnal Agroteknologi. Vol. 3 No. 2: 41 – 52