

DAFTAR PUSTAKA

- Ahn, J.Y., Lee, M.J., Seo, J.S., Choi, D. & Park, J.B. 2016. Plasma neutrophil gelatinase-associated lipocalin as a predictive biomarker for the detection of acute kidney injury in adult poisoning. *Clinical Toxicology*, 3650(January).
- Atta, H., Bakry, S., Obaia, E., Gengehy, S.E. & Mohamed, W. 2011. Serum and urinary NGAL in Acute and Chronic Kidney Disease. *Journal of Pharmaceutical and Biomedical Sciences*, 04(04): 1–6.
- Baskoro, R. 2014. Acute Kidney Injury (AKI) Sebagai Faktor Prediktor Kematian.
- Bellomo, R., Ronco, C., Mehta, R.L., Asfar, P., Helms, J.B., Darmon, M., Diehl, J.L., Duranteau, J., Hoste, E.A.J. & Olivier, J.B. 2017. Acute kidney injury in the ICU : from injury to recovery : reports from the 5th Paris International Conference. *Annals of Intensive Care*: 1–40.
- Brunzel, N.A. 2018. *Fundamentals of Urine & Body Fluid Analysis*. fourth edi. St. Louis Missouri: Elsevier.
- Cerd, J. 2008. World Kidney Day and acute kidney injury World Kidney Day and acute kidney injury. *International Society of Nephrology*, (June).
- Chakraborty, S., Kaur, S., Tong, Z., Batra, S.K. & Guha, S. 2000. Neutrophil Gelatinase Associated Lipocalin : Structure , Function and Role in Human Pathogenesis. In P. F. Veas, ed. *Acute Phase Protein*. Europe: In Tech Europe, University Campus STeP Ri: 345–368.
- Charlton, J.R., Portilla, D. & Okusa, M.D. 2014. A basic science view of acute kidney injury biomarkers. *Nephrol Dial Transplant*, (January): 1301–1311.
- Chronopoulos, A. & Rosner, M.H. 2010. Acute kidney injury in elderly intensive care patients : a review. *Intensive Care Medicine*, 36: 1454–1464.
- Clerico, A., Galli, C., Fortunato, A. & Ronco, C. 2012. Neutrophil gelatinase-associated lipocalin (NGAL) as biomarker of acute kidney injury : a review of the laboratory characteristics and clinical evidences. *Clinical Chemistry Laboratory Medicine*, 50(9): 1505–1517.
- Cruz, D.N., Ricci, Z. & Ronco, C. 2009. Clinical review : RIFLE and AKIN – time for reappraisal. *Critical Care Journal*, 9: 1–9.
- Decavele, A.C., Dhondt, L., De, M.L. & Delanghe, J.R. 2011. Increased urinary neutrophil gelatinase associated lipocalin in urinary tract infections and leukocyturia. , 49(6): 999–1003.
- Devarajan, P. 2008. Neutrophil gelatinase-associated lipocalin — an emerging troponin for kidney injury. *Nephrology Dialysis Transplant*: 469–475.
- Devarajan, P. 2014. NGAL for the detection of acute kidney injury in the emergency room. *NIH Public Access*, 8(2): 217–219.
- Devarajan, P. & Murray, P. 2014. Biomarkers in Acute Kidney Injury : Are We Ready for Prime Time ? *Nephrology Clinical Practice*, 4: 176–179.
- Farooqi, S. & Dickhout, J.G. 2016. Major comorbid disease processes associated with increased incidence of acute kidney injury. *World Journal of Nephrology*, 5(2): 139–146.
- Fernando Lombardia, Alexis Muryan, Romina Canzonieri, H. 2016. Biomarkers in acute kidney injury : Evidence or paradigm? *Nefrologia*.
- Fielitz, A.H., Haase, M. & Devarajan, P. 2014. Neutrophil gelatinase-associated lipocalin as a biomarker of acute kidney injury : a critical evaluation of current status. *NIH Public Access*, 51(0 3): 335–351.
- Finlay, S., Bray, B., Lewington, A.J., Hunter-rowe, C.T., Banerjee, A., Atkinson, J.M. & Jones, M.C. 2013. Identification of risk factors associated with acute kidney injury in

- patients admitted to acute medical units. *Clinical Medicine*, 13(3): 233–238.
- Geus, H.R.H. De, Bakker, J., Lesaffre, E.M.E.H. & Noble, J.L.M.L. 2011. Neutrophil Gelatinase-associated Lipocalin at ICU Admission Predicts for Acute Kidney Injury in Adult Patients. *Journal of Respiratory Critical Care Medicine*.
- Gopaluni, S., Lines, S. & Lewington, A.J.P. 2010. Acute kidney injury in the critically ill patient. *Current Anaesthesia & Critical Care*, 21(2): 60–64. <http://dx.doi.org/10.1016/j.cacc.2009.09.006>.
- Haase, M., Bellomo, R., Devarajan, P., Schlattmann, P. & Group, N.M.I. 2009. Accuracy of Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Diagnosis and Prognosis in Acute Kidney Injury : A systematic Review and Meta-analysis. *YAJKD*, 54(6): 1012–1024. <http://dx.doi.org/10.1053/j.ajkd.2009.07.020>.
- Heil, W. & Ehrhardt, V. 2008. *Reference Range for Adult and Children*. 9th ed. Germany: Roche Diagnostics GmbH.
- Hinson, J.S., Ehmann, M.R., Ms, M.P.H., Jalbout, N. Al, Pharmd, M.J.O., Pharmd, J.Z. & Ms, E.Y.K. 2019. Risk Of Acute Kidney Injury Associated With Medication. *Journal of Emergency Medicine*, (October): 1–10. <https://doi.org/10.1016/j.jemermed.2019.11.034>.
- Hoste, E.A.J., Bagshaw, S.M., Cely, C.M., Gomersall, C.D., Joannes-boyau, O., Palevsky, P. & Andrade, E.V. 2015. Epidemiology of acute kidney injury in critically ill patients: the multinational Epidemiology of acute kidney injury in critically ill patients: the multinational AKI-EPI study. *Intensive Care Medicine*, (July).
- Jeffrey M. Testani, M.A.B. 2017. Plasma NGAL. *J Am Coll Cardiol.*, 68(13): 1432–1434.
- Jiang, L., Zhu, Y., Luo, X., Wen, Y., Du, B., Wang, M., Zhao, Z. & Yin, Y. 2019. Epidemiology of acute kidney injury in intensive care units in Beijing : the multicenter BAKIT study. *BMC Nephrology*: 1–10.
- Johan Mårtensson a, d R.B. a-c. 2014. The Rise and Fall of NGAL in Acute Kidney Injury. , 3004: 304–310.
- Jonny, J., Hasyim, M., Angelia, V., Jahya, A.N. & Hilman, L.P. 2020. Incidence of acute kidney injury and use of renal replacement therapy in intensive care unit patients in Indonesia. *BMC Nephrology*: 1–8.
- Kaucsár, T., Godó, M., Révész, C., Kovács, M. & Mócsai, A. 2016. Urine / Plasma Neutrophil Gelatinase Associated Lipocalin Ratio Is a Sensitive and Specific Marker of Subclinical Acute Kidney Injury in Mice. *Journal PLOS ONE*: 1–16.
- Kayatas, K., Sahin, G., Tepe, M., Kaya, Z.E., Demirtunç, R., Kayatas, K., Sahin, G., Tepe, M., Kaya, Z.E., Apaydin, S. & Demirtunç, R. 2014. Acute kidney injury in the elderly hospitalized patients. , 6049.
- Kellum, J.A. & Selby, N.M. 2018. Global epidemiology and outcomes of acute kidney injury 1 3. *Nat Rev Nephrol*, 14: 607–625.
- Kemenkes. 2010. *Kepmenkes nomor 1778/Menkes/SK/XII/2010 tentang Pedoman Pelayanan ICU di Rumah Sakit*.
- Koo, K.C., Hong, J.H., Lee, H.S., Jeh, S.U. & Choi, Y.D. 2015. Accuracy of Urinary Neutrophil Gelatinase- Associated Lipocalin in Quantifying Acute Kidney Injury after Partial Nephrectomy in Patients with Normal Contralateral Kidney. *Plos One*: 1–11.
- Koyner, J.L., Vaidya, V.S., Bennett, M.R., Ma, Q., Worcester, E., Akhter, S.A., Raman, J., Jeevanandam, V., Connor, M.F.O., Devarajan, P., Bonventre, J. V & Murray, P.T. 2010. Urinary Biomarkers in the Clinical Prognosis and Early Detection of Acute Kidney Injury. *The American Society of Nephrology*, (25): 2154–2165.
- Kümpers, P., Hafer, C., Lukasz, A., Lichtinghagen, R., Brand, K., Fliser, D., Faulhaber-walter, R. & Kielstein, J.T. 2010. Serum neutrophil gelatinase-associated lipocalin at

- inception of renal replacement therapy predicts survival in critically ill patients with acute kidney injury. *Biomed Central*, 14: 1–9.
- L. Axelsson, M. Bergensfeldt, F & K.O. 1995. Studies of the release and turnover of a human neutrophil lipocalin. *Scand Journal Clinical Laboratory Investigation*, 55.
- Lamb E, N.D. and P.C. 2006. 'Kidney Function Test', in *Tietz Of Textbook Clinical Chemistry and Molecular Diagnosis, 4th, Saunders Elsevier, p147-Philadelphia*.
- Lameire, N. & Eknoyan, G. 2012. Clinical Practice Guideline for Acute Kidney Injury. *Journal Of The International Society Of Nephrology*, 2(1).
- Lameire, N.H., Bagga, A., Cruz, D., Maeseneer, J. De, Endre, Z., Kellum, J.A., Liu, K.D., Mehta, R.L. & Pannu, N. 2013. Acute kidney injury : an increasing global concern. *The Lancet*, 382(9887): 170–179. [http://dx.doi.org/10.1016/S0140-6736\(13\)60647-9](http://dx.doi.org/10.1016/S0140-6736(13)60647-9).
- Mahmoodpoor, A., Hamishehkar, H., Pharm, D., Fattahi, V., Sanaie, S., Arora, P. & Nader, N.D. 2018. Urinary versus plasma neutrophil gelatinase-associated lipocalin (NGAL) as a predictor of mortality for acute kidney injury in intensive care unit patients. *Journal of Clinical Anesthesia*, 44: 12–17. <https://doi.org/10.1016/j.jclinane.2017.10.010>.
- Makris, K. & Spanou, L. 2016. Acute Kidney Injury : Definition , Pathophysiology and Clinical Phenotypes. , 37(2): 85–98.
- Martling, C., Bell, M. & Ma, J. 2012. Novel biomarkers of acute kidney injury and failure : clinical applicability. *British of Journal of Anaesthesia*, 109(October): 843–850.
- Munna Lal Patel, Rekha Sachan, Radhey Shyam, Satish Kumar, Ritul Kamal, A.M. 2016. Diagnostic accuracy of urinary neutrophil gelatinase-associated lipocalin in patients with septic acute kidney injury. *International Journal of Nephrology and Renovascular Disease*: 161–169.
- Musda, D. 2014. Faktor - Faktor Risiko Terjadinya AKI (Acute Kidney Injury) Pada Pasien di ICU RSUP DR . Sardjito.
- Neil Turner, Norbert Lameire, David J. Goldsmith, Christopher G. Winearls, Jonathan Himmelfarb, G.R. 2016. *Clinical Nephrology*. fourth edi. United States of America: Oxford University Press.
- NICE. 2018. The NGAL Test for early diagnosis of acute kidney injury. : 1–32.
- Nisula, S., Karlsson, S., Reinikainen, M. & Kuitunen, A. 2013. Incidence , risk factors and 90-day mortality of patients with acute kidney injury in Finnish intensive care units : the FINNAKI study. *Intensive Care Medicine*, 39: 420–428.
- Ostermann, M., Care, C. & Liu, K. 2017. Pathophysiology of AKI. *Best Practice & Research Clinical Anaesthesiology*, 31: 305–314.
- Panagoutsos, S., Kriki, P., Mourvati, E., Tziakas, D., Chalikias, G., Stakos, D., Apostolakis, S., Tsigalou, C., Gioka, T., Konstantinides, S. & Vargemezis, V. 2011. Neutrophil gelatinase-associated lipocalin (NGAL) urine concentrations may serve as an early diagnostic marker for the development of acute kidney injury in myocardial infarction patients. *Congress of the European Renal Association and European Dialysis and Transplant Association*, 2(July).
- Parikh, A., Rizzo, J.A., Canetta, P., Forster, C., Sise, M., Maarouf, O., Singer, E., Elger, A., Elitok, S., Schmidt-ott, K., Barasch, J. & Nickolas, T.L. 2017. Does NGAL reduce costs ? A cost analysis of urine NGAL (uNGAL) & serum creatinine (sCr) for acute kidney injury (AKI) diagnosis. , 2: 1–16.
- Parikh, C.R., Devarajan, P., Zappitelli, M., Sint, K., Thiessen-philbrook, H., Li, S., Kim, R.W., Koyner, J.L., Coca, S.G., Edelstein, C.L., Shlipak, M.G., Garg, A.X., Krawczeski, C.D. & Consortium, T. 2011. Postoperative Biomarkers Predict Acute Kidney Injury and Poor Outcomes after Pediatric Cardiac Surgery. *Journal American Society Nephrology*: 1737–1747.

- Passoni, R., Rodrigues, A., Carvalho, S., Alberto, L., Peres, B., Ronco, C. & Macedo, E. 2019. An epidemiologic overview of acute kidney injury in intensive care units. , 65(8): 1094–1101.
- Quintavalle, C., Anselmi, C.V., Micco, F. De, Roscigno, G., Visconti, G., Golia, B., Focaccio, A., Ricciardelli, B., Perna, E., Papa, L. & Donnarumma, E. 2015. Neutrophil Gelatinase–Associated Lipocalin and Contrast-Induced Acute Kidney Injury. *Circ Cardiovasc Interv Journal*: 1–11.
- Robertson, L.C. & Al-haddad, M. 2013. Recognizing the critically ill patient. *Anaesthesia and Intensive Care Medicine*, 14(1): 11–14. <http://dx.doi.org/10.1016/j.mpaic.2012.11.010>.
- Roy, J. & Devarajan, P. 2020. Acute Kidney Injury : Diagnosis and Management. *The Indian Journal of Pediatrics*, 87(August): 600–607.
- Sastroasmoro, S. 2014. *Dasar-dasar Metodologi Penelitian Klinis*. ke-5. Sagung Seto.
- Shahbazi, F., Sadighi, S., Dashti-khavidaki, S., Shahi, F. & Mirzania, M. 2015. Urine Ratio of Neutrophil Gelatinase-associated Lipocalin to Creatinine as a Marker for Early Detection of Cisplatin- associated Nephrotoxicity. *Iranian Journal of Kidney Disease*, 9(4): 305–310.
- Shigehiko Uchino, M., John A. Kellum, M., Rinaldo Bellomo, M., Gordon S. Doig, P., Hiroshi Morimatsu, M., Stanislao Morgera, M., Miet Schetz, M., Ian Tan, M., Catherine Bouman, M., Ettiene Macedo, M., Noel Gibney, M., Ashita Tolwani, M. & Claudio Ronco, M. 2005. Acute Renal Failure in Critically Ill Patients. *JAMA network*, 294(7): 813–818.
- Shoib, M., Mahmud, S.N. & Safdar, M. 2019. Early Diagnosis Of Acute Kidney Injury By Urinary Neutrophil Gelatinase Associated Lipocalin In Adult Critically Ill Patients. , 31(1): 12–15.
- System, A. 2009. Urine NGAL. : 1–7.
- Tang, Y., Mak, S., Xu, A.N.P. & Lan, H. 2018. Role of C-reactive protein in the pathogenesis of acute kidney injury. *Asian Pacific Society of Nephrology*, 4: 50–52.
- Thang, L. V, Kien, N.T., Tuan, P.N.H., Dung, N.T.T., Kien, T.Q., Ha, D.M. & Pham, Q. 2019. Urine Neutrophil Gelatinase-Associated Lipocalin Measured at Admission to Predict Recovery from Acute Kidney Injury of Vietnamese ICU Patients. *The Open Urology & Nephrology Journal*: 60–65.
- Thomas L. Nickolas, MD, M., , Kai M. Schmidt-Ott, MD, Pietro Canetta, M., Catherine, Forster, M., , Eugenia Singer, MD, Meghan Sise, M., , Antje Elger, MD, O.M., MD, David Antonio Sola-Del Valle, M., , Matthew O’Rourke, M., , Evan Sherman, M., Peter Lee, B., , Abdallah Geara, M., , Philip Imus, M., , Achuta Guddati, M., Allison, Polland, M., , Wasiq Rahman, M., , Saban Elitok, MD, Nasir Malik, M., , James Giglio, M., Suzanne El-Sayegh, MD, Prasad Devarajan, MD, Sudarshan Hebbar, M., J., S., Saggi, MD§, Barry Hahn, MD, Ralph Kettritz, MD, Friedrich C. Luft, MD, and J. & Barasch, MD, P. 2012. Diagnostic and Prognostic Stratification in the Emergency Department Using Urinary Biomarkers of Nephron Damage. *NIH Public Access*, 59(3): 246–255.
- Tonomura, Y., Matsubara, M., Kazama, I., Evaluation, D.S. & Medicine, T. 2014. Biomarkers in Urine and Use of Creatinine Key Facts of Creatinine and Urinary Biomarkers in Kidney Disease. *General Methods in Biomarkers*: 1–17.
- Watanabe, M., Silva, G.F. e, Fonseca, C.D. da, Fatima, M. de & Vattimo, F. 2014. Urinary NGAL in patients with and without acute kidney injury in a cardiology intensive care unit. , 26(4): 347–354.
- Yim, H.E. 2015. Neutrophil Gelatinase-Associated Lipocalin and Kidney Diseases. *The Korean Society of Pediatric Nephrology*, 0242: 79–88.

Zeng, J.Z. · Y.L. · Y.T. · F.L. · L.Z. · X. & Fu, Y.F. · Y.T.L.Y. · P. 2016. A comparison of RIFLE, AKIN, KDIGO, and Cys-C criteria.pdf. *Int Urol Nephrol*, 48: 125–132.



UNIVERSITAS
GADJAH MADA

**RASIO PREVALENSI CEDERA GINJAL AKUT PADA PASIEN RAWAT INTENSIVE DENGAN
PENINGKATAN KADAR NEUTROPHIL
GELATINASE ASSOCIATED LIPOCALIN (NGAL) URIN**

CHANDRA TRIANNA DEWI, dr. Ira Puspitawati, M. Kes, Sp.PK(K)

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>